

**PLANT TISSUE-BASED BIOELECTRODES FOR
DETERMINATION OF SOME CHEMICAL
SUBSTANCES**

PRASIT PURACHAT

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY
IN CHEMISTRY**

**GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
MARCH 2002**

PLANT TISSUE-BASED BIOELECTRODES FOR DETERMINATION OF SOME CHEMICAL SUBSTANCES

PRASIT PURACHAT

THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF DOCTOR OF PHILOSOPHY
IN CHEMISTRY

EXAMINING COMMITTEE

..... <i>S. Liawruangrath</i>	CHAIRMAN
Assistant Professor Dr. Saisunee Liawruangrath	
..... <i>S. Watanesk</i>	MEMBER
Associate Professor Dr. Surasak Watanesk	
..... <i>B. Liawruangrath</i>	MEMBER
Associate Professor Dr. Boonsom Liawruangrath	
..... <i>Winai Oungpipat</i>	MEMBER
Dr. Winai Oungpipat	
..... <i>B. Leelasart</i>	MEMBER
Dr. Bundit Leelasart	
..... <i>Vichitr Rattanaphani</i>	MEMBER
Associate Professor Dr. Vichitr Rattanaphani	

27 MARCH 2002

© Copyright by the Graduate School, Chiang Mai University

ACKNOWLEDGEMENTS

The author would like to express his heartfelt gratitude and appreciation to Assistant Professor Dr. Saisunee Liawruangrath, his supervisor, for her kind supervision, invaluable guidance and continual encouragement throughout the study.

The author wishes to express his gratitude to Dr. Winai Oungpipat, Division of Analytical Chemistry, Department of Chemical Technology, Rajamangala, Institute of Technology, Bangkok Technical Campus, his thesis co-supervisor, for his valuable discussion, invaluable guidance and constant inspiration throughout the study, also to his co-supervisor, Associate Professor Dr. Surasak Watanesk, Department of Chemistry, Faculty of Science and Associate Professor Dr. Boonsom Liawruangrath, Department of pharmaceutical chemistry, Faculty of Pharmacy, Chiang Mai University.

The author would like to express his heartfelt gratitude and appreciation to Assistant Professor Dr. Churairat Duangduen, Assistant to the President and Director of Chemical Research Institute, Rajamangala Institute of Technology, for allowing this research to be undertaken in the institute and also to the competent authorities.

The author wishes to acknowledge Rajabhat Institute Thepsatri , Lopburi, the Postgraduate Education and Research Program in Chemistry (PERCH) and the Graduate School of Chiang Mai University for the support of some parts of this research.

The author would like to thank people whose names are not listed here, and those who have on way or another contributed to the success of this work.

Finally, the author wishes to express his heartfelt gratitude here to his parents for their tender love, care and endless encouragement.

Prasit Purachat