

**CHARACTERIZATION OF LEAD ZIRCONATE TITANATE
POWDERS**

SUWIMON NUALPRALAKSANA

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY
IN CHEMISTRY**

**GRADUATE SCHOOL
CHIANG MAI UNIVERSITY**

SEPTEMBER 2002

**CHARACTERIZATION OF LEAD ZIRCONATE TITANATE
POWDERS**

SUWIMON NUALPRALAKSANA

THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF DOCTOR OF PHILOSOPHY
IN CHEMISTRY

EXAMINING COMMITTEE

SukonCHAIRPERSON

Assoc.Prof.Dr. Sukon Phanichphant

PrasakMEMBER

Assoc.Prof.Dr. Prasak Thavornnyutikarn

Tawee TunkasiriMEMBER

Prof.Dr. Tawee Tunkasiri

Suthat YoksanMEMBER

Prof.Dr. Suthat Yoksan

Udom SriyothaMEMBER

Assoc.Prof.Dr. Udom Sriyotha

25 September 2002

ACKNOWLEDGEMENTS

I would like to express my sincere thanks to all who have helped me in any way throughout this thesis. I am especially grateful to my advisor, Assoc.Prof.Dr. Sukon Phanichphant for her kindness, untiring, constant guidance and encouragement throughout the course of my study.

I would like to thank Assoc.Prof.Dr. Prasak Thavornytikarn, Prof.Dr. Tawee Tunkasiri, Assoc.Prof.Dr. Udom Sriyotha for their helpful discussions. Special thank is due to Prof.Dr. R. B. Heimann at Department of Mineralogy, Freiberg University of Mining and Technology, Freiberg, Germany for the opportunity to work in his laboratory, continued support and valuable comments. My appreciation is due to Prof.Dr. Tawee Tunkasiri and Mr. Suwit Chaisupan at Materials Science Research Laboratory (MSRL) and the Ceramic Development Center in Lampang for XRD facility and due to Assoc.Prof.Dr. Pramote Vanittanakom, Mrs. Budsabong Kuntalue and Mrs. Natchanart Thijak for SEM facility. My special thanks is extended to Dr. Torranin Chairuang Sri and Mrs. Nongkhran Chaiwong at Industrial Chemistry Department, Chiang Mai University for particle size analysis and the National Metal and Materials Technology Center (MTEC) for thermal analysis and dielectric measurements.

Thanks also go to my colleagues, Mr. Pusit Pookmanee, Mr. Pitak Youmce, Miss Wongduan Maison, Mr. Samart Kongtawelert, Miss La-ongnuan Srisombat

and many others who have given the comments, support and encouragement. Special thank is extended to Frau Ulrike Raulfs who is my teacher and friend.

I am very much indebted to my parents Mr. Kukieti and Mrs. Arce Nualpralaksana, my brother Mr. Montham Nualpralaksana and Mr. Sutinan Ruangstri, for all they have done to enable me to make this submission.

Finally I would like to acknowledge the National Science and Technology Development Agency of Thailand (NSTDA), the Secondary Education Quality Improvement Project of ORIC, Rajabhat Institute Nakhon Pathom, Graduate School, Chiang Mai University and Chemistry Department, Science Faculty, Chiang Mai University for financial support and also to the German Exchange Programme (Deutscher Akademischer Austauschdienst) for sponsoring some parts of my research in the Federal Republic of Germany.

Suwimon Nualpralaksana