References

- Aranyakanont, P., 1972, Report on copper deposit survey, Fak Tha District, Uttaradit; Economic Geology Division, Department of Mineral Resources, Bangkok, 17p. (in Thai).
- Barker, R.D., 1981, The offset system of electrical resistivity sounding and its use with a multicore cable; Geophysical Prospecting, v. 29, p. 112-143.
- Barr, S.M., and MacDonald, A.S., 1987, Nan river suture zone, northern Thailand; Geology, v. 15, p. 907-910.
- Beard, L., 2000, Detection and identification of north-south trending magnetic structures near the magnetic equator; Geophysical Prospecting, v. 48, p. 745-761.
- Beck, A.E., 1981, Physical principle of exploration methods; McMillian, Hong Kong, 234p.
- Becker, A., 1979, Airborne electromagnetic method, Geophysics and Geochemistry in the search of metallic ores, Economic Geology Report no. 31, Geological Survey of Canada, Ottawa, Canada, p. 33-54.
- Bonham-Carter, G.F., 1995, Geographic information systems for geoscientist: modeling with GIS; Pergamon, 322p.
- Brigham, E.O., 1974, The fast fourier transform; Prentice-Hall, New Jersy, USA, 252p.
- Brown, G.F., Buravas, S., Javanaphet, J.C., Jalichandra, N., Johnston, W.D., Sresthaputra, V., and Taylor, G.C., 1951, Geologic reconnaissance of the mineral deposits of Thailand- Geologic investigation in Asia; USGS Bulletin no. 984, 183 p.
- Bunopas, S., 1981, Paleogeographic history of western Thailand and adjacent parts of SE Asia: A plate tectonic interpretation; unpublished Ph.D. thesis, Victoria University of Wellington, New Zealand, 810 p.
- Bunopas, S., and Vella, P., 1983, Tectonic and geologic evolution of Thailand; Proceedings on Stratigraphic Correlation of Thailand and Malaysia, Haad Yai, Thailand, p. 307-317.
- Buravas, S., 1941, Report on the iron investigation of Uttaradit; Geological Survey Division, Department of Mineral Resources, Bangkok, 7 p. (in Thai).
- Carrel, P., 1964, A study of the copper prospects in Thailand; Technical Final Summary Report, A Technical Cooperation Mission in Thailand, 24 p.
- Chairungsri, C., Bhavabhutanonda, R. and Kosuwan, S., 1989, Geology of map sheet Amphoe Fak Tha (5144 I), scale 1:50,000; Geological Survey Division Report, Department of Mineral Resources, Bangkok.

- Chaleechan, N., 1954, Report on copper deposit exploration in Wiang Sa of Nan; Geological Survey Division, Department of Mineral Resources, Bangkok, 10p. (in Thai).
- Charmicael, R.S., 1982, Magnetic properties of minerals and rocks; Handbook of Physical Properties of Rocks, v. 2, CRC Press, Boca Raton, Florida, USA, p. 229-287.
- Chaturongkawanich, S. and Leevongchreon, S., 1987, Geology of map sheet Ban Na Thanung (5145 III), scale 1:50,000; Geological Survey Division Report, Department of Mineral Resources, Bangkok.
- Geology of map sheet Amphoe Fak Tha (5144 I), scale 1:50,000; Geological Survey Division Report, Department of Mineral Resources, Bangkok.
- Coggan, J.H., 1973, A comparison of electrode arrays; Geophysics, v. 38, p. 737-761.
- Cooley, J.W., and Turkey, J.W., 1965, An algorithm for machine calculation of complex Fourier series; Mathemetics and Computer, v. 19, p. 297-301.
- Crone, D., 1979, Exploration for massive sulphides in desert areas using the ground pulse electromagnetic method: Geophysics and Geochemistry in the search for metallic ores, Economic Geology Report 31, Geological Survey of Canada, Canada, p. 745-755.
- Dejen, A.T., 1993, Application of frequency domain electromagnetic surveys for geology mapping and mineral prospecting at Nan-Uttaradit area, Thailand; unpublished M.Sc. thesis, Chiang Mai University, Thailand, 234 p.
- Department of Mineral Resources, 1985, Survey Division Report on mineral concession area; Department of Mineral Resources, Bangkok, 25p. (in Thai).
- Department of Mineral Resources, 2000, Planning Division Report on mineral statistic, Department of Mineral Resources, Bangkok, 4p.
- Domzalski, W., 1966, Importance of aeromagnetics in evaluation of structural control of mineralization; Geophysical Prospecting, v. 14, p. 273-291.
- Duke, J.M., 1983, Magmatic seggregation deposits of chromite: ore deposit model; Geoscience Canada, Canada, v. 10, p. 15-24.
- Edwards, R., and Atkinson, K., 1986, Ore deposit geology; Chapman and Hall, New York, USA, 466p.
- ESCAP, 2002, Geology and mineral resources of Thailand; United Nation Publication, (in press).
- Evans, A., 1987, An introduction to ore geology; 2nd edition, Blackwell, 358p.
- Fenton, C.H., Charusiri, P., Hinthong, C., Lumjuan, A., and Mongkolkarn, B., 1997, Late Quaternary faulting in northern Thailand; Proceedings of International Conference on Stratigraphy and Tectonic Evolution of SE Asia and South Pacific, Bangkok, Thailand, p. 436-452.
- Forestry Department, 1998, Forestry resources and land use in national park classification; Forestry Department, Bangkok, Thailand, 230 p. (in Thai).
- Geological Survey of Japan, 1994, Aeromagnetic map of SE Asia, Tokyo, Japan.

- Grant, F.S., 1985b, Aeromagnetic, geology, and ore environments, II Magnetite and ore environments; Geoexploration, v. 23, p. 335-362.
- Grant, F.S., and West, G.F., 1965, Interpretation theory of applied geophysics; McGraw-Hill, 584p.
- Guilbert, J., and Park, Jr. C., 1985, The geology of ore deposit; Freeman, USA, 985p.
- Hatch, D.M., Kiattiwongchai, T., Wisedsin, W., Boonnop, N., and Kwan, K.C.H., 1994, Creation of nationwide geophysical grid of Thailand, unpublished report for Nationwide Data Compilation Project, Department of Mineral Resources, Bangkok, 116p.
- Helmcke, D., 1986, On the geology of Phetchabun fold belt (Central Thailand)
 implications for the geodynamic evolution of Mainland SE. Asia;
 Geological Society of Malaysia Bulletin, v. 19, p. 79-85.
- Hinthong, C., Raksaskulwong, L., and Khositanont, S., 1999, A reconstruction of geology of the Nan area and its vicinities, Northern Thailand; Proceedings of the Symposium on Mineral, Energy, and Water Resources of Thailand: Toward the Year 2000, Bangkok, Thailand, p. 178-196.
- Hjelt, S.E., 1976, A new approach to magnetic profile interpretation; Geophysical Prospecting, v. 24, p. 1-18.
- Hohmann, G.W., 1990, Numerical modeling for electromagnetic methods in geophysics, in Electromagnetic Methods in Applied Geophysics: volume 1, Theory, SEG, p. 313-361.
- Japakasetr, T., and Jarnyaharn, P., 1992, Thailand's mineral potential and investment opportunity; Proceedings of a National Conference on Geologic Resources of Thailand: Potential for Future Development, Department of Mineral Resources, Bangkok, p. 641-652.
- Jarach, W., 1997, Report on chemical analysis result of pyrrhotite of Ban Ngom Tham; pers. comm.
- Jeenawut, S., 1996, Geology of chromite deposits at Ban Ngom Tham, Tambon Tha Faek, Amphoe Tha Pla, Changwat Uttaradit, unpublished M.Sc. thesis, Chiang Mai University, Chiang Mai, Thailand, 87p.
- Jensen, M. L., and Bateman, A.M., 1979, Economic mineral deposits, John Wiley & Sons, 593p.
- Kearey, P., and Brooks, M., 1984, An introduction to geophysical exploration, Blackwell, 296p.
- Keller, G.V., and Frischknecht, F.C., 1996, Electrical methods in geophysical prospecting; Pergamon Press, 523p.
- KESIL (Kenting Earth Science International Limited), 1989, Uttaradit-Nan follow-up report for airborne geophysical survey; Ottawa, Canada, 202 p.
- Kiatiwongchai, T., 1995, Airborne geophysical data interpretation of the Uttaradit-Nan area: General background and aeromagnetic interpretation;

- Mineral Resources Development Division Report no. 6/1995, Department of Mineral Resources, Bangkok, 35p.
- Killean, P.G., 1979, Gamma-ray spectrometric methods in uranium exploration-application and interpretation; Economic Geology Report 31, Geophysics and Geochemistry in the Search for Metallic Ores, Geological Survey of Canada, Canada, p. 163-229.
- Kuentag, J., 1995, Uttaradit white clay, Proceedings on the Meeting of Illite Deposit, Department of Mineral Resources, Bangkok, p.1-20.
- Kumanchan, P., 1989, Gold occurrence in Upper Paleozoic-Mesozoic volcanic rocks of Thailand; Economic Geology Division Report no. 7/1989, Department of Mineral Resources, Bangkok, 26p. (in Thai).
- Kumanchan, P., 1992, Mineral deposits and natural fuel resources maps of Thailand; Department of Mineral Resources, Bangkok, 488 p.
- Kuttikul, P., Boonsanong, A. Paiyarom, A. and Anukul S., 1988, Report on the AEM interpretation in Uttaradit-Nan area; Economic Geology report no. 52/1987, Economic Geology Division, Department of Mineral Resources, 22 p. (in Thai)
- Kuttikul, P., Surinkum, A., and Utha-aroon, C., 1997, Application of gravity survey in gypsum exploration, Wang Saphung, Loei; Mineral Resources Development Division Report no. 20/1997, Department of Mineral Resources, Bangkok, 37p. (in Thai).
- Lawson, G.R., 1998, The United States; Mining Annual Review, p. 70-73.
- Leungingkasoot, M. and Techawan, S., 1997, The application of principle component analysis of Landsat TM for clay mineral exploration, Khao Kiu Mamum, Muang, Uttaradit; Proceedings on Geophysics in prospection for natural resources, engineering and environmental problems, Hat Yai, Songkhla, Thailand, p. 127-138.
- Leungingkasoot, M., and Yawichai, P., 2000, Potential areas of gold and base metal in Phanom Sarakham, Chaseongsao, Economic Geology Division Progressive Report no. 7/2000, Department of Mineral Resources, Bangkok, 88 p. (in Thai).
- Lidiak, E., Hinze, W., Keller, G., Reed, L., Braile, L., and Johnson, R., 1985, Geological significance of regional gravity and magnetic anomalies in the east-central midcontinent; in The Utility of Regional Gravity and Magnetic Anomaly, Society of Exploration Geophysicists, Oklahoma, USA, p. 287-307.
- Lumjuan, A. and Sinpool-anant, S., 1987, Geology of map sheet Amphoe Tha Pla (5044 I), scale 1:50,000; Geological Survey Division Report, Department of Mineral Resources, Bangkok.

- Macdonald, A.S., and Barr, S.M., 1984, The Nan river mafic-ultramafic belt, northern Thailand: Geochemistry and tectonic significance, Geological Society of Malaysia Bulletin no. 17, p. 209-224.
- Merrill, R.T., and McElhinny, M.W., 1983, The Earth's magnetic field; Academic Press, USA, 401p.
- Mineral Industry Surveys, 2000, U.S. Geological Survey, USA, 11p.
- Moody, J.B., 1976, Serpentinization: a review, Lothos, v. 9, p. 125-138.
- Munyue, C., Chongsthaworn, P., Triamsantipab, S., and Potisat, S., 1991, Report on the ground follow-up survey in the Uttaradit-Nan area; Economic Geology Report no. 41/1990, Economic Geology Division, Department of Mineral Resources, Bangkok, 133 p. (in Thai).
- Neawsuparp, K., and Paiyarom, A., 1992, Report on geophysical survey in Song District, Phrae; Economic Geology Division Report no. 17/1991, Department of Mineral Resources, Bangkok, 42p. (in Thai).
- Neawsuparp, K, 1996, Multiparameter diagram for interpretation of electromagnetic response in uniform conductive host media; unpublished M.Sc. thesis, Chiang Mai University, Chiang Mai, Thailand, 110p.
- Neawsuparp, K., 1997, Image processing of Landsat TM and integration with aeromagnetic data for structural interpretation of the Nan suture zone; Proceedings of a conference on geophysics in prospection for natural resources, engineering and environmental problems, Hat Yai, Thailand, p.139-148.
- Orberger, B., Friedrich, G., and Pitragool, S., 1989, Platinum Group element distribution in ultramafics, chromitite, magnetite, and pyrrhotite, Nan-Uttaradit mafic-ultramafic belt, northern Thailand: preliminary result; Proceedings of International Symposium on Intermontane Basins-Geology and resources, Chiang Mai University, Chiang Mai, Thailand, p. 483-492.
- Otarawanna, P., Nasuksom, P., and Rangubpit, W., 1997, Airborne radiometric interpretation over the follow-up survey area; Mineral Resources Development Division Report no. 26/1997, Department of Mineral Resources, Bangkok, 40p.
- Ounchanum, P., Sottikoon, W., and Kongphetsak, W., 1991, A petrographic study of serpentine minerals in the Nan serpentinites, northern Thailand; Abstract, Special publication no. 9, Department of Geological Sciences, Chiang Mai University, Chiang Mai, Thailand, p. 364.
- Paiyarom, A. and Surinkum, A, 1997, Report on the ground geophysical follow-up survey in the Uttaradit-Nan AEM survey area, Mineral Resources Development Division Report no. 10/1997, Department of Mineral Resources, Bangkok, 29p. (in Thai).

- Palacky, G.L., 1987, Clay mapping using electromagnetic methods; First Break, v. 5, no 8, p. 295-306.
- Palacky, G.L., 1988, Characteristics of geologic target; in Electromagnetic Methods in Applied Geophysics-Theory, SEG, v.1, p 53-129.
- Palacky, G.L., and Stephens, L.E., 1990, Mapping of Quaternary sediments in northeastern Ontario using ground electromagnetic methods; Geophysics, v. 55, no. 12, p. 1596-1604.
- Palacky, G.L., 1991, Application of the multifrequency horizontal-loop EM method in overburden investigations; Geophysical Prospecting, v. 39, p. 1061-1082.
- Panjasawatwong, Y., 1991, Petrology, geochemistry and tectonic implications of igneous rocks in the Nan suture, Thailand and an empirical study of the effects of Ca/Na, Al/Si and H₂O on plagioclase-melt equilibria at 5-10 Kb pressure; unpublished Ph.D. thesis, University of Tasmania, Australia, 239 p.
- Paopongsawan, P., 1996, Semi-detailed geochemical exploration on Ban Pang Chomphu sheet (5146 III); Mineral Resources Development Division Report no. 2/1996, Department of Mineral Resources, Bangkok, 51p. (in Thai).
- Paopongsawan, P., and Yensabai, S., 1997, Semi-detailed geochemical exploration on Ban Khuan Kaeo Area, map scale 1:50,000 sheet 5146 IV (Ban Khuan Kaeo); Mineral Resources Development Division Report no. 21/1997, Department of Mineral Resources, Bangkok, 40p. (inThai).
- Paopongsawan, P., Subparinyaporn, S., and Neawsuparp, K., 2000, Nickel chromite and gold potential Area, Ban Nam Pun, Mae Charim, Nan; Economic Geology Division Report no. 2/2000, Department of Mineral Resources, Bangkok, 60p. (in Thai).
- Peters, W.C., 1987, Exploration and Mining Geology, John Wiley and Sons, 685p.
- Pintawong, C., 1998, Mineral investigation in Uttaradit-Nan area, Mineral Resources Development Division Report no. 6/1997, Department of Mineral Resources, Bangkok, 57p. (in Thai).
- Pitragool, S., Hararak, M., Silakul, T., Aschanachinda, P., and Panjasawatwong, Y., 1986, Association of chromite-magnesite and igneous complex, Ban Huai Loa, Na Noi, Nan and economic potential; Department of Geological Sciences, Chiang Mai University, Chiang Mai, Thailand, 142 p. (in Thai).
- Piyasin, S., 1975, Geology of Uttaradit; Sheet NE 47-11; Report of investigation no. 15, Department of Mineral Resources, Bangkok, 66 p. (in Thai).

- Potisat, S., 1980, Airborne geophysical survey for geology and mineral prospecting; Mineral Resources Gazette, v. 25, no. 11, p. 28-32 and no. 12, p. 43-48 (in Thai).
- Potisat, S., 1996, Gold exploration and mining opportunities in Thailand; in the Asia Gold Congress, Kowloon Shangri-La, Hong-Kong, 17p.
- Prasittikarnkul, K., Siripongsatian, S., and Surinkum, A., 1993, Report on conductivity measurement of gold potential at Khao Din Khao Moh; Mineral Resources Development Division Report no. 30/1993, Department of Mineral Resources, Bangkok, 73p. (in Thai).
- Prasittikarnkul, K., Subprinyaporn, S., Kuttikul, P., Joychu, U., Pho-ngam, A., and Paisal, S., 1997, Report on ground follow-up survey in Phetchabun area; Mineral Resources Development Division Report no. 19/1997, Department of Mineral Resources, Bangkok, 41p. (in Thai).
- Reford, M.S., and Sumner, J., 1964, Review article: aeromagnetics; Geophysics, v. 29(4), p. 481-516.
- Robinson, E.A., 1967, Multichannel time series analysis with digital computer program; San Fransisco, Holden-Day, 454p.
- Seesamrurng, P., 1996, Induced polarization characteristics of sulphide graphite and clay minerals in Northern Thailand; unpublished M.Sc. thesis, Chiang Mai University, Chiang Mai, Thailand, 140p.
- Sekthera, S., Yaemniyom, .S., Kunawat, P., and Yaemniyom, N., 1978, Regional geochemical survey in Uttaradit, Sheet NE 47-11, scale 1:250,000; Economic Geology Bulletin no. 24, Economic Geology Division, Department of Mineral Resources, Bangkok, 61p. (in Thai).
- Shawe, D.R., 1984, Geology and mineral deposits of Thailand, USGS, open file no. 84-403, Denver, Colorado, USA, 190p.
- Shives, R., Charbonneau, B., and Ford, K., 2000, The detection of potassic alteration by gamma-ray spectrometer-recognition of alteration related to mineralization; Geophysics, v. 65, no. 6, p. 2001-2011.
- Singharajwarapan, S., 1994, Deformation and metamorphism of the Sukhothai fold belt, northern Thailand; unpublished Ph.D. thesis, University of Tasmania, Australia, 385p.
- Siripongsatian, S., Surinkum, A., Takulthewin, A., Anukul, S., and Juprang, K., 1991, Report on the ground geophysical survey in Haad Ngiew sheet; Economic Geology Report no. 38/1990, Economic Geology Division, Department of Mineral Resources, Bangkok, 82p. (in Thai).
- Spector, A., and Bhattacharyya, B.K., 1966, Energy spectrum and autocorrelation function of anomalies due to simple magnetic models; Geophysical Prospecting, v. 14, p. 242-271.

- Steele, J.P., 1989, Rational and procedures for geophysical ground follow-up for the mineral resources development project; Technical Bulletin no. 1, Department of Mineral Resources, Bangkok, Thailand, 7p.
- Sukontapongpow, S., 1997, Recent airborne geophysical surveys of Thailand and their use for delineation of high mineral potential area; Mineral Resources Development Division Report no. 18/1997, Department of Mineral Resources, Bangkok, 226p.
- Sukvattananunt, P., and Assavapatchara, S., 1987, Geology of map sheets Amphoe Sa and Ban Nam Muap, scale 1:50,000; Summarized Annual Report of Geological Survey Division, Department of Mineral Resources, Bangkok, p. 121-124.
- Sukvattananunt, P., and Prasittikarnkul, K., 1985, Geology of map sheet Ban Hat Ngiu (5044 II), scale 1:50,000; Geological Survey Division Report, Department of Mineral Resources, Bangkok.
- Surinkum, A., Techawan, S., Subprinyaporn, S., Prasittikarnkul, K., and Raksasakulwong, M., 1987, Ground geophysical surveys in Ban Mae Ka Nai deposit, Mae Sariang, Mae Hong Son, Economic Geology Division Report no. 2/1987, Department of Mineral Resources, Bangkok, 80p. (in Thai).
- Surinkum, A., 1989, Geological interpretation of airborne and ground magnetic survey data of the Kabin Buri area, eastern Thailand, unpublished M.Sc. thesis, University of Western Ontario, Canada, 142p.
- Surinkum, A., 1990, Geological interpretation of aeromagnetic data; Mineral Resources Gazette, v 35, no 3, Department of Mineral Resources, Bangkok, p. 18-24.
- Surinkum, A., and Siripongsatian, S., 1992, Khao Khee Nok (KKN) AEM anomaly: A gigantic graphite deposit in Thailand; Proceedings of a National Conference on Geologic Resources of Thailand: Potential for Future Development, Department of Mineral Resources, Bangkok, p. 407-419.
- Surinkum, A., Subprinyaporn, S., and Tulathamagul, G., 1994, VLF survey investigation of the Noknoi feldspar mine in Tak, northern Thailand; Proceeding of the 5th Mining Conference, Hat Yai, Songkla, Thailand, p. 2-66 3-78.
- Surinkum, A., Neawsuparp, K., Paiyarom, A., Poolsawat, T., and Anukul, S., 1995, Interpretation of geophysical survey data for Pak Huai Chalong talc deposit in Uttaradit province; Mineral Resources Development Division Report no. 9/1995, Department of Mineral Resources, Bangkok, 128 p. (in Thai).
- Surinkum, A., Paiyarom, A., and Subprinyaporn, S., 1997, Report on geophysical survey in illite potential area of Uttaradit province; Mineral

- Resources Development Division Report no. 1/1997, Department of Mineral Resources, Bangkok, 44p. (in Thai).
- Surinkum, A., and Paiyarom, A., 2000, Mineralization zone related to airborne geophysical survey anomaly along Thai-Malaysian border; Abstract in Proceeding in Applied Geophysics: Geophysics for the Future, Department of Geological Sciences, Chiang Mai University, Chiang Mai, Thailand, p. 53.
- Suwanasing, A., 1963, Geology and mineral deposits of Petchaboon, Uttaradit, Phrae and Nan areas; Department of Mineral Resources, Bangkok, 13 p. (in Thai).
- Suwanasing, A., 1974, Geology and nickeliferous laterite deposits of Ban Tha Kradan Nok Quardrangle, Prachinburi province, eastern Thailand; Economic Geology Bulletin, no. 3, Economic Geology Division, Department of Mineral Resources, Bangkok, 126p.
- Techawan, S., Surinkum, A. and Siripongsatian, 1992, Report on the ground geophysical survey in K sheet, Economic Geology Report no. 2/1992, Economic Geology Division, Department of Mineral Resources, Bangkok, 87 p. (in Thai).
- Techawan, S., 1995, Electrode array design for geoelectrical resistivity prospecting in mineralized areas cover by conductive overburden, unpublished Ph.D. thesis, University of Leeds, Leeds, England, 320p.
- Telford, W.M., Geldart, L.P., Sheriff, R.E., and Keys, D.A., 1976, Applied Geophysics, Cambridge University Press, 860p.
- Thanasuthipitak, T., 1978, Geology of Uttaradit area and its implications on tectonic history of Thailand; Proceedings of the 3rd Regional Conference on Geology and Mineral Resources of Southeast Asia, Asian Institute of Technology, Bangkok, Thailand, p. 187-197.
- Thongchit, P., 1997, Airborne interpretation on the Nan-Xaignabouri; Mineral Resources Development Division no. 22/1997, Department of Mineral Resources, Bangkok, 54p. (in Thai).
- Tulathammagul, G., 1993, Report on the talc mine concession area no. 10690/11685; Department of Mineral Resources, 3rd Regional Center Report, Chiang Mai, Thailand (unpublished report in Thai).
- Tulyatid, J., 1997, Application of airborne geophysical data to the study of Cenozoic basins in Central Thailand; unpublished Ph.D. thesis, Leeds University, United Kingdom, 235p.
- Utha-aroon, C., and Surinkum, A., 1995, Gypsum exploration in Wang Saphung, Loei; Proceedings of International Conference on Geology, Geotechnology and Mineral Resources of Indochina, Khon Kaen University, Khon Kaen, Thailand, p. 255-266.

- Vacquier, V., Steenland, N.C., Henderson, R.C., and Zeitz, I., 1951, Interpretation of aeromagnetic map; Geological Society of America, Memoir 47, 151p.
- Von Nostrand, R.G., and Cook, K.L., 1966, Interpretation of resistivity data; USGS professional paper 499, 310p.
- Wunapeera, A., and Kosuwan, S., 1987, Geology of map sheets Ban Huai Pu and King Amphoe Mae Charim, scale 1:50,000; Summarized annual report, Geological Survey Division, Department of Mineral Resources, Bangkok, p. 134-138. (in Thai).
- Ward, S.H., 1979, Ground electromagnetic methods and base metals; in Geophysics and Geochemistry in the Search for Metallic Ores, Economic Geology Report no. 31, Geological Survey of Canada, Canada, p. 45-62.
- Wisedsind, W., 1995, HEM and VLF-EM interpretation over the follow-up survey area: Uttaradit-Nan; Mineral Resources Development Division Report no. 5/1995 Department of Mineral Resources, Bangkok, Thailand, 54p. (in Thai).
- Wynn, J.C., 1983, Strategic minerals geophysical research: the chromite example, Mining Engineer, v. 35, p. 246-251.
- Yawichai, P., 1989, Ground follow-up survey over the airborne geophysical anomalous zones in Kabin Buri area, Economic Geology Division Report no. 63/1988 Department of Mineral Resources, Bangkok, 30p. (in Thai).
- Yawichai, P., Surinkum, A., and Paisal, S., 2001, Gold, nickel, chromite, and magnesite potential, Ban Nam Phang area, Amphoe Mae Charim, Nan, Economic Geology Division Report no. 6/2001 Department of Mineral Resources, Bangkok, 41p. (in Thai).
- Yang, K., Mo, X., and Zhu, Q., 1994, Tectono-volcanic belts and late Paleozoic-early Mesozoic evolution of southwestern Yunnan, China; Journal of Southeast Asian Earth Sciences, v.10, no. 34, p. 245-262.
- Yensabai, S., 2002, Mineral resources potentials map, scale 1:250,000, sheet (Changwat Nan); Economic Geology Division, Department of Mineral Resources, Bangkok.
- Yensabai, S and Watcharachaisuraphol, S., 1992, Report on a semi-detailed geochemical survey in Haad Ngui Sheet, Uttaradit, Economic Geology Division Report no. 46/1989, Department of Mineral Resources, Bangkok, 60p. (in Thai).