TABLE OF CONTENTS

| | Page |
|---|------|
| ACKNOWLEDGEMENT | Hi |
| ENGLISH ABSTRACT | Viv |
| THAI ABSTRACT | vi |
| LIST OF TABLES | xii |
| LIST OF ILLUSTRATIONS | XV |
| ABBREVIATIONS | xvii |
| INTRODUCTION | 1 |
| Inflammation | 1 |
| Mediators of inflammation | 3 |
| Anti-inflammatory drugs | 12 |
| Experimental models | 15 |
| Historical background of Ventilago harmandiana Pierre | 20 |
| Purpose of the study | 23 |
| MATERIALS AND METHODS | 25 |
| Test compound | 25 |
| Experimental animals | 25 |
| Preparation of test drugs | 25 |
| Drug administration | 25 |
| Experimental protocol | 26 |
| Anti-inflammatory activity study | 26 |
| 1.1 Ethyl phenylpropiolate and arachidonic acid-induced ear | 26 |
| edema in rats | |
| 1.2 Carrageenin-induced hind paw edema in rats | 27 |

| 1.3 Carrageenin-induced pleurisy in rats | 29 |
|--|------------|
| 1.3.1 Exudate collection and volume determination | 29 |
| 1.3.2 Leukocyte determination | 29 |
| 1.3.3 Prostaglandin extraction | 31 |
| 1.3.4 Bioassay for prostaglandin activity using rat fundus strip | 431 |
| preparation | |
| 1.4 Cotton pellet-induced granuloma formation in rats | 32 |
| 2. Analgesic study | 37 |
| 2.1 Acetic acid-induced writhing response in mice | 37 |
| 2.2 Formalin test | 37 |
| 3. Antipyretic study | 39 |
| 4. Anti-ulcerogenic activity study | 39 |
| Preparation of rats for anti-ulcerogenic activity study | 39 |
| Method used to induce gastric lesions | 41 |
| 4.1 Ethanol/hydrochloric acid-induced gastric lesions | 41 |
| 4.2 Indomethacin-induced gastric lesions | 41 |
| 4.3 Restraint water immersion stress-induced gastric lesion | 41 |
| Evaluation of gastric lesions | 41 |
| 4.4 Pylorus ligation | 44 |
| 5. Hippocratic screen | 46 |
| 6. Acute toxicity study | 48 |
| 7. Subacute toxicity study | 49 |
| Statistical analysis | 50 |
| Drugs and chemicals | 50 |
| RESULTS | 52 |
| Anti-inflammatory test | 52 |
| 1.1 Effects of PNQ-4482 and phenylbutazone on ethylphenyl- | 52 |

| | propiolate-induced ear edema in rats | |
|----|--|------|
| | 1.2 Effects of PNQ-4482 and phenylbutazone on arachidonic acid- | - 52 |
| | induced ear edema in rats | |
| | 1.3 Effects of PNQ-4482 and aspirin on carrageenin-induced hind | 54 |
| | paw edema in rats | |
| | 1.4 Effects of PNQ-4482, aspirin and prednisolone on carrageenin- | 54 |
| | induced pleurisy in rats | |
| | 1.4.1 Pleural exudate volume | 54 |
| | 1.4.2 Total leukocytes count in the pleural exudate | 57 |
| | 1.4.3 PGE ₂ -like substance activity | 57 |
| | 1.5 Effects of PNQ-4482, aspirin and prednisolone on the cotton | 57 |
| | pellet-induced granuloma formation in rats | |
| | 1.5.1 Granuloma formation and transudation | 62 |
| | 1.5.2 Body weight gain and thymus weight | 62 |
| | 1.5.3 Alkaline phosphatase activity | 62 |
| 2. | Analgesic test | 65 |
| | 2.1 Effects of PNQ-4482, morphine and aspirin on acetic acid- | 65 |
| | induced writhing response in mice | |
| | 2.2 Effects of PNQ-4482, morphine and aspirin on the formalin test | 65 |
| | in mice | |
| | 2.2.1 Early phase | 65 |
| | 2.2.2 Late phase | 65 |
| 3. | Antipyretic test | 69 |
| | Effects of PNQ-4482 and aspirin on yeast-induced hyperthermia | 69 |
| | in rats | |
| 4. | Anti-ulcerogenic test | 69 |
| | 4.1. Ethanol/hydrochloric acid-induced gastric lesions in rats | 69 |

| 4.2 | Indomethacin-induced gastric lesions in rats | 72 |
|------|--|---|
| 4.3 | Restraint water immersion stress-induced gastric lesions in rats | 72 |
| 4.4 | Pylorus ligation | 76 |
| Hip | pocratic screen | 76 |
| Acu | te toxicity study | 4 78 |
| Sub | eacute toxicity study | 85 |
| cus | SSION | >) 7 94 |
| FERE | ENCES | 116 |
| Α | | 135 |
| | | |
| | | |
| | | |
| | 4.3 4.4 Hip Acu Sub SCUS | 4.3 Restraint water immersion stress-induced gastric lesions in rats 4.4 Pylorus ligation Hippocratic screen Acute toxicity study Subacute toxicity study SCUSSION FERENCES |

LIST OF TABLES

| Table | | Page |
|-------|---|------|
| 1 | Effects of PNQ-4482 and phenylbuthazone on EPP-induced ear | 53 |
| | edema in rats | |
| 2 | Effects of PNQ-4482, phenylbuthazone and phenidone on AA- | 55 |
| | induced ear edema in rats | |
| 3 | Effects of PNQ-4482 and aspirin on carrageenin-induced hind paw | 56 |
| | edema in rats | |
| 4 | Effects of PNQ-4482, aspirin and prednisolone on pleural exudate | 58 |
| | volume of carrageenin-induced rat pleurisy | |
| 5 | Effects of PNQ-4482, aspirin and prednisolone on total leukocyte | 59 |
| | count of carrageenin-induced rat pleurisy | |
| 6 | Effects of PNQ-4482, aspirin and prednisolone on PGE2-like activity | 61 |
| | of carrageenin-induced rat pleurisy | |
| 7 | Effects of PNQ-4482, aspirin and prednisolone on granuloma | 63 |
| | formation and transudation of cotton pellet-induced granuloma in | |
| | rats | |
| 8 | Effects of PNQ-4482, aspirin and prednisolone on body weight and | 64 |
| | thymus weight of cotton pellet-induced granuloma in rats | |
| 9 | Effects of PNQ-4482, aspirin and prednisolone on alkaline | 66 |
| | phosphatase activity in serum of cotton pellet-induced granuloma in | |
| | rats | |
| 10 | Effects of PNQ-4482, morphine and aspirin on acetic acid induced | 67 |
| | writhing response in mice | |
| 11 | Effects of PNQ-4482, morphine and aspirin in the early phase of the | 68 |

| | formalin test in mice | | |
|----|---|----|--|
| 12 | Effects of PNQ-4482, morphine and aspirin in the late phase of the | 70 | |
| | formalin test in mice | | |
| 13 | Effects of PNQ-4482 and aspirin on yeast-induced hyperthermia in | 71 | |
| | rats | | |
| 14 | Effects of PNQ-4482 and cimetidine on ethanol/hydrochloric acid- | 73 | |
| | induced gastric lesion in rats | | |
| 15 | Effects of PNQ-4482 and cimetidine on indomethacin-induced | 74 | |
| | gastric lesion in rats | | |
| 16 | Effects of PNQ-4482 and cimetidine on restraint water immersion | 75 | |
| | stress-induced gastric lesion in rats | | |
| 17 | Effects of PNQ-4482 and cimetidine on the volume of gastric | 77 | |
| | secretion and acidity in pylorus ligated (Shay) rats | | |
| 18 | Effect of PNQ-4482 on motor activity and respiratory rate in | 79 | |
| | conscious rats (Hippocratic screen) | | |
| 19 | Effect of PNQ-4482 on righting reflex and screen grip in conscious | 80 | |
| | rats (Hippocratic screen) | | |
| 20 | Effect of PNQ-4482 in conscious rats recorded 1 h after drug | 81 | |
| | administration | | |
| 21 | Body weights of rats in the acute toxicity study of PNQ-4482 | 83 | |
| 22 | Organ weights of rats in the acute toxicity study of PNQ-4482 | 84 | |
| 23 | Body weights of rats in the subacute toxicity study of PNQ-4482 | 88 | |
| 24 | Organ weights of rats in the subacute toxicity study of PNQ-4482 | | |
| 25 | Hematological values of rats in the subacute toxicity study of PNQ- | 90 | |
| | 4482 | | |
| 26 | Differential white blood cell counts of rats in the subacute toxicity | 91 | |
| | study of PNQ-4482 | | |
| 27 | Blood chemistry values of female rat in the subacute toxicity study | 92 | |

of PNQ-4482

Blood chemistry values of male rat in the subacute toxicity study of PNQ-4482

LIST OF ILLUSTRATIONS

| Figure | | Page |
|--------|--|------|
| 1 | Scheme of the major metabolic transformations of | 9 |
| | arachidonic acid | |
| 2 | "Ngew dam" or "Khruea plok" (Ventilago harmandiana | 24 |
| | Pierre, family Rhamnaceae) | |
| 3 | Diagram illustrating the water displacement method for | 28 |
| | measuring rat paw volume | |
| 4 | Diagram illustrating the method for carrageenin-induced | 30 |
| | pleurisy in rats | |
| 5 | Experimental set for bioassay of prostaglandin by using | 33 |
| | rat fundus strip preparation | |
| 6 | Diagram illustrating the method for cotton pellet-induced | 36 |
| | granuloma formation in rats | - |
| 7 | Diagram illustrating the method for formalin test (early | 38 |
| | phase) in mice | |
| 8 | Diagram illustrating the method for formalin test (late | 38 |
| | phase) in mice | |
| 9 | Diagram illustrating the method for yeast-induced | 40 |
| | hyperthermia | |
| 10 | Diagram illustrating the procedure of ethanol/hydrochloric | 42 |
| | acid-induced gastric lesion in rats | |
| 11 | Diagram illustrating the procedure of indomethacin- | 43 |
| | induced gastric lesion in rats | |
| 12 | Diagram illustrating the procedure of pylorus ligation in | 45 |

| to |
|----|
| |
| |

| | rats | | |
|----|---|-------------------|--|
| 13 | The standard work sheet for Hippocratic screen 47 | | |
| 14 | Response of rat fundus strip to standard PGE ₂ (100 ng/ml) | | |
| | and to the pleural exudate of dru | ug-treated groups | |
| | obtained 3 h after intrapleural injection | of carrageenin | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

xvii

ABBREVIATIONS

cm = centimeter

dl = deciliter

enz. = enzyme

g = gram

g/kg gram per kilogram body weight

h = hour

kg = kilogram

I = liter

m = meter

mEq = milliequivalent

mg = milligram

mg/kg = milligram per kilogram body weight

min = minute

ml = 2 milliliter

mm = millimeter

nm = nanometer

N = normality

rpm = round per minute

U (() = unit

°C = degree Celsius

μg/kg = microgram per kilogram body weight

s = second