

REFERENCES

- Amidon, G. E. et al. (1999). Physical Test Methods for Powder Flow Characterization of Pharmaceutical Material: A Review of Methods. *Pharmaceutical Forum*, 25 (3), 8298-8308.
- Amidon, G. E., Smith, D. P. and Hiestand, E. N. (1981). Rotary press utilizing a flexible die wall. *J. Pharm. Sci.*, 70, 613-617.
- Ansel, H. C. (1985). *Introduction to Pharmaceutical Dosage Forms* 4th eds. (pp. 147-149), Philadelphia : Lea&Febiger.
- Bi, Y., Sunada, H. and Yonezawa, Y. et al. (1996). Preparation and Evaluation of a Compressed Tablet Rapidly Disintegrating in the Oral Cavity. *Chem. Pharm. Bull.*, 44 (11), 2121-2127.
- Bi, Y., Yonezawa, Y. and Sunada, H. (1999). Rapidly Disintegrating Tablets Prepared by the Wet Compression Method: Mechanism and Optimization. *J. Pharm. Sci.*, 88 (10), 1004-1010.
- British Pharmacopoeia Commission. (1998) (pp. 1492-1493)
- Carr, R. L. (1965). Evaluating flow properties of solids. *Chem. Eng.*, 18, 163-168.
- Carr, R. L. (1970). Particle behavior storage and flow. *British Chemical Engineering*, 15 (12), 1541-1549.
- Carstensen, J. T. (1980). Particulate Solids. In *Solid Pharmaceuticals: Mechanical Properties and Rate Phenomena* (pp. 34-101), London : Academic Press, Inc.
- Carstensen, J. T. and Attarchi, F. (1988). Decomposition of aspirin in the solid state in the presence of limited amounts of moisture part 3. Effect of temperature and a possible mechanism. *J. Pharm. Sci.*, 77 (4), 318-321.
- Carstensen, J. T. et al. (1985). Triaxial compression of cappable formulations. *J. Pharm. Sci.*, 74, 1239-1241.

- Carstensen, J. T., Attarchi, F. and Hou, X-P. (1985). Decomposition of aspirin in solid state in the presence of limited amounts of moisture. *J. Pharm. Sci.*, 74 (7), 741-745.
- Carstensen, J.T. (1980). Tableting and Compression. In *Solid Pharmaceutics: Mechanical Properties and Rate Phenomena* (pp. 173-216), New York : Acedamic Press, Inc.
- Costa, P. and Loco, J. M. S. (2001). Modeling and comparison of dissolution profiles. *European Journal of Pharmaceutical Science*, 13, 123-133.
- Doornbos, D.A. and DeHaan, P. (1995). Optimization techniques in formulation and process. In Swarbrick, J. and Boylan, J. C. (Eds.), *Encyclopedia of Pharmaceutical Technology Vol. 11* (pp. 77-160), New York : Marcel Dekker, Inc.
- Dredan, J., Antal, I. And Racz, I. (1996). Evaluation of mathematical models describing drug release from lipophilic matrices. *Int. J. Pharm.*, 145, 61-64.
- Ficher, E. (1992). Calcium phosphate as a pharmaceutical excipient. *Mfg. Chem.*, 64 (6), 25-27.
- Göczo, H. et al. (2000). Development of spherical crystals of acetylsalicylic acid for direct tablet making. *Chem. Pharm. Bull.*, 48 (12), 1877-1881.
- Gold, G. et al. (1966). Powder Flow Studies II. Effect of Glidants on Flow Rate and Angle of Repose. *J. Pharm. Sci.*, 55 (11), 1291-1295.
- Goldsmith, J. A., Randall, N. and Ross, S. D. (1978). On methods of expressing dissolution rate data. *J. Pharm. Pharmacol.*, 30, 347-349.
- Gordon, R. E. et al., (1989). Granulation Technology and Tablet Characterization. In Lieberman, H. A., Lachman, L. and Schwartz, J. B. (eds.). *Pharmaceutical Dosage Forms: Tablet vol 2 2 nd eds.* (pp. 245-348), NewYork : Marcel Dekka, Inc.
- Grant, E. L. and Leavenworth, R. S. (1980). *Statistical Quality Control 5th ed.* (pp. 568), NewYork : McGraw-Hill.
- Hiestand, E. N., Wells, J. E., Peot, C.B. and Ochs, J. F. (1977). Physical process of tableting. *J. Pharm. Sci.*, 66, 510-519.

- Hill, P. M. (1976). Effect of Compression Force and Corn Starch on Tablet Disintegration Time. *J. Pharm. Sci.*, 65 (11), 1694-1697.
- Hoblitzell, J. R., Thakker, K. D. and Rhodes, C. T. (1985). Effects of moderate stress storage conditions on the dissolution profile of enteric coated aspirin tablets. *Pharm. Acta. Helv.*, 60 (1), 28-32.
- Horhota, S. T., Burgio, J., Lonski, L. and Rhodes, C. T. (1976). Effect of storage at specified temperature and humidity on properties of three directly compressible tablet formulations. *J. Pharm. Sci.*, 65 (12), 1746-1749.
- John, T. F. (1996). Compaction properties of binary mixtures. In Alderborn, G. and Nyström, C. (Eds.), *Pharmaceutical Powder Compaction Technology* (pp. 508), New York: Marcel Dekker, Inc.
- Jones, T. M. (1977). Effects of excipients on the characteristics of oral dosage forms. *Pharm. Ind.*, 39 (5), 469-476.
- Jørgensen, K. and Jacobsen, L. (1992). Factorial design used for ruggedness testing of flow through cell dissolution method by means of Weibull transformed drug release profiles. *Int. J. Pharm.*, 145, 61-64.
- Judd, C. M. and McClelland, G. H. (1989). *Data analysis. A model comparison approach* (pp. 518-524), Florida : Harcourt Brace Jovanovich.
- Kelly, C. A. (1970). Determination of decomposition of aspirin. *J. Pharm. Sci.*, 59 (8), 1050-1079.
- Knapczyk, J. (1993). Excipient ability of chitosan for direct tableting. *Int. J. Pharm.*, 89, 1-7.
- Koparkar, A. D., Augburger, L. L. and Shangraw, R. F. (1990). Intrinsic dissolution of drugs from tablet formulations. *Pharm. Res.*, 7, 80-86.
- Kristle, A. et al. (1993). Mixture Design of Theophylline Retard Formulation. *Int. J. Pharm.*, 100, 33-40.
- Lahdenpää, E., Niskanen, M. and Yliruusi, J. (1996). Study of Some Essential Physical Characteristics of Three Avicel PH Grades Using a Mixture Design. *Eur. J. Pharm. Biopharm.*, 42 (3), 177-182.

- Langenbucher, F. (1972). Linearization of dissolution rate curves by the Weibull dissolution. *J. Pharm. Pharmacol.*, 24, 979-981.
- Lantz, JR. R. J. and Schwartz. J. B. (1989). Mixing. in Lieberman, H. A., Lachman, L. and Schwartz, J. B. (eds.). *Pharmaceutical Dosage Forms: Tablet vol 2*, 2nd eds. (pp. 1-71), NewYork : Marcel Dekka, Inc.
- Lausier, J. M., Chiang, C. W., Zompa, H. A. and Rhodes, C. T. (1977). Aging of tablets made with dibasic calcium phosphate dihydrate as matrix. *J. Pharm. Sci.*, 66 (11), 1636-1637.
- Leesawat, P. (1999). *The Statistical Mixture Design for the Optimization of the Controlled Release Matrix Systems* (pp. 90-97). Doctor of Philosophy Thesis, Purdure University, West Lafayette, IN., USA.
- Lerk, C. F. and Bolhuis, G.K. (1977). Interaction of lubricant and colloidal silica during mixing with excipients 2 . Its effect on wettability and dissolution velocity. *Pharm. Acta. Helv.*, 52, 39-44.
- Leuenberger, H. (1982). The compressibility and compactibility of powder system. *Int. J. Pharm.*, 12, 41-45.
- Lower, E. S. (1984). Polymers from the sea: CHITIN & CHITOSAN. *Manuf. Chem.*, sep, 73.
- Manudhane, K. S., Contractor, A. M., Kim. H. Y. and Shangraw, R. F. (1969). Tableting properties of a directly compressible starch. *J. Pharm. Sci.*, 58 (5), 616-620.
- Marshall, K. (1986). Compression and Consolidation of Powdered Solids. In Lachman, L., Lieberman, H. A. and Kanig, J. L. (eds.), *The Theory and Practice of Industrial Pharmacy*, 3rd ed. (pp. 72), Philadelphia : Lea & Feabiger.
- Marshall, K. and Rudnic, E. M. (1990). Tablet Dosage Forms. In Banker, G. S. and Rhodes, C. T. (eds.). *Modern Pharmaceutics* 2nd eds. (pp. 355-425), NewYork : Marcel Dekka, Inc.
- Moncada, S. (1982). Biological importance of prostacyclin. *Brit. J. Clin. Pharmacol.*, 76, 3-31.

- Montgomery, D. C. (2001). Response surface methods and other approaches to process optimization. In *Design and Analysis of Experiments*, 5th ed. (pp. 427-510), New York : John Wiley & Sons, Inc.
- Muzzarelli, R.A. (1977). *Chitin*, Oxford : Pergamon Press.
- Nyström, C. (1988). Consolidation mechanisms in powder compression. *Ind. J. Pharm. Sci.*, 50 (1), 15-18.
- Nyström, C. and Karehill, Per-G. (1995). The Important of Intermolecular Bonding Forces and the Concept of Bonding Surface Area. In Alderborn, G. and Nyström, C. (eds.), *Pharmaceutical Powder Compaction Technology* (pp. 17-53), New York : Marcel Dekker, Inc.
- Ondari, C. O. Prasad, V. K. Shan, V. P. and Rhodes, C. T. (1984). Effects of short term moderate storage stress on the disintegration and dissolution of four types of compressed tablets. *Pharm. Acta. Helv.*, 60 (1), 28-32.
- Paronen, P. and Ilkka, J. (1995). Porosity-Pressure Functions. In Alderborn, G. and Nyström, C. (eds.), *Pharmaceutical Powder Compaction Technology* (pp. 55-75), New York : Marcel Dekka, Inc.
- Paronen, p. and Juslin. M. (1983). Compressional characteristics of four starches. *J. Pharm. Pharmacol.*, 35, 627-635.
- Parrott, E. L. (1989). Compression. In Lieberman, H. A., Lachman, L. and Schwartz, J. B. (eds.), *Pharmaceutical Dosage Forms: Tablet vol 2*, 2nd eds. (pp. 201-243), New York : Marcel Dekka, Inc.
- Patrono, E. et al. (1980). Low dose aspirin and inhibition of thromboxane B2 production in healthy subjects. *Thrombosis Research*, 17, 317-327.
- Racz, I., Dredan, J., Antal, I. And Gondar, E. (1997). Comparative Evaluation of Microcapsules Prepared by Fluidization Atomization and Melt Coating Process. *Drug Devel. Ind. Pharm.*, 23 (6), 583-587.
- Rawlins, E. A. (1977). Tablets and Capsults. In *Bentley's Textbook of Pharmaceutics*. 8th ed. (pp. 269-316), New York : Bailliere Tindall.

- Reepmeyer, J. C. (1983). Thermal decomposition of aspirin; formation of linear oligomeric salicylate esters. *J. Pharm. Sci.*, 72 (3), 322-323.
- Rege, P. R., Shukla, D. J. and Block, L. H. (1999). Chitinosans as tableting excipients for modified release delivery systems. *Int. J. Pharm.*, 181, 49-60.
- Rippie, E.G. (1986). Mixing. In Lachman, L. et al (eds.), *The Theory and Practice of Industrial Pharmacy*. 3rd ed. (pp. 3-20), Philadelphia : Lea & Febiger.
- Ritter, J. M. et al. (1989). Differential effect of aspirin on thromboxane and prostaglandin biosynthesis in man. *Brit. J. Clin. Pharmacol.*, 28, 573-579.
- Ritthidej, G.C. et al. (1994). Chitin and chitosan as disintegrants in paracetamol tablets. *Drug Dev. Ind. Pharm.*, 20 (13), 2109-2134.
- Roth, G. J. Standford, N. and Majerus, P. W. (1975). Acetylation of prostaglandin synthase by aspirin. *Proceeding of the National Academy of Sciences USA*, 72, 3073-3076.
- Rubinstein, M. H. and Bodey, D. M. (1976). Disaggregation of compressed tablets. *J. Pharm. Sci.*, 65 (12), 1749-1753.
- Rubinstein, M. H. and Wells, J. I. (1977). Generated surface area measurement of disintegrating. *J. Pharm. Pharmacol.*, 29, 363-366.
- Sangekar, S. A., Sarli, M. and Sheth, P. R. (1972). Effect of moisture on physical characteristics of tablets prepared from direct compression excipients. *J. Pharm. Sci.*, 61 (6), 939-944.
- Sawayanagi, Y., Nambu, N. and Nagai, T. (1982). Directly compressed tablets containing chitin or chitosan in addition to lactose or potato starch. *Chem. Pharm. Bull.*, 30 (8), 2935-2940.
- Seymour, R. A. and Rawlins, M. D. (1982). Efficacy and pharmacokinetics of aspirin in posoperative dental pain. *Brit. J. Clin. Pharmacol.*, 13, 807-810.
- Seymour, R. A., Rawlins, M. D. and Clothier, A. (1984). The efficacy and pharmacokinetics of sodium salicylate in pose-operative dental pain. *Brit. J. Clin. Pharmacol.*, 17, 161-163.

- Shah, A. C. and Mlodozeniec, A. R. (1977). Mechanism of surface lubrication: influence of duration of lubricant- excipient mixing on processing characteristic of powder and properties of compressed tablets. *J. Pharm. Sci.*, 66, 1377-1382.
- Shangraw, R. F. (1989). Compressed Tablets by Direct Compression. In Lieberman, H. A., Lachman, L. and Schwartz, J. B. (eds.). *Pharmaceutical Dosage Forms: Tablet vol 1, 2 nd eds.* (pp. 195-246), NewYork : Marcel Dekka, Inc.
- Shangraw, R. F., Wallace, J. W. and Bowers, F. M. (1981). Morphology and functionality in tablet excipients for direct compression: part II. *Pharm. Technol.*, 5 (10), 44-52.
- Summers, M. P., Carless, J. E. and Enever, R. P. (1970). Polymorphism of aspirin. *J. Pharm. Pharmacol.*, 22, 615-616.
- Takayama, K. et al. (2000). Formula optimization of theophylline controlled-release tablet based on artificial neural networks. *J. Control. Rel.*, 68, 175-186.
- Trutna, L. et al. (No date). Mixture design. In Tabias, P. and Trutna, L. (Eds.), *Engineering Statistics Handbook* [Online]. Available: <http://www.itl.nist.gov/div898/handbook/pri/section5/pri54.htm> [2002, January 10]
- Upadrashta, S. M., Katikaneni, P. R. and Nuessle, N. O. (1992). Chitosan as a tablet binder. *Drug Dev. Ind. Pharm.*, 18 (15), 1701-1708.
- Upadrashta, S. M., Katikaneni, P. R. and Nuessle, N. O. (1992). Chitosan as a tablet binder. *Drug Devel. Ind. Pharm.*, 18 (15), 1701-1708.
- Vane, J. R. (1971). Inhibition of prostaglandin synthesis as a mechanism of action for aspirin like drugs. *Nature New Biol.*, 231, 232-235.
- Wade, A. and Weller, P.J. (1994). *Handbook of Pharmaceutical Excipients*, 2 nd ed. (pp. 483-488), London : The Pharmaceutical Press.
- Watanabe, A., Yamaoka, Y. and Takada, K. (1982). Crystal habits and dissolution behavior of aspirin. *Chem. Pharm. Bull.*, 30 (8), 2958-2963.
- Weksler, B. B., Tack-Goldman, K., Subramanian, V. A. and Gay, W. A. (1985). Cumulative inhibitory effect of low dose aspirin on vascular prostacyclin and

- platelet thromboxane production in patients with arteriosclerosis. *Circulation*, 71, 332-340.
- Wells, J.I. (1988). *Pharmaceutical Preformulation : the physicochemical properties of drug substances* (pp. 211), Chichester : Ellis Horwood.
- Yang, W-H. and Brooke, D. (1982). Rate equation for solid state decomposition of aspirin in the presence of moisture. *Int. J. Pharm.*, 11, 271-276.
- York, P. (1980). Studies of the effect of powder moisture content on drug release from hard gelatin capsules. *Drug Dev. Ind. Pharm.*, 6, 605-627.