TABLE OF CONTENTS

		PAGE
ACI	KNOWLEDGEMENTS	iii
ABSTRACT		iv
LIST OF TABLES		Х
LIS	T OF FIGURES	xii
ABBREVIATIONS		xiv
CHA	APTER I: INTRODUCTION	
1.1	Statement and significance of problem	1
1.2	Literature reviews	4
	1.2.1 Drug resistance	4
	1.2.2 P-glycoprotein gene family	10
	1.2.3 P-glycoprotein expression in normal tissue	11
	1.2.4 P-glycoprotein expression in human tumors	12
	1.2.5 The structure of P-glycoprotein	15
	1.2.6 The physiology and functions of P-glycoprotein	17
	1.2.7 Pharmacological Modulation of MDR	20
	1.2.8 The development of the human MDR KB-V-1 cell lines	24
	1.2.9 Bitter melon	26
	1.2.10 Pharmacological properties of Bitter melon	30
1.3	Objectives	31
CHA	APTER II: MATERIALS AND METHODS	
2.1	Chemicals and reagents	32
2.2	Preparation of bitter melon extracts	³² versi
2.3	Cell lines	34
2.4	Cell culture conditions	34 V e
2.5	Cell survival measurement	34
2.6	Radiolabeled drug accumulation and efflux	36
2.7	Plasma membrane preparation from KB-V-1	
	and KR-3-1 cell lines	36

2.8	Protein determination	37	
2.9	Western blot analysis and ECL detection	38	
2.10	Statistical analysis	40	
2.11	P-gp expression in KB-V-1 and KB-3-1 cell lines	40	
2.12	Cytotoxicity of bitter melon extracts on KB-V-1		
	and KB-3-1 cell lines	40	
2.13	Modulating effect of bitter melon extracts on MDR phenotype		
	in KB-V-1 and KB-3-1 cell lines	40	
2.14	Effect of bitter melon extracts on P-gp function in KB-V-1		
	and KB-3-1 cell lines	41	
	2.14.1 Effect of bitter melon extracts on radiolabeled		
	drug accumulation	41	
	2.14.2 Effect of bitter melon extracts on radiolabeled		
	drug efflux	41	
2.15	Phytochemical properties	41	
СНА	PTER III: RESULTS		
3.1	Preparation of bitter melon extracts	43	
3.2	P-gp expression in KB-V-1 and KB-3-1 cell lines	44	
3.3	Cytotoxicity of bitter melon extracts on KB-V-1 and		
	KB-3-1 cell lines	45	
3.4	Modulating effect of bitter melon extracts on MDR phenotype		
	in KB-V-1 and KB-3-1 cell lines	49	
3.5	Effect of bitter melon extracts on ³ [H]-vinblastine accumulation		
	and efflux in KB-V-1 and KB-3-1 cell lines	59	
3.6	Classification of phytochemical groups in bitter melon extracts	⁶⁹ Ve	
СНА	PTER IV: DISCUSSION AND CONCLUSION	71	
REFERENCES		78	
APPI	ENDIX	88	
VITA		107	

LIST OF TABLES

TA	ABLE	PAGE
1.	Main mechanisms of drug resistance of tumor cells	5
2.	The various mechanisms and phenotypes of MDR	9
3.	P-glycoprotein gene nomenclature	13
4.	Normal tissues which express P-glycoprotein	13
5.	Expression of the MDR1 gene in human tumors	14
6.	Main group of anticancer drugs	18
7.	Representative compounds which are substrates for the P-gp	19
8.	MDR modulators and levels required to reverse MDR in vitro	22
9.	Properteis of MDR KB cell lines	26
10.	The taxonomy and other characteristics of bitter melon	27
11.	Preparation of bovine serum albumin standard solution	38
12.	The percent yield of bitter melon extracts	43
13.	Cytotoxicity of bitter melon extracts on KB-V-1 cell lins	46
14.	IC ₂₀ and IC ₅₀ values of bitter melon extracts on cytotoxicity	
	of KB-V-1 cell lines	46
15.	Cytotoxicity of bitter melon extracts on KB-3-1 cell lines	48
16.	IC ₂₀ and IC ₅₀ values of bitter melon extracts on cytotoxicity	
	of KB-3-1 cell lines	48
17.	Effect of the whole plant extract on vinblastine cytotoxicity	
	in KB-V-1 cell lines	51
18.	Effect of the whole plant extract on vinblastine cytotoxicity	
	in KB-3-1 cell lines	Un ⁵¹ versity
19.	Effect of the leaf extract on vinblastine cytotoxicity	
	in KB-V-1 cell lines	e 53 V e 0
20.	Effect of the leaf extract on vinblastine cytotoxicity	
	in KB-3-1 cell lines	53

21. Effect of the fruit extract on vinblastine cytotoxicity	
in KB-V-1 cell lines	55
22. Effect of the fruit extract on vinblastine cytotoxicity	
in KB-3-1 cell lines	55
23. Effect of the tendril extract on vinblastine cytotoxicity	
in KB-V-1 cell lines	57
24. Effect of the tendril extract on vinblastine cytotoxicity	
in KB-3-1 cell lines	57
25. Effect of bitter melon extracts on IC ₅₀ values and relative resistance	
for vinblastine cytotoxicity in KB-V-1 and KB-3-1 cell lines	58
26. Effect of bitter melon extracts on ³ [H]-vinblastine accumulation	
in KB-V-1 and KB-3-1 cell lines	66
27. Effect of bitter melon extracts on ³ [H]-vinblastine efflux	
in KB-V-1 and KB-3-1 cell lines	67
28. Comparision of whole plant and leaf extracts on ³ [H]-vinblastine	
efflux in KB-V-1 cell lines	68
29. Test of Anthraquinone glycosides, Cardenolides, Saponins,	
Alkaloids, Tannin and polyphenol	69
30. Test of Flavonoids	70

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF FIGURES

FI	GURE	PAGE
1.	The resistance development during cancer chemotherapy	7
2.	Role of ABC transporters in the development	
	of the MDR phenotype in cancer cells	8
3.	Two-dimensional hypothetical model of humanP-glycoprotein	
	structure based on a hydropathy plot analysis of primary amino	
	acid sequence	16
4.	The P-gp pump	23
5.	Flow diagram showing the step for increase vinblastine resistance	
	in the MDR KB-V1 cell line	25
6.	The pictures of each part of bitter melon	29
7.	Protocol for preparing ethanolic extracts of bitter melon	33
8.	The reaction of MTT in cell mitochondria	35
9.	The principle of Enhanced Chemiluminescence (ECL) system	39
10	P-glycoprotein expression in drug sensitive cell lines, KB 3-1	
	and drug resistance cell lines, KB-V-1	44
11.	Cytotoxicity of bitter melon extracts on KB-V-1 cell lines	45
12	Cytotoxicity of bitter melon extracts on KB-3-1 cell lines	47
13	Effect of the whole plant extract on vinblastine cytotoxicity	
	in KB-V-1 (A) and KB-3-1 (B) cell lines	50
14.	Effect of the leaf extract on vinblastine cytotoxicity	
	in KB-V-1 cells (A) and KB-3-1 (B)	52
15.	Effect of the fruit extract on vinblastine cytotoxicity	
	in KB-V-1 (A) and KB-3-1 (B) cell lines	54
16.	Effect of the tendril extract on vinblastine cytotoxicity	
	in KB-V-1 (A) and KB-3-1 (B) cell lines	56
17.	Effect of the whole plant extract on ³ [H]-vinblastine	
	accumulation (A) and efflux (B) in KB-V-1 and KB-3-1 cell lines	61

18. Effect of the leaf extract on ³ [H]-vinblastine	
accumulation (A) and efflux (B) in KB-V-1 and KB-3-1 cell lines	62
19. Effect of bitter melon (whole plant and leaf extracts)	
on ³ [H]-vinblastine efflux in KB-V-1 cell lines	63
20. Effect of the fruit extract on ³ [H]-vinblastine accumulation	
in KB-V-1 cell lines	64
21. Effect of the tendril extract on ³ [H]-vinblastine accumulation	
in KB-V-1 cell lines	65
22. Chemical structure of flavone, flavonol and chalcone	76
23. HPLC chromatogram of the whole plant extractat	
at wavelength 270 nm	88
24. HPLC chromatogram of the whole plant extractat	502
at wavelength 370 nm	89
25. HPLC chromatogram of the leaf extract	
at wavelength 270 nm	90
26. HPLC chromatogram of the leaf extract	
at wavelength 370 nm	91
27. HPLC chromatogram of the fruit extract	
at wavelength 270 nm	92
28. HPLC chromatogram of the fruit extract	
at wavelength 370 nm	93
29. HPLC chromatogram of the tendril extract	
at wavelength 270 nm	94
30. HPLC chromatogram of the tendril extract	
at wavelength 370 nm	Jr95 versity

ABBREVIATIONS

% Percent

°C Degree Celsius

μg Microgram

μM Micromolar

μm Micrometre

μl Microlitre

cm Centrimetre

mm Millimetre

mmol Millimole

ng Nanogram

nm Nanometre

Kg Kilogram

ABC ATP-binding cassette

APS Ammonium persulphate

BSA Bovine serum albumin

bp Base pair

cDNA Complementary DNA

Cm Centimetre

Cm² Square centrimetre

CO₂ Carbon dioxide

Ci Curie

CuSO₄ Copper sulfate

μCi Microcurie

DDH₂O Double distilled water

DMEM Dulbecco's modified Eagle's medium

DMSO Dimethyl sulfoxide

dpm Disintegration per minute

ECL Enhanced chemiluminescence

EDTA Ethylene diamine tetraacetic acid

ELISA Enzyme linked immunosorbent assay

FCS Fetal calf serum

GBq Giggabecquerel (1.0x10⁹ becquerel)

g Gram h Hour

HEPES N-2-hydroxyethylpiperazine-N-2-

ethanesulfonic acid

IC₂₀ Inhibitory concentration at 20% growth

IC₅₀ Inhibitory concentration at 50% growth

KCl Potassium chloride

kDa Kilodalton

KH₂PO₄ Potassium dihydrogen phosphate

KOH Potassium hydroxide

Mab Monoclonal antibody

MDR Multidrug resistance

mdr-1 Multidrug resistance gene

MDR-1, MDR-3 The isoforms of mdr-1 gene in human mdr-1a, mdr-1b The isoforms of mdr-1 gene in rodents

mg Milligram

MgCl₂ Magnesium chloride

min Minute ml Millilitre

MTT 3-(4,5 dimethylthiazole-2yl)-2,5

diphenyltetrazolium bromide)

NaOH Sodium hydroxide

NaCl Sodium chloride

NaHCO₃ Sodium bicarbonate

Na₂CO₃ Sodium carbonate

NaH₂PO₄ Sodium dihydrogen phosphate

Na₂HPO₄ Sodium hydrogen phosphate

PBS Phosphate buffer saline

P-gp

P-glycoprotein

POPOP

1,4-bis[2-(5-phenyloxazolyl)]benzene

PPO

2,5-Diphenyloxazole

rpm

Revolution per minute

SDS-PAGE

Sodium dodecyl sulfate-polacrylamide gel

Electrophoresis

TEMED

N,N,N,-tetramethyl ethylene-diamine

TFA

Trifluoroacetic acid

THF

Tetrahydrofuran

TM

Transmembrane

Tris-base

Tris (hydroxymethyl aminomethane)

VBL

Vinblastine

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved