

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	III
ABSTRACT	IV
LIST OF TABLES	VIII
LIST OF ILLUSTRATIONS	IX
ABBREVIATIONS	XII
I. INTRODUCTION	1
II. LITERATURE REVIEW	4
1. Common characteristics	4
2. Proliferation in animal	6
3. Multiplication cycle in the host cell	6
3.1 Adsorption and penetration	
3.2 Intracellular multiplication	
3.3 Release from the host cell	
4. Pathogenicity	7
5. Antigenic variations of <i>O. tsutsugamushi</i>	9
6. Geographic distribution	10
7. Antigenic structure of <i>O. tsutsugamushi</i>	10
8. Genetic analysis of rickettsial protein	12
9. Laboratory diagnosis	12
9.1 Isolation of <i>O. tsutsugamushi</i>	
9.2 Detection of antibody	
9.3 Detection of rickettsial DNA	
10. Genetic polymorphism of 56 kDa protein gene	16

VII

III. RESEARCH DESIGN AND METHODS	
1. Research design	18
2. Materials and methods	18
2.1 Clinical samples	18
2.2 Bacterial strain and media	19
2.3 Laboratory diagnosis	19
2.3.1 Immunofluorescence assay	
2.3.2 Weil Felix test	
2.3.3 nested Polymerase chain reaction	
2.3.4 Polymerase chain reaction (PCR)	
2.3.5 Detection of the PCR product	
2.3.6 Dye terminator of sequencing products	
2.3.7 Purification of sequencing products	
2.3.8 ABI 310 automated sequencer	
IV. RESULTS	26
1. Immunofluorescence assay	26
2. Amplification of <i>O. tsutsugamushi</i> DNA by nested PCR	26
3. Genotyping of <i>O. tsutsugamushi</i> by nested PCR	52
4. Genotyping of <i>O. tsutsugamushi</i> by nucleotide sequencing analysis	57
5. Analysis of nucleotide sequence polymorphism of the 56-kilodalton protein gene	70
6. Geographic distribution	70
V. DISCUSSION	83
VI. SUMMARY	86
VII. REFERENCES	87
VIII. APPENDIX	95
IX. CURRICULUM VITAE	106

VIII

LIST OF TABLES

Table		Page
1	Characteristics of Rickettsia and size of Rickettsiae in ultrathin sections	5
2.	Serum antibody titer of positive seroconversion patients of <i>O. tsutsugamushi</i> by IFA and WF tests	27
3.	Serum antibody titer of negative seroconversion patients of <i>O. tsutsugamushi</i> by IFA and WF tests	36
4	Comparison of the early diagnosis of scrub typhus by IFA, WF and nested PCR	45
5	Comparison of day of illness in early diagnosis of scrub typhus by IFA, WF and nested PCR	49
6	Comparison of laboratory diagnosis of scrub typhus by IFA, WF and nested PCR in 300 patients	49
7	Geographic distribution of <i>O. tsutsugamushi</i> genotypes in Thailand	55
8	Comparison of PCR, IFA and WF test	55

LIST OF ILLUSTRATIONS

Figure		Page
1	Nucleotide sequences of the 56 kDa protein gene of the <i>O. tsutsugamushi</i> reference serotypes.	17
2	The oligonucleotide sequence of universal primers and their location on the 56 kDa protein gene of <i>O. tsutsugamushi</i> .	21
3	The oligonucleotide sequence of serotype specific primers and their location on 56 kDa protein gene of <i>O. tsutsugamushi</i>	22
4	<i>O. tsutsugamushi</i> seen in L 929 cell culture by fluorescence staining.	44
5	Illustration of the amplification of <i>O. tsutsugamushi</i> DNA from reference serotype by nested PCR.	50
6	Illustration of the amplification of <i>O. tsutsugamushi</i> DNA from clinical samples by nested PCR.	51
7	Illustration of the nested PCR pattern of reference serotypes.	53
8	Illustration of the nested PCR pattern of <i>O. tsutsugamushi</i> genotypes from patients by nested PCR.	54
9	Geographical distribution of Karp and Kato genotype of <i>O. tsutsugamushi</i> in Thailand.	56
10	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 200054 in the Northern region.	58
11	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 210050 in the Northern region.	59
12	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 220054 in the Northern region.	60
13	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 200056 in the North East region.	61
14	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 210053 in the North East region.	62

15	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 220056 in the North East region.	63
16	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 200019 in the Central region.	64
17	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 210008 in the Central region.	65
18	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 220009 in the Central region.	66
19	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 200013 in the Southern region.	67
20	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 210014 in the Southern region.	68
21	The electrophoregram of the nucleotide sequence of 56 kDa protein gene of <i>O. tsutsugamushi</i> detected from patient no. 220180 in the Southern region.	69
22	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 200054	71
23	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 210050	72
24	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 220054	73
25	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 200056	74
26	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 210053	75
27	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 220056	76
28	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 200019	77

29	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 210008	78
30	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 220009	79
31	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Karp and clinical sample no. 200013	80
32	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Kato and clinical sample no. 210014	81
33	Nucleotide sequence comparison of the 56 kDa protein gene of the prototype Kato and clinical sample no. 220180	82

ABBREVIATIONS

A	Adenine
A-dye T	Adenine-dye terminator
C	Cytosine
CD	Constant domain
C-dye T	Cytosine-dye terminator
CF	Complement fixation
dATP	Deoxyadenosine triphosphate
dCTP	Deoxycytosine triphosphate
ddNTP	Dideoxynucleotide triphosphate
dGTP	Deoxyguanosine triphosphate
DNA	Deoxyribonucleic acid
dNTP	Deoxynucleotide triphosphate
dTTP	Deoxythymine triphosphate
ELISA	Enzyme linked immunosorbent assay
g	Gram
G	Guanine
G-dye T	Guanine-dye terminator
L	Litre
LPS	Lipopolysaccharide
M	Molar
mg	Milligram
ng	Nanogram
MgCl ₂	Magnesium chloride
IIP	Indirect immunoperoxidase
IFA	Immunofluorescent assay
μl	Microlitre

mM	Millimolar
PAGE	Polyacrylamide gel electrophoresis
PCR	Polymerase chain reaction
PHA	Passive hemagglutination assay
RNA	Ribonucleic acid
T	Tyrosine
T-dye T	Tyrosine-dye terminator
<i>Taq</i>	<i>Thermus aquaticus</i>
VD	Variable domain
WF	Weil-Felix test

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved