

REFERENCES

- Adbiotk. (1999). "Chitosan" [Online]. Available: <http://www.adbiotk.com> [2002, December 10].
- Aizawa, Y. and Noda, T. (1988). "Antistatic Photographic Paper" Jpn. Kokai Tokkyo Koho JP 63,175,186.
- Allan, G.G., Alterman, L.C., Bensinger, R.E., Ghosh, D.K., Hirabayashi, Y., Neogi, A.N. and Neogi, S. (1984). Chitin, Chitosan and Related Enzymes. In Zikakis, J.P. (Ed.), (pp 119-133), Academic Press, Inc.
- Audy, P. and Asselin, A. (1992). Gel electrophoretic analysis of chitosan hydrolysis products. *Electrophoresis*. 13 : 334-337.
- Bandai, H., Watanabe, I. And Murayama, K. (1988). "Bath Preparations Containing Chitosan or Its Derivatives" Jpn. Kokai Tokkyo Koho JP 63,10,715.
- Body Systems Technology. (1999). "The Fat Trap" [Online]. Available: <http://www.adgrafix.com/changes/chitof.htm> [2002, December 10].
- Bodywise. (1999). "Chito-Maxx™ Dietary Fiber with Inulin Analog & Vitamin C" [Online]. Available: <http://www.bodywise.org/chitomaxx.html> [2002, December 10].
- Bough, W.A., Salter, W.L., Wu, A.C.M. and Perkins, B.E. (1978). *Biotech. Bioeng.* 20 : 1931-1943.
- Bustos, R.O. and Healy, M.G. (1994). Microbial/Enzymatic Deproteination of Prawn Shell Waste. *Inst Chem Engrg Research Event*, 15 : 126-128.

- Chen, C., Liau, W. and Tsai, G. (1998). Antibacterial Effects of *N*-Sulfonated and *N*-Sulfonyl Chitosan and Application to Oyster Preservative. *Journal of Food Protection*, 61 : 1124-1128.
- Chen, Y. and Li, C. (1996). Studies on the Application of Chitosan to Clarification of Grapefruit Juice. *Food Science, Taiwan*, 23 : 617-628.
- Chen, C., Yeh, G.C. and Chiang, H. (1996). Antimicrobial and physicochemical properties of methylcellulose and chitosan films containing a preservative. *Journal of Food Processing and Preservation*, 20 : 379-390.
- Cho, H.R. (1989). Studies of antimicrobial activity and food preservative effect of low-molecular weight chitosan. Ph.D. Dissertation, University of Pusan, Korea.
- Choi, B.K., Kim, K.Y., Yoo, Y.J., Oh, S.J., Choi, J.H. and Kim, C.Y. (2001). *In vitro* antimicrobial activity of a chitooligosaccharide mixture against *A. actinomycetemcomitans* and *S. mutans*. *International Journal of Antimicrobial Agents*, 18 : 553-557.
- Cuero, R.G., Duffus, E., Osuji, G. and Pettit, R. (1991). Aflatoxin control in preharvest maize: Effect of chitosan and two microbial agents. *Journal Agric. Sci.*, 117 : 156-169.
- Cuero, R.G., Osuji, G. and Washington, A. (1991). *N*-Carboxymethyl chitosan inhibition of aflatoxin production: Role of zinc. *Biotechnol. Lett.*, 13 : 441-444.
- Daly, M.M., Keown, R.W. and Knorr, D.W. (1989). "Chitosan Alginate Capsules" U.S. Patent 4,808,707.
- Darmadji, P. and Izumimoto, M. (1994). Effect of chitosan in meat preservation. *Meat Science*, 38 : 243-254.

Fan, W., Bohlmann, J.A., Trinkle, J.R., Steinke, J.D., Hwang, K. and Henning, J.P., U.S. Patent 20020025945 Feb. 28, 2002.

Fang, S.W., Li, C.F. and Shih, D.Y.C. (1994). Antifungal Activity of Chitosan and its Preservative Effect on Low-Sugar Candied Kumquat. *Journal of Food Protection*, 56 : 136-140.

Forsythe, S.J. (2000). The Microbial Flora of Food. in *The microbiology of safe food*. Blackwell Science (pp. 96-103), Oxford,.

Garbutt, J. (1977). Food Spoilage. in *Essentials of food microbiology* (pp. 116-134), London : Arnold.

Gilbert, R.J., de Louvois, J., Donavan, T., Little, C., Nye, K., Ribeiro, C.D., Richards, J. Roberts, D. and Bolton, F.J. (2000). Guideline for the microbiological quality of some ready-to-eat-foods sampled at the point of sale. *Communicable Disease and Public Health*, 3(3) : 163-167.

Gogne, N. (1993). Optimisation Studies on chitin/ chitosan from Crustacean Waste. *M.Sc. Thesis*, McGill University.

Goosen, M.F.A. (1987). *CRC Critical Reviews in Biocompatibility*. in Williams, D.F (Ed.), (pp. 1-3), Boca Raton, FL: CRC Press.

Hall, G.M. (1996). "Biotechnology approaches to chitin recovery", *2nd Asia Pacific Chitin symposium*, Bangkok, pp. 26-33.

Headstart. (1999). "Fat Zapper Chitosan the fat magnet" [Online]. Available: <http://www.headstartvitaminscom/chitosan.html> [2002, December 10].

Healthnotes. (2003). "Chitosan" [online]. Available:

<http://www.healthwell.com/healthnotes/Supp/Chitosan.cfm> [2003, March 11].

- Helander, I.M., Nurmiaho-Lassila, E.L., Ahvenainen, R., Rhoades, J. and Roller, S. (2001). Chitosan disrupts the barriers of the outer membrane of Gram-negative bacteria. *International Journal of Food Microbiology*, 71 : 235-244.
- Hirano, S., Senda, H., Yamamoto, Y. and Watanabe, A. (1984). In *Chitin, Chitosan and Related Enzymes*, Zikakis, J.P. (Ed.), (pp. 77-95), Academic Press, Inc.
- Hirano, S., Itakura, C., Seino, H., Akiyama, Y., Nonaka, I., Kanbara, N. and Kawakami, T. (1990). Chitosan as an Ingredient for Domestic Animal Feed. *Agri. Food Chem.*, 38 : 1214-1217.
- Hirano, S., Yamamoto, T., Hayashi, M., Nishida, T. and Inui, H. (1990). Chitinase activity in seeds coated with chitosan derivatives. *Agric. Biol. Chem.*, 54 : 2719-2720.
- Hirano, S. (1996). Chitin biotechnology applications. *Biotechnol. Annu. Rev.*, 2 : 237-258.
- Hwang, J.K., Kim, H.J., Shim, J.S. and Pyun, Y.R. (1999). Bacterial activity of chitosan on *Streptococcus mutans*. *J. Food Sci. Technol.*, 31 : 522-526.
- Iwao, S. (1989). "Hair Preparations Containing Polyoxyalkylene and Water-Soluble Chitin and Chitosan Derivatives for Protecting Hair" Jpn. Kokai Tokkyo Koho JP 01,09,911.
- Jeon, Y.J., Park, P.J. and Kim, S.K. (2001). Antimicrobial effect of chitooligosaccharides produced by bioreactor. *Carbohydrate Polymerization*, 44 : 71-76.
- Kanauchi, o., Deuchi, K., Imasato, Y., Shizukuishi, M. and Kobayashi, E. (1995). Meachanism for the inhibition of fat digestion by chitosan and for the synergistic effect of ascorbate. *Biosci. Biotechnol. Biochem.*, 59(5) : 786-790.

- Katayama, H. (1988). "Enzyme Membrane Electrodes Using Chitosan Membrane-Immobilized Enzymes" Jpn. Kokai Tokkyo Koho JP 63,78,062.
- Kester, J.J. and Fennema, O.R. (1986). Edible Films and Coatings; A Review. *Food Technology*, 40 : 47-59.
- Kibune, K., Yamaguchi, Y. and Motosugi, K. (1988). "Manufacturing of Bandages from Chitin Fibres" Jpn. Kokai Tokkyo Koho JP 63,209,661.
- Kienzle-Sterzer, C., Rodriguez-Sanchez, D. and Rha, C. (1984). In chitin, chitosan and related enzymes, Zikakis, J.P., (Ed.), (pp. 383-396), Academic Press, Inc.
- Kim, S.K. and Rha, C. (1989). In *Chitin and Chitosan*. Skjak-Braek, G., Anthonsen, T. and Sandford, P. (Ed.), (pp. 627-642), New York: Elsevier Applied Science.
- Kim, C.Y., Choi, H.M. and Cho, H.T. (1997). Effect of deacetylation on sorption of dyes and chromium on chitosan. *Jounal of Applied Polymer Science*, 63 : 725-736.
- Kittur, F.S., Kumar, K.R. and Tharanathan, R.N. (1998). Functional Packaging Properties of Chitosan Films in *Z Lesbensm. Unters Forsch. A.*, 206 : 44-47.
- Knorr, D. (1986). Nutritional Quality, Food Processing and Biotechnology Aspects of Chitin and Chitosan: A Review. *Proc. Biochem.*, 6 : 90-92.
- Knorr, D. (1991). Recovery and Utilization of Chitin and Chitosan in Food Precessing waste Management. *Food Technology*, 45 : 114-122.
- Knorr, D. (1991). Use of Chitinous Polymers in Food-A Challenge for Food Research and Development. *Food Technology*. 38 : 85-97.

Koide, S.S. (1998). Chitin-Chitosan: Properties, benefits and risks. *Nutrition Research*, 98 : 1091-1101.

Kubota, N. and Kikuchi, Y. (1998). Macromolecular Complexes of Chitosan. in Severian D. (Ed.), *Polysaccharides structural diversity and functional versatility* (pp. 569-594), University of Sherbrooke, Quebec, Canada, Marcel Dekker, Inc.

Kumar,M.N.V.R.(2000). A review of chitin and chitosan applications. *Reactive & Functional Polymers*, 46 : 1-27.

Kurita, K. (1997). Chemistry and application of chitin and chitosan. *Polymer Degradation and Stability*, 59 : 117-120.

Kushino, S. and Orihara, Y. (1988). "Enzymatic Manufacture of Low Molecular Weight Chitosan and Its use in Pharmaceutical, Food and Other Manufacture" Jpn. Kokai Tokkyo Koho JP 63,63,388.

Labuza, T.P and Breene, W.M. (1989). Application of Active Packaging for Improvement of Shelf-life and Nutritional Quality of Fresh and Extended Shelf-life Foods. *Journal Food Proc. Preserv.*, 13 : 1-69.

Lang, G., Maresch, G. and Lenz. H.R. (1989). "Nail Polishes Containing o-Benzyl-N-Hydroxyalkylchitosan as Film-Forming Component" Ger. Offen. DE 3,723,811.

Lang, G. and Wendel, H. (1988). "Hair and Skin Fixative Based on Chitosan and on Ampholytic Copolymer" Ger. Offen. DE 3,644,097.

Lang, G. and Wendel, H. (1988). "Quaternized Chitosan Derivatives, A Method for Their Preparation and Cosmetics Containing Them" Eur. Pat. Appl. EP 290,741.

Leffler, M. (1997). Spotlight on research: Treasure from trash. Is there profit in crab waste?. *Marine Notes [Online]*, 15(2), 5 pp. Available: <http://www.mdsg.umd.edu/MarineNotes/Mar-April97/index.html> [2002, October 16].

Li, Q., Dunn, E.T., Grandmaison, E.W. and Goosen, M.F.A. (1997) Applications and Properties of Chitosan. In Goosen, M.F.A. (Ed.), *Application of chitin and chitosan* (pp. 3-29), Technomic.

Lower, S.E. (1984). Polymers from the Sea Chitin and Chitosan. *Manufacturing Chemist.*, 55 : 73-75.

Maghami, G.G. and Robert, G.A. (1988). *Macromol. Chem.*, 182 : 2239-2243.

Matsumura, S., Karigome, T. and Nomoto, K. (1989). "Manufacture of N-Carboxymethoxycarbonylchitosan for Moisturizers" Jpn. Kokai Tokkyo Koho JP 01,14,203.

McLean, C.H. and Addison, P.A. (1996). Fermentation of Waste Squid for the Extraction of Chitin and the Production of silage. *Instn. Chem Engrs. Resrch Event.*, 11 : 121-123.

Mizushima, M. (1988). "Hair Preparations Containing Surfactants with Chitin or Chitosan Derivatives as Stabilizing Agents" Jpn. Kokai Tokkyo Koho JP 63,165,307.

Motosugi, K., Yamaguchi, Y. and Kibune, K. (1988). Chitosan Sponges as Surgical Dressing" Jpn. Kokai Tokkyo Koho JP 63,90,507.

Muzzarelli, R.A.A. (1973). *Natural Chelating Polymer*. Toronto: Pergamon of Canada Ltd., 83-95.

Muzzarelli, R.A.A. (1985) In *The Polysaccharides*, Aspinall, G.O. (Ed.), (pp. 417-451), 3th ed. London: Academic Press, Inc.

Muzzarelli, R.A.A (1996). Chitosan-Based Dietary Foods. *Carbohydrate Polymer*, 29 : 309-312.

Muzzarelli, R.A.A (1997). Chitosan as Dietary Food Additives. in Goosen, M.F.A. (Ed.), *Applications of Chitin and Chitosan* (pp. 115-127). Technomic: Lancaster, PA, UK.

Muzzarelli, R.A. and Muzzarelli, B. (1998). Structural and Functional Versatility of Chitin. In Dumitriu, S. (Ed.), *Polysaccharides structural diversity and functional versatility* (pp. 569-594), University of Sherbrooke, Quebec Canada, Marcel Dekker Inc.

Namita, K., Miyajima, N., Higo, M. and Nakayama, J. (1988). "Pharmaceuticals Containing Chitin, Chitosan and Their Derivatives for Treatment of Bone Diseases" Jpn. Kokai Tokkyo Koho JP 63,156,726.

National Metal and Materials Technology Center (MTEC). Chitin and Chitosan Technical Note. Bangkok.

Natures RX. (1999). "Chitosan the Fat Trap" [Online]. Available: <http://www3.sympatico.ca/w.may/chiton.htm>. [2002, December 10].

Netrition. (1999). "Chitosan Fat Absorber" [Online]. Available: http://www.netrition.com/chitosan_in_page.html [2002, December 10].

No, H.K., Park, N.Y., Lee, S.H. and Meyers, S.P. (2001). Antibacterial activity of chitosans and chitosan oligomers with different molecular weights. *International Journal of Food Microbiology*, 52 : 231-239.

Norwest Labs. "Alberta health and food microbiological guidelines" [Online]. Available: <http://www.norwestlabs.com/pdf/FoodAppendices.pdf> [2003, March 13].

Oh, H., Kim, Y.J., Chang, E.J. and Kim, J.Y. (2001). Antimicrobial characteristics of chitosans against food spoilage microorganisms in liquid medium and mayonnaise. *Biosci. Biotechnol. Biochem.*, 65 : 2378-2383.

Ornum, J.V. (1992). Shrimp waste must it be wasted. *Infofish Internationala*, 6 : 48-52.

Osuji, G.O. and Ceuro, R.G. (1992). N-Carboxymethyl chitosan enhancement of the storage protein content of maize seeds (*Zea mays L.*). *Food Biotechnol.*, 6 : 105-126.

Razdan, A. and Pettersson, D. (1994). Effect of Chitin and Chitosan on Nutrient Digestibility and Plasma Lipid Concentrations in Broiler Chickens. *Journal of Nutrition*, 72 : 277-288.

Rhoades, J. and Roller, S. (2000). Antimicrobial Action of Degraded and Native Chitosan against Spoilage Organisms in Laboratory Media and Foods. *Applied and Environmental Microbiology*, 66 : 80-86.

Roller, S. and Covill, N. (1999). The antifungal properties of chitosan in laboratory media and apple juice. *International Journal of Food Microbiology*, 47 : 67-77.

Roller, S. and Covill, N. (2000). The antimicrobial properties of chitosan in mayonnaise and mayonnaise-based shrimp salads. *Journal of Food Protection*, 63 : 202-209.

Sagoo, S., Board, R. and Roller, S. (2002). Chitosan inhibits growth of spoilage microorganisms in chilled pork products. *Food Microbiology*, 19 : 175-182.

Saucier L. (1999). Meat safety: challenges for the future (Review Article). *Pig News and Information*, 20(3) : 77-80.

Schuler, G., Hurst, W., Reynolds, E. and Christian, J. "Food spoilage and you" [Online]. Available: <http://www.ces.uga.edu/pubcd/b906-w.html> [2002, June 30].

Sekiguchi, S., Miura, Y., Kaneko, H., Nishimura, S.I., Nishi, N., Iwase, M. and Tokura, S. (1994). Molecular weight dependedcy of antimicrobial activity by chitosan oligomers. in Nishinari, K. and Doi, E. (Eds.), *Food Hydrocolloids : Structures, Properties and Functions* (pp. 71-76), Plenum, New York.

Seo, H., Mitsuhashi, K., and Tanibe, H. (1992). Antibacterial and anti-fungal fiber blended by chitosan. in Brine, C.J., Sandford, P.A. and Zikakis, J.P. (Eds.), *Advances in Chitin and Chitosan* (pp. 34-40), Elsevier, Essex.

Shahidi, F., Arachchi, J.K.V. and Jeon, Y.J. (1999). Food applications of chitin and chitosans. *Trends in Food Science & Technology*, 10 : 37-51.

Shimahara, K., Ohkouchi, K. and Ikeda, M. (1982). A new Isolation Method of Crustacean Chitin Using Proteolytic bacterium *Pseudomonas Maltophilia*. in Harino, S. and Tokura, S. (Eds.), (pp. 10-14), *proc. 2nd Inst. Conf. Jap. Soc. Chitin and Chitosan*, Sapporo.

Shioya, T. and Rha, C. (1989). *Chitin and Chitosan*. in Skjak-Braek, G., Anthonsen, T. and Sandford, P. (Eds.), (pp. 627-634), New York: Elsevier Applied Science.

Simpson, B.K., Gagne, N., Ashie, I.N.A. and Noroozi, E. (1997). Utilization of Chitosan for Preservation of Raw Shrimp. *Journal of Food Biotechnology*, 11 : 25-44.

- Simpson, B.K., Gagne, N. and Simpson, M.V. (1994). Bioprocessing of chitin and chitosan. in Chapman and Hall (Eds.), *Fisheries processing biotechnological application* (pp. 155-164), London.
- Smoot, L.M. and Pierson, M.D. (1997). Indicator Microorganisms and Microbiological Criteria. in Doyle, M.P., Beuchat, L.R. and Montville, T.J. (Eds.), *Food Microbiology; Fundamental and Frontiers* (pp. 66-67), The United States of America, Washington.
- Soto-Perlata, N.V., Muller, H. and Knorr, D. (1989). Effect of Chitosan Treatments on the Clarity and Color of Apple Juice. *Journal of Food Science*, 54 : 495-496.
- Southern Blue. (1999). "What is Chitosan?" [Online]. Available: <http://www.southernblue.com/Chitosan/> [2002, December 10].
- Srinivasan, V.R. (1998). "Biotransformation of chitin to chitosan" U.S. Patent 5,739,015 April 14.
- Steven, F.W. (1996). Chitosan: A key compound in biology and bioprocess technology. 2nd ASIA PACIFIC CHITIN SYMPOSIUM, Bangkok, p. 14.
- Structure of Chitin, Chitosan and cellulose [Online]. Available: www.user.chollian.net/~chitin/chitikimchi.html [2002, June 23].
- Sudharshan, N.R., Hoover, D.G. and Knorr, D. (1992). Antibacterial Action of Chitosan. *Journal of Food Biotechnology*, 6 : 257-272.
- Suzuki, S., Suzuki, M. and Katayama, H. (1988). "Chitin and Chitosan Oligomers as Hypolipemics and Formulations Containing Them" Jpn. Kokai Tokkyo Koho JP 63,41,422.

- Takeda, K., Shimizu, K. and Goto, M. (1989). "Manufacture of Low Molecular Weight Chitosan" Jpn. Kokai Tokkyo Koho JP 01,11,101.
- Tilton, H. (1998). OPD Chemical Buyers Directory, New York, Schnell Publishing Co., 206-207.
- Tokunaga, M. (1988). "Improvement of Colorfastness of Cellulosic Fibres and Their Blends Dyed with Direct and/or Reactive Dyes" Jpn. Kokai Tokkyo Koho JP 63,175,186.
- Tokura, S., Itaya, M. and Hiroshi, S. (1988). "Partially Sulfated Chitosan Oligomers Immobilized on Chitosan for Antitrombogenic Medical Goods" Jpn. Kokai Tokkyo Koho JP 63,89,167.
- Tsai, G.J. and Su, W.H. (1999). Antibacterial activity of shrimp chitosan against *Escherichia coli*. *Journal Food Prot.*, 62 : 239-243.
- Uchida, Y., Izume, M. and Ohtakara, A. (1988). Preparation of chitosan oligomers with purified chitosanase and its application. in Skjak-Braek, G., Anthonsen, T. and Sandford, P. (Eds.), *Chitin and Chitosan: Sources, Chemistry, Biochemistry, Physical Properties and Applications* (pp.373-382), Thronheim, Norway.
- Utranutrition. (1999). "Mega Chitosan Plus™" [Online]. Available: http://www.utranutrition.com/mega_chitosan_plus.html [2002, December 10].
- Wang, G. (1992). Inhibition and Inactivation of Five Species of Foodborne Pathogens by Chitosan. *Journal of Food Protection*, 55 : 916-919.
- Yabe, H., Kawamura, Y. and Kurahashi, I. (1988). "Coloured Cosmetic Bases Containing Fine Powders of Chitin and Chitosan" Jpn. Kokai Tokkyo Koho JP 63,161,001.

Yalpani, M., Johnson, F. and Robinson, L.E. (1992). "Antimicrobial Activity of Some Chitosan Derivatives" in Brine, C.J., Sandford, P.A. and Zikakis, J.P. (Eds.), *Advances in chitin and chitosan*, Elsevier Applied Science, London, UK, 543-555.

Yun, Y.S., Kim, K.S. and Lee, Y.N. (1999). Antibacterial and antifungal effect of chitosan. *J. Chitin Chitosan*, 4 : 8-14.

Zhang, D. and Quantick, C. (1997). Effect of chitosan Coating on Enzymatic Browning and Decay During Post-Harvest Storage of Litchi (*Litchi Chinensis* Sonn.) Fruit. *Postharvest Biol. Technol.*, 12 : 195-202.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved