

## TABLE OF CONTENTS

	<b>Page</b>
<b>APPROVAL PAGE</b>	ii
<b>ACKNOWLEDGMENTS</b>	iii
<b>ABSTRACT (ENGLISH)</b>	iv
<b>ABSTRACT (THAI)</b>	vi
<b>TABLE OF CONTENTS</b>	viii
<b>LIST OF TABLES</b>	xi
<b>LIST OF ILLUSTRATIONS</b>	xx
<b>ABBREVIATION AND SYMBOLS</b>	xxiii
<b>CHAPTER 1: INTRODUCTION</b>	
1.1 Definition of heavy metals	2
1.2 Background information of heavy metals	3
1.2.1 Lead	3
1.2.2 Cadmium	4
1.2.3 Zinc	6
1.2.4 Copper	7
1.2.5 Manganese	8
1.2.6 Chromium	8
1.3 Sources of heavy metals in environments	9
1.4 Physico-chemical forms of heavy metals in sediments	12

	<b>Page</b>
1.5 Speciation of heavy metals for soil and sediment studies	14
1.5.1 Single extraction method	15
1.5.2 Sequential extraction method	16
1.6 Selection of sequential extraction scheme	23
1.7 Selectivity and re-adsorption problems	28
1.8 Accuracy investigation	29
1.8.1 Accuracy of sequential extraction method	29
1.8.2 Accuracy of hot-acid digestion	29
1.9 Aims of the work	30
1.10 The relevancy of the research work to Thailand	30
 <b>CHAPTER 2: EXPERIMENTAL</b>	
2.1 Instruments and apparatus	31
2.2 Chemicals and reagents	31
2.3 The preparation of chemical solutions	33
2.4 Sampling and sample preparation	34
2.5 Optimization of extraction parameters	36
2.5.1 Effect of ratio of extracting solution volume per sediment weight	36
2.5.2 Effect of extraction times	40
2.5.3 Effect of repetitive extractions	41
2.6 Comparison between Tessier's and the optimized sequential extraction methods	42
2.7 Accuracy of the optimized sequential extraction method	43

	<b>Page</b>
2.8 Accuracy of hot-acid digestion	43
2.9 Precision of the optimized sequential extraction method	43
2.10 Instrumental parameters	44
 <b>CHAPTER 3: RESULTS AND DISCUSSION</b>	
3.1 Effect of ratio of extracting solution volume per sediment weight	45
3.2 Effect of extraction times	62
3.3 Effect of repetitive extractions	79
3.4 The optimization of sequential extraction method	101
3.4.1 Comparison between Tessier's and the optimized methods	101
3.4.2 Accuracy Investigation	
3.4.3.1 Accuracy of the optimized sequential extraction	116
3.4.3.2 Accuracy of hot-acid digestion	116
3.4.3 Precision of the optimized sequential extraction method	119
3.5 The optimized sequential extraction method for sample analysis	122
3.5.1 Metal analysis using the optimized sequential extraction method for sediment samples (Lot-I)	122
3.5.2 Metal analysis using the optimized sequential extraction method for sediment samples (Lot-II)	133
<b>CHAPTER 4: CONCLUSION</b>	145
<b>REFERENCES</b>	149
<b>APPENDIX</b>	154
<b>VITA</b>	155

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
1.1 Metal levels in environments and human tissues	5
1.2 Some extracting solutions and conditions commonly used for exchangeable fraction (F-I)	18
1.3 Some extracting solutions and conditions commonly used for bound to carbonate fraction (F-II)	18
1.4 Some extracting solutions and conditions commonly used for bound to Fe-Mn oxide fraction (F-III)	19
1.5 Some extracting solutions and conditions commonly used for bound to organic matter fraction (F-IV)	19
1.6 Strong acid solutions and conditions commonly used for residual fraction (F-V) and total metal contents	20
1.7 Extracting solutions used for sequential extraction schemes modified from Tessier's method for the determination of heavy metals in environmental samples	21
1.7 Extracting solutions used for sequential extraction schemes modified from Tessier's method for the determination of heavy metals in environmental samples (continued)	22
2.1 The range of varied extracting solution volumes for study of the effect of V/m ratios for sequential extraction method	37

<b>Table</b>	<b>Page</b>
2.2 The range of varied leaching times for study of the effect of extraction times for sequential extraction method	40
2.3 Optimum extraction conditions for an individual extraction step of sequential extraction method	41
2.4 Comparison of extraction conditions between Tessier's and the optimized sequential extraction methods	42
2.5 Instrumental parameters of FAAS for the determination of heavy metals extracted from sediment samples	44
3.1 Effect of V/m ratios on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-I	48
3.2 Effect of V/m ratios on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-I	49
3.3 Effect of V/m ratios on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-II	51
3.4 Effect of V/m ratios on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-II	52
3.5 Effect of V/m ratios on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-III	54
3.6 Effect of V/m ratios on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-III	55
3.7 Effect of V/m ratios on the extracted Cu concentrations from S2 and S5 (Lot-I) for F-III	56

<b>Table</b>	<b>Page</b>
3.8 Effect of V/m ratios on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-IV	58
3.9 Effect of V/m ratios on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-IV	59
3.10 Effect of V/m ratios on the extracted Cu concentrations from S2 and S5 (Lot-I) for F-IV	60
3.11 Effect of extraction times on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-I	65
3.12 Effect of extraction times on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-I	66
3.13 Effect of extraction times on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-II	68
3.14 Effect of extraction times on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-II	69
3.15 Effect of extraction times on the extracted Mn concentrations from S2 and S5 (Lot-I) for F-III	71
3.16 Effect of extraction times on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-III	72
3.17 Effect of extraction times on the extracted Cu concentrations from S2 and S5 (Lot-I) for F-III	73
3.18 Effect of extraction times on the extracted Mn concentrations from	

S2 and S5 (Lot-I) for F-IV 75

<b>Table</b>	<b>Page</b>
3.19 Effect of extraction times on the extracted Zn concentrations from S2 and S5 (Lot-I) for F-IV	76
3.20 Effect of extraction times on the extracted Cu concentrations from S2 and S5 (Lot-I) for F-IV	77
3.21 The extracted Mn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-I	82
3.22 The extracted Mn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-II	83
3.23 The extracted Mn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-III	84
3.24 The extracted Mn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-IV	85
3.25 The extracted Zn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-I	86
3.26 The extracted Zn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-II	87
3.27 The extracted Zn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-III	88
3.28 The extracted Zn concentrations for four successive extractions from S2 and S5 (Lot-II) for F-IV	89



3.29	The extracted Cu concentrations for four successive extractions from S2 and S5 (Lot-II) for F-III	90
------	---	----

<b>Table</b>		<b>Page</b>
3.30	The extracted Cu concentrations for four successive extractions from S2 and S5 (Lot-II) for F-IV	91
3.31	The extracted Cd concentrations for four successive extractions from S2 and S5 (Lot-II) for F-I	92
3.32	The extracted Cd concentrations for four successive extractions from S2 and S5 (Lot-II) for F-II	93
3.33	The extracted Pb concentrations for four successive extractions from S2 and S5 (Lot-II) for F-II	94
3.34	The extracted Pb concentrations for four successive extractions from S2 and S5 (Lot-II) for F-III	95
3.35	The extracted Pb concentrations for four successive extractions from S2 and S5 (Lot-II) for F-IV	96
3.36	Comparison of the extracted Mn concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S2 (Lot-I)	104
3.37	Comparison of the extracted Mn concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S5 (Lot-I)	105
3.38	Comparison of the extracted Zn concentration for each extraction	



step by using Tessier's and the optimized sequential extraction methods for S2 (Lot-I) 106

<b>Table</b>	<b>Page</b>
3.39 Comparison of the extracted Zn concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S5 (Lot-I)	107
3.40 Comparison of the extracted Cu concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S2 (Lot-I)	108
3.41 Comparison of the extracted Cu concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S5 (Lot-I)	109
3.42 Comparison of the extracted Cd concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S2 (Lot-I)	110
3.43 Comparison of the extracted Cd concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S5 (Lot-I)	111
3.44 Comparison of the extracted Pb concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S2 (Lot-I)	112

3.45	Comparison of the extracted Pb concentration for each extraction step by using Tessier's and the optimized sequential extraction methods for S5 (Lot-I)	113
<b>Table</b>		<b>Page</b>
3.46	Comparison of the extracted concentrations and percentage distributions of Mn, Zn, Cu, Cd, and Cd for S2 (Lot-I) by using two methods	114
3.47	Comparison of the extracted concentrations and percentage distributions of Mn, Zn, Cu, Cd, and Pb for S5 (Lot-I) by using two methods	115
3.48	Total concentration of Mn, Zn, Cu, Cd, and Pb obtained from hot-acid digestion for S2 and S5 (Lot-I)	117
3.49	Percentage recoveries obtained by comparing the sum of the extracted metal concentrations for the optimized sequential extraction method and hot-acid digestion	118
3.50	Percentage recoveries of Mn, Zn, Cu, Pb, Cd, and Cr obtained from hot-acid digestion for S7 (Lot-I) after spiking method	118
3.51	Percentage recoveries of Mn, Zn, Cu, Pb, Cd, and Cr obtained from hot-acid digestion for S8 (Lot-I) after spiking method	119
3.52	The results of the extracted Mn concentration obtained for study of the precision of sequential extraction for mixed sample (KN3+KN4)	120

3.53	The results of the extracted Zn concentration obtained for study of the precision of sequential extraction for mixed sample (KN3+KN4)	120
3.54	The results of the extracted Cu concentration obtained for study of the precision of sequential extraction for mixed sample (KN3+KN4)	121
3.55	The results of the extracted Cd concentration obtained for study of the precision of sequential extraction for mixed sample (KN3+KN4)	121
<b>Table</b>		<b>Page</b>
3.56	The results of the extracted Pb concentration obtained for study of the precision of sequential extraction for mixed sample (KN3+KN4)	122
3.57	Average concentrations of Mn distributed in each fraction of sediments collected from different sample sites (Lot-I), which extracted by the optimized sequential extraction method	127
3.58	Average concentrations of Zn distributed in each fraction of sediments collected from different sample sites (Lot-I), which extracted by the optimized sequential extraction method	128
3.59	Average concentrations of Cu distributed in each fraction of sediments collected from different sample sites (Lot-I), which extracted by the optimized sequential extraction method	129
3.60	Average concentrations of Pb distributed in each fraction of sediments collected from different sample sites (Lot-I) and extracted by the optimized sequential extraction method	130
3.61	Average concentrations of Cd distributed in each fraction of sediments collected from different sample sites (Lot-I), which	

	extracted by the optimized sequential extraction method	131
3.62	Average concentrations of Mn distributed in each fraction of sediments collected from different sample sites (Lot-II), which extracted by the optimized sequential extraction method	137
3.63	Average concentrations of Zn distributed in each fraction of sediments collected from different sample sites (Lot-II), which extracted by the optimized sequential extraction method	138
<b>Table</b>		<b>Page</b>
3.64	Average concentrations of Cu distributed in each fraction of sediments collected from different sample sites (Lot-II), which extracted by the optimized sequential extraction method	139
3.65	Average concentrations of Pb distributed in each fraction of sediments collected from different sample sites (Lot-II), which extracted by the optimized sequential extraction method	140
3.66	Average concentrations of Cd distributed in each fraction of sediments collected from different sample sites (Lot-II), which extracted by the optimized sequential extraction method	141




## LIST OF ILLUSTRATIONS

<b>Figure</b>	<b>Page</b>
1.1 The movement of trace elements with in the environment	13
1.2 Schematic diagram of processes controlling the biogeochemical cycling of heavy metals in aquatic environments	13
2.1 Sampling sites of sediment samples collected from the Kwai Noi River at Kanchanaburi Province	35
2.2 The five-stage sequential extraction procedure employed for sediment samples (modified from Tessier's method)	38
3.1 Effects of V/m ratios on the extracted Mn (a) and Zn (b) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-I	50
3.2 Effects of V/m ratios on the extracted Mn (a) and Zn (b) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-II	53
3.3 Effect of V/m ratios on the extracted Mn (a), Zn (b), and Cu (c)	

	concentrations from S2 (Lot-I) and S5 (Lot-I) for F-III	57
3.4	Effects of V/m ratios on the extracted Mn (a), Zn (b), and Cu (c) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-IV	61
3.5	Effects of extraction times on the extracted Mn (a) and Zn (b) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-I	67
3.6	Effects of extraction times on the extracted Mn (a) and Zn (b) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-II	70
<b>Figure</b>		<b>Page</b>
3.7	Effects of extraction times on the extracted Mn (a), Zn (b), and Cu (c) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-III	74
3.8	Effects of extraction times on the extracted Mn (a), Zn (b), and Cu (c) concentrations from S2 (Lot-I) and S5 (Lot-I) for F-IV	78
3.9	Variations of the extracted Mn concentrations by four successive extractions for F-I (a), F-II (b), F-III (c), and F-IV(d)	97
3.10	Variations of the extracted Zn concentrations by four successive extractions for F-I (a), F-II (b), F-III (c), and F-IV(d)	98
3.11	Variations of the extracted Cu concentrations by four successive extractions for F-III (a) and F-IV (b)	99
3.12	Variations of the extracted Cd concentrations by four successive extractions for F-I (a) and F-II (b)	99
3.13	Variations of the extracted Pb concentrations by four successive extractions for F-II (a), F-III (b), and F-IV (c)	100
3.14	Percentages of Mn distribution in each fraction from different	

sediment samples (Lot-I)	132
3.15 Percentages of Zn distribution in each fraction from different sediment samples (Lot-I)	132
3.16 Percentages of Cu distribution in each fraction from different sediment samples (Lot-I)	133
3.17 Percentages of Pb distribution in each fraction from different sediment samples (Lot-I)	133
<b>Figure</b>	<b>Page</b>
3.18 Percentages of Cd distribution in each fraction from different sediment samples (Lot-I)	134
3.19 Percentages of Mn distribution in each fraction from different sediment samples (Lot-II)	142
3.20 Percentages of Zn distribution in each fraction from different sediment samples (Lot-II)	142
3.21 Percentages of Cu distribution in each fraction from different sediment samples (Lot-II)	143
3.22 Percentages of Pb distribution in each fraction from different sediment samples (Lot-II)	143
3.23 Percentages of Cd distribution in each fraction from different sediment samples (Lot-II)	144





## ABBREVIATIONS AND SYMBOLS

Abs.	Absorbance
conc.	Concentration
cm <sup>3</sup>	Cubic centimetre
°C	Degree Celsius
CEC	Commission of the European Committee
EU	European Union
FAAS	Flame atomic absorption spectrophotometer
g	Gram
h	Hour
IAEA	International Atomic Energy Agency
KN	Kwai Noi River
L/min	Litre per minute
LOD	Limits of detection

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright © by Chiang Mai University  
 All rights reserved

$\mu\text{g}$	Microgram
mA	Milli Ampare
mg/kg	Milligram per kilogram
mg/L	Milligram per litre
mL/g	Millilitre per gram
mm	Milimatre
min	Minute
M	Mole/litre
nm	Nanometre
ND	Not detected
n	Number of extraction
%	Percentage
RSD	Relative standard deviation
RT	Room temperature
SD	Standard Deviation
Temp.	Temperature
U.S. EPA	United State Environmental Protection Agent
U.S. PHS	United State Public Health Service
v/v	Volume per volume
w/v	Weight per volume
w/w	Weight per weight
WHO	World Health Organization