

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	vi
TABLE OF CONTENTS	viii
LIST OF TABLES	xii
LIST OF ILLUSTRATIONS	xiv
ABBREVIATIONS AND SYMBOLS	xvi
CHAPTER 1: INTRODUCTION	1
1.1 Iron	1
1.1.1 The importance of iron determination	1
1.1.2 Methods for iron determination	2
1.1.3 Needs for method development for iron determination	12
1.2 Phosphate	13
1.2.1 The importance of phosphate determination	13
1.2.2 Methods for phosphate determination	14
1.2.3 Need to develop method for phosphate determination	18
1.3 Aims of these studies	20
CHAPTER 2: EXPERIMENTAL	22
2.1 Chemicals	22
2.2 Preparation standard solutions and reagents	23
2.3 Instruments and apparatus	26

2.4 FIA set ups	27
2.4.1 FI system for determination of iron using salicylic acid	27
2.4.2 FI system for on-line preconcentration and electrochemical detection of phosphate	27
2.4.3 FI system for on-line sulfide removal for phosphate determination	28
2.4.4 FI system for simultaneous determination of phosphate and silicate using stopped FIA	29
2.5 Other set-ups	29
2.5.1 Capillary electrophoresis	29
2.5.2 Voltammetry	30
CHAPTER 3: RESULTS AND DISCUSSION	31
3.1 Determination of iron by FIA using salicylic acid	31
3.1.1 Preliminary studies	31
3.1.1.1 Absorption spectra of Fe(III)-salicylate complexes	31
3.1.1.2 Study of the molar absorptivity of Fe(III)-salicylate complexes	33
3.1.1.3 FIA system set up and study for conditions	35
3.1.2 Application of the developed method to pharmaceutical preparation samples and method validation	38
3.2 Determination of Fe(II) and Fe(III) by Capillary Electrophoresis and Voltammetry	42
3.2.1 Capillary Electrophoresis	42

3.2.2 Voltammetric study for possibilities of speciation of Fe(II) and Fe(III)	47
3.3 Phosphate determination using flow injection analysis with electrochemical detection	51
3.3.1 Direct FIA system for phosphate determination	51
3.3.1.1 Study of the reproducibility of the signal	53
3.3.1.2 Interference study	54
3.3.1.3 Samples determination and method validation	56
3.3.2 Develop method for on-line preconcentration of phosphate	57
3.3.2.1 The system used and calibration data	58
3.3.2.2 The effect of chloride on phosphate adsorption	59
3.3.2.3 Samples determination and method validation	59
3.3.2.4 Single standard calibration	60
3.4 On-line sulfide removal for phosphate determination	62
3.4.1 Analytical wavelengths for the determination of phosphate by the molybdenum blue method with various reducing agents	63
3.4.2 Quantify sulfide interference using tin(II) chloride and ascorbic acid as reducing solutions	65
3.4.3 Test effectiveness of batch acidify to remove sulfide	69
3.4.4 On-line oxidation of sulfide using potassium permanganate	72
3.4.5 Test for organic phosphate	74
3.4.6 Method validation and sample determination	75


3.5 Simultaneous determination of phosphate and silicate using stopped FIA	78
3.5.1 Simultaneous determination of phosphate and silicate	80
3.5.2 Samples determination and method validation	82
CHAPTER 4: CONCLUSIONS	84
REFERENCES	87
APPENDIX	91
VITA	104
THE RELEVANCE OF THE RESEARCH WORK TO THAILAND	107

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved

LIST OF TABLES

TABLE	Page
1.1 The example methods for iron determination	6
1.2 Analytical methods for determination of phosphate	15
3.1 Price comparison of chemicals for iron determination	34
3.2 The conditions for Fe(III) determination using salicylate reagent	36
3.3 Determination of iron in drug samples by the proposed FIA method and USP method	41
3.4 The conditions for capillary electrophoresis	43
3.5 Conditions for determination of phosphate using the FIA electrochemical detection	53
3.6 Analysis of reference fresh water and seawater	56
3.7 Analysis of sea water sample	57
3.8 Recoveries of spike dissolved reactive phosphorus to tap water samples	60
3.9 Percent change of orthophosphate standards concentration range of 50-1000 $\mu\text{g l}^{-1}$ which contained sulfide of various concentrations	67
3.10 Percent change of orthophosphate standards concentration range of 50-1000 $\mu\text{g l}^{-1}$ which contained sulfide of various concentrations	68
3.11 Test of the effectiveness of batch pretreatment to remove sulfide using 0.01 M sulfuric acid	70
3.12 Test of the effectiveness of batch pretreatment to remove sulfide using 0.05 M sulfuric acid	71

3.13 On-line oxidation of sulfide using potassium permanganate	73
3.14 Samples determination using potassium permanganate method and comparison of the results to the other methods	76
3.15 Recoveries of spiked dissolved reactive phosphorus to water samples	77
3.16 Conditions for simultaneous determination of phosphate and silicate using the semi-automated stopped-FI-Analyzer	79
3.17 Determination of phosphate and silicate by the proposed stopped-FI method and the standard method	83



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

LIST OF ILLUSTRATIONS

FIGURE	page
2.1 FI manifold for determination of iron using salicylic acid	27
2.2 FIA manifolds for the direct determination of orthophosphate	28
2.3 FIA manifold for on-line sulfide removal for phosphate determination	29
2.4 Stopped-FIA manifold for simultaneous determination of phosphate and silicate	29
2.5 Capillary electrophoresis diagram	30
2.6 The voltammetric cell and electrode system	30
3.1 The absorption spectra of mixtures containing of Fe(III) and salicylate	31
3.2 Plots of absorbances vs Fe(III) concentrations in 0.1 M salicylate	33
3.3 FIagrams for the determination of Fe(III) using salicylate	37
3.4 Calibration graph of Fe(III) determination using salicylate	37
3.5 Electropherograms obtained by an injection of a mixture solution	44
3.6 The structural formula of PAR	44
3.7 Distribution profile of major species of PAR	45
3.8 Voltammograms obtained by a serial mixture solutions	48
3.9 Voltammograms obtained by a serial mixture solutions	50
3.10 Reproducibility of phosphate peak height concentration of 50 and 500 $\mu\text{g P l}^{-1}$	54
3.11 FI gram and calibration graph of standard phosphate concentration 0.1, 0.5, 1.0, 2.0, 5.0 and 10.0 $\mu\text{g l}^{-1}$	58
3.12 The effect of chloride on peak signal response of 5 $\mu\text{g P l}^{-1}$	59

3.13	Single standard calibration using 5.0 and 10.0 $\mu\text{g P l}^{-1}$	61
3.14	Absorption curves for molybdenum blue formed with various reducing agents	63
3.15	Absorption spectra obtained by using phosphate (1000 $\mu\text{g P l}^{-1}$) in the molybdenum blue method	64
3.16	Peak heights of signals obtained in a molybdenum method	65
3.17	The effect of sulfide on phosphate determination using tin(II) chloride as a reducing solution	67
3.18	The effect of sulfide on phosphate determination using ascorbic acid as a reducing solution	68
3.19	Acidification of sulfide in standard phosphate using 0.01 M sulfuric acid	70
3.20	Acidification of sulfide in standard phosphate using 0.05 M sulfuric acid	71
3.21	On-line oxidation of sulfide using potassium permanganate	73
3.22	Test of the oxidation potential of potassium permanganate on organic phosphates	75
3.23	Stopped-FI profiles of phosphate, silicate and mixture	79
3.24	Calibration graph of phosphate	80
3.25	The correlation between I_p and D_p	81
3.26	Calibration graph of silicate	81