


## CONTENTS

	<b>Page</b>
<b>ACKNOWLEDGEMENTS</b>	iii
<b>ABSTRACT (ENGLISH)</b>	iv
<b>ABSTRACT (THAI)</b>	v
<b>LIST OF TABLES</b>	ix
<b>LIST OF ILLUSTRATIONS</b>	x
<b>CHAPTER I INTRODUCTION</b>	1
1.1 Sequential injection analysis (SIA)	1
1.1.1 Introduction	1
1.1.2 Principle of SIA	2
1.1.3 Components of SIA	4
1.1.3.1 Propulsion system	4
1.1.3.2 Distribution system	4
1.1.3.3 Transportation system	4
1.2 Lab-on-valve (LOV)	5
1.2.1 Introduction	5
1.2.2 Principle of LOV	7
1.2.3 Components of LOV	7
1.3 Acidity	7
1.3.1 General background	7
1.3.2 Application of citric acid	9
1.3.3 Determination of citric acid and acidity as citric acid content	9
1.3.3.1 Volumetric method	9
1.3.3.2 Spectrophotometry	10
1.3.3.3 Ion chromatography (IC)	10
1.3.3.4 High performance liquid chromatography (HPLC)	10

1.3.3.5 Flow injection analysis (FIA)	11
1.3.3.6 Sequential injection analysis (SIA)	12
1.4 Research aims	12
<b>CHAPTER II EXPERIMENT</b>	13
2.1 Instruments, apparatus and chemicals	13
2.1.1 SIA-LOV analyzer	13
2.1.2 Chemicals	13
2.2 Samples	14
2.2.1 Samples for acidity determination	14
2.2.2 Samples preparation	15
2.3 Preparation of standard solutions and reagents	15
2.4 Determination of acidity by sequential injection with lab-on-valve method	17
2.4.1 SIA-LOV system	17
2.4.2 Procedure	18
2.4.3 Optimization of the SIA-LOV system	20
2.4.3.1 Effect of sugar solution concentration	21
2.4.3.2 Effect of concentration of indigo carmine indicator	22
2.4.3.3 Effect of dispensation flow rate	22
2.4.4 Determination of acidity in fruit juice samples	23
2.4.5 Precision	23
<b>CHAPTER III RESULTS AND DISCUSSION</b>	24
3.1 Preliminary conditions of SIA-LOV for determination of acidity	24
3.2 Determination of acidity by SIA-LOV method	29
3.2.1 Effect of sugar concentration	29
3.2.2 Concentration of indigo carmine indicator	34
3.2.3 Effect of dispensation flow rate	37
3.2.4 Summary of the selected conditions	40
3.2.5 Determination of acidity in fruit juice samples	41
3.2.5.1 Calibration graph	41
3.2.5.2 Accuracy and application of the method	43

3.2.6 Precision	48
<b>CHAPTER IV CONCLUSION</b>	<b>50</b>
<b>THE RELEVANCE OF THE RESEARCH WORK TO THAILAND</b>	<b>53</b>
<b>REFERENCES</b>	<b>54</b>
<b>APPENDICES</b>	<b>57</b>
<b>APPENDIX A</b>	<b>58</b>
<b>APPENDIX B</b>	<b>59</b>
<b>APPENDIX C</b>	<b>64</b>
<b>CURRICULUM VITAE</b>	<b>66</b>



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved

**LIST OF TABLES**

<b>Table</b>	<b>Page</b>
2.1 List of fruit juice samples.	14
2.2 Preliminary condition for acidity determination.	20
3.1 The absorbance of 0-5%(w/v) sugar solution with water and 2%(w/v) sugar as reference solution.	30
3.2 Effect of the sugar concentration.	33
3.3 Effect of concentration of indigo carmine indicator.	36
3.4 Conditions for determination 0.0-1.2%(w/v) citric acid.	40
3.5 Calibration data of 0.0-1.2%(w/v) citric acid.	42
3.6 Comparison of % acidity found (expressed as citric acid) by SIA-LOV and standard titration method.	44
3.7 The summarization of t-test value for acidity determination in fruit juice.	47
3.8 Precision of citric acid determination by SIA-LOV method.	49

## LIST OF ILLUSTRATIONS

<b>Figure</b>	<b>Page</b>
1.1 A conventional SIA setup is comprised of a bi-directional syringe pump, holding coil, multiposition valve, reaction coil (RC) and detector.	2
1.2 The principle of SIA. Each step can be described as follows: A = The sample was loaded into the holding coil, B = The reagent was loaded into the holding coil, C = The stack zone was aspirated into the holding coil to improve mixing and dispersion, D = The product was produced and was propelled to the detector and E = The product was monitored by the detector and the signal was recorded.	3
1.3 Lab-on-valve manifold.	6
1.4 Multi-purpose flow cell.	6
1.5 Structural formula of citric acid.	8
2.1 A schematic diagram of the SIA-LOV system for acidity determination.	18
2.2 The sequence of operation of SIA-LOV.	20
2.3 The sequence of operation for the study of the effect of sugar concentration.	21
3.1 Acid-base titration curve.	25
3.2 Titration graphs of acidity determination to set up preliminary conditions (a) between the pH of residual base and volume of acid (ml) and (b) between the concentration of residual base (M) and volume of acid.	26
3.3 Spectrum of indigo carmine indicator.	27
3.4 Summarization of preliminary condition for acidity determination.	27
3.5 Signal profile of various acidity values using the preliminary condition.	28
3.6 Calibration graph obtained using the preliminary condition.	28
3.7 Effect of concentration of sugar in solution.	31
3.8 Peak profiles of 0.0-1.2%(w/v) citric acid in (a) water and (b) 10%(w/v) sugar solution.	32
3.9 A calibration graph of 0.0-1.2%(w/v) citric acid (a) in water and (b) in 10%(w/v) sugar solution.	33

- 3.10 Peaks profile of 0.0-1.2%(w/v) citric acid using concentrations of indigo carmine indicator as follows: (a) 0.05%(w/v), (b) 0.10%(w/v), (c) 0.20%(w/v) and (d) 0.40%(w/v). 35
- 3.11 Calibration graphs obtained using different concentrations of indigo carmine indicator: (a) 0.05%(w/v), (b) 0.10%(w/v), (c) 0.20%(w/v) and (d) 0.40%(w/v). 36
- 3.12 Effect of concentration of indigo carmine indicator on (a) slope and (b)  $R^2$  of calibration graph. 37
- 3.13 Peak profiles of 0.0-1.2%(w/v) citric acid using dispensation flow rate of: (a)  $8.33 \mu\text{l s}^{-1}$  and (b)  $16.66 \mu\text{l s}^{-1}$ . 38
- 3.14 Calibration graphs obtained using different dispensation flow rates as follows; (a)  $8.33 \mu\text{l s}^{-1}$  and (b)  $16.66 \mu\text{l s}^{-1}$ . 39
- 3.15 Peak profiles of 0.0-1.2%(w/v) citric acid. 41
- 3.16 A calibration graph method for determination of acidity obtained from SIA-LOV. 42
- 3.17 Comparison graph of acidity found in fruit juice samples by SIA-LOV and titration method. 45
- 3.18 Correlation graph of %(w/v) acidity found by using SIA-LOV and titration method. 46
- 3.19 Peak profiles of 11 replicates of 0.6%(w/v) citric acid in 10%(w/v) sugar solution. 48