

## REFERENCES

- Adashek, J. A., et al. (1993). Factors contributing to the increased cesarean birth rate in older parturient women. *American Journal of Obstetrics and Gynecology*, 169, 936-940.
- Affonso, D. D., & Stichler, J. F. (1978). Exploratory study of women's reaction to having a cesarean birth. *Birth Family Journal*, 5, 88-94.
- Affonso, D. D., & Stichler, J. F. (1980). Cesarean birth : women researchers. *American Journal of Nursing*, 80 (3), 468-470.
- Affonso, D.D., et. al. (1992). Dysphoric distress in childbearing women. *J Perinatol*, 12, 325-32.
- Ali, A. (1988). A cross-national perspective of managerial work value systems. *Advances in International Comparative Management*, 3, 151-169.
- Ali, A. (1989b). A comparative study of managerial beliefs about work in the Arab states. *Advances in International Comparative Management*, 4, 95-112.
- Al-Mufti, R., McCarthy, A., & Fisk, N. M. (1996). Obstetricians' personal choice and mode of delivery. *Lancet*, 347,544.
- Al-Mufti, R., McCarthy, A., & Fisk, N. M. (1997). Survey of obstetricians' personal preference and discretionary practice. *European Journal of Obstetrics Gynecology Reproductive Biology*, 73, 1-4.
- Alsaili, M., et.al. (1995). Cumulative pregnancy rates and pregnancy outcome after in-vitro fertilization: > 5000 cycles at one centre. *Hum Reprod*, 10, 470-4.
- Amu, O., Rajendran, S.,& Bolaji, I. (1999). Maternal choice alone should not determine method of delivery. *British Medical Journal*, 319, 463-465.
- Amu, O., Rajendran, S.,& Bolaji, I. (1998). Should doctors perform an elective cesarean section on request? Maternal choice alone should not determine method of delivery. *British Medical Journal*, 317, 463-465.
- Anderson, G., & Lomas, J. (1984). Determinants of increasing cesarean birth rate. *New England Journal of Medicine*, 311, 887-892.
- Anonymous. (2000). Cesarean section on the rise. *Lancet*, 356, 1697.
- Arnold, H. J., & Feldman, D. C. (1988). *Organization*. New York: John Wiley and Pons. Inc.
- Aron, D. C., Harper, D. L., Shepardson, L. B., & Rosenthal, G. E. (1998). Impact of risk-adjusting cesarean delivery rates when reporting hospital performance. *JAMA*, 279, 1962-72.
- Assael, H. (1995). *Consumer Behavior and Marketing Action*. (5<sup>th</sup> Ed.). Ohio : South-Western College Publishing.
- Ausornsakul, K. (1972). *Index of socioeconomics' Urban people in Thailand*. Bangkok: Chulalongkorn University.
- Bailer, P. (1982). History of cesarean section. *Obstetrics & Gynecology*, 59(2), 135-148.
- Baker, R. A. (1978). Technological intervention in obstetrics : has the pendulum swung too far? *Obstetrics & Gynecology*, 512, 241.

- Barros, F. C., Vaerghan, I. P., Victora, C. G., & Huttly, S. R. (1991). Epidemic of cesarean sections in Brazil. *Lancet*, 338, 167-169.
- Baruffi, G., et al. (1990). Investigation of institutional differences in primary cesarean birth rates. *Journal of Nurse-Midwifery*, 35(5), 274-281.
- Beattie, P.G., Rings, T. R., Hunter, M. F., & Lake, Y. (2001). Risk factors for wound infection following cesarean section. *Aust and New Zealand Journal of Obstetrics and Gynecology*, 34, 398-402.
- Beisecker, A. E., & Beisecker, T. D. (1990). Patient information seeking behaviors when communicating with doctors. *Medical Care*, 28 (1), 19-28.
- Belizan, J. M., Qaranta, P., Paquez, E., & Villar, J. (1991). Cesarean section and fear of litigation. *Lancet*, 338, 1462.
- Belizan, J., Althabe, P., Barros, F. C., & Alexander, S. (1999). Rates and implications of cesarean sections in Latin America. Ecological study. *British Medical Journal*, 319, 1397-1402.
- Berga, S. L. (1997). Predictors of cesarean delivery. *Current Problems in Obstetrics, Gynecology and Fertility*, July/August, 96-126.
- Bergsjö, P., Bakkeiteig, L.S., & Eikhom, S.N. (1982). Case-control analysis of post-term induction of labor. *Acta Obstet Gynecol Scand*, 61, 317-24.
- Bergsjö, P., Schmidt, E., & Pusch, D. (1983). Differences in the reported frequencies of some obstetrical interventions in Europe. *British Journal of Obstetrics and Gynaecology*, 90, 628-632.
- Bernhard, L. A., & Walsh, M. (1995). *Leadership: The key to the professionalization of nursing*. Philadelphia : Mosby.
- Bigger, W. R., et al. (1994). Use of maternity services by pregnant women in a small Nigerian community. *Health Care for International*, 15, 101-110.
- Bower, S. K., MacDonald, H. M., & Shapiro, E. D. (1982). Prevention of iatrogenic neonatal respiratory distress syndrome : Elective repeat cesarean section and spontaneous labor. *American Journal of of Obstetrics and Gynecology*, 143, 186.
- Bowman, G., & Thompson, D. (1992). Where did you get that cap? *Nurs Times*, 88, 43-5.
- Braddock, C. H., Edwards, K. A., & Hasenberg, N. (1999). Informed decision making in outpatient practice. *JAMA*, 282, 2313-2320.
- Braveman, P., Egerter, S., Edmonston, F., & Verdon, M. (1995). Racial/ethnic differences in the likelihood of cesarean delivery, California. *Am J Public Health*, 85, 625-30.
- Brink, P. J., & Wood, M. J. (1998). *Advanced design in nursing research*. (2<sup>nd</sup> Ed). Thousand Oaks: Sage.
- Broadstock, M., & Michie, S. (2000). Processes of patient decision making : theoretical and methodological issues. *Psychology and Health*, 15, 191-204.
- Brooks, A.N., Haynes, N.B., Yang, K., & Lamming, G.E. (1986). Ovarian steroid involvement in endogenous opioid modulation of LH secretion in seasonally anoestrous mature ewes. *J Reprod Fertil*, 76, 709-15.
- Jones, D.J. (1976). Care through services to families. *Child Today*, Nov-Dec;5, 7-10.
- Buchholz, M.A., & Dary, J.T. (1994). Urological complications associated with caesarean section. *Eur J Obstet Gynecol Reprod Biol*, 56, 161-3.

- Bunn, H., & O Connor, A. (1996). Validation of client decision-making instruments in the context of psychiatry. *Canadian Journal of Nursing Research*, 28, 13-27.
- Bunting, S. M. (1988). The concept of perception in selected nursing theories. *Nursing Science Quarterly : theory, research and practice*, 4 (November), 168-174.
- Burns, L.R., Geller, S.E., & Wholey, D.R. (1995). The effect of physician factors on the cesarean section decision. *Med Care*, 33, 365-82.
- Burns, N., & Grove, S. K. (1998). *The practice of nursing research*. (3<sup>rd</sup> Ed.). Philadelphia : W. B. Saunders Company.
- Burns. (1955). The effect of physician factors on the CS decision. *Medical Care*, 33, 365-382.
- Butler, J., Abrams, B., Parkeer, J., Roberts, J. M., & Laros, R. K. (1993). Supportive nurse-midwife care is associated with a reduced incidence of cesarean section. *American Journal of Obstetrics and Gynecology*, 168, 1407-13.
- Byrnes, J. P., & McClenny, B. (1994). Decision-making in young adolescents and adults. *Journal of Experimental Child Psychology*, 58, 359-388.
- Cahill, J. (1996). Patient participation: a concept analysis. *J Adv Nurs*, 24, 561-71.
- Cannon-Bowers, J. A., Salas, E., & Prnitt, J. S (1996). Establishing the boundaries of a paradigm for decision-making research. *Human Factors*, 38 (2), 193-205.
- Carpenter, M. W., Yates, W. T., & Meeker, C. I. (1987). Practice environment is associated with obstetric decision making regarding abnormal labor. *Obstetrics & Gynecology*, 70, 657.
- Castro, A., & Bell, D. E. (1999). Commentary : increase in cesarean sections may reflect medical control not women's choice. *British Medical Journal*, 319, 1397-1401.
- Chaichan, S. (1991). "Analyzed consumer market". *Marketing Management*. Bangkok: Thaiwatanapanit.
- Chaiprasit, S. (1993). Cesarean section rates in Rachavittee Hospital. *Medicine Journal*, 18, 7-10.
- Chalmers, I, Enkins, M., & Keirse, M. (1991). *Effective care in pregnancy and childbirth*. Oxford : Oxford University Press.
- Chamberlain, G.V. (1993). What is the correct cesarean section rate? *British Journal of Obstetrics and Gynecology*, 100, 403-404.
- Chambliss, L.R., Daly, C., Medearis, A.L., Ames, M., Kayne, M., & Paul, R. (1992). The role of selection bias in comparing cesarean birth rates between physician and midwifery management. *Obstet Gynecol*, 80, 161-5.
- Chankotr, C. (1987). *Associates selected factors with ability of decision making in head nurse*. Unpublished master's thesis, Mahidol University, Bangkok.
- Chanrachakul, B., Herabutya, Y., & Udomsubpayakul, U. (2000). Epidemic of cesarean section at the general, private and university hospital in Thailand. *Journal of Obstetrics Gynaecology Research*, 26(5), 357-361.
- Charoenphanich, P. (1995). *Parturition: Physiology and problems*. (1<sup>st</sup> Ed.). Bangkok: Mahidol University.
- Charoenphanich, P. (1988). *Process of delivery physiology problem solving*. Department of Obstetrics and Gynecology, Faculty of Medicine, Siriraj Hospital. Bangkok: Mahidol University.

- Chuaytong, P. (1985). *A comparative study of some clinical and social aspects between patients undergoing primary C/S, normal delivery in Ramathibodi Hospital: 1984*. Unpublished master's thesis, Mahidol University, Bangkok.
- Churchill, H. (1997). *Cesarean birth experience, practice and history*. Cheshire : Cromwell Press.
- Chutuchinda, K., & Opraservsawat, P. (1991). Cesarean section In Kumhaeng, et al (Ed.). *Obstetrics Ramathebodi*. 3<sup>rd</sup> (pp.307-320). Bangkok: Pinpuk.
- Clark, S. L, Xn, W., Porter, T. F., & Love, D. (1998). Institutional influences on the primary cesarean section rate in Utah, 1992, to 1995. *American International Public Gynecology*, 179, 841-845.
- Clarke, S. C., & Taffel, S. M. (1996). Rates of cesarean and VBAC delivery, United States 1994. *Birth*, 23, 166-168.
- Cohen, J., & Cohen, P. (1983). *Applied multiple regression/correlation analysis for the behavioral sciences* (2<sup>nd</sup> Ed). Hillsdale, N J : Lawrence Erlbaum Associates.
- Cohen, N. W. (1977). Minimizing the emotional sequelae of cesarean childbirth. *Birth and Family Journal*, 4, 114-119.
- Conn, P.H. (1971). *Conflict and decision making: An introduction to political science*. New York: Harper & Row.
- Corcoran, D. K. (1981). *Investigation of relationship between selected variables and the decision-making and managerial ability of head nurse in the army nurse corps*. Unpublished doctoral dissertation, The University of Texas as Austin.
- Crane, J.M., Van den Hof, M., Armson, B.A., & Liston, R. (1997). Transvaginal ultrasound in the prediction of preterm delivery: singleton and twin gestations. *Obstet Gynecol*, 90, 357-63.
- Cruikshank, D. P. (1999). Informed consent, patient choice, and physician responsibility. *Obstetrics & Gynecology*, 94, 142-143.
- Cryn, G. (1998). Cesarean fact sheet. The complete mother magazine. Copyright 1995-1998 [online] 1998 Mar: [24 screens]. Available from [www.childbirth.org/section/section.htm/](http://www.childbirth.org/section/section.htm/) [Accessed 1998 Jan 30].
- Culp, R. E., & Osofsky, M. L. (1989). Effects of cesarean delivery on parental depression, marital adjustment, and mother-infant interaction. *Birth*, 16, 56.
- Cunningham, F. G., et al. (1997). *Williams Obstetrics*. (20<sup>th</sup> Ed). Stamford: Appleton & Lange.
- Curtin, S. C., & Kozak, L. J. (1998). Decline in U.S. cesarean delivery rate appears to stall. *Birth*, 25, 259-262.
- Davis, L. L. (1992). Instrument review : Getting the most from a panel of experts. *Applied Nursing Research*, 5, 194-197.
- De Mott, R. K., & Sandmire, H. F. (1990). The Green bay cesarean section study I. The physician factor as a determinant of cesarean birth rates. *American Journal of Obstetrics and Gynecology*, 162, 1593-1602.
- Dember, W. N. (1960). *The psychology of perception*. New York : Holt, Reniehart and Winston.

- DeMott, R.K., & Sandmire, H.F. (1990). The Green Bay cesarean section study. I. The physician factor as a determinant of cesarean birth rates. *Am J Obstet Gynecol*, 162, 1593-602.
- Donavan, B., & Allen, R.M. (1977). The cesarean birth method. *JOGNN*, 37,6-10.
- Doris, B. (1989). *Introductory maternity nursing*. (5<sup>th</sup> Ed.). Philadelphia: J. B. Lippincott Company.
- Dowie, J. (1993). Clinical decision analysis : Background and introduction. In H. Llewelyn & A. Hopkins (Ed), *Analysing how we reach clinical decisions*. London. U.K.: Royal College of Physicians.
- Driver, M. J. (1979). Individual decision making and creativity. In Kerr, S. (Ed.), *Organizational Behavior*. Columbus, OH : Grid Publishing.
- Driver, M. J., Brousseau, K. E., & Hunsaker, P. L. (1990). *The dynamic decisionmaker*. New York : Harper & Row.
- Dulitzki, M., et al. (1998). Effect of very advanced maternal age on pregnancy outcome and rate of cesarean delivery. *Obstetrics & Gynecology*, 92, 935-939.
- Duongthaisong, B. (1980). *Theory of administration*. Bangkok: Odieanstore.
- During, T., & Martin, M. (1996). Developing a questionnaire : some methodological issues. *Journal of Advanced Nursing*, 14(2), 31-38.
- Dyson, D.C., Miller, P.D., & Armstrong, M.A. (1987). Management of prolonged pregnancy: induction of labor versus antepartum fetal testing. *Am J Obstet Gynecol*, 156, 928-34.
- Easton, A. (1976). *Decision making : A short course for professionals*. New York : John Wiley & Sons.
- Edge, V. L., & Laros, R. K. (1993). Pregnancy outcome in nulliparous women aged 35 or older. *American Journal of Obstetrics and Gynecology*, 168, 1881-5.
- Edwards, W. (1954). The theory of decision making. *Psychological Bulletin*, 51, 380-417.
- Edwards, W. (1967). Behavioral decision theory. *Annual Review of Psychology*, 12, 473-498.
- Edwards, W., & Tversky, A. (1967). *Decision making : Selected readings*. Harmondsworth, UK : Penguin.
- Eisenberg, J. M. (1979). Sociological influences on the decision-making by clinicians. *Annual International Medicine*, 80, 957.
- Ende, J., Kazis, L., Ash, A., & Moskowitz, M. A. (1989). Measuring patients' desire for autonomy : Decision making and information seeking preferences among medical patients. *General International Medicine*, 4 (1), 23-30.
- Ende, J., Kazis, L., Ash, A., & Moskowitz, M. A. (1990). Preferences for autonomy when patients ask physicians. *General International Medicine*, 5 (6), 506-509.
- Engleman, N.B., Jobs, D.A, Berman, A.L., & Langbein, L.I. (1998). Clinicians' decision making about involuntary commitment. *Psychiatr Serv*, 49, 941-5.
- Enkin, M. (1989). Labor and delivery after previous cesarean section. *Obstetrics & Gynaecology*, 64, 113-118.
- Enkin, M., Keirse, M. J., Renfrew, M., & Neilson, J. (1995). *A guide to effective care in pregnancy and childbirth*. Oxford : Oxford University Press.

- Erb, L., Hill, G., & Houston, D. (1983). A survey of parents' attitudes toward their cesarean births in Manitoba hospitals. *Birth, 10*, 85-92.
- Evans, M. I., Richardson, D. A., Sholl, J. S., et al. (1984). Cesarean section, assessment of the convenience factor. *Journal Reproductive Medicine, 29*, 670.
- Fawcett, J. (1981). Needs of cesarean birth parents. *JOGNN, 10*, 372-376.
- Fawcett, J., Pollio, N., & Jully, A. (1992). Women's perceptions of cesarean and vaginal delivery: Another look. *Research in Nursing and Health, 15*, 439-446.
- Feldman, G. B., & Freiman, J. A. (1985). Occasional notes prophylactic cesarean section at term? *The New England Journal of Medicine, 9*, 1264-1267.
- Flamm, B. L. (1997). Once a cesarean, always a controversy. *Obstetrics & Gynecology, 90*, 321-315.
- Flamm, B. L., et al. (1988). Vaginal birth after cesarean section : results of a multicenter study. *American Journal of Ortho Psychiatry, 118*, 10779-84.
- Forgus, R. H., & Melamed, L. E. (1966). *Perception : A cognitive-state approach*. New York : McGraw.Hill.
- Frame, S., Moore, J., Peters, A., & Hall, D. (1985). Maternal height and shoe size as predictors of pelvic disproportion: an assessment. *Br J Obstet Gynaecol, 92*, 1239-45.
- Francom, C., & Savage, W. (1993). Caesarean section in Britain and the United States 12% or 24%: is either the right rate? *Soc Sci Med, 37*, 1199-218.
- Fraser, W., et.al. (1987). Temporal variation in rates of cesarean section for dystocia: does "convenience" play a role? *Am J Obstet Gynecol, 156*, 300-4.
- Friedenberg, L. (1995). *Psychological testing: Design, analysis, and use*. Boston: Allyn & Bacon.
- Gabbe, S. G., & Holzman, G. B. (2001). Obstetricians choice of delivery. *Lancet, 357*, 722.
- Gabbe, S. G., Niebyl, J. R., & Simpon, J. L. (2002). *Obstetrics: Normal and problem pregnancies*. (4<sup>th</sup> Ed). New York : Churchill Livingstone.
- Galotti, K. M., Pierce, B., Reimer, R. L., & Luckner, A. E. (2000). Midwife or doctors : A study of pregnant women making delivery decisions. *Journal of Midwifery & Women's Health, 45*(4), 320-329.
- Gamble, J. A., Health, M., & Creedy, D. K. (2000). Women's request for a cesarean section : A critique of the literature. *Birth, 27*(4), 256-263.
- Garbaciak, J.A. Jr., Richter, M., Miller, S., Barton, J.J. (1985). Maternal weight and pregnancy complications. *Am J Obstet Gynecol, 152*, 238-45.
- Gaskin, I. M. (1998). Midwifery care and out-of-hospital birth settings : How do they reduce unnecessary cesarean section births. *Birth Gazette, 14* (4), 43-46.
- Goetsch, D. L., & Davis, S. B. (2000). *Quality management*. Ohio : Prentice Hall.
- Goodlin, R. (1983). Physician bias in cesarean section. *JAMA, 249*, 1005.
- Goodstein, D. (1996). Conduct and misconduct. *Annual New York Academic Science, 775*, 31-38.
- Gordon, D., Milberg, J., Dailing, J., & Hickok, D. (1991). Advanced maternal age as a risk factor for cesarean delivery. *Obstetrics & Gynecology, 77*, 493-7.

- Gordon, L. A., et al. (1975). *Normative models in managerial decision making*. New York : National association of Accounting.
- Gordon, R. J. (1991). *A diagnostic approach to organization behavior*. (3<sup>rd</sup> Ed). Boston: Boston College.
- Gould, J.B., Davey, B., & Stafford, R.S. (1989). Socioeconomic differences in rates of cesarean section. *N Engl J Med*, 321, 233-9.
- Goyert, G. L, Bottoms, S. F., Treadwell ,M. G., & Nehra, P. C. (1989). The physician factor in cesarean birth rates. *New England Journal of Medicine*, 320 , 706-709.
- Graham, W. J., et al. (1999). An investigation of women's involvement in the decision to deliver by cesarean section. *British Journal of Obstetrics & Gynaecology*, 106, 213-220.
- Greenberg, J., & Baron, R. A. (2000). *Behavior in organizations : understanding and managing the human of work*. New Jersey : Prentice – Hall Inc.
- Greenwood, W.T. (1969). *Decision theory and information system*. Ohio: South-Weston Publish.
- Gregory, K. D. (1994). Repeat cesarean section: How many are elective? *Obstetrics & Gynecology*, 84, 574-8.
- Gregory, K. D., Curtin, S. C., Taffel, S. M., & Notzon, F. C. (1998). Changes in indications for cesarean delivery : United States, 1985 and 1994. *American Journal of Public Health*, 88, 1384-1387.
- Gregory, K. D., Korst, L. M., & Platt, L. D. (2001). Variation in elective primary cesarean delivery by patient and hospital factors. *American Journal of Obstetrics and Gynecology*, 184, 1521-1534.
- Gregory, K. D., Ramicone, E., Chan, L., & Kahn, K. L. (1999). Cesarean deliveries for medicaid patients : A comparison in public and private hospitals in Los Angeles country. *American Journal of Obstetrics and Gynecology*, 180, 1177-1184.
- Grier, M. R., & Schnitzler, C. P. (1979). Nurses' propensity to risk. *Nursing Research*, 28 (3), 186-191.
- Griffith, L.E., Cook, D.J., Guyatt, G.H, & Charles, C.A. (1999). Comparison of open and closed questionnaire formats in obtaining demographic information from Canadian general internists. *J Clin Epidemiol*, 52, 997-1005.
- Griffiths, D. E. (1959). *Administrative Theory*. New York: Appleton-Century Craft.
- Guihard, P., & Blondel, B. (2001). Trends in risk factors for cesarean sections in France between 1981 and 1995: Lessons for reducing the rate in the future. *British Journal of Obstetrics and Gynaecology*, 108, 48-55.
- Gupton, A., Heaman, M., & Wang-Kit Cheung, L. (2001). Complicated and uncomplicated pregnancies : Women's perception of risk. *JOGNN*, 30 (2), 192-201.
- Haimpanit, C. (1989). "Directing: Decision and communication". Management and Organization Unit 9-15. Nonthaburi: Sukhothaitamatheraj Printing.
- Hall, M. H. (1987). When a woman asks for a cesarean section. *British Medical Journal*, 294, 201-202.
- Hall, M. H., & Bewley, S. (1999). Maternal mortality and mode of delivery. *Lancet*, 354, 776.

- Halldorsdottir, S., & Karlsdottir, S. I. (1996). Journeying through labour and delivery : perceptions of women who have given birth. *Midwifery, 12*, 48-61.
- Halvorson, G. C. (1993). *Strong Medicine*. New York, N. Y.: Random House.
- Hanaucharurnkul, S. (1989). Predictor of self-care in cancer patients receiving radiotherapy. *Cancer Nursing, 12* (December), 21-27.
- Handerson, C. W. (2000). Hospital readmission more likely after cesarean or assisted vaginal delivery, but incidence in low overall. *Women's Health Weekly, April 20*, 7-8.
- Handerson, C. W. (2000). Study finds quarter of cesarean section may be performed too early in labor. *Women's Health Weekly, May 22*, 9.
- Harer, W. (2000). Patient choice cesarean. *American Collaboration Obstetrics Gynecology Clinical Review, 5*(2), 13-16.
- Harren, V. A. (1976). *Assessment of career decision-making* (Form B). Carbondale : Southern Illinois University, Department of Psychology.
- Harren, V. A. (1979). A model of career decision making for college students. *Journal of Vocational Behavior, 14*, 119-133.
- Hartman, B. W., Fuqua, D. R., Blum, C. R., & Hartman, P. T. (1985). A study of the predictive validity of the career decision scale in identifying longitudinal patterns of career indecision. *Journal of Vocational Behavior, 27*, 202-209.
- Hemminki, E. (1997). Cesarean section : women's choice for giving birth? *Birth, 24*, 124-125.
- Hemminki, et al. (1985). Cesarean section and subsequent fertility : Result from the 1982 National Survey of Family Growth. *Fertility Sterility, 43*, 520-528.
- Henderson, J., McCandlish, R., Kumiega, L., & Petrou, S. (2001). Systematic review of economic aspects of alternative modes of delivery. *British Journal of Obstetrics and Gynaecology, 108*, 149-157.
- Henry, O. A., Gregory, K. D., Hobel, C. J., & Platt, L. D. (1995). Using ICD-9 codes to identify indications for primary and repeat cesarean sections : Agreement with clinical records. *American Journal of Public Health, 85*, 1143-1145.
- Herr, E. L. (1970). *Decision making and vocational development*. Boston : Houghton Mifflin Company.
- Hilda, B. (1999). Commentary : "Health has become secondary to a sexually attractive body". *British Medical Journal, 319*, 1401-1402.
- Hinkle, D. E., Wiersma, W., & Jurs, S. G. (2000). *Applied statistics for the behavioral sciences* (4<sup>th</sup> Ed). Boston : Houghton Mifflin.
- Hochbaum, A. (1958). *Public participation in medical screening program : A socio psychological study*, (PHS Publication # 752). Washington, D.C.: Government Printing Office.
- Hochbaum, G., Leventhal, H., Kegels., & Rosenstock, I. (1950). *Epidemic impact on the general population in two cities*. Washington, D.C.: Government printing office ( PHS Publication 766).
- Holt, D. M. (1990). *Management : Principles and Practices*. (2<sup>nd</sup> Ed.). Englewood Cliffs; NJ : Prentice-Hall Inc.
- Hooper, E. M., Comstock, L. M., Goodwin, J. M., et al. (1982). Patient characteristics that influence physician behavior, *Medical Care, 20*, 630.



- Hopkins, K. (2000). Brazilian women really choosing to deliver by cesarean. *Social Science & Medicine*, 51, 725-740.
- Howie, P. W., & Davey, P. G. (1990). Prophylactic antibiotics and cesarean section. *British Medical Journal*, 300, 2-3.
- Hueston, W.J., Rudy, M. (1993). A comparison of labor and delivery management between nurse midwives and family physicians. *J Fam Pract*, 37, 449-54.
- Hueston. (1994). Factors predicting elective repeat cesarean section. *Obstetrics & Gynecology*, 83, 741-744.
- Hunt, S.C. (1989). Professional caregivers? *Midwives Chron*, 102, 333-4.
- Hurst, M. & Summey, P. S. (1984). Childbirth and social class : The case of cesarean delivery. *Social Science & Medicine*, 18, 621.
- Idama, T. O., & Lindow, S. W. (1999). Safest options is still to aim for vaginal delivery. *British Medical Journal*, 318, 121.
- Ivancevich, J. M., & Matterson. (1999). *Organizational behavior and management*. Boston : Irwin McGraw Hill.
- Jackson, N. V., & Irvine, L. M. (1998). The influence of maternal request on the elective cesarean section rate. *Obstetrics & Gynaecology*, 18(2), 115-120.
- Janowitz, B., Nakamura, M. S., Estellita, L. F., Brown, M. S. & Clopton, D. (1982). Cesarean section in Brazil. *Social Science & Medicine*, 16, 19-25.
- Janz, N., & Becker, M. (1984). The Health Belief Model : A decade later. *Health Education Quarterly*, 11, 1-47.
- Jaturchinda, K. (1983). Cesarean section. *Obstetrics Ramathibodi*. Bangkok: Pabprint.
- Johnson, R., Newburn, M., & Macfarlane, A. (2002). Has the medicalisation of childbirth gone too far? *British Medical Journal*, 324, 892-895.
- Johnson, S. R., Elkins, T. E., Strong, C., & Phelan, I. P. (1986). Obstetric decision-making : Response to patients who request cesarean delivery. *Obstetrics & Gynecology*, 67, 847-50.
- Jomtet, S. (1973). *Administration and management*. Bangkok: Thaiwatnapanit.
- Jones, E. G., & Kay, M. (1992). Instrumentation in cross-cultural research. *Nursing Research*, 41, 186-188.
- Jordan, B. (1987). High technology : the case of obstetrics. *World Health Forum*, 8, 213-319.
- Jordan, M. (2001). For Brazillian women, cesarean section are surprising popular. *Wall Street Journal*, 14.
- Jumnong, W. (1980). *Decision behavior*. Bangkok: Baramekanpim.
- Jumnong, W. (1990). *Behavioral decision making*. Bangkok: Barameeepim.
- Kaempf, G. L., Klien, G. A., Thordsen, M. L., & Wolf, S. (1996). Decision making in complex command and control environments. *Human Factors*, 38 (2), 220-231.
- Kasemsin, P. (1983). *Administration*. Bangkok: Thaiwatnapanit.
- Keeler, E. B., & Brodie, M. (1993). Economic incentives in the choice between vaginal delivery and cesarean section. *Milbank Quarterly*, 71, 365-404.
- Keeler, E.B., & Fok, T. (1996). Equalizing physician fees had little effect on cesarean rates. *Med Care Res Rev*, 53, 465-71.

- Kelso, I.M., et.al. (1987). An assessment of continuous fetal heart rate monitoring in labor. A randomized trial. *Am J Obstet Gynecol*, 131, 526-32.
- Kennell, J., Klaus, M., McGrath, S., Robertson, S., & Hinkley, C. (1991). Continuous emotional support during labor in a US hospital. A randomized controlled trial. *JAMA*, 265, 2197-201.
- Kerr, J. M. (1924). Uterine scars. *British Medical Journal*, 1, 1093-1094.
- King, T. E., Lembke, V. C., & Smith, J. H. (2001). *Financial accounting. A decision-making approach*. New York : John Wiley & Sons, Inc.
- King. (1994). Socio economic factors and the odds of VBAC. *JAMA*, 272, 524-9.
- Kitpinyo, S. (1988). *Efficacy of special health program on health behavior of pregnant women in Chulalongkorn Hospital*. Unpublished master's thesis, Mahidol University, Bangkok.
- Klasko, S. K., Cummings, R. V., Balducci, J, et al. (1995). The impact of mandated in-hospital cover age on primary cesarean delivery rates in a large nonuniversity teaching hospital. *American Journal of Obstetrics and Gynecology*, 172, 632-642.
- Klaus, M., & Kennell, J. (1976). *Maternal-infant bonding*. St. Louis : The C. V. Mosby Co.
- Klien, G., Orsanu, J., Calderwood, R., & Zsambok, C. E. (1993). *Decision making in action : Models and methods*. Norwood, NJ : Ablex.
- Kolkitkowinith, S. (1995). Cesarean section. In Sukit pausawat et al. (Ed.). *Obstetrics 2nd* (pp.325-43). Bangkok: O. S. Printing House.
- Kongsakorn, K. (1995). *Decision making process of HIV pregnant women*. Unpublished master's thesis, Mahidol University, Bangkok.
- Kraus, P. A., & Hassan, S. (2001). The young elderly primipara revisited. *Australian & New Zealand Journal Obstet & Gynaecol*, 41, 450-452.
- Kristensen, M. O, Hedegaard , M., & Seeher, N. J (1998). Can the use of cesarean section be regulated? A review of methods and results. *Acta Obstet Gynecol Scand*, 77, 951-960.
- Khunlerdkit, S. (1992). *"Cesarean Section" Obstetrics Textbook Volume 2*. Department of Obstetrics and Gynecology. Chiang Mai University.
- Laiwaechwithaya, S. (2000). Cesarean section. In Manee Piyaanont et al. (Ed.). *Obstetrics Faculty of Medicine, Siriraj Hospital*. (pp.277-284). Bangkok: P. A. Living.
- Laohatapongpuri, K. (1996). *Clinical and social factors of mother delivered by cesarean section in Chulalongkorn Hospital*. Unpublished master's thesis, Mahidol University, Bangkok.
- Lazalus, R. S., & Folkman, S. (1984). *Stress, Adaptation, and Coping*. New York: Springer Publishing Co.
- Learnman, L. A. (1998). Regional differences in operative obstetrics : A look to the South. *Obstetrics & Gynecology*, 92, 514-519.
- Lee, L.Y., Holroyd, E., & Yuen Ng, C. (2001). Exploring factors influencing Chinese women's decision to have elective cesarean surgery. *Midwifery*, 17, 314-322.
- Leitch, C. R. & Walker , J. J. (1994). Cesarean section rates-evaluate the reasons for surgery, *British Medical Journal* , 308, 133-134.

- Leitch, C. R., & Walker, J. J. (1998). The rise in cesarean section rate : The same indications but a lower threshold. *British Journal of Obstetrics and Gynecology*, 105, 621-626.
- Lescale, K. B., Inglis, S. R., Eddleman, K. A., Peeper, E. Q., Chervenak, F. A., & McCullough, L. B. (1996). Conflicts between physicians and patients in non-elective cesarean delivery : Incidence and the adequacy of informed consent. *American Journal of Perinatology*, 13 (3), 171-176.
- Lieberman, E. (1997). Predictors of cesarean delivery. *Curr Probl Obstet Gynecol Fertil*, 20, 98-131.
- Lieberman, E., Lang, J. M., Cohen, A. P., & et al (1997). The association of fetal sex with cesarean section. *Am J Obstet Gynecol*, 176, 667-671.
- Limtoprasert, S. (1991). *The relationship between self-care of pregnant women and knowledge and perception about pregnancy*. Unpublished master's thesis, Mahidol University, Bangkok.
- Lipson, J., & Tilden, V. C. (1980). Psychological integration of the cesarean birth experience. *American Journal of Obstetpsychiatrics*, 50, 598-609.
- Locicero, A. K. (1993). Explaining excessive rates of cesareans and other childbirth interventions : contributions from contemporary theories of gender and psychosocial development. *Social Science & Medicine*, 37 (10), 1261-1269.
- Lowdermilk, D. L., Perry, S. E., & Bobak, I. M. (2000). *Maternity Nursing* (5<sup>th</sup> Ed.). St. Louis : Mosby.
- Lubic, R. W. (1983). More on "The Trouble with 'Choice' in Childbirth". *Birth*, 10 (3), 179-183.
- Lumpikanon, P. (1987). *High risk pregnancy*. Faculty of Medicine, Khon Kaen University.
- Lwanga, S. K., Tye, Cho-Yook, & Ayeni, O. (1999). *Teaching health statistics*. Geneva: World Health Organization.
- Lydon-Rochelle, M., Holt, V. L., Easterling, T. R., & Martin, D. P. (2001). Delivery and postpartum mortality among primiparas in Washington State 1987-1996. *Obstetrics & Gynecology*, 97(2), 169-174.
- MacArthur, C., et al. (2001). Obstetric practice and faecal incontinence three months after delivery. *British Journal of Obstetrics and Gynecology*, 108, 678-683.
- Macer, J.A., Macer, C.L., & Chan, L.S. (1992). Elective induction versus spontaneous labor: a retrospective study of complications and outcome. *Am J Obstet Gynecol*, 166, 1690-6.
- Macfarlane, A. J., & Chamberlain, G. (1993). What is happening to cesarean section rates? *Lancet*, 342, 1005-1006.
- MacKenzie, I. Z. (1999). Should women who elect to have cesarean sections pay for them?. *British Medical Journal*, 318, 1070.
- Madar, J., Richmond, S., & Hey, E. (1999). Hyaline membrane disease after elective delivery at "term" *Acta Paediatrics*, 88, 1244-1284.
- Mahmood, T.A., Campbell, D.M., & Wilson, A.W. (1988). Maternal height, shoe size, and outcome of labour in white primigravidas: a prospective anthropometric study. *BMJ*, 27, 515-7.
- Main, D. M., Main, E. K., & Moore, D. M. (2000). The relationship between maternal age and uterine dysfunction : a continuous effect throughout

- reproductive life. *American Journal of Obstetrics and Gynecology*, 182, 1312-20.
- Marquis, B., & Huston, C. (1991). *Management decision making for nurses*. Philadelphia: J. B. Lippincott Company.
- Martel, M., Wacholder, S., Lippman, A., et al. (1987). Maternal age and primary cesarean section rates: A multivariate analysis. *American Journal of Obstetrics and Gynecology*, 156, 305-308.
- Marut, J., & Mercer, R. (1979). A comparison of primipara's perceptions of vaginal and cesarean births. *Nursing Research*, 28, 260-266.
- Matlin, M. W. (1998). *Cognition*. (4<sup>th</sup> Ed.). Philadelphia : Harcourt Brace College Publisher.
- May, K., & Sollid, D. (1982). First – time fathers' responses to unanticipated cesarean birth. *Genesis*, 4, 12-15.
- May, K.A., & Sollid, D.T. (1984). Unanticipated cesarean birth from the father's perspective. *Birth*, 11, 87-95.
- McClain, C.S. (1990). The making of a medical tradition: vaginal birth after cesarean. *Soc Sci Med*, 31, 203-10.
- McDonald, P. (2001). *Williams Obstetrics*. (21<sup>st</sup> ed.). New York : Appleton-Century-Crofts.
- Meechutap, S. (1988). *Nursing administration*. Bangkok: Krunsaime printing.
- Mercer, R. (1985). Relationship of the birth experience to later mothering behaviors. *J Nurse Midwifery*, 30, 204-11.
- Merrill, D. W., & Reid, R. H. (1981). *Personal styles and effective performance : Make your style work for you*. Pennsylvania : Chilton Book Company.
- Modanlou, H.D., Dorchester, W.L., Thorosian, A., & Freeman, R.K. (1980). Macrosomia--maternal, fetal, and neonatal implications. *Obstet Gynecol*, 55, 420-4.
- Morrison, J. J., Rennie, J. M., & Milton, P. J. (1995). Neonatal respiratory morbidity and mode of delivery at term : Influence of timing of elective cesarean section. *British Journal of Obstetrics and Gynaecology*, 102, 101-106.
- Mor-Yosef, S., Samueloff, A., Modan, B., Navot, D., & Schenker, J. G. (1990). Ranking the risk factor for cesarean: Logistic regression analysis of a Nationwide study. *Obstetrics & Gynecology*, 75, 944-947.
- Mould, T.A., Chong, S, Spencer, J.A, & Gallivan, S. (1996). Women's involvement with the decision preceding their caesarean section and their degree of satisfaction. *Br J Obstet Gynaecol*, 103, 1074-7.
- Mracog, J. A. Q., Mracog, R. W. P., & Fracog, C. N. N. (1999). Patient preference the leading indication for elective cesarean section in public patients results of a 2-year prospective audit in a teaching hospital. *Australian & New Zealand Journal Obstet & Gynecol*, 39,207-214.
- Muhlenkamp, A.F., & Sayles, J.A. (1986). Self-esteem, social support, and positive health practices. *Nurs Res*, 35, 334-8.
- Murray, S. F. (2000). Relationship between private health insurance and high rates of cesarean section in Chile. *British Medical Journal*, 321, 1501-1505.
- Murray, S. F., & Serani-Pradenas, F. (1997). Cesarean birth trends in Chile. *Birth*, 24, 258-263.

- Mutryn, C. S. (1993). Psychosocial impact of cesarean section on the family : A literature review. *Social Science & Medicine*, 37 (10), 1271-1281.
- Nakajima, H. (1995). *Safe motherhood, mother-baby package: Implementing safe motherhood in Countries. Maternal health and safe motherhood program*, Division of Family Health, World Health Organization, Geneva.
- Nakajima, H. (1997). *Safe motherhood, mother-baby package: Implementing safe motherhood in Countries. Maternal health and safe motherhood program*, Division of Family Health, World Health Organization, Geneva.
- National Center for Health Statistics (NCHS). (2000). *National vital statistics report-births : Final data for 1998, US Department of Health and Human Services*.
- Naunboonruang, P. (1992). *The relationship between marital status, economics status, educational levels, health belief, social support and health behaviors of pregnant women in Northern region*. Unpublished master's thesis, Mahidol University, Bangkok.
- Naweekan, S. (1979). *Administration*. Bangkok: Krungsayam Print.
- Nelson, M. K. (1981). Client responses to a discrepancy between the care they want and the care they receive. *Women & Health*, 6, 135-151.
- Newton, E.R., & Higgins, C.S. (1989). Factors associated with hospital-specific cesarean birth rates. *J Reprod Med*, 34, 407-11.
- Nichols, F.H. (1996). The meaning of the childbirth experience: a review of literature. *Journal of Perinatal Education*, 5, 71-77.
- Nichols, F.H., & Humenick, S.S. (2000). *Childbirth education: practice, research and theory*. Philadelphia: W.B.Saunders.
- Nielsen, T. F., Otterblad, P., & Ingemarsson, I. (1994). The cesarean section rate in Sweden : The end of the rise. *Birth*, 21, 34-8.
- Nirattharadorn, M. (1996). *Perceived benefits, barriers and health behavior of teenage pregnant women*. Unpublished master's thesis, Mahidol University, Bangkok.
- Norkaew, C. (1993). *The relationships between spouse support perception of childbirth experience, selected factors and maternal adaptation in cesarean mothers*. Unpublished master's thesis, Mahidol University, Bangkok.
- Norusis, M. J. (1990) *SPSS/PC + advanced statistics 4.0*. Chicago : SPSS.
- Notzon, F. C. (1990). International differences in the use of obstetric intervention. *JAMA*, 263, 3286-3291.
- Oakley, A. (1983). Social consequences of obstetric technology: the importance of measuring "soft" outcomes. *Birth*, 10, 99-108.
- O'Driscoll, K., & Foley, M. (1983). Correlation of decrease in perinatal mortality and increase in cesarean section rates. *Obstet Gynecol*, 61, 1-5.
- Oleske, D. M., Glandon, G. L, Giacomelli, G. J, & Hohmann, S. F. (1991). The cesarean birth rate : Influence of hospital teaching status. *Health Serv Research*, 26, 325-337.
- Oopasiriwit, S. (1988). *Relationship between perception and selected factor to selfcare of pregnant women*. Unpublished master's thesis, Mahidol University, Bangkok.

- Pai, M., Sundarum, P., Radhakrishnan, K. K., Thomas, K., & Muliylil, J. P. (1999). A high rate of cesarean sections in an affluent section of Chennai : is it cause for concern? *National Medicine Journal India*, 12, 156-158 .
- Parazzini, F., et al. (1992). Determinants of cesarean section rates in Italy. *British Journal of Obstetrics and Gynaecology*, 99, 203-206.
- Parrish, K. M., Holt, V. L., Easterling, T. R., et al. (1994). Effect of changes in maternal age, parity, and birth weight distribution on primary cesarean deliveries. *JAMA*, 271, 443-447.
- Paterson-Brown, S., Amu, O., Rajendran, S., & Bolaji. (1998). Should doctors perform an elective cesarean section on request? *British Medical Journal* , 317, 462-5.
- Paul, R. H., & Miller, D. A. (1995). Cesarean birth: how to reduce the rate. *American Journal of Obstetrics and Gynecology*, 172,1903-7.
- Pearson, J. W. (1984). Cesarean section and perinatal mortality : A nine-year experience in a city/country hospital. *American Journal of Obstetrics and Gynecology*, 148, 155-159.
- Peipert, J.F., & Bracken, M.B. (1993). Maternal age: an independent risk factor for cesarean delivery. *Obstet Gynecol*, 81, 200-5.
- Perlow, J.H., Morgan, M.A., Montgomery, D., Towers, C.V., & Porto, M. (1992). Perinatal outcome in pregnancy complicated by massive obesity. *Am J Obstet Gynecol*, 167, 958-62.
- Petitti, D.B. (1985). Maternal mortality and morbidity in cesarean section. *Clin Obstet Gynecol*, 28, 763-9.
- Pfister, H. R., & Bohm, G. (1992). The function of concrete emotions in rational decision making. *Acta Psychologica*, 80, 199-211.
- Phaosawat, L. (1997). *Obstetrics Textbook 2* Bangkok: O.S. Printing House.
- Placek, P. J., Taffel, S., & Moien, M. (1983). Cesarean section delivery rates: United States, 1981. *American Journal of Public Health*, 73, 861-2.
- Plunkett, W. R., & Attner, R. F. (1994). *Introduction to Management*. (5<sup>th</sup> Ed.). California : International Thomson Publishing.
- Polit, D. F., & Hungler, B. P. (1995). *Nursing research : Principles and methods*. (5<sup>th</sup> Ed.). Philadelphia : J. B. Lippincott.
- Poma, P. A. (1998). Effect of departmental policies on cesarean delivery rates : A community hospital experience. *Obstetrics & Gynecology*, 91, 1013-1018.
- Poma, P. A. (1999). Effects of obstetrician characteristics on cesarean delivery rates : A community hospital experience. *American Journal of Obstetrics and Gynecology*, 180, 1364-1372.
- Poma, P. A. (2000). Effect of decreasing cesarean births on maternal age-, parity-and ethnicity-associated cesarean rates. *The Journal of Reproductive Medicine*, 45 (3), 213-218.
- Pothong, P. (2002). *Factors affecting elective cesarean section among nulliparous women*. Unpublished master's thesis, Mahidol University, Bangkok.
- Prysak, M., Lorenz, R. P. Kisly, A. (1995). Pregnancy outcome in nulliparous women 35 years and older. *Obstetrics & Gynecology*, 85, 65-70.
- Puangmali, P. (1998). *The value of cesarean section of pregnant women*. Unpublished master's thesis, Mahidol University, Bangkok.

- Puthong, S. (1986). *Comparatives characteristics of booking and non booking: Case study parturient in Maternal centers*. Unpublished master's thesis, Mahidol University, Bangkok.
- Rabinowitz, J., et.al. (1995). A method for understanding admission decision making in a psychiatric emergency room. *Psychiatr Serv*, 46, 1055-60.
- Rabinowitz, J., Massad, A., & Fennig, S. (1995). Factors influencing disposition decisions for patients seen in a psychiatric emergency service. *Psychiatr Serv*, 46, 712-8.
- Raka, C. (1995). *"Decision and controlling" Human behavioral organization Unit 1-7*. Nonthaburi. Sukhothaitamatheraj Printing.
- Rakich, J., et al. (1985). *Managing health service organization*. Philadelphia: W. B. Saunders company.
- Raphael-Leff, J. (1991). *Psychological Processes of Childbearing*. New York. Chapman and Hall.
- Ratsoy, M. B. (1974). Maternity patients make decisions. *Canadian Nurses*, 70,42.
- Richard's, M. P. (1982). The trouble with "choice" in childbirth. *Birth*, 9, 253.
- Richman, V. V. (1999). Lack of local reflection of national change in cesarean delivery rates : The Canadian experience. *American Journal of Obstetrics and Gynecology*, 180, 393-395.
- Robbins, S. P., & Conlter, M. (1999). *Management*. New York : Prenhall.
- Roy, S. C. (1991). *The Roy adaptation model : the definitive statement*. Norwalk : Appletetone & Lange.
- Rubinton, N. (1980). Instruction in career decision making and decision-making styles. *Journal of Counseling Psychology*, 27, 581-588.
- Rufat, P., Olivennes, F., de Mouzon ,J., Dehan, M., & Frydman, R. (1994). Task force report on the outcome of pregnancies and children conceived by in vitro fertilization (France: 1987 to 1989). *Fertil Steril*, 61, 324-30.
- Ryding, E. L, Wijma, B., Wijma, K., & Rydhstrom, H. (1998). Fear of childbirth during pregnancy may increase the risk of emergency cesarean section. *Acta Obstet Gynecol Scand*, 77, 542-547.
- Ryding, E. L. (1991). Psychosocial indications for cesarean section. A retrospective study of 43 cases. *Acta Obste Gynecol Scand*, 70, 47-90
- Ryding, E. L. (1993). Investigation of 33 women who demanded a cesarean section for personal reasons. *Acta Obstet Gynecol Scand*, 72, 280-285.
- Sachs, B. P.(2001). Vaginal birth after cesarean : A health policy perspective. *Clinical Obstetrics and Gynecology*, 44, 553-560.
- Sachs, B. P., et al. (1983). Cesarean section : Risk and benefits for mother and fetus. *JAMA*, 250, 2157.
- Sachs, S. B., Castro, M., & Frigoletto, F. (1999). The risks of lowering the cesarean-delivery rate. *New England Journal Medicine*, 340, 54-57.
- Saisto, T., Ylikorkala, O., & Halmesmaki, E. (1999). Factors associated with secondary fear of delivery. *Obstet & Gynecol*, 94, 679-682
- Sakala, C. (1993). Medically unnecessary cesarean section births : introduction to a symposium. *Social Science & Medicine*, 37 (10), 1177-1198.

- Saminpanya, P. (1996). *Decision-making behaviors of the head nurses in the government Hospitals in Bangkok Metropolitan*. Unpublished master's thesis, Mahidol University, Bangkok.
- Sanchez-Ramos, L., et al (1990). Reducing cesarean sections at a teaching hospital. *American Journal of Obstetrics and Gynecology*, 163, 1081-1088.
- Sanchez-Ramos, L., Moorhead, R.I., & Kaunitz, A.M. (1994). Cesarean section rates in teaching hospitals: a national survey. *Birth*, 21, 194-6.
- Sandmire, H. F. (1998). The labor-adjusted cesarean section : A more informative method than the cesarean section rate for assessing a practitioner's labor and delivery skills. *American Journal of Obstetrics and Gynecology* , 178, 196-197.
- Santiwong, T. (1992). "Attitude about consumer" *Consumer Behavior*. Bangkok: Thaiwatanapanit.
- Sareekhajornkitcharoen, P. (1993). *Factors effect ability in decision making in head nurse*. Unpublished master's thesis, Mahidol University, Bangkok.
- Sargent, C., & Stark, N. (1987). Surgical birth : interpretations of cesarean delivery among private hospital patients and nursing. *Social Science & Medicine*, 25, 1269-1276.
- Sawatdipanit, K. (1976). *Population*. Bangkok: Thaiwatnapanit.
- Schwartz, S., & Griffin, T. (1986). *Medical thinking : The psychology of medical judgement and decision making*. New York : Springer-Verlag.
- Scott, S. G., & Bruce, R. A. (1995). Decision-making style: The development and assessment of a new measure. *Educational and Psychological Measurement*, 55 (5), 818-831.
- Searle, J. (1996) Fearing the worst-why do pregnant women feel at risk? *Australian & New Zealand Journal of Obstet Gynecol*, 36 (3), 279-286.
- Shearer, E. L. (1993). Cesarean section : medical benefits and costs. *Social Science & Medicine*, 37 (10), 1223-1232.
- Shearer, E. L., Shiono, P. H., & Rhoads, G. G. (1988). Recent trends in family – centered maternity care for cesarean birth families. *Birth*, 15, 3-7.
- Shiono, P., McNellis, D., & Rhoads, G. (1987). Reasons for the rising cesarean delivery rates. *Obstetrics & Gynecology*, 69, 696-700.
- Showalter, E., & Griffin, A. (1999). All women should have a choice ; and Bastian Health has become secondary to a sexually attractive body. *British Medical Journal*, 319, 1397.
- Silasuwana, W. (1989). *Health behavior*. Bangkok: Thaiwalanpanich.
- Simkin, P. (1991). Just another day in a woman's life? Women's long-term perceptions of their first birth experience. Part I. *Birth*, 18, 203-10.
- Simkin, P. (1996). The experience of maternity in a woman's life. *J Obstet Gynecol Neonatal Nurs*, 25, 247-52.
- Simon, H. A. (1957). *Administrative Behavior*. (2<sup>nd</sup> ed). New York: The Free Press.
- Siriprakaisilp, W. (1994). *Factors related to decision making in Aids prevention of pregnant women in Suphanburi Province*. Unpublished master's thesis, Mahidol University, Bangkok.
- Sjogren, B. (1998). Fear of Childbirth and psychosomatic support - A follow up of 72 women. *Acta Obstet Gynecol Scand*. 77, 819-825.



- Sjogren, B., & Thomassen, P. (1997). Obstetric outcome in 100 women with severe anxiety over childbirth. *Acta Obstet Gynecol Scand*, 76, 648-685.
- Slavazza, K.L., Mercer, R.T., Marut, J.S., & Shnider, S.M. (1985). Anesthesia, analgesia for vaginal childbirth. Differences in maternal perceptions. *J Obstet Gynecol Neonatal Nurs*, 14, 321-9.
- Smith, G. C. (2000). A population study of birth weight and the risk of cesarean section : Scotland 1980-1996. *British Journal of Obstetrics and Gynecology*, 107, 740-744.
- Smith, H. R., Carroll, A. B., Kefalas, A. G., & Watson, H. F. (1980). *Management: Decision making organization perform*. New York: Macmillan.
- Smith, J. F., Hernandez, C., & Wax, J. R. (1997). Fetal laceration injury at cesarean delivery. *Obstetrics & Gynecol*, 90, 344-46.
- Smith, R. (1990). The epidemiology of malpractice. *British Medical Journal*, 301, 621-622.
- Socol, M. L., Garcia, P. M., Peaceman, A. M., et al. (1993). Reducing cesarean births at primary private university hospital. *American Journal of Obstet & Gynecol*, 168, 1748-1758.
- Soliman, S. R., & Burrow, R. F. (1993). Cesarean section : Analysis of the experience before and after the national consensus conference on aspects of cesarean birth. *Canadian Medicine Association Journal*, 148(8), 1315-20.
- Sosa, R., Kennell, J., Klaus, M., Robertson, S., & Urrutia, J. (1980). The effect of a supportive companion on perinatal problems, length of labor, and mother-infant interaction. *N Engl J Med*, 303, 597-600.
- Sripichyakan, K. (1994). *Nursing care of dystocia parturient*. Chiang Mai University.
- Stafford, R. S. (1991). The impact of nonclinical factors on repeat cesarean section. *Journal of American Medical Association*, 265, 59.
- Stafford, R. S. (1990). Alternative strategies for controlling rising cesarean section rates. *JAMA*, 263, 683-687.
- Stafford, R.S., Sullivan, S.D, & Gardner, L.B. (1993). Trends in cesarean section use in California, 1983 to 1990. *Am J Obstet Gynecol*, 168, 1297-302.
- Statham, H., Weaver, J., & Richards, M. (2001). Why choose cesarean section ? *Lancet*, 357, 635-636.
- Steer, P. (1998). Cesarean section : An evolving procedure? *British Journal of Obstetrics and Gynecology*, 105, 1052-1055.
- Stoner, J. A. F. (1987). *Management*. New Jersey: Printice-Hall.
- Strull, W. M., Lo, B., & Charles, G. (1984). Do patients want to participate in medical decision-making? *JAMA*, 252 (21) , 2990-2994.
- Suipradit, K., Prechacharoen, S., & Pitakchob, S. (1976). *History of Thai women*. Bangkok: Saengrunkanpim.
- Suwaree, S. (1988). *Relationship of biomedical and psychosocial risk factors of pregnant women on outcomes of pregnancy*. Unpublished master's thesis, Mahidol University, Bangkok.
- Suwabhabh, D. (1999). *Factors affecting health-promoting behaviors among pregnant industrial workers receiving antenatal care*. Unpublished doctoral dissertation, Mahidol University Bangkok.

- Taekaichana, N. (1995). Pacentia previa. In Sukhit Pusawas, et al. Ed. *Obstetrics*. Bangkok: O.S. Printing House.
- Taffel, S. M., Placek, P. J., & Kosary, C. L. (1990). U.S. cesarean section rates 1990 : an update. *Birth, 19*, 21-22.
- Taffel, S.M. (1992). Health and demographic characteristics of twin births: United States, 1988. *Vital Health Stat 21*, 1-17.
- Tangcharoensathein, V. (1994). *Budgets in Thailand*. Bangkok : Ministry of Public Health.
- Tangcharoensathien, et al. (1998). *Pattern of hospital delivery in Thailand 1990-1996*. Health Systems Research Institute, Bangkok.
- Tatar, M., Gunalp, S., Somunoglu, S., & Demiroglu, A. (2000). Women's perceptions of cesarean section : reflections from a Turkish teaching hospital. *Social Science & Medicine, 50*, 1227-1233.
- Teantavorn, W. (1995). *Planning/ Development*. Bangkok: Ministry of Public Health.
- Terry, G. R. (1977). *Principle of management*. Illinois: Richard D. Irwin.
- Thaweelaep, W. (1978). *Nursing administration*. Faculty of Nursing Mahidol University Bangkok.
- Thepapol, P. (1993). *Consumer market and purchase behavior*. Maketing management. Bangkok: Thaiwatanapanit.
- Thomas, J., Brocklehurst, P., & Walker, J. (2000). The National Sentinel Cesarean Section Audit. *British Journal of Obstetrics and Gynecology, 107*, 571-280.
- Thongsong, T. (1992). Hypertension in pregnancy. In Teera Thongsong, Chatupon Srisombol Ed. *Medical complication in pregnancy*. Bangkok: P.B. Bookstore.
- Thorp, J.A., et.al. (1991). Epidural analgesia and cesarean section for dystocia: risk factors in nulliparas. *Am J Perinatol, 8*, 402-10.
- Thorp, J.A., Parisi, V.M., Boylan, P.C., & Johnston, D.A. (1989). The effect of continuous epidural analgesia on cesarean section for dystocia in nulliparous women. *Am J Obstet Gynecol, 161*, 670-5.
- Tosuwanjinda, W. (1995). *The secret of organization*. Bangkok: T.P. Print Co.
- Towner, D., Castro, M. A., Eby-Wilkins, B. S., & Gilbert, W. M. (1999). Effect of mode of delivery in nulliparous women on neonatal intracranial injury. *New England Journal Medicine, 341*, 1709-1714.
- Tranquilli, A. L., & Garzetti, G. G. (1997). A new ethical and clinical dilemma in obstetric practice: Cesarean section on maternal request. *American Journal of Obstetrics and Gynecology, 177*, 245-246.
- Tungcharoengsathein, V., & Chansathi, N. (1996). *Patterns of delivery of pregnant Thai women*. Bangkok: Health Systems Research Institute.
- Tunsupphon, Y. (1990). *Knowledge and opinions about methods of delivery in primigravida confined at Ramathibodi Hospital: 1989*. Unpublished master's thesis, Mahidol University, Bangkok.
- Turban, E. (1990). *Decision support and expert systems: Management support systems*. (2<sup>nd</sup> Ed.). New York: Macmillan Publishing Company.
- Turcot, L., Marconx, S., & Fraser, W. D. (1997). Multivariate analysis of risk factors for operative delivery in multiparous women. *American Journal of Obstetric and Gynecology, 176*, 395-402.

- Turner, M.J., Brassil, M., & Gordon, H. (1988). Active management of labor associated with a decrease in the cesarean section rate in nulliparas. *Obstet Gynecol*, 71, 150-4.
- Tussing, A. D., & Wojtowycza, M. A. (1993). The effect of physician characteristics on clinical behavior : cesarean section in New York State. *Social Science & Medicine*, 37 (10), 1251-1260.
- Tussing, A. D., & Wojtowycz, M. A. (1992). The cesarean decision in New York State. 1986 : economic and non-economic aspects. *Medical Care*, 30, 529.
- Veesakul, M. (1984). History of cesarean section. *Journal of Siriraj*, 24,420-25.
- Wagner, M. (1998). Midwifery in the industrialized world. *Journal of Social Obstet Gynecol Can*, 20, 1225-1234.
- Wagner, M. (2000). Choosing cesarean section. *Lancet*, 356, 1677-1680.
- Wagner, M. (1993). An epidemic of unnecessary cesareans. *Mothering*, 93(68), 70-74.
- Wagner, M. (1994). Ultrasound in pregnancy. *Lancet*, 343, 178.
- Keeler, L.L. (1996). Can we afford medical savings accounts? *N J Med*, 93, 67-8.
- Wagner, M. (1995). A global witch-hunt. *Lancet*, 346, 1020-22.
- Waldenstrom, U. (1999). Experience of labor and birth in 1111 women. *Journal Psychosomatic Research*, 5, 471-82.
- Waldenstrom, U., Borg, I., Olsson, B., Skold, M., & Wall, S. (1996). The childbirth experience: A study of 295 new mothers. *Birth*, 23, 144-153.
- Wathisathokkit, S. (2000). *Cesarean section better vaginal delivery ?* Bangkok: Se-education public company limited.
- Wells, J. G. (1983). *Current issues in marriage & the family*. (3<sup>rd</sup> Ed.). New York: Macmillan Publishing.
- Westcot, A. (1991). The Assessment of Career Decision-Making. *Guidance & Counseling*, 91 (6), 28-36.
- Whitford, H. M., & Hillan, E. M. (1998). Women's perceptions of birth plans. *Midwifery*, 14, 248-253.
- Wichaiditsa, P. (1998). *Sociocultural factors relating mothers, decision in choosing cesarean section*. Unpublished master's thesis, Mahidol University, Bangkok.
- Wilkinson, C., McIlwaine, G., Boulton-Jones, C., & Cole, S. (1998). Is a rising cesarean section rate inevitable ? *British Journal of Obstetrics and Gynaecology*, 105, 45-52.
- Wilkinson, D.S., Korenbrot, C.C., & Greene, J. (1998). A performance indicator of psychosocial services in enhanced prenatal care of Medicaid-eligible women. *Matern Child Health J*, 2, 131-43.
- William, P.R., & Kaufmann, C.L. (1983). Fetus as patient--medical legal and ethical dimensions. *J Fla Med Assoc*, 70, 764-7.
- Wityapan, Y. (1995). *Factors related to decision making in sterilization*. Unpublished master's thesis, Mahidol University, Bangkok.
- Wolf, E.J., et.al. (1993). Do survival and morbidity of very-low-birth-weight infants vary according to the primary pregnancy complication that results in preterm delivery? *Am J Obstet Gynecol*, 169, 1233-9.

- Wolfe, S. (1987). Unnecessary cesarean sections : A national epidemic. *Public Citizen Health Research Group*. Washington D. C.
- Wolfe, S. (1994). Unnecessary cesarean sections : Curing a national epidemic. *Public Citizen Health Research Group*, 10, 1-7.
- World Health Organization. (1995). *Research on reproductive health at WHO Biennial Report 1993-1994*. Geneva.
- World Health Organization. (1996). *Research on reproductive health at WHO Biennial Report 1994-1995*. Geneva.
- World Health Organization. (1998). *Research on reproductive health at WHO Biennial Report 1996-1997*. Geneva.
- World Health Organization. (2002). *Research on reproductive health at WHO Biennial Report 2000-2001*. Geneva.
- Xu Hong. (1998). *Attitude subjective norms and intentions to have cesarean section among Chinese nulliparous women*. Unpublished master's thesis,
- Yomchinda, T. (1985). *Human behavior in organization unit 9-15*. Nonthaburi: Pukhothaithamateraj University printing.
- Young, D. (1999). Whither cesareans in the new millennium? *Birth*, 24, 124-125.
- Zdeb, M.S., & Logrillo, V.M. (1989). Cesarean childbirth in New York state: trends and directions. *Birth*, 16, 203-7.