

REFERENCES

- Audtho M, Tassanakajon A, Boonsaeng V, Tpiankijagum S, Panyim S. Simple nonradioactive DNA hybridization method for identification of sibling species of *Anopheles dirus* (Diptera: Culicidae) complex. *J Med Entomol* 1995; 32: 107-11.
- Baimai V. Chromosomal polymorphisms of constitutive heterochromatin and inversions in *Drosophila*. *Genetics* 1977; 85: 85-93.
- Baimai V. Speciation and species complexes of the *Anopheles* malaria vectors in Thailand. In: Proceeding of the 3rd conference on malaria research, Thailand 1989 October; 18-20: 146-62.
- Baimai V, Harbach RE, Kijchalao U. Cytogenetic evidence for a fifth species within the taxon *Anopheles dirus* in Thailand. *J Am Mosq Control Assoc* 1988; 4: 333-8.
- Baimai V, Kijchalao U, Rattanarithikul R. Metaphase karyotypes of *Anopheles* of Thailand and Southeast Asia: V. The *Myzomyia* Series, Subgenus *Cellia* (Diptera: Culicidae). *J Am Mosq Control Assoc* 1996; 12: 97-105.
- Besansky NJ, Finnerty V, Collins F. Molecular perspectives on the genetics of mosquitoes. *Adv Genet* 1992; 30: 123-84.
- Black IV WC, Munstermann LE. Molecular taxonomy and systematics of arthropod vectors. In: Beaty BJ, Marquardt WC, editors. *The biology of disease vectors*. University Press of Colorado, 1996: 438-70.

- Breeland OP. Studies on the chromosomes of mosquitoes. *Ann Entomol Soc Am* 1961; 54: 360-75.
- Carlson DA, Service MW. Differentiation between species of the *Anopheles gambiae* Giles complex (Diptera: Culicidae) by analysis of cuticular hydrocarbons. *Ann Trop Med Parasitol* 1979; 73: 589-92.
- Chen B, Harbach RE, Butlin RK. Molecular and morphological studies on the *Anopheles minimus* group of mosquitoes in southern China: taxonomic review, distribution and malaria vector status. *Med Vet Entomol* 2002; 16: 253-65.
- Choochote W, Rongsriyam Y, Leemingsawat S, Jitpakdi A, Komalamisra N, Surathin K, *et al.* Intraspecific hybridization of *Anopheles minimus* (Diptera: Culicidae) species A and C in Thailand. *Southeast Asian J Trop Med Public Health* 2002; 33: 1-6.
- Coluzzi M. Cromosomi politenici delle cellule nutrici ovariche nel complesso *gambiae* del genera *Anopheles*. *Parasitologia* 1968; 10: 179-84.
- Coluzzi M, Sabatini A, Petrarca V, Di Deco MA. Chromosomal differentiation and adaptation to human environment in the *Anopheles gambiae* complex. *Trans R Soc Trop Med Hyg* 1979; 73: 483-97.
- Cooper L, Cooper RD, Burkot TR. The *Anopheles punctulatus* complex: DNA probes for identifying the Australian species using isotopic, chromogenic, and chemiluminescence detection system. *Experi Parasitol* 1991; 73: 27-35.
- Davidson G, Jackson CE. Incipient speciation in *Anopheles gambiae* Giles. *Bull Wold Health Organ* 1962; 27: 303-5.

- Dobzhansky T. Genetics of the evolutionary process. Columbia university Press. New York/London, 1970: 334-6.
- French WL, Baker RH, Kitzmiller JB. Preparation of mosquito chromosomes. Mosq News 1962; 22: 377-83.
- Green CA, Gass RF, Munstermann LE, Baimai V. Population-genetic evidence for two species in *Anopheles minimus* in Thailand. Med Vet Entomol 1990; 4: 25-34.
- Green CA, Hunt RH. Interpretation of variation in ovarian polytene chromosomes of *Anopheles funestus* Giles, *A. parensis gillies* and *A. aruni*. Genetica 1980; 51: 187-95.
- Harrison BA. Medical entomology studies: XIII. The Myzomyia Series of *Anopheles* (*Cellia*) in Thailand, with emphasis on intra-interspecific variations (Diptera: Culicidae). Contrib Am Entomol Inst (Ann Arbor) 1980; 17: 1-195.
- Hill SM, Crampton JM. DNA-based methods for the identification of insect vectors. Ann Trop Med Parasitol 1994; 88: 227-50.
- Hill SM, Urwin R, Crampton JM. A comparison of non-radio active labeling and detection systems with synthetic oligonucleotide probes for the species identification of mosquitoes in the *Anopheles gambiae* complex. Am J Trop Med Hyg 1991a; 44: 609-22.
- Hill SM, Urwin R, Knapp TF, Crampton JM. Synthetic DNA probes for the identification of sibling species in the *Anopheles gambiae* complex. Med Vet Entomol 1991b; 5: 455-63.

- Hiss RH, Norris DE, Dietrich CR, Whitcomb RF, West DF, Bosio CF, *et al.*
Molecular taxonomy using single strand conformation polymorphism (SSCP)
analysis of mitochondrial DNA genes. *Insect Mol Biol* 1994; 3: 171-82.
- Hunt RH, Coetzee M. Field sampling of *Anopheles* mosquitoes for correlated
cytogenetic, electrophoretic and morphological studies. *Bull World Health Organ*
1986; 64: 897-900.
- Johnson DW, Cockburn AF, Seawright JA. Quick blots and non-radioactive detection
of DNA probes for the identification of mosquitoes. *J Am Mosq Control Assoc*
1992; 8: 231-6.
- Kanda T. Improved techniques for the preparation of polytene chromosomes for some
Anopheles mosquitoes. *Mosq News* 1979; 39: 568-74.
- Kanda T, Ogawa K, Sucharit S, Prachyanusorn N, Lian CG, Harinasuta C.
Cytogenetic and hybridization studies among 3 strains morphologically varied
and belonging to *Anopheles minimus* Theobald from Japan and Thailand.
Cytologia 1984; 49: 865-81.
- Levan AK. Nomenclature for centromeric position in chromosomes. *Hereditas* 1964;
52: 201-20.
- Ow Yang CK, Sta Maria FL, Wharton RH. Maintenance of a laboratory colony
Anopheles maculatus by artificial mating. *Mosq News* 1963; 23: 34-5.
- Post RJ, Crampton JM. The taxonomic use of variations in repetitive DNA sequences
in the *Simulium damnosum* complex. In: Service MW, editor. *Biosystematics of
Haematophagus Insects*. Clarendon Press, Oxford, 1988: 325-45.

- Sawabe K, Takagi M, Tsuda Y, Lin-Hua T, Jin-Jiang X, Chi-Ping Q, Li-Zhong J, Xin-Fu L. Genetic differentiation among three populations of *Anopheles minimus* of Guangxi and Yunnan Provinces in the People's Republic of China. *Southeast Asian J Trop Med Public Health* 1996; 27: 818-27.
- Sharp RG, Harbach RE, Butlin RK. Molecular variation and phylogeny of members of the Minimus Group of *Anopheles* subgenus *Cellia* (Diptera: Culicidae). *Syst Entomol* 2000; 25: 263-72.
- Sharpe RG, Hims MM, Harbach RE, Butlin RK. PCR-based methods for identification of species of the *Anopheles minimus* group: allele-specific amplification and single-strand conformation polymorphism. *Med Vet Entomol* 1999; 13: 265-73.
- Somboon P, Suwonkerd W. Establishment of a stenogamous colony of *Anopheles minimus* species A. *Ann Trop Med Parasitol* 1997; 91: 673-76.
- Somboon P, Walton C, Sharpe RG, Higa Y, Tuno N, Tsuda Y, *et al.* Evidence for a new sibling species of *Anopheles minimus* from the Ryukyu Archipelago, Japan. *J Am Mosq Control Assoc* 2001; 17: 98-113.
- Subbarao SK. Anopheline species complexes in South-East Asia. WHO Tech Pub Ser 1998; 18: 1-82.
- Subbarao SK, Vasantha K, Sharma VP. Responses of *Anopheles culicifacies* sibling species A and B to DDT and HCH in India: Implications I malaria control. *Med Vet Entomol* 1988a; 2: 219-23.
- Subbarao SK, Vasantha K, Sharma VP. Studies on the crosses between the sibling species of the *Anopheles culicifacies* complex. *J Hered* 1988b; 79: 300-3.

- Sucharit S, Komalamisra N. Differentiation of *Anopheles minimus* species complex by RAPD-PCR technique. J Med Assoc Thai 1997; 80: 598-602.
- Sucharit S, Apiwathnasorn C, Komalamisra N, Thongrunkiat S, Surathin K, Leemingsawat S. *Anopheles minimus* species complex and its intraspecific variations. In: Proceeding of Mahidol University seminar on malaria vaccine development. Mahidol University, Bangkok; 17th-18th May 1988a: 52-60.
- Sucharit S, Komalamisra N, Leemingsawat S, Apiwathnasorn C, Thongrunkiat S. Population genetic studies on the *Anopheles minimus* complex in Thailand. Southeast Asian J Trop Med Public Health 1988b; 19: 717-23.
- Van Bortel W, Trung HD, Manh ND, Roelants P, Verle P, Coosemans M. Identification of two species within the *Anopheles minimus* complex in northern Vietnam and their behavioural divergences. Trop Med Int Health 1999; 4: 257-65.
- Van Bortel W, Trung HD, Roelants P, Harbach RE, Backeljau T, Coosemans M. Molecular identification of *Anopheles minimus* s.l. beyond distinguishing the members of the species complex. Insect Molecular Biology 2000; 9: 335-40.
- Van Bortel W, Sochant T, Harbach RE, Socheat D, Roelants P, Backeljau T, Coosemans M. Presence of *Anopheles culicifacies* B in Cambodia established by the PCR-RFLP assay developed for the identification of *Anopheles minimus* species A and C and four related species. Med Vet Entmol 2002; 16: 329-34.
- Walton C, Sharpe RG, Pritchard SJ, Thelwell NJ, Butlin RK. Molecular identification of mosquito species. Biol J Linn Soc 1999; 68: 241-56.
- White GB. The place of morphological studies in the investigation of *Anopheles* species complexes. Mosq Syst 1977; 9: 1-24.

WHO [World Health Organization]. Report of the WHO evaluation team on malaria eradication in the Ryukyu Islands Geneva, Switzerland 1966; WHO WPR/419/65: 1-53.

Wilkerson RC, Parsons TJ, Klein TA, Gaffigan TV, Bergo E, Consolim J. Diagnosis by random amplified polymorphic DNA polymerase chain reaction of four cryptic species related to *Anopheles (Nyssorhynchus) albitarsis* (Diptera: Culicidae) from Paraguay, Argentina, and Brazil. J Med Entomol 1995; 32: 697-704.

Williams JGK, Kubelik AR, Livak KJ, Rafalski JA, Tingey SV. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. Nucleic Acids Res 1990; 18: 6531-5.

Yu Yuan. Studies on the two forms of *Anopheles (Cellia) minimus* Theobald, 1901 in China (Diptera: Culicidae). Mosq Syst 1987; 19: 143-5.

Yu Y, Li MX. Notes on the two forms of *Anopheles (Cellia) minimus* Theobald, 1901 in Hainan Island. J Parasitol and Parasitic Dis 1984; 2: 95-8.