

## References

- Anuntalabhochai, S. and Jesrichai, S. (1986) Effect of high dose of a local Thai plant, White Gwow (*Pueraria mirifica* Shaw et Suvatabandhu) on Coturnix quails, change in calcium, total protein and cholesterol concentrations in blood serum. *J. Sci. Fac. CMU.* 13, 29-37.
- Anuntalabhochai, S., Smitasiri, Y. and Roadlertjunya, P. (1983) Susceptibility of Japanese Quails to different doses White Gwow and bran. *J. Sci. Fac. CMU.* 10, 35-45.
- Benson, G.K., Cowie, A.T. and Hosking, Z.D. (1961) Mammogenic activity of miroestrol. *J. Endocrinol.* 21, 401-409.
- Bhatnagar, P., Papaioannou, V.E., and Biggers, J.D. (1995) CSF-1 and mouse preimplantation development *in vitro*. *Devl.* 121, 1333-1339.
- Bowman, P., and McLaren, A. (1970) Ceavage rate of mouse embryos *in vivo* and *in vitro*. *J. Embryol. Exp. Morphol.* 24, 230-237.
- Borland, R.M., Biggers, J.D., and LeChene, C.P. (1967) *Dev. Biol.* 68, 440-452.
- Brison, D.R. (2000) Apoptosis in mammalian preimplantation embryos: regulation by survival factors. *Hum. Fertil.* 3, 36-47.
- Brison, D.R., and Schultz, R.M. (1998) Increased incidence of apoptosis in transforming growth factor alpha-deficient mouse blastocysts. *Biol. Reprod.* 59, 136-144.
- Brown, J.J.G. and Whittingham, D.G. (1992) Potential role of the oviduct in preimplantation embryo development. *J. Reprod. Fertil.* 95, 503-511.

- Cain, J.C. (1960) Miroestrol: an oestrogen from the plant Pueraria mirifica. *Nature*. 22, 293-302.
- Chailek, C. (1988) *Effect of White Gwow (Pueraria mirifica Shaw et Suvatabandhu) Tuber and/or prolactin on lactation and reproductive organ development of mother rats (Rattus norvegicus) and their offspring*. Thesis for Master of Science. Chiang Mai University.
- Chansakaow, S., Ishikawa, T., Seki, H., SeKine, S., Okada, M. and Chaichantipyuth, C. (2000a) Identification of the deoxymiroesterol as the actual rejuvenating principle of kwao Keur, Pueraria mirifica *J. Am. Chem. Soc.* 63, 173-175.
- Chansakaow, S., Ishikawa, T., Sekine, S., Okada, M., Higuchi, Y., Kudo, M. and Chaichantipyuth, C. (2000b) Isoflavonoids from Pueraria mirifica and their estrogenic activity. *Planta. Med.* 66, 572-575.
- Chuaychoo, A., Junyatun, U., Anuntalabhochai, S., and Smitasiri, Y. (1984) Toxic effects of White gwow (Pueraria mirifica) in Japanese quails. *J. Sci. Fac. CMU.* 11,46-55.
- Devreker, F., Winston, R.M., and Hardy, K. (1998) Glutamine improves human preimplantation development in vitro. *Fertil. Steril.* 69, 293-299.
- Dickson, R.B. and Lippman, M.B. (1987) Estrogenic regulation of gene and polypeptide growth factor secretion in human breast carcinoma. *Endocr. Rev.* 8, 29-43.
- Ducibella, T., and Anderson, E. (1975) Cell shape and membrane changes in the eight-cell mouse : prerequisites for morphogenesis of the blastocyst. *Dev. Biol.* 47, 45-48.

- Farmakalidis, E., Hathcock, J.N. and Murphy, P.A. (1985) Oestrogenic potency of genistein and daidzin in mice. *Food Chem. Toxic.* 23, 741-745.
- Gardner, D.E., and Sakkas, D. (1993) Mouse embryo cleavage, metabolism and viability: role of medium composition. *Hum. Reprod.* 8, 288-295.
- Gorski, J., and Hou, Q. (1995) Embryonic Estrogen Receptors: Do They Have a Physiological Function. *Envir. Health Pers.* 103, 69-72.
- Handyside, A.H., and Hunter, S. (1986) Cell division and death in the mouse Blastocyst before implantation. *Roux's Arch. Devel. Biol.* 195, 519-526.
- Hardy, K., and Spnos, S. (2002) Growth factor expression and function in the human and mouse preimplantation embryo. *J. Endocrinol.* 172, 221-236.
- Harlow, G.M., and Quinn, P. (1982) Development of preimplantation mouse embryos *in vivo* and *in vitro*. *Aust. J. Biol. Sci.* 35, 187-193.
- Harvey, H.B., and Kaye, P.L. (1990) Insulin increase the cell number of inner cell mass and stimulates morphological development of mouse blastocyst in vitro. *Devel.* 110, 963-967.
- Harvey, H.B., and Kaye, P.L. (1992a) Insulin-like growth factor-I stimulates growth of mouse blastocyst in vitro. *Mol. Reprod. Devel.* 31, 195-199.
- Harvey, H.B., and Kaye, P.L. (1992b) Insulin-like growth factor-I stimulates growth and metabolism of early mouse blastocyst embryos. *Mech. Devel.* 38, 169-173.
- Herrler, A., Krushe, C.A., and Beier, H.M. (1998) Insulin and Insulin-like growth factor-I promote rabbit blastocyst development and prevent apoptosis. *Biol. Reprod.* 59, 1302-1310.

- Hill, D.J. (1991) Growth factor and their cellular actions. *J. Reprod. Fertil.* 85, 723.
- Hsieh, C-Y., Santell, R. C., Haslam, S-Z. and Helferich, W. G. (1998) Estrogenic effect of genestin on the growth estrogen receptive-positive human breast cancer (MCF-7) cells *in vitro* and *in vivo*. *Cancer Res.* 58, 3833-3838.
- Ingham, J.L., Tahara, S. and Dziedzic, S. Z. (1986) A chemical investigation of *Pueraria mirifica* root. *Z Naturforsch Ser C.* 41, 403-408.
- Ingham, J.L., Tahara, S. and Dziedzic, S. Z. (1988) Coumestans from the root of *Pueraria mirifica*. *Z Naturforsch.* 43, 5-10.
- Jayatum, U. (1983). *Effect of White Gwow (*Pueraria mirifica* Shaw et Suvat.) on the developmental of ovary, uterus, testes, seminal vesicle and adrenal gland young rat.* Thesis for Master of Science. Chiang Mai University.
- Jasrichai, S. (1985) *Effect of high dose of White Gwow (*Pueraria mirifica* Shaw et Suvat.) on testes and serum calcium of Japanese quails.* Thesis for Master of Science. Chiang Mai University.
- Jone, H.E.H. and Pope, G.S. (1960) A study of the action of miroestrol and other oestrogens on the Reproductive tract of the immature female mouse. *J. Endocrinol.* 20, 299-235.
- Kashemsanta, M.C.L., Suvatabandhu, K., Bartlett, S. and Pope, G.S. (1963) The oestrogenic substance (miroestrol) from the tuberous roots of *Pueraria mirifica*. *Proceeding of the ninth Pacific Science Congress of Pacific Science Association.* 5, 37-40.
- Keen, A., and Rafferty, J.R. (1970) *Methods in Experimental Embryology of the Mouse.* The John Hopkins Press, Baltimore and London.

- Kene, M.T., Morgan, P.M., and Coonan, C. (1997) Peptide growth factors and preimplantation development. *Hum. Reprod. Update.* 3,137-157.
- Kiatadisorn, W. (1985). *Effect of White Gwow (Pueraria mirifica Shaw et Suvat.) collected in different seasons on Japanese quails and production of injury slide set.* Thesis for Master of Science. Chiang Mai University.
- Lakshnakara, K., Suvatabandhu, K. and Airy shaw, A. K. (1952) A new species of *Pueraria* (Leguminosae) from Thailand, yielding an oestrogen principle. *Kew. Bull.* 4, 549-551.
- Langkalichan, Y. (1984). *Effect of whtie Gwow (Pueraria mirifica) on reproductive in male albino rat.* Thesis for Master of Science. Chiang Mai University.
- Martin, P.M., Horwitz, K.B., Ryan, D.R. and McGuire, W.L. (1987) Phytoestrogen interaction with estrogen receptor in human breast cancer cells. *Endocrinology.* 103, 1860-1867.
- Maungdech, N. (1984). *Effect of low doses of White Gwow (Pueraria mirifica) on female Japanese quails.* Thesis for Master of Science. Chiang Mai University.
- Miksicek, R.J. (1993) Commonly occurring plant flavonoids have estrogenic activity. *Mol. Pharmacol.* 44, 37-43.
- Murphy, L.J., Murphy, L.C. and Freisen, H.G. (1987) Estrogen induce insulin-like growth factor-1 in the rat uterus. *Mol. Endocrinol.* 1, 445-450.
- Nawapol. (no date). Root of *Pueraria mirzifca* [online]. Available: <http://www.nawapol.com/Pueraria.htm>. [2000, November 11].

- Nieman, H., and Elsaesser, F. (1986) Evidence for estrogen-dependent Blastocyst formation in the pig. *Biol. Reprod.* 35, 10-16.
- O'Neil, C. (1998) Autocrine mediators are required to act on the embryo by the 2-cell stage to promote hormonal development and survival of mouse preimplantation embryos in vitro. *Biol Reprod.* 58, 1303-1309.
- Paria, B.C., and Dey, S.K. (1990) Preimplantation embryo development in vitro: cooperative interactions among embryos and role of growth factor. *Proc. Natl. Acad. Sci. USA.* 87, 4756.
- Pharma. Chula. (no date) สารเอสโตรเจนจากพืช [online]. Available:  
<http://www.pharma.chula.ac.th> [2002 August 23].
- Pongdum, V., Smitasiri, Y., Udomphan, S. and Wongkum, W. (1987) Effects of Pueraria mirifica on blood corpuscles of male albino rats. The 13<sup>th</sup> conference on Science and Technology of Thailand, 20-23 October 1987, Songkla, Thailand p. 492-493.
- Radomsuk, U. (1992). *Effect of Pueraria mirifica extracts on the Reproductive of American Cockroaches*. Thesis for Master of Science. Chiang Mai University.
- Rappolee, D.A., Brenner, C.A., Schultz, G.A., Mark, D., and Werb, Z. (1988) Developmental expression of PDGF, TGF-alpha and TGF-beta genes in preimplantation mouse embryos. *Science.* 241, 1823-1825.

- Rodkaew, P. (2001) Effect of White Gwow (*Pueraria mirifica* Airy Shaw et Suvatabanhu) Extract on In Vitro Maturation and Fertilization of Mouse Oocytes. Thesis for Master of Science. Chiang Mai University.
- Ryan, J.P., Spinks, N.R., O'Neil, C., and Wales, R.G. (1990) Implantation potential and fetal availability of mouse embryos culture in media supplemented with platelet-activating factor. *J. Reprod. Fertil.* 89, 309-315.
- Sakkas, D., Urner, F., Menezo, Y., and Leppens, G. (1993) Effect of glucose and fructose on fertilization, cleavage and viability of mouse embryo *in vitro*. *Biol. Reprod.* (in press)
- Sakkas, D., and Vassalli, J.D. (no date) The preimplantation embryo: Development and Experimental Manipulation.  
Available:[http://matweb.hcuge.ch./endo/Reproductive\\_health/The-preimplantation\\_embryo\\_Development\\_and\\_experimental\\_manipulation.html](http://matweb.hcuge.ch./endo/Reproductive_health/The-preimplantation_embryo_Development_and_experimental_manipulation.html).  
[2002 August 23].
- Saowakon, S. and Aritajat, S. (1995) Effect of aqueous extract from dry powder of *Pouteria cambodiana* bark on the mammary gland and lactation of albino rat previously treated with *Pueraria mirifica*. The 21th Congress on Science and technology of Thailand, 25-27 October, Chonburi, Thailand p. 386-387.
- Sawatdipong, S. (1979). Development of screening test for oestrogenic of extracts of some northern Thai plant and investigation of their effects on mammary glang development in mice. Thesis for Master of Science. Chiang Mai University.

- Siemmen, R.C.M., Ko, Y., Liu, X.H., Wild, M.H., Pope, W.F., and Siemmen, F.A. (1988) A uterine cell mitogen distinct from epidermal growth factor in porcine uterine luminal fluids: characterization and partial purification. *Biol. Reprod.* 38, 551.
- Smitasiri, Y., Junyatum, U., Songjisawad, A., Sripromma, P., Trisisilp, S. and Anuntalabhochai, S. (1986) Postcoital antifertility effects of Pueraria mirifica in rat. *J. Sci. fac. CMU.* 13, 19-28.
- Smitasiri, Y., Liawruangrath, S., Kittakupt, P., Liawruangrath, B. and Sornsrivichai, J. (1987) Pharmacological aspects of toxic substances in tuberous roots of Pueraria mirifica. The Princess Congress I, 10-13 December, Bangkok, Thailand p. 16.
- Smitasiri, Y., Pangjit, S. and Anuntalabhochai, S. (1989) Inhibition of lactation in lactating rats with Pueraria mirifica compared with estrogen. *J. Sci. Fac. CMU.* 16,7-11.
- Smitasiri, Y. and Kaweerat, K. (1992) Effect of Pueraria mirifica on reproductive system of pigeons. The 18<sup>th</sup> conference on Science and Technology of Thailand. 27-29 October , Bangkok, Thailand p. 178-179.
- Songkeaw, D. (1987). *Effect of White Gwow (Pueraria mirifica Shaw et Suva.t) on ovulation, behavior, pregnancy, parturition and lactation in rats.* Thesis for Master of Science. Chiang Mai University.
- Streffer, G., van Beuningen, D., Molls, M., Zamboglou, N., and Shulz, J. (1980) *Cell Tissue Kinet.* 13, 135-143.



- Tagma, M. (1992) Role of growth factors in the regulation of embryo development and implantation. *Nippon Snakes Gakksu. Zasshi.* 44, 939-943.
- Tahara, S., Ingham, J.L. and dziezic, S.Z. (1987) Structure elucidation of kwakhurin, a new prenylated isoflavones from *Pueraria mirifica* roots. *Z. Naturforsch.* 42, 510-518.
- Tahachai, S. and Smitasiri, Y. (1987). *Antifertility effects of Pueraria mirifica in mice*. The 13<sup>th</sup> conference on Science and Technology on Thailand, 20-23 October, Songkla, Thailand p. 482.
- Thaiyanan, P., trakulboom, P. and Anuntalabhochai, S. (1992) Effect of White Gwow on quial I. Protein and lipid production. *J. AMS. CMU.* 25, 71-78.
- Thuppongse, B. (1984) *Effect of White Gwow (Pueraria mirifica) on ovary and egg production in mature Japanese quails*. Thesis for Master of Science. Chiang Mai University.
- Verdeal, K. and Ryan, D.S. (1979) Naturally occurring estrogens in plant foodstuff-a review. *J. Food Protection.* 42, 577-583.
- Walter, E.M., and Wheeler, M.B. (2002) The effect of the phytoestrogen, daidzein on in vitro development of porcine embryos. Available: <http://porknet.Outreach.edu> [2002 August 23].
- Wiley, L.M., Wu, J-X., Harari, I., and Adamson, E.D. (1992) Epidermal growth factor receptor mRNA and protein increase after the four-cell preimplantation stage in murine. *Dev. Biol.* 149, 247-260.

- Whitten, W.K., and Biggers, J.D. (1968) Complete development in vitro of the preimplantation stages of mouse in a simple chemically defined medium. *J. Reprod. Fertil.* 17, 399-401.
- Whittingham, D.G. (1971) Culture of the mouse ova. *J. Reprod. Fertil. Suppl.* 14, 7-21.
- Wungjai, C. and Smitasiri, Y. (1987) Some biological aspect of Pueraria mirifica: Development of Pueraria mirifica in nature. The 13<sup>th</sup> Conference on science and Technology of Thailand, 20-23 October, Songkla, Thailand. p. 476-477.
- พรรณนิภา ชุมศรี. (2523). การเตรียมสารสกัดจากพืช. การสัมมนาเชิงปฏิบัติการพฤกษเคมี ครั้งที่ 2, 12-16 พฤษภาคม. กรุงเทพฯ หน้า 151-154.
- หลวงอนุสารสุนทร. (2474). ตำราหัวกวาวเครือ เชียงใหม่ โรงพิมพ์อุปะติพงษ์.