TABLE OF CONTENTS

| P | AGE |
|--|------|
| | |
| ACKNOWLEDGEMENT | iii |
| ABSTRACT | iv |
| TABLE OF CONTENTS | viii |
| LIST OF TABLES | x |
| LIST OF ILLUSTRATIONS | хi |
| ABBREVIATION | xiii |
| CHAPTER 1 INTRODUCTION | 1 |
| 1.1 Anatomy of uterine cervix | 1 |
| 1.2 Cervical carcinoma | 4 |
| 1.3 Immunohistochemistry and tumor prognostication | 6 |
| 1.4 The p53 | 7 |
| 1.5 p53 protein expression and tumor prognosis | 8 |
| 1.6 Literature review | 9 |
| 1.7 Hypotheses | 11 |
| 1.8 Purposes of the study | 12 |
| 1.9 Application advantage | 12 |
| CHAPTER 2 RESEARCH DESIGNS, SCOPE AND METHODS | 13 |
| 2.1 Subjects | 13 |
| 2.2 Tumor recurrence | 13 |
| 2.3 Tissue staining | 14 |
| 2.4 Data collection and evaluation | 15 |
| 2.5 Scoring of p53 protein expression | 16 |
| 2.6 Statistical analyses | 16 |

| CH | CHAPTER 3 RESULTS | | |
|-----|---|----|--|
| 3.1 | The pattern of p53 protein expression in cervical cancer | 17 | |
| 3.2 | The proportion of positive p53 protein expression | 17 | |
| 3.3 | The p53 protein expression in correlation with tumor recurrence | 19 | |
| 3.4 | The p53 protein expression in correlation with | | |
| | clinicopathological variables for cervical cancer | 19 | |
| СН | CHAPTER 4 DISCUSSION | | |
| 4.1 | The pattern of p53 protein expression in human cervical carcinoma | 28 | |
| 4.2 | The comparison of positive p53 protein expression | 29 | |
| 4.3 | The correlation between p53 protein expression and | | |
| | clinicopathological variables in cervical cancer | 30 | |
| CH. | CHAPTER 5 CONCLUSION | | |
| RE | REFERRENCES | | |
| API | APPENDIX | | |
| CU | CURRICULUM VITAE | | |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

| TA | ABLE | PAGE |
|----|---|------|
| 1. | The number of patients with different cancer type in female | |
| | genital tract in Maharaj Nakhon Chiang Mai from 1987-2002 | 4 |
| 2. | Pathology of the cervical cancer patients in Maharaj | |
| | Nakhon Chiang Mai Hospital | 5 |
| 3. | The comparison of the proportion of p53 protein | |
| | expression in patients with cervical carcinoma | 18 |
| 4. | The results of Mantel-Haenzel test of 30 cases with tumor | |
| | recurrence matched with 60 controls without tumor recurrence | 19 |
| 5. | The correlation of p53 protein expression and | |
| | clinicopathological variables by multiple logistic regression | |
| | analysis of 30 cases with tumor recurrence matched with | |
| | 60 controls without tumor recurrence | 20 |
| | | |

ลิขสิทธิมหาวิทยาลัยเชียงใหม Copyright[©] by Chiang Mai University All rights reserved

LIST OF ILLUSTRATIONS

| FI | GURE | PAGE |
|-----|--|------|
| 1. | Mature squamous epithelium of the exocervix demonstrating a normal maturation sequence from basal cells to superficial | |
| | cells.(H&E, 100x) | 2 |
| 2. | Histology of endocervix (H&E, 100x) | 3 |
| 3. | Histology of uterine cervix (H&E, 50x) | 3 |
| 4. | Diagram showing the frequency of lymphatic spread | |
| | of cervical carcinoma | 6 |
| 5. | Structure of p53 protein | 7 7 |
| 6. | Diagram showing the role of p53 in maintaining the | |
| | integrity of the genome | 8 |
| 7. | Diagram showing the comparison of p53 expression | |
| | in patients with cervical carcinoma | 18 |
| 8. | Squamous cell carcinoma (H&E, 10x) | 21 |
| 9. | Squamous cell carcinoma (H&E, 100x) | 21 |
| 10. | Adenocarcinoma (H&E,40x) | 22 |
| 11. | Adenocarcinoma (H&E,100x) | 22 |
| 12. | Adenosquamous carcinoma (H&E, 5x) | 23 |
| 13. | Immunohistochemical staining of p53 protein in colorectal | |
| | cancer, as a positive control. (magnification, 40x) | 23 |
| | | |

| 14. | Invasive squamous cell carcinoma (A) stained with H&E | |
|-----|--|----|
| | and (B) immunostained with antibody to p53 protein | |
| | (magnification 10x) | 24 |
| 15. | Immunohistochemical staining of p53 protein in | |
| | squamous cell carcinoma (magnification 100x) | 25 |
| 16. | Immunohistochemical staining of p53 protein of | |
| | adenocarcinoma (magnification 100x) | 25 |
| 17. | Immunohistochemical staining of p53 protein in | |
| | glandular part of adenosquamous carcinoma | |
| | (magnification 100x) | 26 |
| 18. | Immunohistochemical staining of p53 protein in | |
| | squamous cell carcinoma with the intensity of staining | |
| | varied from cell to cell (magnification 100x) | 26 |
| 19. | Evidence of cytoplasmic staining of p53 protein in | |
| | adenocarcinoma of uterine cervix. (magnification 100x) | 27 |
| 20. | Immunostaining of p53 protein within lymph vessel of | |
| | adenocarcinoma. (magnification, 100x) | 27 |
| | | |
| | | |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATION

H&E Haematoxylin and eosin

RDH Radical hysterectomy

PLD Pelvic lymphadenectomy

LVSI Lymphovascular space invasion

SV Simian virus

GADD45 Growth arrest and DNA damage 45

CDKNIA Cyclin-dependent kinase inhibitor

kDa Kilodalton

FIGO International Federation of Obstetrics

And Gynecology

ABC Avidin- biotin complex

TE Tris-EDTA buffer

PBS Phosphate buffer saline

DAB 3, 3 – diaminobenzidine tetrahydrochloride

RR Relative risk

CI Confidence interval

Copyright[©] by Chiang Mai University

All rights reserved