

REFERENCES

1. Correa P. (1992) Human gastric carcinogenesis: a multistep and multifactorial process--First American Cancer Society Award Lecture on Cancer Epidemiology and Prevention. *Cancer Res* **52**: 6735-6740.
2. Kelley JR, Duggan JM. (2003) Gastric cancer epidemiology and risk factors. *J Clin Epidemiol* **56**: 1-9.
3. IARC Unit of Descriptive Epidemiology. WHO cancer mortality databank. Cancer Mondial. www-dep.iarc.fr/globalcan/globalcan/html;2001.
4. Wallace JL, Cucala M, Mugridge K, Parente L. (1991) Secretagogue-specific effects of interleukin-1 on gastric acid secretion. *Am J Physiol* **261**: G559-564.
5. Beales IL, Calam J. (1998) Interleukin 1 beta and tumour necrosis factor alpha inhibit acid secretion in cultured rabbit parietal cells by multiple pathways. *Gut* **42**: 227-234.
6. El-Omar EM, Oien K, El-Nujumi A, et al. (1997) Helicobacter pylori infection and chronic gastric acid hyposecretion. *Gastroenterology* **113**: 15-24.
7. Furuta T, Shirai N, Takashima M, Xiao F, Sugimura H. (2002) Effect of genotypic differences in interleukin-1 beta on gastric acid secretion in Japanese patients infected with Helicobacter pylori. *Am J Med* **112**: 141-143.
8. El-Omar EM, Carrington M, Chow WH, et al. (2000) Interleukin-1 polymorphisms associated with increased risk of gastric cancer. *Nature* **404**: 398-402.
9. Gritti I, Banfi G, Roi GS. (2000) Pepsinogens: physiology, pharmacology pathophysiology and exercise. *Pharmacol Res* **41**: 265-281.
10. Fox SI. (2002) Human Physiology. 7th ed. New York: McGraw-Hill Book Co.
11. Seeley RR, Stephen TD, Tate P. (2003) Anatomy & Physiology. 6th ed. New York: McGraw-Hill Book Co.
12. Kageyama T. (2002) Pepsinogens, progastricsins, and prochymosins: structure, function, evolution, and development. *Cell Mol Life Sci* **59**: 288-306.

13. Sipponen P, Samloff IM, Saukkonen M, Varis K. (1985) Serum pepsinogens I and II and gastric mucosal histology after partial gastrectomy. *Gut* **26**: 1179-1182.
14. Samloff IM, Stemmermann GN, Heilbrun LK, Nomura A. (1986) Elevated serum pepsinogen I and II levels differ as risk factors for duodenal ulcer and gastric ulcer. *Gastroenterology* **90**: 570-576.
15. Stemmermann GN, Samloff IM, Nomura AM, Heilbrun LK. (1987) Serum pepsinogens I and II and stomach cancer. *Clin Chim Acta* **163**: 191-198.
16. Miki K, Morita M, Sasajima M, Hoshina R, Kanda E, Urita Y. (2003) Usefulness of gastric cancer screening using the serum pepsinogen test method. *Am J Gastroenterol* **98**: 735-739.
17. Yoshihara M, Sumii K, Haruma K, et al. (1998) Correlation of ratio of serum pepsinogen I and II with prevalence of gastric cancer and adenoma in Japanese subjects. *Am J Gastroenterol* **93**: 1090-1096.
18. Apte RN, Voronov E. (2002) Interleukin-1--a major pleiotropic cytokine in tumor-host interactions. *Semin Cancer Biol* **12**: 277-290.
19. Machado JC, Pharoah P, Sousa S, et al. (2001) Interleukin 1B and interleukin 1RN polymorphisms are associated with increased risk of gastric carcinoma. *Gastroenterology* **121**: 823-829.
20. Lee SG, Kim B, Choi W, Lee I, Choi J, Song K. (2003) Lack of association between pro-inflammatory genotypes of the interleukin-1 (IL-1B -31 C/+ and IL-1RN *2/*2) and gastric cancer/duodenal ulcer in Korean population. *Cytokine* **21**: 167-171.
21. Dinarello CA. (1996) Biologic basis for interleukin-1 in disease. *Blood* **87**: 2095-2147.
22. Stylianou E, Saklatvala J. (1998) Interleukin-1. *Int J Biochem Cell Biol* **30**: 1075-1079.
23. Schreuder H, Tardif C, Trump-Kallmeyer S, et al. (1997) A new cytokine-receptor binding mode revealed by the crystal structure of the IL-1 receptor with an antagonist. *Nature* **386**: 194-200.
24. Vigers GP, Anderson LJ, Caffes P, Brandhuber BJ. (1997) Crystal structure of the type-I interleukin-1 receptor complexed with interleukin-1beta. *Nature* **386**: 190-194.
25. Auron PE. (1998) The interleukin 1 receptor: ligand interactions and signal transduction. *Cytokine Growth Factor Rev* **9**: 221-237.

26. Steinkasserer A, Spurr NK, Cox S, Jeggo P, Sim RB. (1992) The human IL-1 receptor antagonist gene (IL1RN) maps to chromosome 2q14-q21, in the region of the IL-1 alpha and IL-1 beta loci. *Genomics* 13: 654-657.
27. Nicklin MJ, Weith A, Duff GW. (1994) A physical map of the region encompassing the human interleukin-1 alpha, interleukin-1 beta, and interleukin-1 receptor antagonist genes. *Genomics* 19: 382-384.
28. Nothwang HG, Strahm B, Denich D, et al. (1997) Molecular cloning of the interleukin-1 gene cluster: construction of an integrated YAC/PAC contig and a partial transcriptional map in the region of chromosome 2q13. *Genomics* 41: 370-378.
29. Nolan KF, Greaves DR, Waldmann H. (1998) The human interleukin 18 gene IL18 maps to 11q22.2-q22.3, closely linked to the DRD2 gene locus and distinct from mapped IDDM loci. *Genomics* 51: 161-163.
30. Nicklin MJ, Barton JL, Nguyen M, FitzGerald MG, Duff GW, Kornman K. (2002) A sequence-based map of the nine genes of the human interleukin-1 cluster. *Genomics* 79: 718-725.
31. Larsen F, Gundersen G, Lopez R, Prydz H. (1992) CpG islands as gene markers in the human genome. *Genomics* 13: 1095-1107.
32. Stylianou E, O'Neill LA, Rawlinson L, Edbrooke MR, Woo P, Saklatvala J. (1992) Interleukin 1 induces NF-kappa B through its type I but not its type II receptor in lymphocytes. *J Biol Chem* 267: 15836-15841.
33. Saiki RK, Scharf S, Faloona F, et al. (1985) Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230: 1350-1354.
34. Eckert KA, Kunkel TA. (1990) High fidelity DNA synthesis by the *Thermus aquaticus* DNA polymerase. *Nucleic Acids Res* 18: 3739-3744.
35. Williams JF. (1989) Optimization strategies for the polymerase chain reaction. *Biotechniques* 7: 762-769.
36. Ellsworth DL, Rittenhouse KD, Honeycutt RL. (1993) Artifactual variation in randomly amplified polymorphic DNA banding patterns. *Biotechniques* 14: 214-217.

37. Longley MJ, Bennett SE, Mosbaugh DW. (1990) Characterization of the 5' to 3' exonuclease associated with *Thermus aquaticus* DNA polymerase. *Nucleic Acids Res* **18**: 7317-7322.
38. Bell DA, DeMarini DM. (1991) Excessive cycling converts PCR products to random-length higher molecular weight fragments. *Nucleic Acids Res* **19**: 5079.
39. Sharkey DJ, Scalice ER, Christy KG, Jr., Atwood SM, Daiss JL. (1994) Antibodies as thermolabile switches: high temperature triggering for the polymerase chain reaction. *Biotechnology (N Y)* **12**: 506-509.
40. Baldino F, Jr., Chesselet MF, Lewis ME. (1989) High-resolution in situ hybridization histochemistry. *Methods Enzymol* **168**: 761-777.
41. Rychlik W, Spencer WJ, Rhoads RE. (1990) Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Res* **18**: 6409-6412.
42. Samloff IM. (1982) Pepsinogens I and II: purification from gastric mucosa and radioimmunoassay in serum. *Gastroenterology* **82**: 26-33.
43. El-Omar, Chow W, Gammon M. (2001) Pro-inflammatory genotypes of IL-1B, TNFa and IL-10 increase risk of distal gastric cancer but not of cardia or esophageal carcinoma. *Gastroenterol.* **120**, suppl A86.
44. Kato S, Onda M, Yamada S, Matsuda N, Tokunaga A, Matsukura N. (2001) Association of the interleukin-1 beta genetic polymorphism and gastric cancer risk in Japanese. *J Gastroenterol* **36**: 696-699.
45. Zeng ZR, Hu PJ, Hu S, et al. (2003) Association of interleukin 1B gene polymorphism and gastric cancers in high and low prevalence regions in China. *Gut* **52**: 1684-1689.
46. Lee K. (2004) Novel interleukin 1b genetic polymorphism increased the risk of gastric cancer in Korean population. *Journal of Gastroenterology* **39**: 429-433.
47. Ryu C, Cheon G, Jang J. (2002) Is Interleukin-1 polymorphism associated with H.pyroli infection and increased risk of gastric cancer? *Gastroenterology* **122**: T 1877.
48. Furuta T, El-Omar EM, Xiao F, et al. (2002) Interleukin 1beta polymorphisms increase risk of hypochlorhydria and atrophic gastritis and reduce risk of duodenal ulcer recurrence in Japan. *Gastroenterology* **123**: 92-105.

49. Keith B, Wyatt I, Heatley V. (2001) Variation in serum pepsinogens with severity and topography of *Helicobacter pylori*-associated chronic gastritis in dyspeptic patients referred for endoscopy. *Helicobacter* 6: 216-224.
50. Kitahara F, Kashiwagi A, Kanai T, et al. (1996) [An investigation of the factors influencing serum pepsinogen levels--sex, age, smoking, drinking]. *Nippon Shokakibyo Gakkai Zasshi* 93: 867-875.
51. Asaka M, Kimura T, Kudo M, Takeda H, Mitani S, Miyazaki T. (1998) Relationship of *Helicobacter pylori* to serum pepsinogens in an asymptomatic Japanese population. *Gastroenterology* 102: 760-766.
52. Webb PM, Crabtree JE, Forman D. (1999) Gastric cancer, cytotoxin-associated gene A-positive *Helicobacter pylori*, and serum pepsinogens: an international study. The Eurogst Study Group. *Gastroenterology* 116: 269-276.