

## REFERENCES

- Acker, S.A., Gregory, S.V., Lienkaemper, G., McKee, W.A., Swanson, F.J. and Miller, S.D. 2003. Composition, complexity, and tree mortality in riparian forests in the central Western Cascades of Oregon. *Forest Ecosystem and Management*, 173: 293-308.
- Bănărescu, P. 1990. Zoogeography of fresh waters, General Distribution and Distribution and dispersal of Freshwater Animals, AULA-Verlag, Wiesbaden . Vol 1. pp. 511.
- Belbin, L. 1995. Users Guide: PATN Pattern Analysis Package. Canberra, CSIRO Division of Wildlife & Ecology.
- Borror, D.J., Triplehorn, C.A. and Johnson, N.F. 1989. Study of Insect. 6<sup>th</sup> edition. Saunders College Publisher, Philadelphia. pp. 875.
- Boulton, A.J. and Brock, M.A. 1999. Australian Freshwater Ecology: Process and Management. Glen Osmond, Gleneagles Publishing.
- Bowman, D.M.J.S., Woinarski, J.C.W., Sands, D.P.A., Wells, A., McShane. V.J. 1990. Slash-and-burn agriculture in the wet coastal lowlands of Papua New Guinea: response of birds, butterflies and reptiles. *J. Biogeogr.*, 17:227-239.
- Brewin, P.A., Buckton, S.T. and Ormerod, S.J. 2000. The seasonal dynamics and persistence of stream macroinvertebrates in Nepal: do monsoon floods represent disturbance. *Freshwater Biology*, 44: 581-594.

- Buffetaut, E. and Suteethorn, V. 1998. The biogeography significant of the Mesozoic vertebrates from Thailand. *In* Hall, R. and Holloway, J.D. (Eds). *Biogeography and Geology Evolution of SE Asia*. pp. 83-90.
- Chantaramongkol, P and Malicky, H. 1995. Einige neue Hydropsychidae (Trichoptera) aus Thailand. (Arbeiten über Thailändische nr. 15). *Ent. Z (Essen)*, 104:92-95.
- Chantaramongkol, P. and Malicky, H. 1989. Some *Chimarra* (Trichoptera: Philopotamidae) from Thailand (Studies on caddisflies from Thailand, No.2) *Aquatic. Insects.*, 11: 223-240.
- Chantaramongkol, P. and Malicky, H. 1995. Drei neue asiatische *Hydromanicus* (Trichoptera: Hydropsychidae) (Arbeiten über thailändische Köcherfliegen Nr. 17). *Ent. Z. (Essen)*, 105: 92-99.
- Chantaramongkol, P. and Malicky, H. 1997. Trichoptera from Doi Suthep-Pui National Park, Northern Thailand. (Studies on Trichoptera of Thailand No. 15). *Proceeding of the 8<sup>th</sup> International Symposium on Trichoptera*. Ohio Biological Survey: 65-67.
- Chantaramongkol, P. and Malicky, H. 2000. A Biodiversity Study of Thailand Trichoptera for the Application of Water Quality Evaluation. BRT Program Report (In Thai).
- Chantaramongkol, P., McQuillan, P. and Promkutkaew, S. 1999. Analysis of Trichoptera Adult Seasonality from Huay Koo Kaow Stream, Chiang Mai Zoo, Doi Suthep, Thailand. *Proceeding of the 9<sup>th</sup> International Symposium on Trichoptera*. Chiang Mai: 469-474.

- Chapman, L. J. and Reiss, M. J. 1992. Ecology: Principle and Application. Musselburgh, Scotprint Ltd.
- Chey, V.K., Holloway, J.D. and Speight M.R. 1997. Diversity of moths in forest plantations and natural forests in Sabah. *Bulletin of Entomological Research*, 87: 371-385.
- Connell, J.H. 1978. Diversity in tropical rain forests and coral reefs: high diversity if trees and corals is maintained only in a nonequilibrium state. *Science*, 199: 1302-1310.
- Cox, C.B. and Moore, P.D. 1985. Biogeography: an ecological and evolutionary approach. 4<sup>th</sup> ed. New York, Blackwell Scientific Publications.
- Denning, D.G. 1982. A review of the Goeridae (Trichoptera). *Can. Ent.*, 114: 637-642.
- Denning, D.G. and Schmid, F. 1971. Descriptions of four new Rhyacophila (Trichoptera: Rhyacophilidae). *Can. Ent.*, 103: 1553-1556.
- Dudgeon, D. 1994. The influence of riparian vegetation on macroinvertebrate community structure and functional organization in six new Guinea streams. *Hydrobiologia*, 294: 65-85.
- Dudgeon, D. 1999. Tropical Asian Streams. Hong Kong University Press. Aberdeen. pp. 830.
- Dunning, G.R., Macdonald, A.S. and Barr, S.M. 1995. Zircon and monazite U-Pb dating of the Doi Inthanon core complex, northern Thailand: implications for extension within the Indosinian Orogen. *Tectonophysics*, 251: 197-213.

- Fetherston, K.L., Naiman, R.J. and Bilby, R.E. 1993. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest, *Geomorphology*, 13: 133-144.
- Gathorne-Hardy, F.J., Syaokani, Davies. R.G., Eggleton, P. and Jones, D.T. 2002. Quaternary rainforest refugia in south-east Asia: using termites (Isoptera) as indicators. *Biological Journal of the Linnean Society*, 75: 453-466.
- Hall, R. 1998. The plate tectonics of Cenozoic SE Asia and the distribution of land and sea. *In* Hall, R. and Holloway, J.D. (Eds.) *Biogeography and Geological Evolution of SE Asia*. pp. 99-131.
- Hamer, K.C., Hill, J.K., Lace, L.A., and Langan, A.M. 1997. Ecological and biogeographical effects of forest disturbance on tropical butterflies of Sumba, Indonesia. *J. Biogeogr.*, 24, 67-75.
- Hashimoto, S. 1995. New and unrecorded species of the tribe Trichopterygini (Lepidoptera, Geometridae) from Thailand. *Trans. lepid. Soc. Japan.*, 46(3): 129-136.
- Hill, J.K., Hamer, K.C., Lace, L.A., Banham, W.M.T. 1995. Effects of selective logging on tropical forest butterflies on Buru, Indonesia. *J. Appl. Ecol.*, 32: 754-760.
- Holloway, J.D. 1984. The larger moths of the Gunung Mulu National Park; a preliminary assessment of their distribution, ecology and potential as environmental indicators. *in* Jermy, A.C. & Kavanagh, K.P. (Eds.) *Gunung Mulu National Park, Sarawak, Part II*. Sarawak Museum Journal, 30: 149-190, Special Issue 2.

- Holloway, J.D. 1985. Moths as indicator organisms for categorizing rain forest and monitoring changes and regeneration processes. *in* Chadwick, A.C. & Sutton, S.L. (Eds.) Tropical rain forest: the Leeds Symposium, Special Publication, Leeds Philosophical and Literary Society. pp. 235–242
- Holloway, J.D. 1993. Moths of Borneo (Part 11), Ennominae. Southdene Sdn. Bhd., Kuala Lumpur.
- Holloway, J.D. 1996. Moths of Borneo (Part 9), Oenochrominae, Desmobathrinae, Geometrinae and Orthostixinae, *Malayan Nature Journal*, 49: 147-326.
- Holloway, J.D. 1997. Moths of Borneo (Part 10), Sterrhinae and Larentiinae. *Malayan Nature Journal*, 51: 1-242.
- Holloway, J.D. and Barlow, H.S., 1992 Potential for loss of biodiversity in Malaysia, illustrated by the moth fauna. *in* Aziz, A., Kadir, S.A. & Barlow, H.S. (Eds.) Pest management and the environment in 2000. pp. 293–311 CAB International & Agricultural Institute of Malaysia.
- Holloway, J.D. and Stork, N.E. 1991. The dimensions of biodiversity: the use of invertebrates as indicators of man's impact. *in* Hawksworth, D.L. (Ed.) The biodiversity of microorganisms and invertebrates: its role in sustainable agriculture. pp. 37–62. CAB International, Wallingford.
- Hutacharern, C. and Tubtim, N. 1995, Checklist of Forest Insects in Thailand. Integrated Promotion Technology Co., Ltd. Bangkok.
- Inoue, H. 1984. The Genus *Abraxas* of Taiwan (Lepidoptera : Geometridae). *Bull. Fac. Domest. Sci. Otsuma Wom. Univ.*, 20: 93-128.
- Inoue, H. 1985. The genera *Ourapteryx* and *Tristrophis* of Taiwan. *Bull. Fac. Domest. Sci. Otsuma Wom. Univ.*, 21: 75-124.

- Inoue, H. 1986. Further new and unrecorded species of the Geometridae from Taiwan with some synonymic notes (Lepidoptera). *Bull. Otsuma Wom. Univ., Home Econ*, 22: 211-267.
- Inoue, H. 1987. Geometridae of Eastern Nepal based on the collection of the Lepidopterological research expedition to Nepal Himalaya by the Lepidopterological Society of Japan in 1963, Part III. *Bull. Otsuma Wom. Univ., Home Econ*, 23: 215-270.
- Inoue, H. 1990. A revision of the genus *Dindica* Moore (Lepidoptera: Geometridae). *Bull. Otsuma Wom. Univ., Home Econ*, 26: 121-161.
- Inoue, H. 1992. Twenty-four new species, one new subspecies and two new genera of the Geometridae (Lepidoptera) from East Asia. *Bull. Otsuma Wom. Univ., Home Econ*, 28: 149-188.
- Inoue, H. 1993a. On *nivea*-group of *Ourapteryx* Leach and on the systematic status of *O. yerburii* Butler from Pakistan, with description of a new species from Korea (Geometridae, Ennominae). *Tyo to Ga*, 44(3): 107-116.
- Inoue, H. 1993b. The genus *Ourapteryx* leach (Geometridae, Ennominae) from Thailand, with description of six new species. *Tinea*, 13 (Part 26): 261-271.
- Inoue, H. 1994a. The genus *Abraxas* Leach (Geometridae, Ennominae) from Thailand. *Tinea*, 14(1): 20-26.
- Inoue, H. 1994b. The Geometridae of the Ogasawara islands (Lepidoptera) (Moths of Ogasawara (Bonin) Islands, Part II). *Bull. Otsuma Wom. Univ., Home Econ*, 30: 195-223.
- Inoue, H. 1994c. Two new genera and two new species of the Geometridea from Thailand. *Tinea*, 14(1): 5-9.

- Inoue, H. 1999. Revision of the genus *Herochroma* Swinhoe (Geometridae, Geometrinae). *Tinea*, 16: 76-105.
- Inoue, H., Kennett, R.D. and Kitching, I.J. 1997. Moths of Thailand Vol. 2, Sphingidae. Chok Chai Press, Bangkok.
- Kaewtapee, T. 2001. Biodiversity of Trichoptera in Relation to Different Microhabitats Studied by Emergence Traps. Master of Science Thesis, Chiang Mai University.
- Lawton, J.H., Bignell, D.E., Bolton, B., Bloemers, G.F., Egglaton, P., Hammond, M., Hodda, M., Holt, R.D., Larsen, T.B., Mawdsley, N.A., Stork, N.E., Srivastava, D.S., and Watt, A.D. 1998. Biodiversity inventories, indicator taxa, and effects of habitat modification in tropical forest. *Nature*, 391: 72-76.
- Luadee, P. and Malicky, H. 1999. Two new species (Polycentropodidae, Ecnomidae) from Thailand (Study No. 27 on caddisflies of Thailand). *Braueria*, 26: 6.
- Lugo, A.E. 1988. Estimating reductions in the diversity of Tropical forest species. In Wilson, E.O. (Ed.). Biodiversity. pp. 58-70. National Academy Press, Washington D.C.
- Lynch, R.J., Bunn, S.E. and Catterall, C.P. 2002. Adult aquatic insects: Potential contributors to riparian food webs in Australia's wet-dry tropics. *Austral Ecology*, 27: 515-526.
- Macdonald, E., Burgess, C.J., Scrimgeour, G.J., Boutin, S., Reedyk, S. and Kotak, B. 2004. Should riparian buffers be part of forest management based on emulation of natural disturbance?. *Forest Ecology and Management*, 187: 185-196.

- Malicky, H. 1987. On some *Rhyacophila* from Doi Suthep Mountain, northern Thailand (Studies on caddisflies from Thailand, No.1) *Trichop. Newsletter*, 14: 27-29.
- Malicky, H. 1989. Odontoceridae aus Thailand (Trichoptera). (Studien über thailändische Köcherfliegen, Nr.4). *Opusc. zool. flumin.*, 36: 1-16.
- Malicky, H. 1989. Some Unusual Caddisflies (Trichoptera) from Southern Asia (Study on Caddisflies of Thailand, No.5). Proc. 6<sup>th</sup> Int. Symp. Trich. Adam Mickiewicz Univ. Press, Poznan. 381-384.
- Malicky, H. 1994. Ein Beitrag zur Kenntnis asiatischer Calamoceratidae (Trichoptera) (Arbeiten über thailändische Köcherfliegen Nr. 13). *Z. Arbgem. öst. Ent.*, 46: 62-79.
- Malicky, H. 1995. Weitere neue Köcherfliegen (Trichoptera) aus Asien (Arbeit Nr.18 über thailändische Köcherfliegen). *Braueria*, 22: 11-26.
- Malicky, H. 1997. Ein Beitrag zur Kenntnis asiatischer Arten der Gattungen *Cheumatopsyche* WALLENGREN 1891 und *Potamyia* BANKS 1900 (Trichoptera, Hydropsychidae) (Zugleich 22. Arbeit über thailändische Köcherfliegen). *Linzer biol. Beitr.*, 29(2): 1015-1055.
- Malicky, H. 1997. Eine neue Arctopsyche aus Thailand (Arbeit Nr.21 über thailändische Köcherfliegen). *Braueria*, 24: 17.
- Malicky, H. 1998. Ein Beitrag zur Kenntnis asiatischer *Amphipsyche* und Polymorphanisini (Trichoptera, Hydropsychidae) (Gleichzeitig 23. Arbeit über thailändische Köcherfliegen). *Stapfia*, 55: 399-408.

- Malicky, H. 1998. Ein Beitrag zur Kenntnis asiatischer Macronematini (Trichoptera, Hydropsyche) (Zugleich 24. Arbeit über thailändische Köcherfliegen). *Linzer biol. Beitr.*, 30/2: 767-793.
- Malicky, H. 1999. Neue Köcherfliegen aus Europa, Asien und von den Seychellen (Arbeit Nr.28 über thailändische Köcherfliegen). *Braueria*, 26: 44-48.
- Malicky, H. 1999. The Net-spinning Larva of the Giant Microcaddisfly, *Ugandatrichia* spp. (Trichoptera, Hydroptilidae) (Study No. 25 on caddisflies of Thailand). Proc. 9<sup>th</sup> Int. Symp. Trich. 199-204.
- Malicky, H. 2002. Ein Beitrag zur Kenntnis asiatischer Arten der Gattung *Diplectrona* WESTWOOD 1840 (Trichoptera, Hydropsychidae) (gleichzeitig Arbeit Nr. 34 über thailändische Köcherfliegen). *Linzer biol. Beitr.*, 34/2: 1201-1236.
- Malicky, H. and Chantaramongkol, P. 1989. Beschreibung von neuen Köcherfliegen (Trichoptera) aus Thailand und Burma (Arbeiten über thailändische Köcherfliegen Nr. 6). *Ent. Ber. Luzern.*, 22: 117-126.
- Malicky, H. and Chantaramongkol, P. 1989. Einige Rhyacophilidae aus Thailand (Trichoptera) (Studien über thailändische Köcherfliegen, Nr.3). *Ent. Z. Essen.*, 99: 17-24.
- Malicky, H. and Chantaramongkol, P. 1990. Elf neue Köcherfliegen (Trichoptera) aus Thailand und angrenzenden Ländern (Studien über thailändische Köcherfliegen Nr. 7). *Ent. Z. (Essen).*, 101: 80-89.
- Malicky, H. and Chantaramongkol, P. 1991. Beschreibung von *Trichomacronema paniae* n.sp. (Trichoptera, Hydropsychidae) aus Nord-Thailand und Beobachtungen über ihre Lebensweise (Arbeiten über thailändische Köcherfliegen Nr. 9). *Ent. Ber. Luzern*, 25: 113-122.

- Malicky, H. and Chantaramongkol, P. 1991. Einige *Leptocerus* Leach (Trichoptera: Leptoceridae) aus Thailand (Arbeiten über thailändische Köcherfliegen Nr. 8). *Braueria*, 18: 9-12.
- Malicky, H. and Chantaramongkol, P. 1992. Einige *Goera* (Trichoptera : Goeridae) aus Südasien (Studien über thailändische Köcherfliegen Nr. 10). *Ent. Ber. Luzern.*, 27: 141-150.
- Malicky, H. and Chantaramongkol, P. 1992. Neue Köcherfliegen (Trichoptera) aus Thailand und angrenzenden Ländern (Arbeiten über thailändische Köcherfliegen Nr. 11). *Braueria*, 19: 13-23.
- Malicky, H. and Chantaramongkol, P. 1993. Neue Trichoptera aus Thailand, Teil 1. Rhyacophilidae, Hydrobiosidae, Philopotamidae, Polycentropodidae, Ecnomidae, Psychomyidae, Arctopsyche, Hydropsyche (Arbeiten über thailändische Köcherfliegen Nr. 12a) *Linzer biol. Beitr.*, 25:433-487.
- Malicky, H. and Chantaramongkol, P. 1993. Neue Trichoptera aus Thailand, Teil 2. Rhyacophilidae, Philopotamidae, Polycentropodidae, Ecnomidae, Psychomyidae, Xiphocentropodidae, Helicopsychidae, Odontoceridae (Arbeiten über thailändische Köcherfliegen Nr. 12b) *Linzer biol. Beitr.*, 25: 1137-1187.
- Malicky, H. and Chantaramongkol, P. 1993. The altitudinal distribution of Trichoptera species in Mae Klang catchment on Doi Inthanon Northern Thailand: stream zonation and cool- and warm-adapted groups (Studies on caddisflies of Thailand No. 16). *Rev. Hydrobiol. trop.*, 26 (4) : 279-291.

- Malicky, H. and Chantaramongkol, P. 1994. Neue Lepidostomatidae aus Asien (Trichoptera: Lepidostomatidae) (Arbeiten über thailändische Köcherfliegen Nr. 14). *Ann. Naturhist. Mus. Wien*, 96B: 349-368.
- Malicky, H. and Chantaramongkol, P. 1996. Neue Köcherfliegen aus Thailand (Trichoptera) (Arbeiten Nr. 19 über thailändische Köcherfliegen). *Ent. Ber Luzern*, 36: 119-128.
- Malicky, H. and Chantaramongkol, P. 1997. Weitere neue Köcherfliegen (Trichoptera) aus Thailand (Arbeit Nr. 20 über thailändische Köcherfliegen) *Linzer biol. Beitr.*, 29/1, 203-215.
- Malicky, H. and Chantaramongkol, P. 1999. A preliminary survey of the caddisflies (Trichoptera) of Thailand (Study No. 26 on caddisflies of Thailand). *Proc. 9<sup>th</sup> Int. Symp. Trich.* 205-216.
- Malicky, H. and Chantaramongkol, P. 2000. Ein Beitrag zur Kenntnis asiatischer *Hydropsyche*-Arten (Trichoptera, Hydropsychidae). (Zugleich Arbeit Nr. 29 über thailändische Köcherfliegen). *Linzer biol. Beitr.*, 32(2): 791-860.
- Malicky, H. and Chantaramongkol, P. 2003. Vierzehn neue Köcherfliegen aus Thailand (Insecta, Trichoptera). (35. Arbeit über thailändische Köcherfliegen). *Linzer biol. Beitr.* (Inpress)
- Malicky, H., Chantaramongkol, P., Chaibu, P., Prommi, T., Silalom, S., Sompong, S. and Thani, I. 2000. Neue Köcherfliegen aus Thailand (Insecta, Trichoptera) (Arbeit über thailändische Köcherfliegen Nr. 30). *Linzer biol. Beitr.*, 32/2: 861-874.
- Malicky, H., Chantaramongkol, P., Chaibu, P., Thamsenanupap, P. and Thani, I. 2000. (Arbeit Nr. 31 über thailändische Trichoptera). *Braueria*, 27: 29-31.

- Malicky, H., Chantaramongkol, P., Cheunbarn, S. and Saengpradab, N. 2001. Einige neue Köcherfliegen (Trichoptera) aus Thailand (Arbeit Nr. 32 über thailändische Köcherfliegen). *Braueria*, 28: 11-14.
- Malicky, H., Chantaramongkol, P., Saengpradab, N., Changthong, N., Cheunbarn, S., Luadee, P., Prommi, T. and Sompong, S. 2002. Neue asiatische Leptoceridae (Trichoptera) (Zugleich Arbeit Nr. 33 über thailändische Köcherfliegen). *Braueria*, 29: 15-30.
- Martynov, A.B. 1931. Report on a collection of Insects of The Order Trichoptera from Siam and China. From the Proceeding of the United States National Museum, Vol 79, Art. 25, pp 1-20, pls. 1-4. (Smithsonian Institution United States National Museum Washington, D.C.)
- McCafferty, W.P. 1981. Aquatic Entomology. Boston, Science Books International.
- McNeely, J.A., Miller, K.R., Reid, W.V., Mittermeier, R.A., Werner, T.B. 1990. Conservation of the World Biological Diversity. The International Union for Conservation of Nature and Natural Resources, World Resources Institute. Conservation International, World Wild Wildlife-US and World Bank.
- Metcalf, I. 1998. Palaeozoic and Mesozoic geological evolution of the SE Asian region: multidisciplinary constraints and implications for biogeography. In Hall, R. and Holloway, J.D. (Eds.) Biogeography and Geological Evolution of SE Asia. pp. 25-41.
- Mey, W. 1998. The distribution of *Apsilochorema* Ulmer, 1970: biogeographic evidence for the Mesozoic accretion of a Gondwana microcontinent to Laurasia. In Hall, R. and Holloway, J.D. (Eds.) Biogeography and Geological Evolution of SE Asia. pp. 91-98.

- Morse, J.C. 1997. Checklist of World Trichoptera. Proc. 8<sup>th</sup> Int. Symp. Trich. Ohio Biological Survey. 339-342.
- Myers, N., Mittermeier R.A., Mittermeier, C. G., da Fonseca, G. A. B., and Kents, J. 2000. Biodiversity hotspots for conservation priorities. *Nature*, 403: 853-858.
- Parnell, J.A.N., Simpson, D.A., Moat, J., Kirkup, D.W., Chantaranonthai, P., Boyce, P.C., Bygrave, P. Dransfield, S. Jebb, M.H.P., Macklin, J. Meade, C., Middleton, D.J., Muasya, A.M., Prajaksood, A., Pendry, C.A., Pooma, R., Suddee, S. and Wilkin, P. 2003. Plant collection spread and densities: their potential impact on biogeography studies in Thailand. *Journal of Biogeography*, 30: 193-209.
- Pinratana, A. and Lampe, R.E.J. 1990. Moths of Thailand Vol. 1. Saturniidae, Bosco Offset. Bangkok.
- Pitkin, L.M. 2002. Neotropical ennomine moths: a review of the genera (Lepidoptera: Geometridae). *Zoological Journal of the Linnean Society*, 135: 121-401.
- Prommi, T. 1999. Diversity and Distribution of Trichoptera Adults from Streams at Different Altitudes on Doi Suthep-Pui National Park, Chiang Mai Province. Master of Science Thesis, Chiang Mai University.
- Raup, D.M. 1988. Diversity crisis in the geological past. In Wilson, E.O. (Ed.) Biodiversity. pp. 51-57. National Academy Press, Washington D.C.
- Rhodes, B.P., Blum, J. and Devine, T. 2000. Structural development of the Mid-Tertiary Doi Suthep Metamorphic Complex and Western Chiang Mai Basin, Northern Thailand. *Journal of Asian Earth Sciences*, 18: 97-108.

- Ricketts, T.H., Daily, G.C., Ehrlich, P.R. and Fay, J.P. 2001. Countryside Biogeography of Moths in a Fragmented Landscape: Biodiversity in Native and Agricultural Habitats. *Conservation Biology*, 15 (2): 378-388.
- Sato, R. 1984. Taxonomic study of the genus *Hypomecis* Hübner and its allies genera from Japan. ESSA Entomological Society, Kurokawa, Niigata.
- Sato, R. 1987a. Records of the genus *Cleora* (Lepidoptera : Geometridae) from the Philippines, with descriptions of two new species. *Tinea*, 12: 157-170.
- Sato, R. 1987b. Taxonomic notes on *Menophra delineata* (Walker)(Geometridae : Ennominae) and its allies from Indo-Malayan region. *Tinea*, 12(Suppl.): 249-258.
- Sato, R. 1989a. Records of the genus *Cleora* (Lepidoptera: Geometridae) from the Philippines, with descriptions of two new species. *Tinea*, 12(Part 17): 157-170.
- Sato, R. 1989b. Two Wehrli's taxa of *Arichanna* (Lepidoptera: Geometridae) raised to the species status. *Tinea*, 12(Part 18): 171-176.
- Sato, R. 1990. Three new species and one new subspecies of *Hypomecis* Hübner (Geometridae) from Indonesia. *Tinea*, 12(Part 29): 256-264.
- Sato, R. 1991. Records of the genera *Hypomecis*, *Cleora* and *Alcis* (Geometridae: Ennominae) from Thailand with description of three new species and one new subspecies. *Tyo to Ga*, 42(4): 271-288.
- Sato, R. 1992a. *Paracalicha*, a new genus of the Geometridae (Lepidoptera), with description of two new species from China and Thailand. *Jpn. J. Ent.*, 60(2): 369-375.

- Sato, R. 1992b. The genus *Rikiosatoa* (Lepidoptera, Geometridae) from Thailand, with taxonomic notes on two Chinese species. *Jpn. J. Ent.*, 60(3): 559-566.
- Sato, R. 1993. Further taxonomic notes on *Amraica recursaria* (Walker) (Lepidoptera: Geometridae) and its allies, with description of two new species from Southeast Asia. *Tyo to Ga*, 44(2): 68-74.
- Sato, R. 1995. Records of the Boarmiini (Geometridae; Ennominae) from Thailand II. *Trans. lepid. Soc. Japan*, 46(4): 209-227.
- Sato, R. 1996a. Description of a new species closely related to *Hypomecis cineracea* (Moore)(Geometridae, Ennominae) from the Philippines. *Tinea*, 14(4): 256-259.
- Sato, R. 1996b. Records of the Boarmiini (Geometridae; Ennominae) from Thailand III. *Trans. lepid. Soc. Japan*, 47(4): 223-236.
- Sato, R. 1996c. Six new species of the genus *Psilalcis* Warren (Geometridae, Ennominae) from Indo-Malayan region, with some taxonomic notes on the allied species. *Tinea*, 15(1): 55-68.
- Sato, R. 1997a. Additional records of the genus *Cleora* (Geometridae, Ennominae) from the Philippines, with descriptions of one new species and two new subspecies. *Trans. lepid. Soc. Japan*, 48(3): 125-132.
- Sato, R. 1997b. Taxonomic notes on *Abaciscus costimacula* (Wileman) (Geometridae, Ennominae) and its allies, with descriptions of two new species from Taiwan and Vietnam. *Tinea*, 15(2): 119-124.
- Sato, R. 1999. Notes on some species of the Boarmiini (Geometridae: Ennominae) from Taiwan, with description of one new species. *Tinea*, 16(1): 29-40.

- Schmid, F. and Denning, D.G. 1979. Descriptions of new Annulipalpia (Trichoptera) from southeastern Asia. *Can. Ent.*, 111: 243-249.
- Scoble, M. 1999. Geometrid moths of the world: a catalogue (Lepidoptera, Geometridae). CSIRO. Collingwood.
- Sear, D.A. and Newson, M.D. 2003. Environmental change in river channels: a neglected element. Towards geomorphological typologies, standards and monitoring. *The Science of the Total Environments*, 310: 17-23.
- Shunli, C., Tong, W., Li, Y. 1994. Studies on the bionomics and control of *Hyposidra aquilaria* Walker (Lepidoptera: Geometridae). *Forest Research*, 7: 101-105.
- Simpson, S and Bugna, S. 2001. Biodiversity, Conservation and the Community. Creative Organizational Resources-Asia, Inc., Philippines. pp. 92.
- Sompong, S. 1998. Diversity and Life History of Caddisflies (*Limnacentropus* spp.) from Two Altitude Streams of Doi Inthanon National Parks. Master of Science Thesis, Chiang Mai University.
- Sorbrig, O.T., Van Emden, H.M. and Van Oordt, P.G.W.J. 1994. Biodiversity and Global Change. Oxford, CAB International in Association with the International Union of Biological Science.
- Spellerberg, I.F. 1992. Evaluation and Assessment for Conservation. Chapman&Hall. London.
- Spellerberg, I.F. 1996. Conservation Biology. Longman Group Limited, Singapore.
- Spizer, K., Jaroš, J., Havelka, J. and Lepš, J. 1997. Effect of small-scale disturbance on butterfly communities of an Indo-chinese montane rainforest. *Biol. Conserv.*, 80: 9-15.

- Spizer, K., Novotný, V., Tonner, M. and Lepš, J. 1993. Habitat preferences, distribution and seasonality of the butterflies (Lepidoptera, Papilionoidea) in a montane tropical rain forest, Vietnam. *J. Biogeogr.*, 20: 109-121.
- Stüning, D. 2000. Additional notes on the Ennominae of Nepal, with descriptions of eight new species (Geometridae) . In Haruta, T. (Ed.). Moths of Nepal, part 6. *Tinea* 16 (Suppl, 1): 94-152
- Thamsenanupap, P. 2001. Life History and Secondary Productivity of Caddisflies (Trichoptera: Calamoceratidae) Inhabiting Different Streams on Doi Suthep-Pui National Park, Chiang Mai Province. Master of Science Thesis. Chiang Mai University.
- Thani, I. 1998. Life History of *Ugandatrichia maliwan* (Trichoptera) and Water Quality from Mae Klang Stream on Doi Inthanon National Park. Master of Science Thesis, Chiang Mai University.
- Turner, H., Hovenkamp, p. and van Welzen, P.C. 2001. Biogeography of Southeast Asia and the West Pacific. *Journal of Biogeography*, 28: 217-230.
- Watt, A.D., Stork, N.E., McBeath, C. and Lawson, G.L. 1997. Impact of forest management of insects abundance and damage in a lowland tropical forest in southern Cameroon. *J. Appl. Ecol.*, 34: 985-998.
- WCMC. 1990. Biodiversity 1992: The status of the earth's living natural resources. Cambridge, UK.
- Weaver III, J.S. 1984. The evolution and classification of Trichoptera, Part I: The groundplan of Trichoptera. Proceeding of the 4<sup>th</sup> International Symposium on Trichoptera. Clemson, South Carolina.

- Weaver, J.S. III and Malicky, H. 1994. The genus *Dipseudopsis* Walker from Asia (Trichoptera: Dipseudopsidae). *Tijdschrift voor Entomologie*, 137: 95-142.
- Whitmore, T.C. 1990. An introduction to tropical rain forest, Oxford University Press. Oxford.
- Wiggins, G.B. 1984. Keynote address: Trichoptera, some concepts and questions. Proc. of 4<sup>th</sup> Tric. Sym. Dr.W.Junk Publishers. Clemson. 1-12.
- Williams, D.D. and Feltmate, B.W. 1992. Aquatic Insects, CAB International. Oxon. pp. 358.
- Willott, S.J., Lim, D.C., Compton, S.G. and Sutton, S.L. 1999. Effects of selective logging on the butterflies of a Bornean rainforest. *Conserv. Biol.*, 14: 1055-1065.
- Winchester, N.N., Nimmo, A.P. and Cross, S.F. 2002. Riparian reserve zones: comparison of adult Trichoptera communities in area of ancient Sitka spruce rainforest and adjacent second growth. Proc. 10<sup>th</sup> Int. Symp. Trichoptera-Nova Suppl. Ent., Keltern 15: 625-640.
- Wolda, H. 1978. Seasonal fluctuation in rainfall, food and abundance of tropical insects. *J. Anim. Ecol.*, 47: 369-381.
- Wolda, H. 1983. Diversity, diversity indices and tropical cockroaches. *Oecologia.*, 58: 290-298.
- Wolda, H. 1987. Altitude, habitat and tropical insect diversity. *Biol. J. Linn. Soc.*, 30: 313-323.
- Wolseley, P.A. and Aquirre-Hudson, B. 1997. The ecology and distribution of lichens in tropical deciduous and evergreen forests of northern Thailand. *J. Biogeogr.*, 24: 327-344.