

REFERENCE

- Abo, H., Matsumura, T., Kodama, T., Ohta, H., Fukui, K., Kato, K. and Kagawa, H. (1991). Peptide sequences for sucrose splitting and glucose binding within *Streptococcus sobrinus* glucosyltransferase (water-insoluble glucan synthesis). *J. Bacteriol.* 173: 989-996.
- Aidoo, K.E., Hendry, R. and Wood, B.J.B. (1982). Solid state fermentation. *Adv. Appl. Microbiol.* 28: 201-237.
- Almiron-Roig, E., Mulholland, F., Gasson, M.J., and Griffin, A.M. (2000). The complete *cps* gene cluster from *Streptococcus thermophilus* NCFB 2393 involved in the biosynthesis of a new exopolysaccharide. *Microbiol.* 146: 2793-2802.
- Aneli, M.B., Steluti, R.M., Dekker, R.F.H., Cardoso, M.S. and Corradi de Silva, M.L. (2003). Structural characterization of Botryosphaeran : a (103;106)- β -D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp. *Carbohydr. Res.* 338: 1691-1698.
- Auria, R. and Benet, J.C. (1990). Transport of water in a sheet of natural rubber during the falling rate period of drying. *Inter. J. Heat. Mass. Trans.* 33: 1885-1894.
- Balakrishnan, K. and Pandey, A. (1996). Production of biologically active secondary metabolites in solid state fermentation. *J. Sci. Ind. Res.* 55:365-372.
- Banarjee, R. and Bhattacharyya, B.C. (2003). Evolutionary operation as a tool of optimization for solid state fermentation. *Biochem. Eng. J.* 13: 149-155.

- Baysal, Z., Uyar, F. and Aytekin, C. (2003). Solid state fermentation for production of α -amylase by a thermotolerant *Bacillus subtilis* from hot-spring water. *Proc. Biochem.* 38: 1665-1668.
- Cerning, J. (1990). Exocellular polysaccharides produced by lactic acid bacteria. *FERMS Microbiol. Rev.* 87: 113-130.
- Cerning, J. (1995). Production of exopolysaccharides by lactic acid bacteria and dairy propionibacteria. *Lait.* 75: 463-472.
- Chi, Z. and Zhao, S. (2003). Optimization of medium and cultivation conditions for pullulan production by a new pullulan-producing yeast strain. *Enzyme Microb. Technol.* 33: 206-211.
- Crescenzi, V. (1995). Microbial polysaccharides of applied interest: Ongoing research activities in Europe. *Biotechnol. Prog.* 11: 251-259.
- Degeest, B. and de Vuyst, L. (2000). Correlation of activities of the enzymes α -phosphoglucomutase, UDP-galactose 4-epimerase and UDP-glucose pyrophosphorylase with exopolysaccharide biosynthesis by *Streptococcus thermophilus* LY03. *Appl. Environ. Microbiol.* 66: 3519-3527.
- de Vuyst, L. and Degeest, B. (1999). Heteropolysaccharides from lactic acid bacteria. *FERMS Microbiol Rev.* 23: 153-177.
- de Vuyst, L., de Vin, F., Vaningelgew, F. and Degeest, B. (2001). Recent developments in the biosynthesis and applications of heteropolysaccharides from lactic acid bacteria. *Inter. Dairy J.* 11: 687-707.

- Doco, T., Wieruszeski, J.M., Fournet, B., Carcano, D., Ramos, P. and Loones, A. (1990). Structure of an exocellular polysaccharide produced by *Streptococcus thermophilus*. *Carbohydr. Res.* 198: 313-321.
- Drevet, E., Monot, F., Ballerni, D., Lecourtier, J. and Choplin, L. (1994). Effect of mixing and mass transfer conditions on gellan production by *Pseudomonas elodea*. *J. Ferment. Bioeng.* 77: 642-649.
- Duboc, P. and Mollet, B. (2001). Applications of exopolysaccharides in the dairy industry. *Inter. Dairy J.* 11: 759-768.
- Duenas, M., Munduate, A., Perea, A. and Irastorza, A. (2003). Exopolysaccharide production by *Pediococcus damnosus* 2.6 in a semidefined medium under different growth conditions. *Inter. J. Food Microbiol.* 2709: 1-8.
- Duenas-Chasco, M.T., Rodriguez-Carvajal, M.A., Mateo, P.T., Franco-Rodriguez, G., Espartero, J.L., Irastorza-Iribas, A. and Gil-Serrano, A.M. (1997). Structural analysis of the exopolysaccharide produced by *Pediococcus damnosus* 2.6. *Carbohydr. Res.* 303: 453-458.
- Duenas-Chasco, M.T., Rodriguez-Carvajal, M.A., Mateo, P.T., Franco-Rodriguez, G., Espartero, J.L., Irastorza-Iribas, A. and Gil-Serrano, A.M. (1998). Structural analysis of the exopolysaccharide produced by *Lactobacillus* spp. G-77. *Carbohydr. Res.* 307: 125-133.
- Garozzo, D., Impallomeni, G., Spina, E. and Sturiale, L. (1998). The structure of the exocellular polysaccharide from the cyanobacterium *Cyanospira capsulata*. *Carbohydr. Res.* 307: 113-124.

- Gautam, P., Sabu, A., Pandey, A., Szakacs, G. and Soccol, C.R. (2002). Microbial production of extra-cellular phytase using polystyrene as inert solid support. *Biores. Technol.* 83: 229-233.
- George, U. and Ghose, T.K. (1974). *Bioconversion of rice straw into improved fodder for cattle*. Biochemical Engineering Research Centre, Indian Institute of Technology, Hauz khas, New Delhi, India.
- Giffard, P.M., Allen, D.M., Milward, C.P., Simpson, C.L. and Jacques, N.A. (1993). Sequence of the *gif K* gene of *Streptococcus salivarius* ATCC25975 and evolution of the *gif* genes in streptococci. *J. Gen. Microbiol.* 139: 1511-1522.
- Gowthaman, M.K., Raghavarao, K.S.M.S., Ghildyal, N.P. and Karanth, N.G. (1993). Gas concentration and temperature gradients in a packed bed solid state fermentation. *Biotechnol. Adv.* 11:611-620.
- Grobbe, Q.J., Chin-Joe, I., Kitzen, V.A., Boels, I.C., Boer, F., Sikkema, J., Smith, M.R. and De Bont, J.A.M. (1997). Analysis of the exopolysaccharides produced by *Lactobacillus delbrueckii* subsp. *bulgaricus* NCFB 2772 grown in continuous culture on glucose and fructose. *Appl. Environ. Microbiol.* 48: 516-521.
- Guilherme, L.S., Ferreira, J.C., Glienke-Blanco, C., Giangiacomo, T., de Toni, F., Gorin, P.A.J. and Iacomini, M. (2002). Pustulan and branched β -galactofuranan from the phytopathogenic fungus *Gurgardia citricarpa*, excreted from media containing glucose and sucrose. *Carbohydr. Pol.* 48: 385-389.
- Hakil, M., Voisinet, F., Viniegra-Gonzalez, G. and Augur, C. (1999). Caffeine degradation in solid state fermentation by *Aspergillus tamarii*: effects of additional nitrogen sources. *Proc. Biochem.* 35: 103-109.

- Hesseltine, C.W. (1972). Solid state fermentations. *Biotechnol. Bioeng.* 14: 517-532.
- Hesseltine, C.W. (1981). A microbe's view of fermentation. *Develop. Ind. Microbiol.* 22: 1-18.
- Hesseltine, C.W. (1987). Solid state fermentation: An overview. *Inter. Biodeterior.* 23: 79-89.
- Kimmel, S.A., Roberts, R.F. and Ziegler, G.R. (1998). Optimization of exopolysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* RR. *Appl. Environ. Microbiol.* 64: 659-664.
- Kitazawa, H., Yamaguchi, T., Miura, M., Saito, T. and Itoh, H. (1993). Phosphate group requirement for mitogenic activation of lymphocytes by an extracellular phosphopolysaccharide from *Lactobacillus delbrueckii* subsp. *bulgaricus*. *J. Dairy Sci.* 76: 1514-1519.
- Lebrun, E. and van Rapenbusch, R. (1980). The structure of *Bacillus subtilis* levansucrase at 3.8 Å resolution. *J. Bio. Chem.* 255: 12034-12036.
- Lemoine, J., Chirat, F., Wieruszkeski, J.M., Strecker, G., Favre, N. and Neeser, J.R. (1997). Structural characterization of the exocellular polysaccharides produced by *Streptococcus thermophilus* Sfi39 and Sfi12. *Appl. Environ. Microbiol.* 63: 3512-3518.
- Lipinski, T., Jones, C., Lemercinier X., Korzeniowska-Kowal, A., Strus, M., Rybka, J., Gamian, A. and Heczko, P.B. (2003). Structural analysis of the *Lactobacillus rhamnosus* strain KL37C exopolysaccharide. *Carbohydr. Res.* 338: 605-609.
- Lobas, D., Schumpe, S., and Deckwer, W.D. (1992). The production of gellan exopolysaccharide with *Sphingomonas paucimobilis* E2 (DSM6314). *Appl. Microbiol. Biotechnol.* 37: 411-415.

- Looijesteijn, P.J. and Hugenholtz, J. (1993). Uncoupling of growth and exopolysaccharide production by *Lactococcus lactis* subsp. *cremoris* NIZO B40 and optimization of its synthesis. *J. Biosci. Bioeng.* 88: 178-182
- Low, D., Ahlgren, J.A., Horne, D., McMahon, D.J., Oberg, C.J. and Broadbent, J.R. (1998). Role of *Streptococcus thermophilus* MR-1C capsular exopolysaccharide in cheese moisture retention. *Appl. Environ. Microbiol.* 64: 2147-2151.
- Madamwar, D., Patel, S. and Parikh, H. (1989). Solid state fermentation for cellulases and β -glucosidase production by *Aspergillus niger*. *J. Ferment. Bioeng.* 64: 424-426.
- Mariano, G.Q. and Delton, H. (1998). Production of toluene cis-diol by immobilized *Pseudomonas putida* UV4 cells in barium alginate beads. *Enzyme Microb. Technol.* 22: 713-720.
- Marshall, M.V., Dunn, H., Elvin, M., McLay, N., Gu, Y. and Laws, A.P. (2001). Structural characterization of the exopolysaccharide production by *Streptococcus thermophilus* EU20. *Carbohydr. Res.* 331: 413-422.
- Maungtoom, K., Seesuriyachan, P., Wongroung, S., Techapan, C. and Hanmoungjai, P. (2002). Screening of exopolysaccharide-producing lactic acid bacteria strains from traditional Thai pork sausage. *Proceeding of the 14th Annual Meeting of the Thai Society for Biotechnology.* 12th -15th November 2002. Khon Kaen, Thailand.
- McKellar, R.C., van Geest, J. and Cui, W. (2003). Influence of culture and environmental conditions on the composition of exopolysaccharide produced by *Agrobacterium radiobacter*. *Food Hydrocolloids.* 17: 429-437.

- Meenakshi, V.V., Kelkar, S.M. and Kamat, M.Y. (1995). Production and optimization of certain growth parameters for an exopolysaccharide from *Azotobacter vinelandii* MTCC2460 isolated from a plant rhizosphere. *J. Ferment. Bioeng.* 80: 599-602.
- Micheli, L., Uccelletti, D., Palleschi, C. and Crescenzi, V. (1999). Isolation and characterization of aropy *Lactobacillus* strain producing the exopolysaccharide kefiran. *Appl. Environ. Microbiol.* 53: 69-74.
- Michniewicz, J., Kotodziejczyk, P. and Obuchowski, W. (2003). Beta-glucan enzymatic and acid hydrolysis in cereal grains and agricultural products. *Electronic J. Polish Agri. Univ.* 6: 1-9.
- Miller, G.L. (1959). Use of dinitrosalicylic reagent for determination of reducing groups. *Anal. Chem.* 31: 426-428.
- Molinaro, A., Piscopo, V., Lanzetta, R. and Parrilli, M. (2002). Structural determination of the complex exopolysaccharide from the virulent strain of *Cryphonectria parasitica*. *Carbohydr. Res.* 19: 1707-1713.
- Monsan, P., Bozonnet, S., Albenne, C., Joucla, G., Willemot, R.M. and Remaud-Simeon, M. (2001). Heteropolysaccharides from lactic acid bacteria. *Inter. Dairy J.* 11: 675-685.
- Mooser, G. (1992). Glycosidase and glycosyltransferases. *Enzyme.* 20: 187-221.
- Moreno, J., Vargas, M.A., Rodriguez, H., Rivas, J. and Guerrero, M.G. (2003). Outdoor cultivation of a nitrogen-fixing marine cyanobacterium, *Anabaena* sp. ATCC33047. *Biomolec. Eng.* 20: 191-197.

- Murthy, M.V.R., Mohan, E.V.S. and Sadhukhan, A.K. (1999). Cyclosporin-A production by *Tolypocladium inflatum* using solid state fermentation. *Proc. Biochem.* 34: 269-280.
- Nagai, S. (1979). Mass and energy balance for microbial growth kinetics. *Adv. Biochem. Eng.* 11: 49-53.
- Narang, S., Sahai, V. and Bisaria, V.S. (2001). Optimization of xylanase production by *Melanocarpus albomyces* IIS68 in solid state fermentation using response surface methodology. *J. Biosci. Bioeng.* 91: 425-427.
- Navarini, L., Abatangelo, A., Bertocchi, C., Conti, E., Bosco, M. and Picotti, F. (2001). Isolation and characterization of the exopolysaccharide production by *Streptococcus thermophilus* Sfi20. *Inter. J. Bio. Macromolec.* 28: 219-226.
- Pandey, A. (1992). Recent process developments in solid state fermentation. *Proc. Biochem.* 27: 109-117.
- Pandey, A., Soccol, C.R., and Mitchell, D. (2000). New developments in solid state fermentation: I- bioprocesses and products. *Proc. Biochem.* 35: 1153-1169.
- Pandey, A. (2003). Solid state fermentation. *Biochem. Eng. J.* 13: 81-84.
- Peter, H.V., Herbst, H., Hesselink, P.G.M., Lunsdorf, H., Schumpe, A. and Deckwer, W.D. (1989). The influence of agitation rate on xanthan production by *Xanthanomonas campestris*. *Biotechnol. Bioeng.* 34: 1391-1397.

- Petronella, J.L., Boels, I.C., Kleerebezem, M. and Hugenholtz, J. (1999). Regulation of exopolysaccharide production by *Lactococcus lactis* subsp. *cremoris* by the sugar source. *Appl. Environ. Microbiol.* 65: 5003-5008.
- Petry, S., Furlan, S., Crepeau, M.J., Cerning, J. and Desmazeaud, M. (2000). Factors affecting exocellular polysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* grown in a chemical defined medium. *Appl. Environ. Microbiol.* 66: 3427-3431.
- Prabhu, G.N. and Chandrasekarant, M. (1997). Impact of process parameters on L-glutaminase production by marine *Vibrio costicola*. *Proc. Biochem.* 32: 285-289.
- Robijn, G.W., Wienk, H.L.J., van den Berg, D.J.C., Haas, H., Kamerling, J.P. and Vliegthart, J.F.G. (1996). Structural studies of the exopolysaccharide produced by *Lactobacillus paracasei* 34-1. *Carbohydr. Res.* 285: 129-139.
- Roller, S. and Dea, I.C.M. (1992). Biotechnology in the production and modification of biopolymers for foods. *Crit. Rev. Biotechnol.* 12:261-277.
- Ruas-Madiedo, P., Hugenholtz, J. and Zoon, A. (2002). An overview of the functionality of exopolysaccharides produced by lactic acid bacteria. *Inter. Dairy J.* 12: 163-171.
- Sabu, A., Keerthi, T.R., Kumar, S. and Chandrasekaran, M. (2000). L-glutaminase production by marine *Beauveria* sp. under solid state fermentation. *Proc. Biochem.* 35: 705-710.
- Saude, N., Cheze-Lange, H., Beunard, D., Dhulster, P., Guillochon, D., Caze, A.M., Morcellet, M. and Junter, G.A. (2002). Alginate production by *Azotobacter vinelandii* in a membrane bioreactor. *Proc. Biochem.* 38: 273-278.

- Shojaosadati, S.A. and Babaeipour, V. (2002). Citric acid production from apple pomace in multi-layer packed bed solid-state bioreactor. *Proc. Biochem.* 37: 909-914.
- Sneath, P.H. (e.d.). (1989). *Bergey's Manual of Systematic Bacteriology*, vol. 2. Baltimore: Williams and Wilkins Co. 1978-1980.
- Soccol, C.R., Marin, B., Rainbault, M. and Lwbwault, J.M. (1994). Overview of applied solid-state fermentation in Brazil. *Appl. Microbiol. Biotechnol.* 41: 286-290.
- Soetaert, W., Schmeesters, D., Buchholz, K. and Vandamme, E.J. (1995). A wide range of carbohydrate modifications by a single microorganism: *Leuconostoc mesenteroides*. *Carbohydr. Bioeng. Prog. Biotechnol.* 10: 351-358.
- Stingele, F., Lemoine, J. and Neeser, J.R. (1997). *Lactobacillus helveticus* Lh59 secretes an exopolysaccharide that is identical to the one produced by *Lactobacillus helveticus* TN-4, a presumed spontaneous mutant of *Lactobacillus helveticus* TY1-2. *Carbohydr. Res.* 302: 197-202.
- Stredansky, M., Conti, E., Navarini, L. and Bertocchi, C. (1999). Production of bacterial exopolysaccharide by solid substrate fermentation. *Proc. Biochem.* 34: 11-16.
- Stredansky, M. and Conti, E. (1999). Xanthan production by solid state fermentation. *Proc. Biochem.* 34: 581-587.
- Sutherland, I.W. (1985). Polysaccharase for microbial exopolysaccharide. *Ann. Rev. Microbiol.* 39: 243-270.
- Sutherland, I.W. (1986). Industrially useful microbial polysaccharides. *Microbiol. Sci.* 3: 59.

- Sutherland, I.W. (1990). *Biotechnology of Microbial Exopolysaccharides*. Cambridge, UK: Cambridge University Press.
- Sutherland, I.W. (1998). Novel and established applications of microbial polysaccharides. *TIBTECH*. 16: 41-46.
- Tallgren, A.H., Airaksinen, U., van Weissenberg, R., Ojamo, H., Kuusisto, J. and Leisola, M. (1999). Exopolysaccharide-producing bacteria from sugar beets. *Appl. Environ. Microbiol.* 65: 862-864.
- Tallon, R., Bressollier, P. and Urdaci, M.C. (2003). Isolation and characterization of two exopolysaccharides produced by *Lactobacillus plantarum* EP56. *Res. Microbiol.* 154: 705-712.
- Tombs, M. and Harding, S.E. (1998). *An Introduction to Polysaccharide Biotechnology*. London: Taylor and Francis.
- Triveni, R., Shamala, T.R. and Rastogi, N.K. (2001). Optimized production and utilization of exopolysaccharide from *Agrobacterium radiobacter*. *Proc. Biochem.* 36: 787-795.
- van Casteren, W.H.M., Eimermann, M., van de Broek, L.A.M., Vincken, J.P., Schols, H.A. and Voragen, A.G.J. (2000). Purification and characterization of a β -glucosidase from *Aspergillus aculeatus* with activity towards (modified) exopolysaccharides from *Lactobacillus lactis* subsp. *cremoris* B39 and B891. *Carbohydr. Res.* 329: 75-85.
- van de Lagemaat, J. and Pyle, D.L. (2001). Solid-state fermentation and bioremediation: development of a continuous process for the production of fungal tannase. *Chem. Eng. J.* 84: 115-123.

- van Geel-Schutten, G.H., Faber, B.J., Smit, E., Bonting, K., Smith, M.R., Ten Brink, B., Kamerling, J.P., Vliegthart, J.F.G. and Dijkhuizen, L. (1999). Screening and characterization of *Lactobacillus* strains producing large amount of exopolysaccharides. *Appl. Environ. Microbiol.* 65: 3008-3014.
- Vanhaverbeke, C., Bosso, C., Colin-Morel, P., Gey, C., Gamar-Nourani, L., Blondeau, K., Simonet, J.M. and Heyraud, A. (1998). Structure of an extracellular polysaccharide produced by *Lactobacillus rhamnosus* strain C83. *Carbohydr. Res.* 314: 211-220.
- Vanhaverbeke, C., Heyraud, A., Achouak, W. and Heulin, T. (2001). Structural analysis of the exopolysaccharide from *Burkholderia caribensis* strain MWAP71. *Carbohydr. Res.* 334: 127-133.
- van Kranenburg, R., van Swam, I.I., Kleerebezem, M. and de Vos, W.M. (1998). Expression, disruption, and complementation of *eps* gene essential for exopolysaccharide biosynthesis in *L. lactis*. *Abstracts of the AEM Conference on Streptococcal Genetics*. Vichy, France.45-46.
- Vincent, S.J.F., Faber, E.J., Neeser, J.R., Stingle, F. and Kamerling, J.P. (2001). Structure and properties of the exopolysaccharide produced by *Streptococcus macedonicus* Sc136. *Glycobiol.* 11: 131-139.
- Welman, A.D. and Maddox, I.S. (2003). Exopolysaccharides from lactic acid bacteria: perspectives and challenges. *TIBTECH.* 21: 269-274.

- Wongroung, S., Seesuriyachan, P., Hanmoungjai, P., and Techapan, C. (2002). *A study on exopolysaccharide production by lactic acid bacteria. Research report of Department of Biotechnology, Faculty of Agro-Industry, Chiang Mai University.* 18 - 41. (In Thai)
- Yang, Z., Khol, W., Smits, J.P. and Bol, J. (1996). Medium optimization for nuclease P1 production by *Penicillium citrinum* in solid state fermentation using polyurethane foam as inert carrier. *Enzyme Microb. Technol.* 18: 108-112.
- Yim, J.H., Kim, S.J., Ahn, S.H. and Lee, H.K. (2003). Optimal conditions for the production of sulfated polysaccharide by marine microalga *Gyrodinium impudicum* strain KG03. *Biomolec. Eng.* 20: 273-280.
- Zhu, Y., Smits, J.O., Knol, W. and Bol, J. (1994). A novel solid state fermentation system using polyurethane foam as inert carrier. *Biotechnol. Lett.* 16:643-648.