

REFERENCES

- Archibald, F.S., Bourbonnais, R., Jurasek, L., Paice, M.G., and Reid, I.D. (1997). Kraft pulp bleaching and delignification by *Trametes versicolor*. *Journal of Biotechnology*. 53, 215-236.
- Bajpai, P., Bajpai, P.K., and Kondo, R. (1999). Pulp bleaching with white rot fungi and their enzymes. In P. Bajpai *et al.* (Eds), *Biotechnology for Environmental Protection in the Pulp and Paper Industry* (pp. 64-89), Germany: Springer-Verlag Berlin Heidelberg.
- Banat, I.M., Nigam, P., Singh, D., and Marchant, R. (1996). Microbial decolorization of textile dye containing effluents: a review. *Bioresource Technology*. 58, 217-227.
- Campos, R., Kandelbauer, A., Robra, K.H., Artur Cavaco-Paulo, and Gubitz, G.M. (2001). Indigo degradation with purified laccases from *Trametes hirsuta* and *Sclerotium rolfsii*. *Journal of Biotechnology*. 89, 131-139.
- Cassland, P., and Jonsson, J. (1999). Characterization of a gene encoding *Trametes versicolor* laccase A and improved heterologous expression in *Saccharomyces cerevisiae* by decreased cultivation temperature. *Applied Microbiology and Biotechnology*. 52, 393-400.
- Cerniglia, C.E., and Sutherland, J.B. (2001). Bioremediation of polycyclic aromatic hydrocarbons by ligninolytic and non-ligninolytic fungi. In G.M. Gradd (Ed.), *Fungi in Bioremediation* (pp. 136-187), United Kingdom: Cambridge University Press.
- Chen, B.Y. (2002). Understanding decolorization characteristics of reactive azo dyes by *Pseudomonas luteola*: toxicity and kinetics. *Process Biochemistry*. 38, 437-446.

- Cohen, R., and Hadar, Y. (2001). The roles of fungi in agricultural waste conversion. In G.M. Gradd (Ed.), *Fungi in Bioremediation* (pp. 305-334), United Kingdom: Cambridge University Press.
- Cui, J., and Chisti, Y. (2003). Polysaccharopeptide of *Coriolus versicolor*: physiological activity, uses, and production. *Biotechnology Advances*. 21, 109-122.
- Deacon, J.W. (1997). Fungal decomposer communities. In J.W. Deacon (Ed.), *Modern Micology*, 3rd ed. (pp. 186-204), United Kingdom: Blackwell Science Ltd.
- Dingenouts, M., Jayasekara, R., Lonergan, G.T., and Schliephake, K. "Degradation of Orange II and acid orange 8 by *Pycnoporus cinnabarinus*". Poster 15th Australasian Biotechnology Conference, ABA 2000, Brisbane, Australia, 2000.
- Duran, N., and Esposito, E. (2000). Potential applications of oxidative enzyme and phenoloxidase-like compounds in wastewater and soil treatment: a review. *Applied Catalysis B: Environmental*. 28, 83-99.
- Eskilsson, C.S., Davidsson, R., and Mathiasson, L. (2002). Harmful azo colorants in leather: determination based on their cleavage and extraction of corresponding carcinogenic aromatic amines using modern extraction techniques. *Journal of Chromatography A*. 955, 215-227.
- Evans, C.S., and Hedger, J. (2001). Degradation of plant cell wall polymers. In G.M. Gradd (Ed.), *Fungi in Bioremediation* (pp. 1-26), United Kingdom: Cambridge University Press.
- Feijoo, G., Dosoretz, C., and Lema, J.M. (1995). Production of lignin peroxidase by *Phanerocheate chrysosporium* in a packed bed bioreactor operated in semi-continuous mode. *Journal of Biotechnology*. 42, 247-253.

- Fu, Y., and Viraraghavan, T. (2001). Fungal decolorization of dye wastewater: a review. *Bioresource Technology*. 79, 251-262.
- Fujita, M., Era, A., Ike, M., Soda, S., Miyata, N., and Hirao, T. (2000). Decolorization of heat-treatment liquor of waste sludge by a bioreactor using polyurethane foam-immobilized white rot fungus equipped with an ultramembrane filtration unit. *Journal of Bioscience and Bioengineering*. 90, 387 – 394.
- Fukuda, H. (1995). Immobilized microorganism bioreactors. In J.A. Asenjo and J.C. Merchuk (Eds), *Bioreactor System Design* (pp. 339-375), New York: Marcel Dekker, Inc.
- Gomori, G. (1990). Preparation of buffers for use in enzyme studies. In M.P. Deutscher (Ed.), *Guide to protein purification* (pp. 138-146), California: Academic Press, Inc.
- Gottlieb, A., Shaw, C., Smith, A., Wheatley, A., and Forsythe, S. (2003). The toxicity of textile reactive azo dyes after hydrolysis and decolorization. *Journal of Biotechnology*. 101, 49-56.
- Gradd, G.M.(2001). *Fungi in Bioremediation*. United Kingdom: Cambridge University Press.
- Gregory, P. (1990). Classification of dyes by chemical structure. In D.R. Waring and G. Hallas (Eds.), *The Chemistry and Application of Dyes* (pp. 17-47), New York: Plenum Press.
- Harvey, P.J., and Thurston, C.F. (2001). The biochemistry of ligninolytic fungi. In G.M. Gadd (Ed.), *Fungi in Bioremediation* (pp. 27-51), United Kingdom: Cambridge University Press.
- Jarosz-Wilkolazka, A., and Gadd, G.M. (2003). Oxalate production by wood-rotting fungi growing in toxic metal-amended medium. *Chemosphere*. 52, 541-547.

- Jarosz-Wilkolazka, A., Kochmanska-Rdest, J., Malarczyk, E., Wardas, W., and Leonowicz, E. (2002). Fungi and their ability to decolourize azo and anthraquinonic dyes. *Enzyme and Microbial Technology*. 30, 566-572.
- Kapdan, I.K., and Kargi, F. (2002). Biological decolorization of textile dyestuff containing wastewater by *Coriolus versicolor* in a rotating biological contactor. *Enzyme and Microbial Technology*. 30, 195-199.
- Kasinath, A., Novotny, C., Svobodova, K., Patel, K.C., and Sasek, V. (2003). Decolorization of synthetic dyes by *Irpex lacteus* in liquid cultures and packed-bed bioreactor. *Enzyme and Microbial Technology*. 32, 167 – 173.
- Khanongnuch, C, Chawachart, N., Lumyong, S., and Watanabe, T. "Laccase production and decolorization of Remazol Brilliant Blue R by thermotolerant white rot fungus *Coriolus versicolor* RC3". Poster 14th Annual Meeting of the Thai Society for Biotechnology, Hotel Sofitel Raja Orchid, Khon Kaen, Thailand, 2002.
- Knapp, J.S., Newby, P.S., and Reece, L.P. (1995). Decolorization of dyes by wood-rotting basidiomycete fungi. *Enzyme and Microbial Technology*. 17, 664-668.
- Knapp, J.S., Vantoch-wood, E., and Zhang, F. (2001). Use of wood-rotting fungi for the decolorization of dyes and industrial effluents. In G.M. Gadd (Ed.), *Fungi in Bioremediation* (pp. 242-304), United Kingdom: Cambridge University Press.
- Lacina, C., Germain, G., and Spiros, A.N. (2003). Utilization of fungi for biotreatment of raw wastewaters. *African Journal of Biotechnology*. 2, 620-630.
- Lopez, C., Mielgo, I., Moreira, M.T., Feijoo, G., and Lema, J.M. (2002). Enzymatic membrane reactors for biodegradation of recalcitrant compounds. *Journal of Biotechnology*. 99, 249-257.

- Makela, M., Galkin, S., Hatakka, A., and Lundell, T. (2002). Production of organic acids and oxalate decarboxylase in lignin-degrading white rot fungi. *Enzyme and Microbial Technology*. 30, 542-549.
- Mester, T., and Tien, M. (2000). Oxidation mechanism of ligninolytic enzymes involved in the degradation of environmental pollutants. *International Biodeterioration and Biodegradation*. 46, 51-59.
- Mielgo, I., Moreira, M.T., Feijoo, G., and Lema, J.M. (2001). A packed-bed fungal bioreactor for continuous decolourisation of azo-dyes (Orange II). *Journal of Biotechnology*. 89, 99 – 106.
- Mielgo, I., Moreira, M.T., Feijoo, G., and Lema, J.M. (2002). Biodegradation of a polymeric dye in a pulsed bed bioreactor by immobilised *Phanerochaete chrysosporium*. *Water Research*. 36, 1896 – 1901.
- Moreira, M.T., Feijoo, G., Mester, T., Mayorga, P., Sierra-Alvarez, R., and Field, J.A. (1998). Role of Organic Acids in the Manganese-Independent Biobleaching System of *Bjerkandera* sp. Strain BOS55. *Applied Environmental Microbiology*. 64, 2409-2417.
- Novotny, C., Rawal, B., Bhatt, M., Patel, M., Sasek, V., and Molitoris, H.P. (2001). Capacity of *Ipex lacteus* and *Pleurotus ostreatus* for decolorization of chemically different dyes. *Journal of Biotechnology*. 89, 113-122.
- Pallerla, S., and Chambers, R.P. (1997). Characterization of a Ca-alginate immobilized *Trametes versicolor* bioreactor for decolorization and AOX reduction of paper mill effluents. *Bioresource Technology*. 60, 1-8.
- Pallerla, S., and Chambers, R.P. (1998). Reactor development for biodegradation of pentachlorophenol. *Catalysis Today*. 40, 103-111.

- Pointing, S.B. (2001). Feasibility of bioremediation by white rot fungi. *Applied Microbiology and Biotechnology*. 57, 20-33.
- Reddy, C.A., and Mathew, Z. (2001). Bioremediation potential of white rot fungi. In G.M. Gadd (Ed.), *Fungi in Bioremediation* (pp. 52-78), United Kingdom: Cambridge University Press.
- Reife, A., Betowski, D., and Freeman, H.S. (1999). Dyes and pigments: environmental chemistry. In R.A. Meyers (Ed.), *The Wiley Encyclopedia of Environmental Pollution and Cleanup* (pp. 475-480), New York : John Wiley & Sons, Inc.
- Robinson, T., McMullan, G., Marchant, R., and Nigam, P. (2001a). Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. *Bioresource Technology*. 77, 247-255.
- Robinson, T., Chandran, B., and Nigam, P. (2001b). Studies on the production of enzymes by white-rot fungi for the decolorization of textile dyes. *Enzyme and Microbial Technology*. 29, 575-579.
- Soares, G.M.B., Ferreira, M.C., and de Amorim, M.T.P. (2001). Decolorization of an anthraquinone type dye using a laccase formulation. *Bioresource Technology*. 79, 171-177.
- Swamy, J., and Ramsay, J.A. (1999). Effects of glucose and NH_4^+ concentration on sequential dye decoloration by *Trametes versicolor*. *Enzyme and Microbial Technology*. 25, 278-284.
- Textile Industry Division. (2002). *Thai Textile Statistics 2002*. Bangkok : Department of Industrial Promotion.
- van der Zee, F.P., Lettinga, G., and Field, J.A. (2001). Azo dye decolorisation by anaerobic granular sludge. *Chemosphere*. 44, 1169-1176.

- Vyas, B.R., and Molitoris, H.P. (1995). Involvement of an extracellular H_2O_2 -dependent ligninolytic activity of the white rot fungus *Pleurotus ostreatus* in the decolorization of Remazol brilliant blue R. *Applied Environmental Microbiology*. 11, 3919-3927.
- Wang, Y., and Yu, J. (1998). Adsorption and degradation of synthetic dyes on the mycelium of *Trametes versicolor*. *Water Science and Technology*. 38, 233-238.
- Webb, C. (1987). Cell immobilization. In C.F. Forster and D.A.J. Wase (Eds.), *Environmental Biotechnology* (pp. 347-376), Great Britain : Ellis Horwood Limited.
- Wesenberg, D., Kyriakides, I., and Agathos, S.N. (2003). White-rot fungi and their enzymes for the treatment of industrial dye effluents. *Biotechnology Advances*. 22, 161-187.
- Wong, Y., and Yu, J. (1999). Laccase catalyzed decolorization of synthetic dyes. *Water resource*. 33, 3512-3520.
- Yesilada, O., Asma, D., and Cing, S. (2003). Decolorization of textile dyes by fungal pellets. *Process Biochemistry*. 38, 933-938.
- Young, L., and Yu, J. (1997). Ligninase-catalysed decolorization of synthetic dyes. *Water resource*. 31, 1187-1193.
- Zouari, H., Labat, M., and Sayadi, S. (2002). Degradation of 4-chlorophenol by the white rot fungus *Phanerochaete chrysosporium* in free and immobilized cultures. *Bioresource Technology*. 84, 145 – 150.
- Zollinger, H. (1991). *Color Chemistry*, 2nd ed. Weinheim, Germany : VCH Verlagsgesellschaft mbH.