

## REFERENCES

1. Newnham, R. E. and Ruschau, G. R., Smart electroceramics. *Am. Ceram. Soc. Bull.*, 1999, **75**, 51-61.
2. Haertling, G. H., Ferroelectric ceramics: History and technology. *J. Am. Ceram. Soc.*, 1999, **82**, 797-818.
3. Takenaka, T., Sakata, K. and Toda, K., Piezoelectric properties of  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$ -based ceramics. *Ferroelectrics*, 1990, **106**, 375-380.
4. Sakata, K., Ferroelectric and antiferroelectric properties of  $(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3$ - $\text{SrTiO}_3$  solid solution ceramics. *Ferroelectrics*, 1974, **7**, 347-349.
5. Kuharuangrong, S. and Schulze, W., Characterization of  $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ - $\text{PbTiO}_3$  dielectric materials. *J. Am. Ceram. Soc.*, 1996, **79**, 1273-1280.
6. Isupov, V. A., Strelets, P. L., Serova, I. A., Yataenko, N. D. and Shirobokikh, T. M., Peculiarities of ferroelectric phase transitions in solid solutions of the  $(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3$ - $\text{PbTiO}_3$  system. *Soviet Physics-solid state*, 1964, **6**, 615-619.
7. Takenaka, T. and Sakata, K., Dielectric, piezoelectric and pyroelectric properties of  $(\text{BiNa})_{1/2}\text{TiO}_3$ -base ceramics. *Ferroelectrics*, 1989, **95**, 153-156.
8. Park, S. E. and Hong, K. S., Phase relations in the system of  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3$ - $\text{PbTiO}_3$ . I. Structure. *J. Appl. Phys.*, 1996, **79**, 383-387.

9. Hong, K. S. and Park, S. E., Phase relations in the system of  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3\text{-PbTiO}_3$ . I. Dielectric property. *J. Appl. Phys.*, 1996, **79**, 388-392.
10. Kuharuangrong, S. and Schulze, W., Compositional modifications of 10% -Pb-doped  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$  for high-temperature dielectrics. *J. Am. Ceram. Soc.*, 1995, **78**, 2274-2278.
11. Elkechai, O., Marchet, P., Thomas, P., Manier, M. and Mercurio, J. P., Structural and dielectric study of the  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{-PbTiO}_3$  and  $(\text{K}_{0.5}\text{Bi}_{0.5})\text{TiO}_3\text{-PbTiO}_3$  systems. *J. Mater. Chem.*, 1997, **7**, 91-97.
12. Nagata, H. and Takenaka, T., Lead-free piezoelectric ceramics of  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-}1/2(\text{Bi}_2\text{O}_3\text{.Sc}_2\text{O}_3)$  system. *Jpn. J. Appl. Phys.*, 1997, **36**, 6055-6057.
13. Takenaka, T., Maruyama, K. and Sakata, K.,  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-BaTiO}_3$  system for lead -free piezoelectric ceramics. *Jpn. J. Appl. Phys.*, 1991, **30**, 2236-2239.
14. Takenaka, T., Gotoh, T., Mutoh, S. and Sasaki, T., A new series of bismuth layer-structured ferroelectrics. *Jpn. J. Appl. Phys.*, 1995, **34**, 5384-5388.
15. Liu, J., Gao, C., Zou, G. and Jin, Y., Pressure-induced structural phase transition in  $\text{Na}_{0.5}\text{Bi}_{4.5}\text{Ti}_4\text{O}_{15}$  by raman scattering. *Phys. Lett. A*, 1996, **218**, 94-98.
16. Herabut, A. and Safari, A., Processing and electromechanical properties of  $(\text{Bi}_{0.5}\text{Na}_{0.5})_{(1-1.5x)}\text{La}_x\text{TiO}_3$  ceramics. *J. Am. Ceram. Soc.*, 1997, **80**, 2954-2958.

17. Suchanicz, J., Jezowski, A. and Poprawski, R., Low-temperature thermal and dielectric properties of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ . *Phys. Stat. Sol. A.*, 1998, **169**, 209-215.
18. Suchanicz, J., The effect of a.c. and d.c. electric field on the dielectric properties of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  ceramic. *Cond. Mat. Phys.*, 1999, **2**, 649-654.
19. Nagata, H., Koizumi, N. and Takenaka, T., Lead-free piezoelectric ceramics of  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-BiFeO}_3$  system. Trans Tech Publications in Electroceramics in Japan II, 1999, **169-170**, 37-40.
20. Saradhi, B. V. B., Srinivas, K., Prasad, G., Suryanarayana, S. V. and Bhimasankaram T., Impedance spectroscopic studies in ferroelectric  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3$ . *Mater. Sci. Eng. B*, 2003, **98**, 10-16.
21. Nagata, H. and Takenaka, T., Lead-free piezoelectric ceramics of  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-KNbO}_3\text{-}1/2(\text{Bi}_2\text{O}_3\text{-Sc}_2\text{O}_3)$  system. *Jpn. J. Appl. Phys.*, 1998, **37**, 5311-5314.
22. Ishii, H., Nagata, H. and Takenaka, T., Morphotropic phase boundary and electrical properties of bismuth sodium titanate-potassium niobate solid-solution ceramics. *Jpn. J. Appl. Phys.*, 2001, **40**, 5660-5663.
23. Hosono, Y., Harada, K. and Yamashita, Y., Crystal growth and electrical properties of lead-free piezoelectric material  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3\text{-BaTiO}_3$ . *Jpn. J. Appl. Phys.*, 2001, **40**, 5722-5726.
24. Lee, J. K., Yi, J. Y. and Hong, K. S., Relationship between structure and dielectric property in  $(1-x)(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3\text{-xPbZrO}_3$  ceramics. *Jpn. J. Appl. Phys.*, 2001, **40**, 6003-6007.

25. Sanson, A. and Whatmore, R. W., Properties of  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ -( $\text{Na}_{1/2}\text{Bi}_{1/2}$ ) $\text{TiO}_3$  piezoelectric ceramics. *Jpn. J. Appl. Phys.*, 2002, **41**, 7127-7130.
26. Nagata, H. and Takenaka, T., Additive effects on electrical properties of ( $\text{Bi}_{1/2}\text{Na}_{1/2}$ ) $\text{TiO}_3$  ferroelectric ceramics. *J. Eur. Ceram. Soc.*, 2001, **21**, 1299-1302.
27. Hal, H. A. M., Groen, W. A., Maassen, S. and Keur, W. C., Mechanochemical synthesis of  $\text{BaTiO}_3$ ,  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ ,  $\text{Ba}_2\text{NaNb}_5\text{O}_{15}$  dielectric ceramics. *J. Eur. Ceram. Soc.*, 2001, **21**, 1689-1692.
28. Chiang, Y. M., Farrey, G. W. and Soukhojak, A. N., Lead-free high-strain single-crystal piezoelectrics in the alkaline-bismuth-titanate perovskite family. *Appl. Phys. Lett.*, 1998, **73**, 3683-3685.
29. Kreisel, J., Glazer, A. M., Bouvier, P. and Lucazeau, G., High-pressure raman study of a relaxor ferroelectric: the  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  perovskite. *Phys. Rev. B*, 2001, **63**, 174106-1-10.
30. Lushnikov, S. G., Gvasaliya, S. N., Siny, I. G., Sashin, I. L., Schmidt, V. H. and Uesu, Y., Temperature dependence of the generalized vibrational density of states of sodium bismuth titanate in the ferroelectric phase. *Solid State Commun.*, 2000, **116**, 41-45.
31. Vakhrushev, S. B., Isupov, V. A., Kvyatkovsky, B. E., Okuneva, N. M., Pronin, I. P., Smolensky, G. A. and Syrnikov, P. P., Phase transitions and soft modes in sodium bismuth titanate. *Ferroelectrics*, 1985, **63**, 153-160.
32. Siny, I. G., Smirnova, T. A. and Kruzina, T. V., The phase transition dynamics in  $\text{Na}_{1/2}\text{Bi}_{1/2}\text{TiO}_3$ . *Ferroelectrics*, 1991, **124**, 207-212.

33. Rayevsky, I. P., Pavlov, A. N., Malitskaya, M. A., Popov, Y. M. and Poltavtsev, V. G., Resistivity anomalies in ferroelectrics with percolation type diffuse phase transitions. *Ferroelectrics*, 1992, **131**, 189-192.
34. Sakata, K., Takenaka, T. and Naitou, Y., Phase relations, dielectric and piezoelectric properties of ceramics in the system  $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3\text{-PbTiO}_3$ . *Ferroelectrics*, 1992, **131**, 219-226.
35. Tu, C. S., Siny, I. G. and Schmidt, V. H., Brillouin scattering in  $\text{Na}_{1/2}\text{Bi}_{1/2}\text{TiO}_3$ . *Ferroelectrics*, 1994, **152**, 403-408.
36. Kuharuangrong, S. and Schulze, W. A., Doped  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-PbTiO}_3$  relaxor ferroelectric ceramics. *Ferroelectrics*, 1994, **158**, 319-324.
37. Suchanicz, J. and Kwapulinski, J., X-ray diffraction study of the phase transitions in  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ . *Ferroelectrics*, 1995, **165**, 249-253.
38. Geguzina, G. A., Fesenko, E. G. and Shuvayeva., On problems of search for novel Bi-containing layered perovskite-like high- $T_c$  ferroelectrics. *Ferroelectrics*, 1995, **167**, 311-320.
39. Ichinose, N. and Udagawa, K., Piezoelectric properties of  $(\text{Bi}_{1/2}\text{Na}_{1/2}\text{TiO}_3)$  based ceramics. *Ferroelectrics*, 1995, **169**, 317-325.
40. Avramenko, V. P., Kruzina, T. V., Kudzin, A. Y. and Sokolyanskii, Peculiarities of electrophysical properties of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  single crystals. *Ferroelectrics*, 1995, **174**, 71-75.
41. Suchanicz, J., Molak, A and Kus, C., Dependence of the electric permittivity on the sample thickness of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ : the manifestation of nonlinearity in the region of diffuse phase transition. *Ferroelectrics*, 1996, **177**, 201-206.

42. Molak, A. and Suchanicz, J., Electric properties of ceramic  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  under axial pressure. *Ferroelectrics*, 1996, **189**, 53-59.
43. Suchanicz, J., Peculiarities of phase transitions of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ . *Ferroelectrics*, 1997, **190**, 77-81.
44. Takenaka, T., Okuda, T. and Takegahara, K., Lead-free piezoelectric ceramic based on  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-NaNbO}_3$ . *Ferroelectrics*, 1997, **196**, 175-178.
45. Suchanicz, J., Time evolution of the phase transformation in  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ . *Ferroelectrics*, 1997, **200**, 319-325.
46. Gavshin, M. G. and Pastukhov, V. I., Raman scattering anomalies in monocrystalline  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  and  $\text{Ba}_{0.14}(\text{Na}_{0.5}\text{Bi}_{0.5})_{0.86}\text{TiO}_3$ . *Ferroelectrics*, 1998, **205**, 81-85.
47. Jiang, A. Q., Li, G. H. and Zhang, L. D., Dielectric properties of  $\text{Bi}_{3.97}\text{Na}_{0.1}\text{Ti}_3\text{O}_{12}$ . *Ferroelectrics*, 1998, **215**, 103-111.
48. Chu, B. J., Chen, D. R., Li, G. R. and Yin, Q. R., Electrical properties of  $\text{Na}_{1/2}\text{Bi}_{1/2}\text{TiO}_3\text{-BaTiO}_3$  ceramics. *J. Eur. Ceram. Soc.*, 2002, **22**, 2115-2121.
49. Suchanicz, J., Axial pressure effect on a phase transition nature and ferroelectric properties of single crystal  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ . *J. Phys. Chem. Solids*, 2001, **62**, 1271-1276.
50. Wada, T., Toyoiike, K., Imanaka, Y. and Matsuo, Y., Dielectric and piezoelectric properties of  $(\text{A}_{0.5}\text{Bi}_{0.5})\text{TiO}_3\text{-ANbO}_3$  ( $\text{A} = \text{Na}, \text{K}$ ) systems. *Jpn. J. Appl. Phys.*, 2001, **40**, 5703-5705.



51. Sakata, A., Chiba, T., Mamiya, Y. and Otsuki, E., Dielectric and piezoelectric properties of  $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ - $(\text{Bi}_{0.5}\text{K}_{0.5})\text{TiO}_3$  systems. *Jpn. J. Appl. Phys.*, 1999, **38**, 5564-5567.
52. Wang, X., Chan, H. L. W. and Choy, C. L., Piezoelectric and dielectric properties of  $\text{CeO}_2$ -added  $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$  lead-free ceramics. *Solid. State Comm.*, 2003, **125**, 395-399.
53. Kuharuangrong, S., Effect of La and K on the microstructure and dielectric properties of  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ - $\text{PbTiO}_3$ . *J. Mater. Sci.*, 2001, **36**, 1727-1733.
54. Kuharuangrong, S., Diffuseness of Pb-doped  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ . *J. Mater. Sci. Lett.*, 1999, **18**, 1155-1157.
55. Pettry, J. R. G., Said, S., Marchet, P. and Mercurio, J. P., Sodium-bismuth titanate based lead-free ferroelectric materials. *J. Eur. Ceram. Soc.*, 2004, **24**, 1165-1169.
56. Lin, D., Xiao, D., Zhu, Jianguo, Yu, P., Yan, H. and Li, L., Synthesis and piezoelectric properties of lead-free piezoelectric  $[\text{Bi}_{0.5}(\text{Na}_{1-x-y}\text{K}_x\text{Li}_y)_{0.5}]\text{TiO}_3$  ceramics. *Mater. Lett.*, 2004, **58**, 615-618.
57. Lin, D. m., Xiao, D. Q., Zhu, J. G., Yu, P., Yan, H. J., Li, L. Z. and Zhang, W., The relations of sintering conditions and microstructures of  $[\text{Bi}_{0.5}(\text{Na}_{1-x-y}\text{K}_x\text{Li}_y)_{0.5}]\text{TiO}_3$  ceramics. *Cryst. Res. Technol.*, 2004, **39**, 30-33.
58. Said, S., Marchet, P., Mejean, T. M. and Mercurio, J. P., Raman spectroscopy study of the  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ - $\text{PbTiO}_3$  system. *Mater. Lett.*, 2004, **58**, 1405-1409.

59. Park, S. E. and Chung, S. J., Ferroic phase transitions in  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3$  crystals. *J. Am. Ceram. Soc.*, 1996, **79**, 1290-1296.
60. Suchanicz, J., Roleder, K., Kania, A. and Handerek, J., Electrostrictive strain and pyroeffect in the region of phase coexistence in  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ . *Ferroelectrics*, 1988, **77**, 107-110.
61. Park, S. E. and Chung, S. J., Nonstoichiometry and the long-range cation ordering in crystals of  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3$ . *J. Am. Ceram. Soc.*, 1994, **77**, 2641-2647.
62. Kruzina, T. V., Duda, V. M. and Suchanicz, J., Peculiarities of optical behaviour of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  single crystals. *Mater. Sci. Eng. B*, 2001, **87**, 48-52.
63. Jiang, A. Q., Li, G. H. and Zhang, L. D., Absorption red shift and structural phase transition in nanocrystalline  $\text{Bi}_4\text{Ti}_3\text{O}_{12}\text{-Na}_2\text{TiO}_3$  solid solution. *Solid State Commun.*, 1997, **104**, 709-711.
64. Said, S. and Mercurio, J. P., Relaxor behaviour of low lead and lead free ferroelectric ceramics of the  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{-PbTiO}_3$  and  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{-K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  systems. *J. Eur. Ceram. Soc.*, 2001, **21**, 1333-1336.
65. Lin, Y., Nan, C. W., Wang, J., He, H., Zhai, J. and Jiang, L., Photoluminescence of nanosized  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  synthesized by a sol-gel process, *Mater Lett.*, 2004, **58**, 829-832.
66. Jing, X., Li, Y. and Yin, Q., Hydrothermal synthesis of  $\text{Na}_{0.5}\text{Ba}_{0.5}\text{TiO}_3$  fine powders. *Mater. Sci. Eng. B*, 2003, **99**, 506-510.




67. Lencka, M. M., Oledzka, M and Riman, R. E., Hydrothermal synthesis of sodium and potassium bismuth titanate. *Chem. Mater.*, 2000, **12**, 1323-1330.
68. Xu, Y., *Ferroelectric materials and their applications*, North Holland, 1991, 101-210.
69. Smart, L. and Moore E., *Solid state chemistry*, 2<sup>nd</sup> ed., Chapman and Hall, London, 1996.
70. Smolenskii, G. A., Isupov, V. A., Agranovskaya, A. I. And Krainik, N. N., New ferroelectrics of complex composition. *Sov. Phys. Solid. State*, 1961, **2**, 2651-2651.
71. Zvirgzds, J. A., Kapostis, P. P. and Zirgzde, J. V., X-ray study of phase transition in ferroelectric  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ , *Ferroelectrics*, 1980, **40**, 75-77.
72. Pronin, I. P., Syrnikov, P. P., Isupov, V. A., Egorov, V. M., Zaitseva, N. V. and Ioffe, A. F., Peculiarities of phase transitions in sodium-bismuth titanate, *Ferroelectrics*, 1980, **25**, 395-397.
73. Maison, W., Characterization of modified barium titanate powders prepared by catecholate process, Ph.D. Thesis, Chiang Mai University, 2002.
74. Barringer, E., Jubb, N., Fegley, B., Pober, R. L. and Bowen, H. K., *Ultrastructure processing of ceramic, glasses and composite*, John Wiley & Sons, New York, 1984.
75. Rhodes, W. H., Agglomerate and particle size effects on sintering yttria-stabilized zirconia. *J. Am. Ceram. Soc.*, 1981, **64**, 19-22.

76. Coble, R. L., Effects of particle size distribution in initial stage sintering.  
*J. Am. Ceram. Soc.*, 1973, **56**, 461-466
77. Reed, J. S., Introduction to the principles of ceramic processing, Wiley, Singapore, 1987.
78. Yan, M. F., Microstructure control in the processing of electronic ceramics. *Mater. Sci. Eng.*, 1981, **23**, 151-154.
79. West, A. R., Solid state chemistry and its applications, John Wiley & Sons, New York, 1989.
80. Smart, L. and Moore, E., Solid state chemistry and introduction, 2<sup>nd</sup> ed., Chapman & Hall, London, 1996.
81. Ring, T. A., Fundamentals of ceramic powder processing and synthesis, Academic Press, San Diego, 1996.
82. Dawson, W. J., Hydrothermal synthesis of advanced ceramic powders. *Ceram. Bull.*, 1988, **67**, 1673-1678.
83. Zemaitis, J. F. Jr., Clark, D. M., Rafal, M. and Scrivner, N. C., Handbook of aqueous electrolyte thermodynamics: Theory & application, American Institute of Chemical Engineers, New York, 1986.
84. Rafal, M., Berthold, J. W., Scrivner, N. C. and Grise, S. L., Models for thermodynamic and phase equilibria calculations, Sandler, S. I., Ed., Marcel Dekker, New York, 1994.
85. OLI Software, Environmental and corrosion simulation programs (ESP/CSP), OLI systems, Morris Plains, New Jersey, 1996.

86. Lencka, M. M. and Riman, R. E., Synthesis of lead titanate, thermodynamic modeling and experimental verification. *J. Am. Ceram. Soc.*, 1993, **76**, 2649-2659.
87. Lencka, M. M., Nielsen, E., Anderko, A. and Riman, R. E., Hydrothermal synthesis of carbonate-free strontium zirconate; thermodynamic modeling and experimental verification. *Chem. Mater.*, 1997, **9**, 1116-1125.
88. Lencka, M. M. and Riman, R. E., Thermodynamics of the hydrothermal synthesis of calcium titanate with reference to other alkaline-earth titanate. *Chem. Mater.*, 1995, **7**, 18-25.
89. Lencka, M. M., Anderko, A. and Riman, R. E., Hydrothermal precipitation of lead zirconate titanate solid solution: Thermodynamic modeling and experimental synthesis. *J. Am. Ceram. Soc.*, 1995, **78**, 2609-2618.
90. Seidell, A., Solubilities of inorganic and metal-organic compounds, 4<sup>th</sup> ed., American Chemical Society, Washington, DC, 1958.
91. Linke, W. F. and Seidell, A. Solubilities of inorganic and metal-organic compounds, 4<sup>th</sup> ed., American Chemical Society, Washington, DC, 1958.
92. Latimer, W., The oxidation state of elements and their potentials in aqueous solutions, 2<sup>nd</sup> ed., Prentice Hall, New York, 1952.
93. Glushko, V. P. Ed, Thermal constants of substances, VINITI, Moscow, 1968.
94. Robie, R. A., Hemingway, B. S. and Fisher, J. R., Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar ( $10^5$  Pascals) pressure and at higher temperatures, U.S. Geological survey bulletin 1452, U.S. Government Printing Office, Washington, DC, 1979.

95. Barin, I., Sauert, F., Schultze, R. E. and Shu, S. W., Thermodynamic data of pure substances, VCH Publishers, New York, 1989.
96. Byrappa, K. and Yoshimura, M., Handbook of hydrothermal technology; a technology for crystal growth and materials processing, Noyes Publications, New York, 2001.
97. Geiger, G., Powder synthesis and shape forming of advanced ceramics. *Am. Ceram. Soc. Bull.*, 1995, **74**, 62-65.
98. McNamara, V. M., A wet chemical method for the preparation of oxide mixture applicable to electronic ceramics. *J. Can. Ceram. Soc.*, 1965, **34**, 103-120.
99. Laudise, R. A., Hydrothermal synthesis of crystals. *J. Chem. Eng. News*, 1987, **9**, 30-43.
100. Riman, R. E., The chemical synthesis of ceramic powders; in Surface and colloidal chemistry in advanced ceramic processing, edited by Pugh, R. J. and Bergstrom, L., Marcel Dekker, New York, 1995. 22-62.
101. Riman, R. E., Cuchanek, W. L. and Lencka, M. M., Hydrothermal crystallization of ceramics. *Ann. Chim. Sci. Mater.*, 2002, **27**, 15-36.
102. Segal, D., Chemical synthesis of advanced ceramic materials, Cambridge University Press, Cambridge, 1989.
103. Hench, L. L. and West, J. K., Chemical processing of advanced materials, John Wiley & Sons, New York, 1992.
104. Saradhi, B. V. B., Srinivas, K., Prasad, G., Suryanarayana, S. V., and Bhimasankaram, T., Impedance spectroscopic studied in ferroelectric  $(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3$ . *Mater. Sci. Eng. B*, 2003, **98**, 10-16.

105. Wang, X. X., Kwok, K. W., Tang, X. G., Chan, H. L. W. and Choy, C. L.,  
Electromechanical properties and dielectric behavior of  
 $(\text{Bi}_{1/2}\text{Na}_{1/2})_{(1-1.5x)}\text{Bi}_x\text{TiO}_3$  lead-free piezoelectric ceramics. *Solid State Commun.*, 2004, **129**, 319-324.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved