

## REFERENCES

1. Moulson, A. J., and Herbert, J. M. (2003). *Electroceramics: Materials, Properties and Application*. 2<sup>nd</sup> ed. London.
2. Cross, L. E. (1996). *Ferroelectric Ceramics: Materials and Applications Issues; in Ceramic Transactions*. Edited by K. M. Nair and V. N. Shukla. Amercian Ceramic Society, Westerville : OH.
3. G. H. Haerting, "Ferroelectric Ceramics: Histroy and Technology," *J. Am. Ceram. Soc.*, **82**, 797-818 (1999).
4. Uchino, K. (1997). *Piezoelectric Actuators and Ultrasonic Motors*. Boston : Kluwer Academic.
5. S. Ananta, and N. W. Thomas, "Fabrication of PMN and PFN Ceramics by a Two-Stage Sintering Technique," *J. Eur. Ceram. Soc.*, **19**, 2917-30 (1999).
6. J. P. Guha, "Effect of Compositional Modification on Microstructure Development and Dielectric Properties of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$  Solid Solution," *J. Eur. Ceram. Soc.*, **23**, 133-9 (2003).
7. Lines, M. E. and Glass, A. M. (1977). *Principle and Applications for Ferroelectrics and Related Materials*. Oxford : Clarendon Press.
8. Perovskite model. Available <http://www.sun.tusnes.ac.jp/perovs.html> (September 2003).
9. Perovskite model. Available <http://www.mit.edu/zachia/perovskite.gif> (September 2003).
10. L. E. Cross, "Relaxor Ferroelectrics," *Ferroelectrics*, **76**, 241-67 (1987).
11. G. A. Smolenskii, and A. I. Agranovskaya, "Dielectric Polarization of a Number of Complex Compounds," *Sov. Phys.-Solid State (Eng. Transl.)*, **1**, 1429-37 (1960).

12. G. A. Smolenskii, and A. I. Agranovskaya, "Dielectric Polarization and Losses of Some Complex Compounds," *Sov. Phy. tech. Phys.*, **3**, 1380-82 (1958).
13. Jaffe, B., Cook, W. R., and Jaffe, H. (1997). *Piezoelectric Ceramics*. New York : Academic Press.
14. Capacitors. Available <http://www.microphotronics.com/skymto.html> (May 2004).
15. Actuators. Available [http://www.cedrat.com/Linear%20\\_actuator\\_h.jpg](http://www.cedrat.com/Linear%20_actuator_h.jpg) (May 2004).
16. Transducers. Available <http://www.micromagazine.com/archive/00/06/prods.html> (May 2004).
17. V. A. Bokov, and I. E. Myl'nikova, "Electrical and Optical Properties and Single Crystals of Ferroelectrics with Diffused Phase Transition," *Sov. Phys. Solid State*, **3**, 613-23 (1961).
18. M. Inada, "Analysis of the Formation Process of the Piezoelectric PCM Ceramics," *Jpn. Natl. Tech. Rept.*, **27**, 95-102 (1977).
19. M. Lejeune, and J. P. Bioilot, "Formation Mechanism and Ceramic Processing of the Ferroelectric Perovskites:  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  and  $\text{Pb}(\text{Fe}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ," *Ceram. Int.*, **8**, 99-104 (1982).
20. S. L. Swartz, and T. R. Shrout, "Fabrication of Perovskite Lead Magnesium Niobate," *Mater. Res. Bull.*, **17**, 1245-50 (1982).
21. M. Lejeune, and J. P. Bioilot, "Influence of Ceramic Processing on Dielectric Properties of Perovskites Type Compound:  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ," *Ceram. Int.*, **9**, 119-22 (1983).
22. S. J. Butcher, and M. Daglish, "The Use of Magnesium Carbonate Hydroxide Pentahydrate in the Production of Perovskite Lead Magnesium Niobate," *The Third Euro-Ceramics Conference Proceedings*, **2**, 121-26 (1993).

23. S. Ananta, and N. W. Thomas, "A Modified Two-Stage Mixed Oxides Synthetic Route to Lead Magnesium Niobate and Lead Iron Niobate," *J. Eur. Ceram. Soc.*, **19**, 155-163 (1999).
24. A. Watanabe, H. Haneda, Y. Mosiyochi, S. Shirasaki, S. Kuramoto, and A. Yamamura, "Preparation of Lead Magnesium Niobate by a Coprecipitation Method," *J. Mater. Sci.*, **27**, 1245-9 (1992).
25. H. U. Anderson, M. J. Pennell, and J. P. Guha, "Polymeric Synthesis of Lead Magnesium Niobate Powders," pp. 91-98 in Advances in Ceramics, Vol. 21, Ceramic Powder Science I, Edited by G. L. Messing, S. Hirano, and H. Havsner. *American Ceramic Society*, Westerville, OH, 1987.
26. J. H. Choy, J. S. Yoo, S. G. Kang, S. T. Hong, and D. G. Kim, "Ultrafine of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  (PMN) Powder Synthesized from Metal-citrate by Thermal Shock Method," *Mater. Res. Bull.*, **25**, 283-91 (1990).
27. K. Katayama, M. Abe, and T. Akiba, "Preparation of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Powder by Molten Salt Method," *Ceram. Int.*, **15**, 289-95 (1989).
28. S. M. Gupta, and A. R. Kulkarni, "Dielectric and Microstructure Studies of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Prepared by Partial Oxalate Route," *J. Eur. Ceram. Soc.*, **16**, 473-80 (1996).
29. R. E. Rimani, in Colloid and Surface Engineering: Applications in the Process Industries, Edited by R. A. Williams, Butterworth-Heinemann, Oxford, p.140 1992.
30. Y. Narendra, and G. L. Messing, "Mechanisms of Phase Separations in Gel-based Synthesis of Multicomponent Oxides," *Catalysis Today*, **35**, 247-68 (1997).
31. D. H. Kang, and H. K. Yoon, "Dielectric Properties Due to Excess PbO and MgO in Lead Magnesium Niobate Ceramics," *Ferroelectrics*, **87**, 255-64 (1988).
32. S. L. Swartz, T. R. Shrout, W. A. Schulze, and L. E. Cross, "Dielectric Properties of Lead-Magnesium Niobate Ceramics," *J. Am. Ceram. Soc.*, **67**, 331-14 (1984).

33. J. Chen, A. Gorton, H. M. Chan, and M. P. Harmer, "Effect of Powder Purity and Second Phase on the Dielectric Properties of Lead Magnesium Niobate Ceramics," *J. Am. Ceram. Soc.*, **69**, 303-05 (1986).
34. T. R. Shrout, U. Kumar, M. Megkeri, N. Yang, and S. J. Jang, "Grain Size Dependence on Dielectric and Electrostriction of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ -based Ceramics," *Ferroelectrics*, **76**, 479-87 (1987).
35. N. Kim, W. Huebner, S. J. Jang, and T. R. Shrout, "Dielectric and Piezoelectric Properties of Lanthanum-Modified Lead Magnesium Niobate -Lead Titanate Ceramics," *Ferroelectrics*, **93**, 341-49 (1989).
36. H. C. Wang, and W. A. Schulze, "The Role of Excess Magnesium Oxide or Lead Oxide in Determining the Microstructure and Properties of Lead Magnesium Niobate," *J. Am. Ceram. Soc.*, **73**, 825-32 (1990).
37. T. R. Shrout, and A. Halliyal, "Preparation of Lead-based Ferroelectric Relaxor for Capacitors," *Am. Ceram. Soc. Bull.*, **66**, 704-11 (1987).
38. E. Goo, T. Yamamoto, and K. Okazaki, "Microstructure of Lead Magnesium Niobate Ceramics," *J. Am. Ceram. Soc.*, **69**, 188-90 (1986).
39. M. Lejeune, and J. P. Boilot, "Low Firing Dielectric Based on Lead Magnesium Niobate," *Mater.Res. Bull.*, **20**, 493-9 (1985).
40. C. G. S. Pillai, and P. V. Ravindran, "Studies on the Formation of Lead Titanate by Solid State Reaction from  $\text{PbO}$  and  $\text{TiO}_2$ ," *Thermochimica Acta*, **278**, 109-18 (1996).
41. D. Bersani, P. P. Lotlici, A. Montenero, S. Pigoni, and G. Gnappi, "Crystallization Process from Amorphous  $\text{PbTiO}_3$  Powders Prepared by Sol-Gel Method," *J. Non-Crys. Solids.*, **192&193**, 490-93 (1995).
42. J. Fang, J. Wang, L. M. Gan, and S. C. Ng, "Comparative Study on Phase Development of Lead Titanate Powders," *Mater. Lett.*, **52**, 304-12 (2002).

43. M. C. Gelabert, B. L. Gersten, and R. E. Rimany, "Hydrothermal Synthesis of Lead Titanate from Complexed Precursor Solutions," *J. Crys. Growth.*, **211**, 497-500 (2000).
44. G. Shirane, and S. Hoshino, "On the Phase Transition in Lead Titanate," *J. Phys. Soc. Jpn.*, **6**, 265-70 (1951).
45. J. Tartaj, J. F. Fernandez, and M. E. Villafuerte-Castrejon, "Preparation of PbTiO<sub>3</sub> by Seeding-assisted Chemical Sol-Gel," *Mater. Res. Bull.*, **36**, 479-86 (2001).
46. K. Okazaki, "Developments in Fabrication of Piezoelectric Ceramics," *Ferroelectrics.*, **41**, 77-96 (1982).
47. R. Tickoo, R. P. Tandon, N. C. Mehra, and P. N. Kotru, "Dielectric and Ferroelectric Properties of Lanthanum Modified Lead Titanate Ceramics," *Mater. Sci. Eng.*, **B00**, 1-7 (2002).
48. M. L. Calzada, and J. Frutos, "Mechanism of Formation of Ferroelectric Lead Titanate Based Ceramics by Wet Chemical Method," *Mater. Res. Bull.*, **28**, 967-74 (1993).
49. C. Urlacher, O. Marty, J. C. Plenet, J. Serughetti, and J. Mugnier, "Structural and Microstructural Analyses of Sol-Gel Lead Titanate Optical Planar Waveguides," *Thin Solid Film*, **349**, 61-66 (1999).
50. P. Lobmann, W. Glaubitt, and J. Fricke, "Densification and Crystallization of Lead Titanate Aerogels," *J. Am. Ceram. Soc.*, **80**, 2658-2666 (1997).
51. S. R. Dhage, Y. B. Khollam, H. S. Potdar, S. B. Deshpande, B. D. Sarwade, and S. K. Date, "Chemical Co-precipitation of Mixed (Pb+Ti) Oxalates Precursors for the Synthesis of PbTiO<sub>3</sub> Powders," *Mater. Lett.*, **56**, 564-70 (2002).
52. G. R. Fox, J. H. Adair, and R. E. Newnham, "Effect of pH and H<sub>2</sub>O<sub>2</sub> upon Coprecipitated PbTiO<sub>3</sub> Powders: Part 2. Properties of Calcined Powders," *J. Mater. Sci.*, **26**, 1187-91 (1991).

53. D. Greninger, V. Kollnitsch, C. H. Kline, L. C. Willemens, and J. F. Cole, "Lead Titanate"; pp. 90-94 in Lead Chemicals, Edited by International Lead Zinc Research Organization, Inc. (ILZRO), New York, 1974.
54. J. Moon, M. L. Carasso, H. G. Krarup, J. A. Kerchner, and J. H. Adair, "Particle-Shape Control and Formation Mechanisms of Hydrothermally Derived Lead Titanate," *J. Mater. Res.*, **14**, 866-75 (1999).
55. J. Moon, H. G. Krarup, J. A. Kerchner, and J. H. Adair, "Hydrothermal Synthesis of Ferroelectric Perovskites from Chemically Modified Titanium Isopropoxide and Acetate Salts," *J. Mater. Res.*, **14**, 425-35 (1999).
56. S. Sato, T. Murakata, H. Yanagi, F. Miyasaki, and S. Iwaya, "Hydrothermal Synthesis of Fine Perovskite  $PbTiO_3$  Powders with a Simple Mode of Size Distribution" *J. Mater. Sci.*, **29**, 5657-63 (1994).
57. H. Cheng, J. Ma, Z. Zhao, H. Zhang, D. Qiang, Y. Li, and X. Yao, "Hydrothermal Synthesis of Acicular Lead Titanate Fine Powders" *J. Am. Ceram. Soc.*, **75**, 1125-28 (1992).
58. Y. Ohara, K. Koumoto, T. Shimisu, and H. Yanagida, "Hydrothermal Synthesis of Fibrous Lead Titanate Powders," *J. Mater. Sci.*, **30**, 263-66 (1995).
59. J. G. Back, T. Isobe, and M. Senna, "Synthesis of Pyrochlore-Free  $0.9Pb(Mg_{1/3}Nb_{2/3})O_3-0.1PbTiO_3$  Ceramics via a Soft Mechanochemical Route," *J. Am. Ceram. Soc.*, **80**, 973-81 (1997).
60. O. Abe, and Y. Suzuki, "Mechanochemically Assisted Preparation of  $BaTiO_3$  Powder," *Mater. Sci. Forum*, **225**, 563-68 (1996).
61. J. Xue, D. Wan, and J. Wang, "Mechanochemical Synthesis of Nanosized Lead Titanate Powders from Mixed Oxides," *Mater. Lett.*, **39**, 364-69 (1999).
62. G. Shirane, R. Pepinski, and B. C. Frazer, "X-ray and Neutron Diffraction Study of Ferroelectric  $PbTiO_3$ ," *Acta Crystallogr.*, **9**, 131-40 (1956).

63. H. Takeuchi, S. Jyomura, E. Yamamoto, and Y. Ito, "Electromechanical Properties of  $(Pb, Ln)(Ti, Mn)O_3$  Ceramics ( $Ln$ =Rare Earths)," *J. Acoust. Soc. Am.*, **72**, 1114-20 (1982).
64. S. Ikegami, I. Ueda, and T. Nagata, "Electromechanical Properties of  $PbTiO_3$  Ceramics Containing La, and Mn," *J. Acoust. Soc. Am.*, **50**, 1060-66 (1971).
65. T. Sawannasiri, and A. Safari, "Effect of Rare-earth Additives on Electromechanical Properties of Modified Lead Titanate Ceramics," *J. Am. Ceram. Soc.*, **76**, 3155-58 (1993).
66. N. Ichinose, and Y. Fuse, "Anisotropy of Piezoelectric Properties in the Modified  $PbTiO_3$  Ceramics," *Ferroelectrics*, **106**, 369-74 (1990).
67. Amarande, L., Tanasoiu, C., Miclea, C., and Micka, C. F. (2000). *Influence of Bi and Y Additions on Electromechanical Anisotropy of Lead Titanate Ceramics*. In *Piezoelectric Materials : Advances in Science, Technology and Applications* NATO Science Series-3. High Technology, 76, 59-66, : Kluwer Academic Publisher.
68. K. M. Rittenmyer, and R. Y. Ting, "Piezoelectric and Dielectric Properties of Calcium and Samarium Modified Lead Titanate Ceramics for Hydroacoustic Applications," *Ferroelectrics*, **110**, 171-82 (1990).
69. L. M. Sheppard, "Advances in Processing of Ferroelectric Thin Films," *Am. Ceram. Soc. Bull.*, **71**, 85-95 (1992).
70. P. Duran, J. F. F. Lazona, F. Capel, and C. Moure, "Large Electromechanical Anisotropic Modified Lead Titanate Ceramics, Part 1: Processing," *J. Mater. Sci.*, **23**, 4463-69 (1988).
71. I. Ueda, "Effect of Additives on Piezoelectric and Related Properties of  $PbTiO_3$ ," *Jpn. J. Appl. Phys.*, **11**, 450-62 (1972).

72. Y. Matsuo, and H. Sasaki, "Effect of Grain Size on Microcracking in Lead Titanate Ceramics," *J. Am. Ceram. Soc.*, **49**, 229-30 (1966).
73. S. Kim, M. Jun, and S. Hwang, "Preparation of Undoped Lead Titanate Ceramic via Sol-Gel Processing," *J. Am. Ceram. Soc.*, **82**, 289-96 (1999).
74. L. B. Kong, W. Zhu, and O. K. Tan, " $\text{PbTiO}_3$  Ceramics Derived from High-energy Ball Milled Nano-sized Powders," *J. Mater. Sci. Lett.*, **19**, 1963-66 (2000).
75. K. Ishikawa, K. Yoshikawa, and N. Okada, "Size Effect on the Ferroelectric Phase Transition in  $\text{PbTiO}_3$  Ultrafine Particles," *Phys. Rev.* **37**(10), 5852-855 (1988).
76. J. Zhoo, Q. M. Zhang, N. Kim, and T. Shrout, "Electromechanical Properties of Relaxor Ferroelectric Lead Magnesium Niobate-Lead Titanate Ceramics," *Jpn. J. Appl. Phys.*, Part 1, **34**, 5658-63 (1995).
77. V. Koval, C. Alemany, J. Briancin, and H. Brunckove, "Dielectric Properties and Phase Transition Behavior of  $x\text{PMN}-(1-x)\text{PZT}$  Ceramics Systems," *J. Electroceramics*, **10**, 19-29 (2003).
78. E. F. Alberta, and A. S. Bhalla, "Investigatation of the Lead Indium Niobate-Lead Magnesium Niobate," *Mater. Lett.*, **40**, 114-7 (1999).
79. M. P. Harmer, and D. M. Smyth, "Nanostructure, Defect Chemistry, and Properties of Relaxor Ferroelectrics," ONR Final Rept. No. N0014-82-k-0190, Lehigh University, Bethlehem, PA (1992).
80. Z. Xu, S. M. Gupta, and D. Viehland, "Direct Imaging of Atomic Ordering in Undoped and La-Doped  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ," *J. Am. Ceram. Soc.*, **83**[1], 181-88 (2000).
81. A. Levstik, Z. Kutnjak, C. Filipic, and R. Pirc, "Glassy Freezing in Relaxor Ferroelectric Lead Magnesium Niobate," *Phys. Rev.* **57** (18), 11204-211 (1998).

82. S. W. Choi, J. M. Jang, and A. S. Bhalla, "Morphotropic Phase Boundary in Relaxor Ferroelectric  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$  Ceramics," *Ferroelectrics*, **189**, 27-38 (1996).
83. S. W. Choi, T. R. Shrout, S. J. Jang, and A. S. Bhalla, "Dielectric and Pyroelectric Properties in the  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$  Ceramics," *Ferroelectrics*, **100**, 29-38 (1989).
84. J. G. Back, T. Isobe, and M. Senna, "Synthesis of Pyrochlore-Free 0.9  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ -0.1 $\text{PbTiO}_3$  Ceramics Via Soft Mechanochemical Route," *J. Am. Ceram. Soc.*, **80**, 973-81 (1997).
85. K. R. Han, S. Kim, and H. J. Koo, "New Preparation Method of Low-Temperature-Sintarable Perovskite 0.9 $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ -0.1 $\text{PbTiO}_3$  Powder and Its Dielectric Properties," *J. Am. Ceram. Soc.*, **81**, 2998-3000 (1998).
86. H. Takeuchi, H. Mazusawa, and C. Nakaya, "Relaxor Ferroelectric Transducer," in Proc. 1990 IEEE Ultason. Symp., **1**, 697-705 (1993).
87. J. Chen, A. Shurland, J. Perry, B. Ossmann, and T. R. Gururaja, "Electrostrictive Transducer for Medical Ultrasonic Applications," in Proc. 10<sup>th</sup> IEEE Int. Symp. Appl. Ferroelec., 27-30 (1996).
88. D. J. Taylor, "Electric and Elastic Coefficients of Lead Magnesium Niobate-based Ceramics Under D. C. Bias for Active Smart Sensor Applications," Ph. D. Thesis, The Pennsylvania State University, 1992.
89. S. M. Gupta, and D. Viehland, "Compositional Study of Lanthanum-Modified Morphotropic Phase Boundary  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$  Ceramics," *J. Am. Ceram. Soc.*, **80**, 477-85 (1997).
90. J. Kelly, M. Leonard, C. Tantigate, and A. Safari, "Effect of Composition on the Electromechanical Properties of  $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $x\text{PbTiO}_3$  Ceramics," *J. Am. Ceram. Soc.*, **80**, 957-64 (1997).

91. L. F. Brown, R. L. Carlson, J. M. Semsrott, G. T. Standford, and J. J. Fitzgerald, "Investigation of the Dielectric and Piezoelectric Properties of PMN and PMN-PT Materials for Ultrasonic Transducer Applications," in Proc. 1997 IEEE Ultason. Symp. **1**, 561-64 (1997).
92. D. Viehland, M. C. Kim, J. F. Li, and Z. Xu, "Long-Time Metastable Tweedlike Precursors and Paraelectric Cluster in Ferroelectric Containing Strong Quenched Randomness," *Appl. Phys. Lett.*, **67**, 2471 (1995).
93. J. Chen, H. M. Chan, and M. P. Harmer, "Ordering Structure and Dielectric Properties of Undoped and La/Na-Doped  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ," *J. Am. Ceram. Soc.*, **72**, 593-98 (1989).
94. C. A. Landall, D. J. Barber, R. W. Whatmore, and P. Groves, "A TEM Study of Ordering in the Perovskite,  $\text{Pb}(\text{Sc}_{1/2}\text{Ta}_{1/2})\text{O}_3$ ," *J. Mater. Sci.*, **21**, 4456-62 (1986).
95. N. de Mathan, E. Husson, P. Gaucher, and A. Morell, "Modification of the B-site Order of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Ceramics by Thermal Annealing or by La Doping," *Mater. Res. Bull.*, **25**, 427-34 (1990).
96. J. Chen, and M. P. Harmer, "Microstructure and Dielectric Properties of Lead Magnesium Niobate Pyrochlore Diaphasic Mixtures," *J. Am. Ceram. Soc.*, **73**, 68-73(1990).
97. U. Syamaprasad, A. R. Sheeja Nair, M. S. Sharma, P. Guruswamy, P. S. Mukherjee, A. D. Damadaran, L. Krishnamurty, and M. Achuthan, "Multilayer Capacitor Ceramics in PMN-PT-BT System: Effect of MgO and  $4\text{PbO.B}_2\text{O}_3$  Additions," *J. Mater. Sci. (Elect.)* **8**, 199-205 (1997).
98. K. Kusumoto, and T. Sekiya, "Processing and Properties of  $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ;  $x\text{PbTiO}_3$  Solid Solution from PbO and MgO Excess Compositions," *Mat. Res. Bull.*, **33**, 1367-75 (1998).


99. K. R. Han, S. Kim, and H. J. Koo, "New Preparation Method of Low-Temperature-Sinterable Perovskite  $0.9\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-}0.1\text{PbTiO}_3$  Powders and Its Dielectric Properties," *J. Am. Ceram. Soc.*, **81**, 2998-3000 (1998).
100. A. B. Panda, and P. Pramanik, "A Novel Solution-based Method for the Preparation of Nanocrystalline Single-phase  $0.9\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-}0.1\text{PbTiO}_3$  Powders," *Mater. Lett.*, **56**, 435-40 (2002).
101. J. P. Guha, and H. U. Anderson, "Preparation of Perovskite  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  using  $\text{Pb}_3\text{Nb}_2\text{O}_8$  and  $\text{MgO}$ ," *J. Am. Ceram. Soc.*, **69**, C-287-88 (1986).
102. F. Chaput, J. P. Boilot, M. Lejuene, R. Papiernik, and L. G. Hubert-Pfalzgraf, "Low Temperature Route to Lead Magnesium Niobate," *J. Am. Ceram. Soc.*, **72**, 1355-57 (1989).
103. D. S. Paik, and S. Komarneni, "Composites of  $0.9\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-}0.1\text{PbTiO}_3$  Prepared by A Sol-Gel Method: Effect of Atmosphere Powders," *J. Mater. Sci.*, **34**, 2313-17 (1999).
104. Y. Narendra, and G. L. Messing, "Kinetic Analysis of Combustion Synthesis of Lead Magnesium Niobate from Metal Carboxylate Gels," *J. Am. Ceram. Soc.*, **80**, 915-24 (1997).
105. M. M. A. Sekar, A. Halliyal, and K. C. Patil, "Synthesis, Characterisation and Properties of Lead-based Relaxor Ferroelectrics," *J. Mater. Res.*, **11**, 1210-18 (1996).
106. L. B. Kong, J. Ma, W. Zhu, and O. K. Tan, "Rapid Formation of Lead Magnesium Niobate-based Ferroelectric Ceramics Via High-energy Ball Milling Process," *Mat. Res. Bull.*, **373**, 459-65 (2002).
107. J. P. Guha, D. J. Hong, and H. U. Anderson, "Effect of Excess  $\text{PbO}$  on the Sintering Characteristics and Dielectric Properties of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-PbTiO}_3$  Based Ceramics," *J. Am. Ceram. Soc.*, **71**, C-152-54 (1988).

108. M. Koyuneu, and S. M. Pilgrim, "Effect of MgO Stoichiometry on the Dielectric and Mechanical Response of PMN," *J. Am. Ceram. Soc.*, **82**, 3075-79 (1999).
109. S. M. Gupta, and A. R. Kulkarni, "Role of Excess PbO on the Microstructure and Dielectric Properties of Lead Magnesium Niobate," *J. Mater. Res.*, **10**, 953-61 (1995).
110. M. Villegas, A. C. Caballero, M. Kosec, C. Moure, P. Duran, and J. F. Fernandez, "Effect of PbO Excess in  $Pb(Mg_{1/3}Nb_{2/3})O_3$ -PbTiO<sub>3</sub> Ceramics: Part 1 Sintering and Dielectric Properties," *J. Mater. Res.*, **14**, 891-97 (1999).
111. M. F. Yan, H. C. Ling, and W. W. Rhodes, "Preparation and Properties of PbO-MgO-Nb<sub>2</sub>O<sub>5</sub> Near the Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> Ceramics Composition," *J. Mater. Res.*, **4**, 930-44 (1989).
112. D. Saha, A. Sen, and H. S. Maiti, "Low Temperature Liquid Phase Sintering of Lead Magnesium Niobate," *Ceram. Int.*, **25**, 145-151 (1999).
113. Lee, W. E., and Rainforth, W. M. (1994). *Ceramic Microstructures Property Control By Processing*. London : Chapman&Hall.
114. Quantification of Shape, Angularity. Available <http://www.crrel.usac.army.mil> (April 2004).
115. S. Ananta, R. Brydson, and N. W. Thomas, "Synthesis Formation and Characterisation of MgNb<sub>2</sub>O<sub>6</sub> Powder in a Columbite-like Phase," *J. Eur. Ceram. Soc.*, **19**, 355-362 (1999).
116. K. Sreedhar, and A. Mithra, "Formation of Lead Magnesium Niobate Perovskite From MgNb<sub>2</sub>O<sub>6</sub> and Pb<sub>3</sub>Nb<sub>2</sub>O<sub>8</sub> Precursors," *Mat. Res. Bull.*, **373**, 459-65 (2002).
117. JCPDS-ICDD Card No. 25-443. International Center for Diffraction Data, Newtown Square, PA, 2002.
118. JCPDS-ICDD Card No. 27-119. International Center for Diffraction Data, Newtown Square, PA, 2002.

119. S. Ananta, R. Brydson, and N. W. Thomas, "The Perovskite System La(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>: Synthesis, Formation and Characterization of Powders," *J. Eur. Ceram. Soc.*, **19**, 355-362 (1999).
120. T. Y. Tien, and W. G. Carlson, "Effect of Additives on Properties of Lead Zirconate Titanate Ceramic," *J. Am. Ceram. Soc.*, **45**, 567 (1962).
121. Y. H. Chen, and K. Uchino, "Substituent Effect in 0.65Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-0.35PbTiO<sub>3</sub> Piezoelectric Ceramics," *J. Electroceram.* **6**(1) 13-19 (2001).
122. J. P. Guha, "Reaction Chemistry and Subsolidus Phase Equilibria in Lead-based Relaxor Systems," *J. Mater. Sci.*, **34**, 4985-94 (1999).
123. Y. Cheng Liou, "Effect of Heating Rate on Properties of PMN Ceramics Produced by Reaction-sintering Process," *Mater. Lett.*, **58**, 944-47 (2004).
124. JCPDS-ICDD Card No. 21-949. International Center for Diffraction Data, Newtown Square, PA, 2002.
125. JCPDS-ICDD Card No. 6-452. International Center for Diffraction Data, Newtown Square, PA, 2002.
126. C. R. Peterson, and E. B. Slamovich, "Effect of Processing Parameters on the Morphology of Hydrothermally Derived PbTiO<sub>3</sub> Powders," *J. Am. Ceram. Soc.*, **82**, 1702-10 (1999).
127. C. Lu, and Y. Xu, "Synthesis of Submicron PT Particles by Water-in-oil Emulsion Process," *Mater. Lett.*, **27**, 13-16 (1996).
128. R. L. Edson, C. Marinalva, A. P. Lenig, S. N. Ricardo, and L. Elson, "Mechanism of Phase Formation in Pb(Zr<sub>x</sub>Ti<sub>1-x</sub>)O<sub>3</sub> Synthesized by a Partial Oxalate Method," *J. Am. Ceram. Soc.*, **79**, 563-68 (1996).
129. S. Fengbing, L. Qiang, and Z. Haisheng, "Phase Formation and Transitions in the Lead Magnesium Niobate-Lead Titanate System," *Mater. Chem. Phys.*, **83**, 135-39 (2004).

130. J. C. Ho, K. S. Liu, and I. N. Lin, "Study of Ferroelectricity in the PMN-PT System Near the Morphology Phase Boundary," *J. Mater. Sci.*, **28**(16), 4497-4502 (1993).
131. Ouchi, H., Nagano, K., and Hayakawa, S., "Piezoelectric Properties of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$ - $\text{PbZrO}_3$  Solid Solution Ceramics," *J. Am. Ceram. Soc.*, **48**(12), 630-35 (1965).
132. J. Kelly, G. Farrey, and A. Safari, "A Comparision of the Properties of (1-x) PMN-xPT Ceramics Near the Morphotropic Phase Boundary Prepared by Sol-gel and Columbite Precursor Methods," *In Proceeding of tenth IEEE International Symposium on Applications of Ferroelectrics*, ed. B. M. Kulwicki, A. Amin and A. Safari. IEEE, Piscataway, NJ, 699-702 (1996).
133. B. Noheda, D. E. Cox, and G. Shirane, "Phase Diagram of the Ferroelectric Relaxor (1-x)PMN-xPT," *Physical Review B.*, **66**, 0541041-10 (1970).
134. L. B. Kong, J. Ma, W. Zhu, and O. K. Tan, "Translucent PMN and PMN-PT Ceramics from High-energy Ball Milling Derived Powders," *Mat. Res. Bull.*, **37**, 23-32 (2002).
135. C. E. Baumgartner, "Fast Firing and Conventional Sintering of Lead Zirconate Titanate Ceramic," *J. Am. Ceram. Soc.*, **71**, C-350 (1988).
136. J. Ryu, J. J. Choi, and H. E. Kim, "Effect of Heating Rate on Sintering Behavior and the Piezoelectric Properties of Lead Zirconate Titanate Ceramics," *J. Am. Ceram. Soc.*, **84**, 902 (2001).
137. Y. Cheng Liou, "Stoichiometric Perovskite PMN-PT Ceramics Produced by Reaction-sintering Process," *Mater. Sci. Eng.*, **B103**, 281-84 (2003).
138. M. C. Chae, N. K. Kim, J. J. Kim, and S. H. Cho, "Preparation of PMN-PZN Ceramics by B-site Precursor Method and Dielectric Characteristics," *J. Meter. Sci.*, **33**(5) 1343-48 (1998).

139. B. A. Malkov, and Yu. N. Venevtsev, "Some Characteristics of Polycrystalline Compound  $\text{Pb}(\text{B}_{1/3}^{2+}\text{B}_{2/3}^{5+})\text{O}_3$  and Their Solid Solutions," *Inorg. Mater.*, **13**(8) 1189-92 (1977).
140. A. R. James, and K. Srinivas, "Low Temperature Fabrication and Impedance Spectroscopy of PMN-PT Ceramics," *Mater. Res. Bull.*, **34**, 1301-10 (1999).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved