

REFERENCES

- Adachi, J. D., Loannidis, G., Berger, C., Joseph, L., Papaioannou, A., Pickard, L., et al. (2001). The influence of osteoporotic fractures on health-related quality of life in community-dwelling men and women across Canada. *Osteoporosis International*, 2, 903-908.
- Adami, S., Gatti, D., Braga, V., Bianchini, D., & Rossini, M. (1999). Site-specific effects of strength training on bone structure and geometry of ultradistal radius in postmenopausal women. *Journal of Bone and Mineral Research*, 14, 120-124.
- Adih, W. K., & Alexander, C. S. (1998). Determinants of condom use to prevent HIV infection among youth in Ghana. *Journal of Adolescent Health*, 24, 63-72.
- Ailinger, R. L., & Emerson, J. (1998). Women's knowledge of osteoporosis. *Applied Nursing Research*, 11, 111-114.
- Ailinger, R. L., Harper, D. C., & Lasus, H. A. (1998). Bone up on osteoporosis: Development of the Facts on Osteoporosis Quiz. *Orthopedic Nursing*, Sept/Oct, 66-73.
- Anderson, J. J., Rondano, P., & Holmes, A. (1996). Roles of diet and physical activity in the prevention of osteoporosis. *Scandinavian Journal of Rheumatology (Supplement)*, 103, 65-74.
- Aree-Ue, S., & Pothiban, L. (2003). Osteoporosis knowledge, osteoporosis preventive behavior, and bones mass in older adults living in Chiang Mai. *Thai Journal of Nursing Research*, 7(1-11).

- Bandura, A. (1977). *Social Learning Theory*. Englewood Cliffs, N. J: Prentice Hall, Inc.
- Bandura, A. (1995). *Self-efficacy in Changing Societies*. New York: Cambridge University Press.
- Barthe, N., Basse-Cathalinat, B., Meunier, P. J., Ribot, C., Marchandic, X., Sabatier, J. P., et al. (1998). Measurement of bone mineral density in mother-daughter pairs for evaluating the family influence on bone mass acquisition: A GRIO survey. *Osteoporosis International*, 8, 379-384.
- Bassett, D. R., Ainsworth, B. E., Leggett, S. R., Mathien, C. A., Main, J. A., Hunter, D. C., et al. (1996). Accuracy of five electronic pedometers for measuring distance walked. *Medicine and Science in Sport and Exercise*, 28, 1071-1077.
- Bauer, D. C., Browner, W. S., Cauley, J. A., Orwoll, E. S., Scott, J. C., Black, D. M., et al. (1993). Factors associated with appendicular bone mass in older women. The Study of Osteoporotic Fractures Research Group. *Annals of Internal Medicine*, 118, 657-665.
- Bauer, D. C., Gluer, C. C., Cauley, J. A., Vogt, T. M., & Ensrud, K. E. (1997). Broadband ultrasound attenuation predicts fractures strongly and independently of densitometry in older women. *Archives of Internal Medicine*, 157, 629-634.
- Beare, P. G. (1999). Health teaching and compliance. In M. Stanley & P. G. Beare (Eds.), *Gerontological Nursing: A Health Promotion/Protection Approach* (2nd ed., pp. 55-63). Philadelphia: F.A Davis.
- Becker, M. H. (1974). The health belief model and sick role behavior. In M. H. Becker (Ed.), *The Health Belief Model and Personal Health Behavior* (pp. 82-92). Thorofare, New Jersey: Charles B. Slack, Inc.

- Becker, M. H., Drachman, R. H., & Kirscht, J. P. (1974). A new approach to explaining sick role behavior in low-income populations. *American Journal of Public Health, 64*, 205-216.
- Becker, M. H., Haefner, D. P., Kasl, S., Kirscht, J. P., Maiman, L., & Rosenstock, I. M. (1977). Selected psychosocial models and correlates of individual health-related behaviors. *Medical Care, XV*, 27-44.
- Berarducci, A., Lengacher, C. A., & Keller, R. (2002). The impact of osteoporosis continuing education on nurses' knowledge and attitudes. *The Journal of Continuing Education in Nursing, 33*(5), 210-216.
- Best, J. T. (2001). Effective teaching for the elderly: Back to basic. *Orthopedic Nursing, 29*, 46-52.
- Bilezikian, J. P. (1999). The importance of calcium in postmenopausal women. *American Journal of Therapeutics, 6*, 325-326.
- Blalock, S. J., Currey, S. S., DeVellis, R. F., DeVallis, B. M., Giorgino, K. B., Anderson, J. J. B., et al. (2000). Effects of educational materials concerning osteoporosis on women's knowledge, beliefs, and behavior. *American Journal of Health Promotion, 14*, 161-169.
- Blalock, S. J., DeVellis, B. M., Patterson, C. C., Campbell, M. K., Orenstein, D. R., & Dooley, M. A. (2002). Effects of an osteoporosis prevention program incorporating tailored educational materials. *American Journal of Health Promotion, 16*, 146-156.
- Bollen, K. (1989). *Structural Equations with Latent Variables*. New York: Wiley.

- Bonjour, J. P., Chevalley, T., Ammann, P., Sloaman, D., & Rizzoli, R. (2001). Gain in bone mineral mass in prepubertal girls 3.5 years after discontinuation of calcium supplementation: a follow-up study. *The Lancet*, 358, 1208-1212.
- Bravo, G., Gauthier, P., Roy, P. M., Payette, H., & Gaulin, P. (1997). A weight-bearing, water-based exercise program for osteopenic women: its impact on bone, functional fitness, and well-being. *Archives of Physical Medicine and Rehabilitation*, 78, 1375-1380.
- Brecher, L. S., Pomerantz, S. C., Snyder, B. A., Janora, D. M., Klotzbach-Shimomura, K. M., & Cavalieri, T. A. (2002). Osteoporosis prevention project: A model multidisciplinary education intervention. *JAOA*, 102(6), 327-335.
- Brislin, R. (1970). Back-translation for cross-cultural research. *Journal of Cross-Cultural Psychology*, 1, 185-216.
- Brooke-Wavell, K., Jones, P. R. M., & Hardman, A. E. (1997). Brisk walking reduces calcaneal bone loss in post-menopausal women. *Clinical Science*, 92, 75-80.
- Brooke-Wavell, K., Jones, P. R. M., Hardman, A. E., Tsuritani, I., & Yamada, Y. (2001). Commencing, continuing and stopping walking: effects on bone mineral density, quantitative ultrasound of bone and markers of bone metabolism in postmenopausal women. *Osteoporosis International*, 12, 581-587.
- Browner, W. S., Pressman, A. R., Nevitt, M. C., & Cummings, S. R. (1996). Mortality following fractures in older women. The study of osteoporotic fractures. *Archives of Internal Medicine*, 156, 1521-1525.

- Browner, W. S., Seeley, D. G., Vogt, T. M., & Cummings, S. R. (1991). Non-trauma mortality in elderly women with low bone mineral density. Study of Osteoporotic Fractures Research Group. *The Lancet*, 338, 355-358.
- Burger, H., Laet, C. E., Daele, P. L., Weel, A. E., Witteman, J. C., Hofman, A., et al. (1998). Risk factors for increased bone loss in an elderly population: the Rotterdam Study. *American Journal of Epidemiology*, 147, 871-879.
- Burke, M. S. (2000). Bone remodeling and the development of osteoporosis. In S. H. Gueldner, M. S. Burke & H. Smiciklas-Wright (Eds.), *Prevention and Managing Osteoporosis*, pp.57-62. New York: Springer Publishing Company, Inc.
- Cameron, I. D., Stafford, B., Cumming, R. G., Birks, C., Kurle, S. E., Lockwood, K., et al. (2000). Hip protectors improve fall self-efficacy. *Age and Ageing*, 29, 57-62.
- Carlsen, C. G., Soerensen, T. H., & Eriksen, E. F. (2000). Prevalence of low serum estradiol levels in male osteoporosis. *Osteoporosis International*, 11, 697-701.
- Cauley, J. A., Danielson, M. E., Gregg, E. W., Vogt, T. M., Zmuda, J., & Bauer, D. C. (1997). Calcaneal ultrasound attenuation in older African-American and Caucasian-American women. *Osteoporosis International*, 7(2), 100-104.
- Cauley, J. A., Thompson, D. E., Ensrud, K. C., Scott, J. C., & Black, D. (2000). Risk of mortality following clinical fractures. *Osteoporosis International*, 11, 556-561.
- Chailurkit, L., Teerarungsikul, K., Rajatanavin, R., Ongphiphadhanakul, B., & Puavilai, G. (1996). Serum vitamin D, parathyroid hormone and biochemical

marker of bone turnover in normal Thais subjects. *Journal of Medicine Association Thai*, 79, 499-503.

Chiang Mai Population Statistics. (n.d). *Chiang Mai Province*. Retrieved October 3, 2002, from www.chiangmai.go.th

Chien, M. Y., Wu, Y. T., Hsu, A. T., Yang, R. S., & Lai, J. S. (2000). Efficacy of a 24-week aerobic exercise program for osteopenic postmenopausal women. *Calcified Tissue International*, 67, 443-448.

Clark, D. O., & Nothwehr, F. (1999). Exercise self-efficacy and its correlates among socioeconomically disadvantaged older adults. *Health Education & Behavior*, 26, 535-546.

Clark, K., & Sowers, M. R. (1996). Alcohol dependence, smoking status, reproductive characteristics, and bone mineral density in premenopausal women. *Research in Nursing & Health*, 19, 399-408.

Clark, M. C., & Bruyere, H. J. (n.d). *Helping the patient prevent and treat osteoporosis*. Retrieved May 11, 2001, from <http://209.213.123.29/ce-content/osteop-prev.htm>

Clark, N. M., & Dodge, J. A. (1999). Exploring self-efficacy as a predictor of disease management. *Health Education & Behavior*, 26, 72-89.

Clarke, V. A., Lovegrove, H., Williams, A., & Machperson, M. (2000). Unrealistic optimism and the health belief model. *Journal of Behavioral Medicine*, 23, 367-376.

Committee of the Second National Plan for Older Persons National Commission on the Elderly. (2001). *The Second National Plan for Older Persons (2002-2021)*. Bangkok: Priministor Office.

Committee on Health and Behavior: Research Practice and Policy Board on

Neuroscience and Behavioral Health. (2001). *Health and Behavior*.

Washington, D.C: National Academy Press.

Conn, V. (1998). Older adults and exercise. *Nursing Research*, 47, 180-189.

Consensus Conference. (2001). Osteoporosis prevention, diagnosis, and therapy.

JAMA, 285, 785-795.

Cook, B., Noteloviz, M., Rector, C., & Krischer, J. P. (1991). An osteoporosis patient education and screening program: Results and implication. *Patient Education and Counseling*, 17, 135-145.

Cooper, C., Atkinson, E. J., Jacobsen, S. J., O'Fallon, W. M., & Melton, L. (1993).

Population-based study of survival after osteoporotic fractures. *American Journal of Epidemiology*, 137, 1001-1005.

Cooper, C., Cawley, M., Bhalla, A., Egger, P., Ring, F., Morton, L., et al. (1995).

Childhood growth, physical activity, and peak bone mass in women. *Journal of Bone Mineral Research*, 10, 940-947.

Cooper, C., Fall, C., Egger, P., Hobbs, R., Eastell, R., & Barker, D. (1997). Growth in infancy and bone mass in later life. *Annals of Rheumatic Diseases*, 56, 17-21.

Curry, L. C., Hogstel, M. O., Davis, G. C., & Frable, P. J. (2002). Population-based osteoporosis education for older women. *Public Health Nursing*, 19(6), 460-469.

Davis, G. C., & White, T. L. (2000). Planning an osteoporosis education program for older adults in a residential setting. *Journal of Gerontological Nursing*, 26, 16-23.

- Davis, L. (1992). Instrument reviews: Getting the most from your panel of experts. *Applied Nursing Research*, 5(4), 194-197.
- Delmas, P. D., & Fraser, M. (1997). Strong bones in later life: Luxury or necessity? *Bulletin of the World Health Organization*, 77, 416-422.
- Dempster, D. W., & Lindsay, R. (1993). Pathogenesis of osteoporosis. *The Lancet*, 341, 797-801.
- Devine, A., Dick, I. M., Heal, S. J., Criddle, R. A., & Prince, R. L. (1997). A 4-year follow-up study of the effects of calcium supplementation on bone density in elderly postmenopausal women. *Osteoporosis International*, 7, 23-28.
- Dolan, P., & Torgerson, D. J. (1998). The cost of treating osteoporotic fractures in the United Kingdom female population. *Osteoporosis International*, 8, 611-617.
- Drozdowska, B., & Pluskiewicz, W. (2002). The ability of quantitative ultrasound at the calcaneus to identify postmenopausal women with different types of nontraumatic fractures. *Ultrasound in Medicine & Biology*, 28, 1491-1497.
- Drugay, M. (1997). Breaking the silence: a health promotion approach to osteoporosis. *Journal of Gerontological Nursing*, 23, 36-43.
- Eastell, R., Yerger, A. L., Vieira, N. E., Cedel, S. L., Kumar, R., & Riggs, B. L. (1991). Interrelationship among vitamin D metabolism, true calcium absorption, parathyroid function, and ages in women: Evidence of an age-related intestinal resistance to 1, 25-dihydroxyvitamin D action. *Journal of Bone Mineral Research*, 6, 125-132.
- Ebrahim, S., Thompson, P. W., Baskaran, V., & Evans, k. (1997). Randomized placebo-controlled trial of brisk walking in the prevention of postmenopausal osteoporosis. *Age and Ageing*, 26, 253-260.

- Edwards, M. (1998). Health promotion: Maximising bone mass in young women. *Community Practitioner*, 71, 256-259.
- Feskanich, D., Willett, W., & Colditz, G. A. (2002). Walking and leisure-time activity and risk of hip fracture in postmenopausal women. *JAMA*, 288(18), 2300-2306.
- Fishbien, M., & Azjen, I. (1975). *Beliefs, Attitudes, Intentions, and Behaviors*. Boston: Addison-Wesley.
- Foxall, M. J., Barron, C. R., & Houfek, J. (1998). Ethnic differences in breast self-examination practice and health beliefs. *Journal of Advanced Nursing*, 27, 419-428.
- FreeStyle. (2002). *Instructions for 598 Digital Pedometer*. New York: Author.
- Fung, S. Y. (1998). Factors associated with breast self-examination behaviour among Chinese women in Hong Kong. *Patient Education and Counseling*, 33, 233-243.
- Galindo-Ciocon, D., Ciocon, J. O., & Galindo, D. (1995). Functional impairment among elderly women with osteoporotic vertebral fractures. *Rehabilitation Nursing*, 20, 79-83.
- Galsworthy, T. D., & Wilson, P. L. (1996). Osteoporosis: It steals more than bone. *AJN*, 96, 27-33.
- Gecas, V. (1989). The social psychology of self-efficacy. *Annual Review of Sociology*, 15, 291-316.
- Gennari, C. (2001). Calcium and vitamin D nutrition and bone disease of the elderly. *Public Health Nutrition*, 4, 547-559.

- Glanz, K., & Rimer, B. K. (1997). *Theory at a Glance: A Guide for Health Promotion Practice*. National Institutes of Health, USA.
- Goss, G. L. (1998). Osteoporosis in women. *Nursing Clinics of North America*, 33, 573-582.
- Grainge, M. J., Coupland, C. A., Cliffe, S. J., Chilvers, C. E., & Hosking, D. J. (1998). Cigarette smoking, alcohol and caffeine consumption, and bone mineral density in postmenopausal women. The Nottingham EPIC Study Group. *Osteoporosis International*, 8, 355-363.
- Greendale, G. A., Barrett-Connor, E., Ingles, S., & Haile, R. (1995). Late physical and functional effects of osteoporotic fracture in women: the Rancho Bernardo Study. *Journal of American Geriatric Society*, 43, 955-961.
- Greendale, G. A., Wells, B., Barrett-Connor, E., Marcus, R., & Bush, T. (1995). Lifestyle factors and bone mineral density: The postmenopausal estrogen/progestins intervention study. *Journal of Women's Health*, 4, 231-243.
- Gregg, E. W., Kriska, A. M., Salamone, L. M., Roberts, M. M., Anderson, S. J., Ferrell, R. E., et al. (1997). The epidemiology of quantitative ultrasound: A review of the relationships with bone mass, osteoporosis and fracture risk. *Osteoporosis International*, 7, 89-99.
- Grembowski, D., Patrick, D., Diehr, P., Durham, M., Beresford, S., Kay, E., et al. (1993). Self-efficacy and health behavior among older adults. *Journal of Health and Social Behavior*, 34, 89-104.

- Hadji, P., Hars, O., Bock, K., Albert, U. S., Beckmann, N. W., Emons, G., et al. (1999). Age changes of calcaneal ultrasonometry in healthy German women. *Calcified Tissue International*, 65, 117-120.
- Halloran, B. P., & Bikle, D. (1999). Age-related changes in mineral metabolism. In E. S. Orwoll (Ed.), *Osteoporosis in Men* (pp. 179-196). San Diego: Academic Press.
- Hannan, M. T., Felson, D. T., Dawson-Hughes, B., Tucker, K. L., Cupples, L. A., Wilson, P. W. F., et al. (2000). Risk factors for longitudinal bone loss in elderly men and women: The Framingham Osteoporosis Study. *Journal of Bone Mineral Research*, 15, 2504-2512.
- Hans, D., Dargent-Molina, P., Schott, A. M., Sebert, J. L., Cormier, C., Kotzki, P. O., et al. (1996). Ultrasonographic heel measurements to predict hip fracture in elderly women: the EPIDOS prospective study. *The Lancet*, 348, 511-514.
- Harris, S. S., Caspersen, C. J., DeFriese, G. H., & Estes, E. H. (1989). Physical activity counseling for healthy adults as a primary preventive intervention in the clinical setting: Report for the US preventive services task force. *JAMA*, 261(24), 3590-3598.
- Heaney, R. (1999). Nutrition and risk for osteoporosis. In R. Marcus, D. Feldman & J. Kelsey (Eds.), *Osteoporosis*. London: London Academic Press.
- Heinonen, A., Kannus, P., Sievanen, H., Oja, P., Pasanen, M., Rinne, M., et al. (1996). Randomized controlled trial of effect of high-impact exercise on selected risk factors for osteoporotic fractures. *The Lancet*, 348, 1343-1347.
- Hernandez-Avila, M., Colditz, G. A., Stampfer, M. J., Rosner, B., Speizer, F. E., & Willett, W. C. (1991). Caffeine, moderate alcohol intake, and risk of fractures

- of the hip and forearm in middle-aged women. *American Journal of Clinical Nutrition*, 54, 157-163.
- Holm, C. J., Frank, D. I., & Curtin, J. (1999). Health beliefs, health locus of control, and women's mammography behavior. *Cancer Nursing*, 22, 149-156.
- Homik, J., & Hailey, D. (1998). *Quantitative ultrasound for bone density measurement*. Retrieved August 24, 2001, from www.ahfmr.ab.ca/hta/hta-publications/reports/qus.1shtml
- Horan, M., Kim, K. K., Gendler, P., Froman, R. D., & Patel, M. D. (1998). Development and evaluation of the Osteoporosis Self-Efficacy Scale. *Research in Nursing & Health*, 21, 395-403.
- Hsieh, C., Novielli, K. D., Dimond, J. J., & Cheruva, D. (2001). Health beliefs and attitudes toward the prevention of osteoporosis in older women. *Menopause*, 8 (5), 372-376.
- Hu, J. F., Zhao, X. H., Jia, J. B., Parpia, B., & Campbell, T. C. (1993). Dietary calcium and bone density among middle-aged and elderly women in China. *American Journal of Clinical Nutrition*, 58, 219-227.
- Iki, M., Kagamimori, S., Kagawa, Y., Matsuzaki, T., Yoneshima, H., & Marumo, F. (2001). Bone mineral density of the spine, hip and distal forearm in representative samples of the Japanese female population: Japanese Population-Based Osteoporosis (JPOS) Study. *Osteoporosis International*, 12, 529-537.
- Ilich, J. Z., Badenhop, N. E., & Matkovic, V. (1996). Primary prevention of osteoporosis: pediatric approach to disease of the elderly. *Women Health Issues*, 6, 194-203.

- International Osteoporosis Foundation. (n.d). *What is known about osteoporosis in Europe*. Retrieved August 17, 2001, from www.osteofound.org/presscentre/what_is_known.html
- Isaacs, B., & Kennie, A. T. (1973). The Set Test as an aid to the detection of dementia in older people. *British Journal of Psychiatry, 123*, 467-470.
- Iwamoto, J., Takeda, T., & Ichimura, S. (2001). Effect of exercise training and detraining on bone mineral density in postmenopausal women with osteoporosis. *Journal of Orthopaedic Science, 6*, 128-132.
- Jamal, S. A., Ridout, R., Chase, C., Fielding, L., Rubin, L. A., & Hawker, G. A. (1999). Bone mineral density testing and osteoporosis education improve lifestyle behaviors in premenopausal women: A prospective study. *Journal of Bone and Mineral Research, 14*, 2143-2149.
- Janz, N., & Becker, M. (1984). The health belief model: a decade later. *Health Education Quarterly, 11*, 1-47.
- Jemmott, L. S., Maula, E. C., & Bush, E. (1999). Hearing our voices: assessing HIV prevention needs among Asian and Pacific Islander women. *Journal of Transcultural Nursing, 10*, 102-111.
- Jette, A. M., Rooks, D., Lachman, M., Lin, T. H., Levenson, C., Heislein, D., et al. (1998). Home-based resistance training: Predictors of participation and adherence. *The Gerontologist, 38*, 412-421.
- Johnston, C. C., Miller, J. Z., Slemenda, C. W., Reister, T. K., Hui, S., Christian, J. C., et al. (1992). Calcium supplementation and increases in bone mineral density in children. *New England Journal of Medicine, 327*, 82-87.

- Jones, E. (1986). Translation of quantitative measures for use in cross-cultural research. *Nursing Research, 36*(5), 324-327.
- Jones, E. G., & Kay, M. (1992). Instrumentation in cross-cultural research. *Nursing Research, 41*(3), 186-188.
- Kasper, M. J., Perterson, M. G. E., Allegrante, J. P. (2001). The need for comprehensive educational osteoporosis prevention programs for young women: Result from a second osteoporosis prevention survey. *Arthritis Care & Research, 45*, 28-34.
- Kasper, M. J., Perterson, M. G. E., Allegrante, J. P., Galsworthy, T. D., & Gutin, B. (1994). Knowledge, beliefs, and behaviors among college women concerning the prevention of osteoporosis. *Archives of Family Medicine, 3*, 696-702.
- Kelsey, J. L., Browner, W. S., Seeley, D. G., Nevitt, M. C., & Cummings, S. R. (1992). Risk factors for fractures of the distal forearm and proximal humerus. The Study of Osteoporotic Fractures Research Group. *American Journal of Epidemiology, 135*, 477-489.
- Kerr, D., Morton, A., Dick, I., & Prince, R. (1996). Exercise effects on bone mass in postmenopausal women are site-specific and load-dependent. *Journal of Bone Mineral Research, 11*, 218-225.
- Kessenich, C. R., & Rosen, C. J. (1996). Osteoporosis: implications for elderly men. *Geriatric Nursing, 17*, 171-174.
- Kessenich, C. R., Gyyatt, G. H., & Rosen, C. J. (1998). Health-related quality of life and participation in osteoporosis clinical trials. *Calcified Tissue International, 62*, 189-192.

- Kiel, D. P., Felson, D. T., Hannan, M. T., Anderson, J. J., & Wilson, P. W. (1990). Caffeine and the risk of hip fracture: the Framingham Study. *American Journal of Epidemiology*, 132, 675-684.
- Kim, K. K., Horan, M. L., Gendler, P. (1991). *Osteoporosis knowledge tests, osteoporosis health belief scale, and osteoporosis self-efficacy scale*. Allendale: MI: Grand Valley State University.
- Kim, K. K., Horan, M. L., Gendler, P., & Patel, M. K. (1991). Development and evaluation of the Osteoporosis Health Belief Scale. *Research in Nursing & Health*, 14, 155-163.
- Kirscht, J. P. (1974). The health belief model and illness behavior. In M. H. Becker (Ed.), *The Health Belief Model and Personal Health Behavior* (pp. 60-81). Thorofare, New Jersey: Charles B. Slack, Inc.
- Klohn, L. S., & Rogers, R. W. (1991). Dimension of the severity of a health threat: The persuasive effects of visibility, time of onset, and rate of onset on young women's intentions to prevent osteoporosis. *Health Psychology*, 10, 323-329.
- Kohrt, W. M., Ehsani, A. A., & Birge, S. J. (1997). Effects of exercise involving predominantly either joint-reaction or ground-reaction forces on bone mineral density in older women. *Journal of Bone Mineral Research*, 12, 1253-1261.
- Komindr, S., Piaseu, N., Pattamakom, V., Hongto, V., Udomtrupayakkul, U., Banphotkasem, S., et al. (1994). *Calcium status and factors relating to bone mineral content in normal Thais living in Bangkok*. Paper presented at the Program of 10th Annual Academic Meeting of the Royal College of Physicians of Thailand, Chomtien, Thailand.

Kosulwat, V., Pongchayakul, C., Rojroongwasinkul, N., Charoenkiatkul, S.,

Chotiviriyakul, D., Chailurkit, L., et al. (2000). *Sources of dietary calcium and biochemical markers of bone turnover in northeastern Thai population*. Paper presented at the Program of 2nd Annual Academic Meeting of the National Research Council, Faculty of Medicine Ramathibodi Hospital, Mahidol University, Bangkok.

Krall, E. A., & Dawson-Hughes, B. (1994). Walking is related to bone density and rates of bone loss. *American Journal of Medicine*, 96, 20-26.

Kronhed, A. C., & Moller, M. (1998). Effects of physical exercise on bone mass, balance skill and aerobic capacity in women and men with low bone mineral density, after one year of training--a prospective study. *Scandinavian Journal of Medicine & Science in Sports*, 8, 290-298.

Kudlacek, S., Pietschmann, F., Bernecker, P., Resch, H., & Wilvonseder, R. (1997). The impact of a senior-dancing program on spinal and peripheral bone mass. *American Journal of Physical Medicine & Rehabilitation*, 76, 477-481.

Kung, A. W. C., Tang, G. W. K., Luk, K. D. K., & Chu, L. W. (1999). Evaluation of a new calcaneal quantitative ultrasound system and determination of normative ultrasound values in southern Chinese women. *Osteoporosis International*, 9, 312-317.

Kurlowicz, L. H. (1998). Perceived self-efficacy, functional ability, and depressive symptoms in older elective surgery patients. *Nursing Research*, 47, 219-226.

Kvernmo, H., Olsen, J. O., & Osterud, B. (1992). Changes in blood cell response following strenuous physical exercise. *European Journal of Applied Physiology*, 64, 318-322.

- Lane, A. (1996). Direct costs of osteoporosis for New Zealand women. *Pharmacoconomics*, 9, 231-245.
- Lane, J. M. (1997). Osteoporosis: Medical prevention and treatment. *Spine*, 22(24 suppl), 32S-37S.
- Lausawatchaikul, P. (2000). *Related Factors and Outcome of Falls in the Elderly*. Unpublished Master. Nursing Science (Adult Nursing), Mahidol University, Bangkok (Thailand).
- Leslie, M. (2000). Issues in the nursing management of osteoporosis. *Nursing Clinics of North America*, 35, 189-197.
- Limpaphayom, K. K., Taechakraichana, N., Jaisamrarn, U., Bunyavejchevin, S., Chaikittisilpa, S., Poshyachinda, M., et al. (2001). Prevalence of osteopenia and osteoporosis in Thai women. *Menopause*, 8, 65-69.
- Lin, J. D., Chen, J. F., Chang, H. Y., & Ho, C. (2001). Evaluation of bone mineral density by quantitative ultrasound of bone in 16,862 subjects during routine health examination. *British Journal of Radiology*, 74(883), 602-608.
- Lindsay, R. (1992). *Osteoporosis: A Guide to Diagnosis, Prevention, and Treatment*. New York: Raven Press.
- Lippuner, K., Overbeck, J., Perrelet, R., Bosshard, H., & Jaeger, P. (1997). Incidence and direct medical costs of hospitalizations due to osteoporotic fractures in Switzerland. *Osteoporosis International*, 7, 414-425.
- Lloyd, T., Andon, M. B., Rollings, N., Martel, J. K., Landis, J. R., Demers, L. M., et al. (1993). Calcium supplementation and bone mineral density in adolescent girls. *JAMA*, 270, 481-484.

Lunar Corporation. (1998). *Achilles Operation's Manual*. Madison, Wisconsin:

Author.

- Lux, K. M., & Petosa, R. (1994). Using the health belief model to predict safer sex intentions of incarcerated youth. *Health Education Quarterly*, 21, 487-497.
- Lyles, K. W., Gold, D. T., Shipp, K. M., Pieper, C. F., Martinez, S., & Mulhausen, P. L. (1993). Association of osteoporotic vertebral compression fractures with impaired functional status. *American Journal of Medicine*, 94, 595-601.
- Lynn, M. R. (1986). Determination and quantification of content validity. *Nursing Research*, 35(6), 382-385.
- Maddalozzo, G. F., & Snow, C. M. (2000). High intensity resistance training: effects on bone in older men and women. *Calcified Tissue International*, 66, 399-404.
- Magaziner, J., Lydick, E., Hawkes, W., Fox, K. M., Zimmerman, S. I., Epstein, R. S., et al. (1997). Excess mortality attributable to hip fracture in white women aged 70 years and older. *American Journal of Public Health*, 87, 1630-1636.
- Maguen, S., Armistead, L. P., & Kalichman, S. (2000). Predictors of HIV antibody testing among gay, lesbian, and bisexual youth. *Journal of Adolescent Health*, 26, 252-257.
- Maiman, L. A., & Becker, M. H. (1974). The health belief model: Origins and correlates. In M. H. Becker (Ed.), *The Health Belief Model and Personal Health Behavior* (pp. 9-26). Thorofare, New Jersey: Charles B. Slack, Inc.
- Mancuso, C. A., Rincon, M., McCulloch, C. E., & Charlson, M. E. (2001). Self-efficacy, depressive symptoms, and patients' expectations predict outcomes in asthma. *Medical Care*, 39, 1326-1338.

- Marchigiano, G. (1999). Calcium intake in midlife women: one step in preventing osteoporosis. *Orthopedic Nursing, 18*, 11-18.
- Marcus, R. (1994). Introduction: Organizational and Functional Aspects of Skeletal Health. In R. Marcus (Ed.), *Osteoporosis*, pp. 1-16. Boston: Blackwell Scientific Publications.
- Marottoli, R. A., Berkman, L. F., & Cooney, L. M. J. (1992). Decline in physical function following hip fracture. *Journal of American Geriatric Society, 40*(9), 861-866.
- Martuza, V. (1977). *Applying norm-referenced and criterion-referenced measurement in education*. Boston, MA: Allyn & Bacon.
- Matkovic, V., & Heaney, R. P. (1992). Calcium balance during human growth: evidence for threshold behavior. *American Journal of Clinical Nutrition, 55*, 992-996.
- McAuley, E., Jerome, G. J., Elavssky, S., Marquez, D. X., & Ramsey, S. N. (2003). Predicting long-term maintenance of physical activity in older adults. *Preventive Medicine, 37*, 110-118.
- McAuley, E., Lox, C., & Duncan, T. E. (1993). Long-term maintenance of exercise, self-efficacy, and physical change in older adults. *Journal of Gerontology, 48*, 218-224.
- McBean, L. D., Forgac, T., & Finn, S. C. (1994). Osteoporosis: Visions for care and prevention - a conference report. *Journal of the American Dietetic Association, 94*, 688-700.
- McClung, B. L. (1999). Using osteoporosis management to reduce fractures in elderly women. *Nurse Practitioner, 24*, 26-27.

- Meana, M., Bunston, T., George, U., Wells, L., & Rosser, W. (2001). Influences on breast cancer screening behaviors in Tamil immigrant women 50 years old and over. *Ethnicity & Health*, 6, 179-188.
- Medical Informatics. (2003). *Hospitalized elderly patients with fractures*. Bangkok: Faculty of Medicine Ramathibodi Hospital, Mahidol University, The Medical Informatics Center.
- Melton, L. J., Khosla, S., Achenbach, S. J., O'Connor, M. K., O'Fallon, W. M., & Riggs, B. L. (2000). Effects of body size and skeletal site on the estimated prevalence of osteoporosis in women and men. *Osteoporosis International*, 11, 977-983.
- Mertler, C. A., & Vannatta, R. A. (2002). *Advanced and Multivariate Statistical Methods: Practical Application and Interpretation* (2nd). Los Angeles, CA: Pyrczak Publishing.
- Mezquita-Raya, P., Munoz-Torres, M., Luna, J. D., Luna, V., Lopez-Rodriguez, F., Torres-Vela, E., et al. (2001). Relation between vitamin D insufficiency, bone density, and bone metabolism in healthy postmenopausal women. *Journal of Bone Mineral Research*, 16, 1408-1415.
- Mulleman, D., Legroux-Gerot, I., Duquesnoy, B., Marchandise, X., Delcambre, B., & Cortet, B. (2002). Quantitative ultrasound of bone in male osteoporosis. *Osteoporosis International*, 13, 388-393.
- Munro, B. H. (2001). Repeated measures analysis of variance. In B. H. Munro (Ed.), *Statistical Methods for Health Care Research*, 4nd (pp. 201-222). Philadelphia: Lippincott Williams & Wilkins.

Nakaphongse, A. (1996). *Physical Status, Depression, Nutritional Self-Care, and Nutritional Status of the Community Dwelling Elderly*. Unpublished Master. (Adult Nursing), Mahidol University, Bangkok (Thailand).

National Institutes of Health Osteoporosis and Related Bone Diseases National Resource Center. (n.d.). *Fast Facts on Osteoporosis*. Retrieved October 27, 2001, from www.osteo.org/osteofastfact.html

National Osteoporosis Foundation. (2003). *Disease statistics*. Retrieved November 24, 2003, from <http://www.nof.org/osteoporosis/stats.htm>

National Osteoporosis Society. (n.d.-a). *Osteoporosis prevention*. Retrieved November 10, 2000, from www.nos.org.uk/prevent.htm

National Osteoporosis Society. (n.d.-b). *Osteoporosis are you at risk?* Retrieved May 23, 2002, from <http://www.nos.org.uk/PDF/AreYouAtRisk.pdf>

Neff, J. A., & Crawford, S. L. (1998). The health belief model and HIV risk behaviors: A causal model analysis among Anglo, African-Americans and Mexican-Americans. *Ethnicity & Health*, 3, 283-299.

Nelson, M. E., Fiatarone, M. A., Morganti, C. M., Trice, I., Greenberg, R. A., & Evans, W. J. (1994). Effects of high-intensity strength training on multiple risk factors for osteoporotic fractures. A randomized controlled trial. *JAMA*, 272, 1909-1914.

Nexoe, J., Kragstrup, J., & Sogaard, J. (1998). Decision on influenza vaccination among the elderly: A questionnaire study based on the health belief model and the multidimensional locus of control theory. *Scandinavian Journal of Primary Health Care*, 17, 105-110.

- Nieh, C. F., Boivin, C. M., & Langton, C. M. (1997). The role of ultrasound in the assessment of osteoporosis: A review. *Osteoporosis International*, 7, 7-22.
- NIH Consensus Development Panel on Optimal Calcium Intake. (1994). NIH Consensus conference: Optimal calcium intake. *JAMA*, 272, 1942-8.
- Norman, P. (1995). Applying the health belief model to the prediction of attendance at health checks in general practice. *British Journal of Clinical Psychology*, 34, 461-470.
- Nunnally, J. (1978). *Psychometric Theory*. New York: McGraw-Hill.
- Nutrition Division of the Public Health Ministry. (n.d.). *Nutritive Value of Thai Foods*. Retrieved March 8, 1999, from www.anamai.moph.go.th/nutri/FoodTable/Html/cover.html
- Oleksik, A., Lips, P., Dawson, A., Minshall, M. E., Shen, W., Cooper, C., et al. (2000). Health-related quality of life in postmenopausal women with low BMD with or without prevalent vertebral fractures. *Journal of Bone Mineral Research*, 15, 1384-1392.
- Ongphiphadhanakul, B., Rajatanavin, R., Chailurkit, L., Piaseu, N., Teerarungsikul, K., Sirisriro, R., et al. (1997). Prediction of low bone mineral density in postmenopausal women by artificial neural network model compared to logistic regression model. *Journal of Medicine Association Thai*, 80, 508-515.
- Ott, S. M. (1990). Screening for osteoporosis. *Annals of Internal Medicine*, 113, 256.
- Pate, R. R., Pratt, M., Blair, S. N., Haskell, W. L., Macera, C. A., Bouchard, C., et al. (1995). Physical activity and public health: A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *JAMA*, 273, 402-407.

- Pavlik, M. (1991). Measuring bone mineral content. *Orthopedic Nursing, 10*(2), 39-43.
- Peterson, B. A., Klesges, R. C., Kaufman, E. M., Cooper, T. V., & Vukadinovich, C. M. (2000). The effects of an educational intervention on calcium intake and bone mineral content in young women with low calcium intake. *American Journal of Health Promotion, 14*, 149-156.
- Petosa, R., & Jackson, K. (1991). Using the health belief model to predict safer sex intentions among adolescents. *Health Education Quarterly, 18*, 463-476.
- Petro-Nustas, W. (2001). Young Jordanian women's health beliefs about mammography. *Journal of Community Health Nursing, 18*, 177-194.
- Phillips, L. D. (1999). Patient education: Understanding the process to maximize time and outcomes. *Journal of Intravenous Nursing, 22*(1), 19-35.
- Piaseu, N. (1994). *Calcium Status, Factors Affecting Calcium and Bone Status in Healthy Thais Living in Bangkok*. Unpublished Master Thesis (Nutrition), Mahidol University, Bangkok.
- Piaseu, N., Belza, B., & Mitchell, P. (2001). Testing the effectiveness of an osteoporosis educational program for nursing students in Thailand. *Arthritis Care & Research, 45*, 246-251.
- Piaseu, N., Komindr, S., Chailurkit, L., Ongphiphadhanakul, B., Chansirikarn, S., & Rajatanavin, R. (2001). Differences in bone mineral density and lifestyle factors of postmenopausal women living in Bangkok and other provinces. *Journal of Medicine Association Thai, 84*, 772-781.

- Piaseu, N., Schepp, K., & Belza, B. (2002). Causal analysis of exercise and calcium intake behaviors for osteoporosis prevention among young women in Thailand. *Health Care for Women International*, 23, 364-376.
- Poss, J. E. (2000). Factors associated with participation by Mexican migrant farm workers in a tuberculosis screening program. *Nursing Research*, 49, 20-28.
- Prochaska, J. O., Redding, C. A., & Evers, K. E. (1997). *The transtheoretical model and stage of change*. San Francisco, California: Jossey-Bass Inc.
- Puntila, E., Kroger, H., Lakka, T., Tuppurainen, M., Jurvelin, J., & Honkanen, R. (2001). Leisure-time physical activity and rate of bone loss among peri-and postmenopausal women: A longitudinal study. *Bone*, 29(5), 442-446.
- Rajatanavin, R. (2000). *Body of osteoporosis knowledge from research on osteoporosis in Thai population*. Paper presented at the Program of 2nd Annual Academic Meeting of the National Research Council, Faculty of Medicine Ramathibodi Hospital, Bangkok.
- Randell, A. G., Nguyen, T. V., Bhalerao, N., Silverman, S. L., Sambrook, P. N., & Eisman, J. A. (2000). Deterioration in quality of life following hip fracture: a prospective study. *Osteoporosis International*, 11, 460-466.
- Randell, A., Sambrook, P. N., Nguyen, T. V., Lapsley, H., Jones, G., Kelly, P. J., et al. (1995). Direct clinical and welfare costs of osteoporotic fractures in elderly men and women. *Osteoporosis International*, 5, 427-432.
- Reginster, J. Y., Gillet, P., BenSedrine, W., Brands, G., Ethgen, O., Froidmont, C., et al. (1999). Direct costs of hip fractures in patients over 60 years of age in Belgium. *Pharmacoeconomics*, 15, 507-514.

- Reid, I. R., Ames, R. W., Evans, M. C., Gamble, G. D., & Sharpe, S. J. (1993). Effect of calcium supplementation on bone loss in postmenopausal women. *New England Journal of Medicine*, 328, 460-464.
- Resnick, B. (1998). Efficacy beliefs in geriatric rehabilitation. *Journal of Gerontological Nursing*, 24, 34-44.
- Resnick, B. (2001a). Testing a model of exercise behavior in older adults. *Research in Nursing & Health*, 24, 83-92.
- Resnick, B. (2001b). A prediction model of aerobic exercise in older adults living in a Continuing-Care Retirement Community. *Journal of Aging and Health*, 13, 287-310.
- Resnick, B., & Spellbring, A. M. (2000). Understanding what motivates older adults to exercise. *Journal of Gerontological Nursing*, 26, 34-42.
- Resnick, B., Palmer, M. H., Jenkins, L. S., & Spellbring, A. M. (2000). Path analysis of efficacy expectations and exercise behaviour in older adults. *Journal of Advanced Nursing*, 31, 1309-1315.
- Ribeiro, V., & Blakeley, J. A. (2001). Evaluation of an osteoporosis workshop for women. *Public Health Nursing*, 18, 186-193.
- Ribeiro, V., Blakeley, J., & Laryea, M. (2000). Women's knowledge and practices regarding the prevention and treatment of osteoporosis. *Health Care for Women International*, 21, 347-353.
- Riggs, B. L., & Melton, L. J. (1990). Clinical review 8: Clinical heterogeneity of involutional osteoporosis: implications for preventive therapy. *Journal of Clinical Endocrinology and Metabolism*, 70, 1229-1232.

- Rolnick, S. J., Kopher, R., Jackson, J., Fischer, L. R., & Compo, R. (2001). What is the impact of osteoporosis education and bone mineral density testing for postmenopausal women in a managed care setting? *Menopause, 8*, 141-148.
- Rosenstock, I. J., Strecher, V. J., & Becker, M. H. (1988). Social learning theory and health belief model. *Health education Quarterly, 15*, 175-183.
- Rosenstock, I. M. (1974a). Historical origins of health belief model. In M. H. Becker (Ed.), *The Health Belief Model and Personal Health Behavior* (pp. 1-8). Thorofare, New Jersey: Charles B. Slack, Inc.
- Rosenstock, I. M. (1974b). The health belief model and preventive health behavior. In M. H. Becker (Ed.), *The Health Belief Model and Personal Health Behavior* (pp. 27-59). Thorofare, New Jersey: Charles B Slack, Inc.
- Ross, M. A. (1996). Effect of an AIDS education program for older adults. *Journal of Community Health Nursing, 13*, 141-148.
- Ross, P. D. (1996). Prediction of fracture risk. II: Other risk factors. *American Journal of the Medical Sciences, 312*, 260-269.
- Ross, P. D., Davis, J. W., Epstein, R. S., & Wasnich, R. D. (1994). Pain and disability associated with new vertebral fractures and other spinal conditions. *Journal of Clinical Epidemiology, 47*, 231-239.
- Rubin, S. M., & Cummings, S. R. (1992). Results of bone densitometry affect women's decisions about taking measures to prevent fractures. *Annals of Internal Medicine, 116*, 990-995.
- Saenmanoch, S. (1998). *Effects of Promoting Caregiving Participation in Caring for Elderly Fractured Hip Patients on Postoperative Recovery, Cargivers*

Anxiety and Patients and Caregivers Satisfaction. Unpublished Master.

Nursing (Adult Nursing), Mahidol University, Bangkok (Thailand).

Saetung, S., Ongphiphadhanakul, B., & Rajatanavin, R. (2000). *Simple antropometry as a screening test for osteoporosis in Thai elderly women.* Paper presented at the Program of 12nd Annual Academic Meeting of the Endocrine Society of Thailand, Shangri-La Hotel, Bangkok.

Sakata, S., Kushida, K., Yamazaki, K., & Inoue, T. (1997). Ultrasound bone densitometry of os calcis in elderly Japanese women with hip fracture. *Calcified Tissue International*, 60, 2-7.

Salazar, M. K. (1991). Comparison of four behavioral theories. *AAOHN Journal*, 39 (3), 128-135.

Sankaran, B. (2000). *Osteoporosis.* Mummbai, India: Novelty Printers.

Sartorio, A., Lafortuna, C., Capodaglio, P., Vangeli, V., Narici, M. V., & Faglia, G. (2001). Effects of a 16-week progressive high-intensity strength training (HIST) on indexes of bone turnover in men over 65 years: a randomized controlled study. *Journal of Endocrinological Investigation*, 24, 882-886.

Sedlak, C. A., Doheny, M. O., & Estok, P. J. (2000). Osteoporosis in older men: Knowledge and health beliefs. *Orthopedic Nursing*, 19, 38-41.

Sedlak, C. A., Doheny, M. O., & Jones, S. L. (1998). Osteoporosis prevention in young women. *Orthopedic Nursing*, 17, 53-56.

Sedlak, C. A., Doheny, M. O., & Jones, S. L. (2000). Osteoporosis education programs: Changing knowledge and behaviors. *Orthopedic Nursing*, 17, 398-402.

Seeman, E. (1997). Do men suffer with osteoporosis? *Australian Family Physician*, 26, 135-143.

Seeman, T. E., Rodin, J., & Albert, M. (1993). Self-efficacy and cognitive performance in high-functioning older individuals. *Journal of Aging and Health*, 5, 455-474.

Sharkey, N. A., Willian, N. I., & Guerin, J. B. (2000). The role of exercise in the prevention and treatment of osteoporosis and osteoarthritis. *Nursing Clinics of North America*, 35, 209-221.

Shaw, J. M., & Snow, C. M. (1998). Weighted vest exercise improves indices of fall risk in older women. *Journal of Gerontology Series A: Biological Sciences and Medical Sciences*, 53, M53-58.

Silverman, S. L., Minshall, M. E., Shen, W., Harper, K. D., & Xie, S. (2001). The relationship of health-related quality of life to prevalent and incident vertebral fractures in postmenopausal women with osteoporosis: Results from the Multiple Outcomes of Raloxifene Evaluation Study. *Arthritis and Rheumatism*, 44, 2611-2619.

SPSS Advance Models 10.0. (1999). Chicago, IL: INSO Corporation.

Steinicke, T., & Eriksen, E. F. (1999). Age-related changes in bone remodeling. In E. S. Orwoll (Ed.), *Osteoporosis in Men*, pp. 299-312. San Diego: Academic Press.

Stevens, J. (2002). *Applied Multivariate Statistical for the Social Sciences* (4th). Mahwah, New Jersey: Lawrence Erlbaum Associates, Publishers.

- Stillman, R. J., Lohman, T. G., Slaughter, M. H., & Massey, B. H. (1986). Physical activity and bone mineral content women age 30 to 85 years. *Medicine and Science in Sports and Exercise, 18*, 576-580.
- Strecher, V. J., & Rosenstock, I. M. (1997). The health belief model. In K. Glanz, F. M. Lewis & B. K. Rimer (Eds.), *Health Behavior and Health Education: Theory, Research, and Practice* (pp. 41-59). San Francisco, California: Jossey-Bass Inc.
- Taggart, H. M., & Connor, S. E. (1995). The relation of exercise habits to health beliefs and knowledge about osteoporosis. *Journal of American College Health, 44*, 127-130.
- Takeda, N., Miyake, M., Kita, S., Tomomitsu, T., & Fukunaga, M. (1996). Sex and age patterns of quantitative ultrasound densitometry of the calcaneus in normal Japanese subjects. *Calcified Tissue International, 59*, 84-88.
- Teinboon, P., & Teinboon, P. (2002 a). Prevalence of osteoporosis in Thai women aged 40 years or more: a national survey, 2002. *Thai Journal of Parenteral and Enteral Nutrition, 13*(2), 74-86.
- Teinboon, P., & Teinboon, P. (2002b). Prevalence of osteoporosis in Thai males aged 40 years or more: a national survey, 2002. *Thai Journal of Parenteral and Enteral Nutrition, 13*(3), 144-157.
- The National Statistics Records. (n.d). *Data of Thai Population*. Retrieved November 25, 2003, from <http://www.anamai.moph.go.th/stat/index.htm>
- Thomas, L. R., Fox, S. A., Leake, B. G., & Roetzheim, R. G. (1996). The effects of health beliefs on screening mammography utilization among a diverse sample of older women. *Women & Health, 24*, 77-93.

- Tilden, V. P., Nelson, C. A., & May, B. A. (1990). Use of qualitative methods to enhance content validity. *Nursing Research*, 39(3), 172-175.
- Tongcharern, W., Petpunsri, S., Nakasawan, V., & Chusung, U. (1996). Risk factors, knowledge, and osteoporosis preventive behaviors of postmenopausal women and elderly women. *The Thai Nursing Council Bulletin*, 11, 53-64.
- Trivedi, D. P., & Khaw, K. T. (2001). Bone mineral density at the hip predicts mortality in elderly men. *Osteoporosis International*, 12, 259-265.
- Urrows, S. T., Freston, M. S., & Pryor, D. L. (1991). Profiles in osteoporosis. *AJN*, 91, 32-37.
- Viwatwongkasem, C. (1994). Sample size determination for research. *Thai Journal of Health Research*, 8(2), 121-146.
- Waller, J., Angbratt, M., Blomberg, C., Kronhed, A. C., Larson, L., Lofman, O., et al. (1997). Logics and logistics of community intervention against osteoporosis: An evidence basis. *Journal of Medical Systems*, 21, 33-47.
- Waltz, C. F., Strickland, O. L., & Lenz, E. R. (1991). *Measurement in Nursing Research*. Philadelphia: F. A Davis company.
- Warms, C. A. (2002). *Acceptability and Feasibility of a Lifestyle Physical Activity Program for People with Spinal Cord Injury (SCI): A Pilot Study*. Unpublished Doctoral Dissertation, University of Washington, Seattle, Washington.
- Weinstein, N. D. (1988). The precaution adoption process. *Health Psychology*, 7, 355-358.
- Werner, L., & Campbell, D. (1970). *Translating, working through interpreters and the problem of decentering*. Garden City, NY: Natural Histroy Press.

- Wolinsky, F. D., Fitzgerald, J. F., & Stump, T. E. (1997). The effect of hip fracture on mortality, hospitalization, and functional status: a prospective study. *American Journal of Public Health, 87*, 398-403.
- Woodhead, G. A., & Moss, M. M. (1998). Osteoporosis: diagnosis and prevention. *Nurse Practitioner, 23*, 23-25.
- World Health Organization. (1998). *Guideline for Preclinical Evaluation and Clinical Trial in Osteoporosis*. Geneva: WHO Library Cataloguing in Publication Data.
- Wynd, C. A., & Schaefer, M. A. (2002). The osteoporosis risk assessment tool: establishing content validity through a panel of experts. *Applied Nursing Research, 15*(3), 184-188.
- Zhang, J., Feldblum, P. J., & Fortney, J. A. (1992). Moderate physical activity and bone density among perimenopausal women. *American Journal of Public Health, 82*, 736-738.