

REFERENCES

- Albert R.E., Sellakumar A.R., Laskin S., Kuschner M., Nelson N., Snyder C.A. Gaseous formaldehyde and hydrogen chloride induction of nasal cancer in the rat. *J Natl Cancer Inst.* 1982; 68(4): 597-603.
- Albertini R.J., Anderson D., Douglas G.R., Hagmar L., Hemmink, K., Merlo F., Natarajan A.T., Norpp, H., Shuker D.E., Tice R., Waters M.D., Aitio A. IPCS guidelines for the monitoring of genotoxic effects of carcinogens in humans. International Programme on Chemical Safety. *Mutat Res.* 2000; 463(2): 111-72.
- Alpendurada M.F. Solid-phase microextraction: a promising technique for sample preparation in environmental analysis. *J Chromatogr A.* 2000; 889(1-2): 3-14. Review.
- Andrade J.B., Marta A., Heloisa L.C., Rosa A., and Eustáquio L. Borges. 2003. "Determination of formaldehyde and acetaldehyde in urine by HPLC" [online]. Available: <http://www.iscpubs.com/articles/al/a9905dea.pdf> (1 September 2003)
- Andrews, L.S., Clary, J.J., Terrill, J.B., Bolte, H.F. Subchronic inhalation toxicity of methanol. *J Toxicol Environ Health.* 1987; 20(1-2): 117-24.
- Ballarin C., Sarto F., Giacomelli L., Bartolucci G.B., Clonfero E. Micronucleated cells in nasal mucosa of formaldehyde-exposed workers. *Mutat Res.* 1992; 280(1): 1-7.
- Ballinger L.N., Cross S.E., Roberts M.S. Availability and mean transit times of phenol and its metabolites in the isolated perfused rat liver: normal and retrograde studies using tracer concentrations of phenol. *J Pharm Pharmacol.* 1995; 47(11): 949-56.
- Barale R., Chelotti L., Davini T., Del Ry S., Andreassi M.G., Ballardin M., Bulleri M., He J., Baldacci S., Di Pede F., Gemignani F., Landi S. Sister chromatid exchange and micronucleus frequency in human lymphocytes of 1,650 subjects in an Italian population: II. Contribution of sex, age, and lifestyle. *Environ Mol Mutagen.* 1998; 31(3): 228-42.

- Becker C.E. Methanol poisoning. *J Emerg Med.* 1983; 1(1): 51-8. Review.
- Campbell J.A., Howard D.R., Backer L.C., Allen J.W. Evidence that methanol inhalation does not induce chromosome damage in mice. *Mutat Res.* 1991; 260(3): 257-64.
- Casartelli G, Monteghirfo S, De Ferrari M, Bonatti S, Scala M, Toma S, Margarino G, Abbondandolo. A Staining of micronuclei in squamous epithelial cells of human oral mucosa. *Anal Quant Cytol Histol.* 1997;19(6):475-81.
- Chieco P., Derenzini M. The Feulgen reaction 75 years on. *Histochem Cell Biol.* 1999; 111(5): 345-58.
- Ciranni R, Barale R, Ghelardini G, Loprieno N. Benzene and the genotoxicity of its metabolites. II. The effect of the route of administration on the micronuclei and bone marrow depression in mouse bone marrow cells. *Mutat Res.* 1988; 209(1-2):23-8.
- Clement, R. E. *Gas Chromatography, Biochemical, Biomedical and Clinical Application*. New York : John Wiley & Sons, 1990.
- Confer, R.G. and Confer T.R. *Occupational Health and Safety: Term, Definitions and Aberrations*. Second edition, Boca Raton: Lewis publishers, 1999.
- Cosma G.N, Marchok A.C. Benzo[a]pyrene- and formaldehyde-induced DNA damage and repair in rat tracheal epithelial cells. *Toxicology* 1988; 51(2-3): 309-20.
- David Blackmore and Robert Lade. 2003. "The Validation of Passive 2 and 8 Hour Time Weighted Average (TWA) Dosimeter for the Occupational Exposure to Formaldehyde" [online]. Available: <http://www.piezoptic.com/pdfs/Formaldehyde%208h%20TWA%20validation%202001.pdf> (30 August 2003).
- Dittberner U., Schmetzter B., Golzer P., Eisenbrand G., Zankl H. Genotoxic effects of 2-trans-hexenal in human buccal mucosa cells in vivo. *Mutat Res.* 1997 24; 390(1-2): 161-5.
- EPA. 2002. "Toxicology review of phenol" [online]. Available: <http://www.epa.gov/IRIS/toxreviews/0088-tr.pdf> (1 September 2003).
- Fenech M. Important variables that influence base-line micronucleus frequency in cytokinesis-blocked lymphocytes-a biomarker for DNA damage in human populations. *Mutat Res.* 1998;404(1-2):155-65.
- Fenech M. Biomarkers of genetic damage for cancer epidemiology. *Toxicology*. 2002; 27(181-182): 411-6. Review.

- Fenech M., Holland N., Chang W.P., Zeiger E., Bonassi S. The HUman MicroNucleus Project-- An international collaborative study on the use of the micronucleus technique for measuring DNA damage in humans. *Mutat Res.* 1999; 428(1-2): 271-83. Review.
- Fennell, T.R. Development of methods for measuring biological markers of formaldehyde exposure. *Res Rep Health Eff Inst.* 1994; 67: 1-20.
- Frederick L.J., Schulte P.A., Apol A. Investigation and control of occupational hazards associated with the use of spirit duplicators. *Am Ind Hyg Assoc J.* 1984; 45(1): 51-5.
- Gattas G.J.F., Cardoso L.A., Medrado-Faria M.A., Saldanha P. H. Frequency of oral mucosa micronuclei in gas station operators after introducing methanol. *Occupational Medicine* 2001; 51(2):107-13.
- Ghose U.R., Parida B.B. Cytological study of exfoliated buccal mucosa cells of tribes in Orissa State (India) with high risk for oral cancer. *Indian J Cancer.* 1995; 32(3): 95-9.
- Ganguly B.B. Cell division, chromosomal damage and micronucleus formation in peripheral lymphocytes of healthy donors: related to donor's age. *Mutat Res.* 1993; 295(3): 135-48.
- Hedberg J.J., Hoog J.O., Nilsson J.A., Xi Z., Elfwing A., Grafstrom R.C. Expression of alcohol dehydrogenase 3 in tissue and cultured cells from human oral mucosa. *Am J Pathol.* 2000; 157(5): 1745-55.
- Hinshaw J.2003. "Sodid phase microextraction" [online]. Available: <http://www.lcgceurope.com/lcgceurope/data/articlestandard/lcgceurope/462003/75775/article.pdf> (12 December 2003).
- Holland Nida T. 2003. "Protocol Library : Exfoliated Cells" [online]. Available: <http://ehs.sph.berkeley.edu/holland/protocolLibrary/Exfoliated.html> (1 September 2003).
- International Programme on Chemical Safety. *Environmental Health Criteria 196: Methanol.* Geneva : World Health Organization, 1997: 79-82.
- International Programme on Chemical Safety. Concise International Chemical Assessment Document : Formaldehyde. Geneva : World Health Organization, 2002: 35-37.
- International Programme on Chemical Safety. *Environmental Health Criteria 161: Phenol.* Geneva : World Health Organization, 1997: 79-82.

- Kedjarune U., Charoenworaluk N., Koontongkaew S. Release of methyl methacrylate from heat-cured and autopolymerized resins: cytotoxicity testing related to residual monomer. *Aust Dent J.* 1999; 44(1): 25-30.
- Klaassen, C.D., Amdur, M.O. and Doull, J. *Casarett and Doull's Toxicology the Basic Science of Poisons*. Fifth Edition. New York : McGraw-Hill, 1996.
- Kreiger, R.A., Garry, V.F. Formaldehyde-induced cytotoxicity and sister-chromatid exchanges in human lymphocyte cultures. *Mutat Res* 1983; 120(1):51-5.
- Leggat P.A., Kedjarune U. Toxicity of methyl methacrylate in dentistry. *Int Dent J.* 2003; 53 (3): 126-31. Review.
- Levy S., Nocentini S., Billardon C. Induction of cytogenetic effects in human fibroblast cultures after exposure to formaldehyde or X-rays. *Mutat Res.* 1983; 119(3): 309-17.
- Liang H.J., Fen J.L., Yan J.H. Detection of cytogenetic effects in peripheral lymphocytes of students exposed to formaldehyde with cytokinesis-blockde micronucleus assay. *Biomedical and Environmental Sciences* 1998; 11:87-92.
- LoughW.J.and Wainer I.W. *High performance liquid chromatography, Fundamental principles and practice*. London: Blackie Academin & Professional Chapman & Hall,1995.
- MacGregor J.T., Wehr C.M., Hiatt R.A., Peters B., Tucker J.D., Langlois R.G., Jacob R.A., Jensen R.H., Yager J.W., Shigenaga M.K., Frei B., Eynon B.P., Ames B.N. 'Spontaneous' genetic damage in man: evaluation of interindividual variability, relationship among markers of damage, and influence of nutritional status. *Mutat Res.* 1997; 377(1): 125-35.
- Majer B.J., Laky B., Knasmuller S., Kassie F. Use of the micronucleus assay with exfoliated epithelial cells as a biomarker for monitoring individuals at elevated risk of genetic damage and in chemoprevention trials. *Mutat Res* 2001; 489(2-3):147-72. Review.
- Marazzini A., Betti C., Bernacchi F., Barrai I., Barale R. Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis.* 1994; 9(6): 505-15.
- Minodier I., Orsiere T., Bellon L., Pompili J., Sapin C., Botta A. Cytogenetic monitoring of industrial radiographers using the micronucleus assay. *Mutat Res.* 2002; 521(1-2): 37-46.

- Muller W.U., Kasper C., Streffer C. Relation between rate of cell proliferation and formation of micronuclei after combined treatment with X-rays and caffeine. *Radiat Environ Biophys.* 1993; 32(3): 239-49.
- Morgan K.T., Gross E.A., Patterson D.L. Distribution, progression, and recovery of acute formaldehyde-induced inhibition of nasal mucociliary function in F-344 rats. *Toxicol Appl Pharmacol.* 198; 86(3): 448-56.
- Miller B.M., Pujadas E., Gocke E. Evaluation of the micronucleus test in vitro using Chinese hamster cells: results of four chemicals weakly positive in the in vivo micronucleus test. *Environ Mol Mutagen.* 1995; 26(3): 240-7.
- Natarajan A.T., Darroudi F., Bussman C.J., van Kesteren-van Leeuwen A.C. Evaluation of the mutagenicity of formaldehyde in mammalian cytogenetic assays in vivo and vitro. *Mutat Res.* 1983; 122(3-4): 355-60.
- Neri M., Fucic A., Knudsen L.E., Lando C., Merlo F., Bonassi S. Micronuclei frequency in children exposed to environmental mutagens: a review. *Mutat Res.* 2003; 544(2-3): 243-54. Review.
- Niessen, W.M.A. *Current Practice of Gas Chromatography-Mass Spectrometry.* New York: Dekker, 2001.
- NIOSH. 1999. "International Chemical Safety Cards: Formaldehyde (37% solution, methanol free)" [online]. Available: <http://www.cdc.gov/niosh/ipcsneng/neng0695.html> (18 June 2003).
- NIOSH. 1999. "International Chemical Safety Cards: Methanol" [online]. Available: <http://www.cdc.gov/niosh/ipcsngrm/ngrm0057.html> (18 June 2003).
- NIOSH. 1999. "Manual of Analytical Methods. Formaldehyde 2016" [Online]. Available: <http://www.cdc.gov/niosh/nmam/pdfs/2016.pdf> (18 June 2003).
- NIOSH. 1999. "Manual of Analytical Methods Methanol 2000." [Online]. Available: <http://www.cdc.gov/niosh/nmam/pdfs/2000.pdf> (18 June 2003).
- NIOSH. 1999 "Manual of Analytical Methods. Phenol 2546." [Online]. Available: <http://www.cdc.gov/niosh/nmam/pdfs/2546.pdf> (18 June 2003).
- Norppa H., Falck G.C. What do human micronuclei contain? *Mutagenesis.* 2003; 18(3): 221-33. Review.


- Norppa H., Luomahaara S., Heikanen H., Roth S., Sorsa M., Renzi L., Lindholm C. Micronucleus assay in lymphocytes as a tool to biomonitor human exposure to aneuploidogens and clastogens. *Environ Health Perspect.* 1993; 101 Suppl 3: 139-43. Review
- Office of research and standards department of environmental protection. 2002. "indoor air sampling and evaluation guide" [online]. Available: <http://www.state.ma.us/dep/ors/files/indair.pdf> (1 January 2004).
- Pastor S., Lucero L., Gutierrez S., Durban R., Gomez C., Parron T., Creus A., Marcos R. Follow-up study on micronucleus frequency in Spanish agricultural workers exposed to pesticides. *Mutagenesis.* 2002; 17(1): 79-82.
- Piyathilake C.J., Macaluso M., Hine R.J., Vinter D.W., Richards E.W., Krumdieck C.L. Cigarette smoking, intracellular vitamin deficiency, and occurrence of micronuclei in epithelial cells of the buccal mucosa. *Cancer Epidemiol Biomarkers Prev.* 1995; 4(7): 751-8.
- Przybojewska B., Dziubaltowska E., Kowalski Z. Genotoxic effects of ethyl acrylate and methyl acrylate in the mouse evaluated by the micronucleus test. *Mutat Res.* 1984; 135(3): 189-91.
- Quievry G., Zhirkovich A. Loss of DNA-protein crosslinks from formaldehyde-exposed cells occurs through spontaneous hydrolysis and an active repair process linked to proteosome function. *Carcinogenesis.* 2000; 21(8): 1573-80.
- Roberts D.M. Comparative cytology of the oral cavities of snuff users. *Acta Cytol.* 1997; 41(4): 1008-14.
- Rouessac, A. and Rouessac, F. *Chemical Analysis.* New York: John Wiley & Sons, 2000.
- Sander F., Dott W., Hollender J. Sensitive indoor air monitoring of formaldehyde and other carbonyl compounds using the 2,4-dinitrophenylhydrazine method. *Int. J. Hyg. Environ. Health.* 2001; 203: 275-279.
- Sarto F., Tomanin R., Giacomelli L., Iannini G., Cupiraggi A.R. The micronucleus assay in human exfoliated cells of the nose and mouth: application to occupational exposures to chromic acid and ethylene oxide. *Mutat Res.* 1990; 244(4): 345-51.

- Schlink K., Janben K., Nitzsche S., Gebhard S., Hengstler J.G., Klein S. and Oesch F. Activity of O₆-methylguanine DNA methyltransferase in mononuclear blood cells of formaldehyde-exposed medical students. *Arch Toxicol.* 1999; 73(1): 15-21.
- SKC. 2003. "Sampling Train-Sorbent Sample Tubes" [online]. Available: <http://www.freepumploan.com/pages/1168.html> (22 December 2003).
- SKC. 2003. "How Sorbent Tube Sampling Works" [online]. <http://www.skcinc.com/abosor.asp> (22 December 2003).
- Shamy M.Y., el Gazzar R.M., el Sayed M.A., Attia A.M. Study of some biochemical changes among workers occupationally exposed to phenol, alone or in combination with other organic solvents. *Ind Health.* 1994; 32(4): 207-14.
- Sigma-Aldrich.co. 1998. "solid phase micro extraction: Theory and Optimization of Conditions" [online]. Available: <http://mtsu32.mtsu.edu:11233/SPME-intro-Supelco.pdf> (1 September 2003).
- Slonina D., Spekl K., Panteleeva A., Brankovic K., Hoinkis C., Dorr W. Induction of micronuclei in human fibroblasts and keratinocytes by 25 kV x-rays. *Radiat Environ Biophys.* 2003; 42(1): 55-61.
- Stich H.F, Curtis J.R, Parida B.B. Application of the micronucleus test to exfoliated cells of high cancer risk groups: tobacco chewers. *Int J Cancer.* 1982 Nov 15;30(5):553-9.
- Stich J.E., Li K.K., Chun Y.S., Weiss R., Park N.H. Effect of smokeless tobacco on the replication of herpes simplex virus in vitro and on production of viral lesions in hamster cheek pouch. *Arch Oral Biol.* 1987; 32(4): 291-6.
- Stich H.F., Rosin M.P. Micronuclei in exfoliated human cells as a tool for studies in cancer risk and cancer intervention. *Cancer Lett.* 1984;22(3):241-53.
- Suruda A., Schulte P., Boeniger M., Hayes R.B., Livingston G.K., Steenland K., Stewart P., Herrick R., Douthit D. and Fingerhut M.A. Cytogenetic effects of formaldehyde exposure in students of mortuary science. *Cancer Epidemiol Biomarkers Prev.* 1993; 2(5): 453-60.
- The national academy of science. 2002. "Active air sampling" [Online]. <http://books.nap.edu/books/0309068754/html/110.html> (18 June 2003).

- Thierens H., Vral A., Morthier R., Aousalah B., De Ridder L. Cytogenetic monitoring of hospital workers occupationally exposed to ionizing radiation using the micronucleus centromere assay. *Mutagenesis*. 2000; 15(3): 245-9.
- Thrasher D. J. Embryo Toxicity and Teratogenicity of Formaldehyde. *Archives of Environmental Health*. 2001; 56(4):300-11.
- Titenko-Holland N., Jacob R.A., Shang N., Balaraman A., Smith M.T. Micronuclei in lymphocytes and exfoliated buccal cells of postmenopausal women with dietary changes in folate. *Mutat Res.* 1998; 417(2-3): 101-14.
- Titenko-Holland N., Levine A.J., Smith M.T., Quintana, P.J., Boeniger, M., Hayes, R., Suruda A. and Schulte P. Quantification of epithelial cell micronuclei by fluorescence in situ hybridization (FISH) in mortuary science students exposed to formaldehyde. *Mutat Res.* 1996; 20;371(3-4):237-48.
- Tsuchiya H., Hoshino Y., Tajima K., Takagi N. Leaching and cytotoxicity of formaldehyde and methyl methacrylate from acrylic resin denture base materials. *J Prosthet Dent.* 1994; 71(6): 618-24.
- Vendilo M.V., Egorov I., Fel'dman N.G. Effect of methanol and certain other high alcohol on the retina (electronmicroscopic study). *Gig Tr Prof Zabol.* 1971; 15(1): 17-21.
- Wastson J. T. *Introduction to mass spectrometry* (second edition),, New York: Raven Press.,1985.
- World Health Organization. Air Quality Guidelines: Formaldehyde. 2nd. Ed. Copenhagen: WHO Regional Office for Europe; 2001.
- World Health Organization. Air Quality Guidelines: Methanol. 2nd. Ed. Copenhagen: WHO Regional Office for Europe; 1997.
- Yang H.W., Chou L.S., Chou M.Y., Chang Y.C. Assessment of genetic damage by methyl methacrylate employing in vitro mammalian test system. *Biomaterials*. 2003; 24(17): 2909-14.
- Yager J.W., Eastmond D.A., Robertson M.L., Paradisim W.M., Smith M.T. Characterization of micronuclei induced in human lymphocytes by benzene metabolites. *Cancer Res.* 1990 15;50(2):393-9.

Ying C.J., Yan W.S., Zhao M.Y., Ye X.L., Xie H., Yin S.Y., Zhu X.S. Micronuclei in nasal mucosa, oral mucosa and lymphocytes in students exposed to formaldehyde vapor in anatomy class. *Biomed Environ Sci.* 1997; 10(4): 451-5.

Yoshii E. Cytotoxic effects of acrylates and methacrylates: relationships of monomer structures and cytotoxicity. *J Biomed Mater Res.* 1997; 37(4): 517-24.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved