

## REFERENCES

1. Chiang WK. And Wang RY."Acetaminophen toxicity." [online]. Available [http:// www.Hypertension-consult.com/secure/textbookarticles/Textbook/121\\_Acetaminophen](http://www.Hypertension-consult.com/secure/textbookarticles/Textbook/121_Acetaminophen). (18 march 2004).
2. Thomas SHL. Paracetamol (acetaminophen) poisoning. *Pharmac. Ther.* 1993; 60:91-120.
3. Turvill JT., Burroughs AK., Moore KP. Change in occurrence of paracetamol overdose in UK after introduction of blister packs. *Lancet.* 2000; 355: 2009.
4. William H., Porto SM., Jeffords BK. Stability and microbiology of inhalant N-acetylcysteine Used as an intravenous solution for the treatment of acetaminophen poisoning. *Annals. Emer. Med.* 2003; 42: 9-13.
5. Narongchai P. and Narongchai S. Acetaminophen overdose in suicidal attempt patient. *J. Med. Associate. Thailand.* (inpress).
6. Al-Mustafa ZH., Al-Ali AK., Qaw FS., et al. Cimetidine enhances the hepatoprotective action of N-acetylcysteine in mice treated with toxic doses of paracetamol. *Toxicol.* 1997; 121: 223-8.
7. Mitchell MC., Schenker S., Avant GR., et al. Cimetidine protects against acetaminophen hepatotoxicity in rats. *Gastro.* 1981; 81: 1052-60.
8. Slattery JT., Meroie TI., Reynolds R., et al. Lack of effect of cimetidine on acetaminophen Disposition in human. *Clin. Pharm. Ther.* 1989; 46: 591-97.
9. Emery S., Oldham HG., Norman SJ., et al. The effect of cimetidine and ranitidine on paracetamol glucuronidation and sulfation in cultured rat hepatocytes. *Biochem. Pharm.* 1985; 34: 1415-21.
10. Zed PJ., and Krenzelok EP. Treatment of acetaminophen overdose. *Am.J. Health.Syst. Pharm.* 1999; 56: 1081-91.
11. Hardman, JG. And Limbird, LE. : The pharmacological basis of therapeutic, 10 th ed. McGraw-Hill., New York, pp 687-732, 2001

12. Divoll M., Greenblatt DJ., Amcer B., et al. Effect of food on acetaminophen absorption in young and elderly subjects. *J. Clin. Pharmacol.* 1982; 22: 571-6.
13. Levy G., Garrettson L., Soda D. Evidence of placental transfer of acetaminophen. *Pediatrics.* 1974; 55: 895.
14. Thummel KE., Lee CA., Kunze Kl., et al. Oxidative of acetaminophen to N-acetyl-p-aminobenzoquinone-imine by human CYP3A4. *Biochem. Pharm.* 1993; 45: 1563-69.
15. Dong H., Haining RL., Thummel KE., et al. Involvement of human cytochrome P450 2D6 in the biotransformation of acetaminophen. *Drug. Metab. Dispos.* 2000; 28: 1397-400.
16. Hazai E., Vereczkey L., Monostory K. Reduction of toxic metabolite formation of acetaminophen. *Biochem. Biophys. Res. Commun.* 2002; 291: 1089-94.
17. Klaassen, C. D., Amdur, M. O., John, D.: Casarett and Doull's Toxicity. 5 th eds. McGraw-Hill, New York. 1996.
18. Boyd Em., Bereczky GM. Liver necrosis from paracetamol. *Br.J Pharmac.* 1966; 26:606-14.
19. Davidson D., Eastham GD., Eastham WN. Acute liver necrosis following overdose of paracetamol. *Br. Med. J.* 1966; 2: 497-9.
20. Vale, J. A., Meredith, J. J. : Poisoning diagnosis and treatment. 2 nd eds. Lowe and Brydone Printers Ltd., pp 104-12, 1981.
21. Portmann B., Talbot IC., Day DW., et al. Histopathological changes in the liver following paracetamol overdose: correlation with clinical and biochemical parameters. *J.Pathol.* 1975; 25: 169-81.
22. Prescott LF. Paracetamol overdosage: pharmacological considerations and clinical management. *Drugs.* 1983; 25: 290-314.
23. Patel F. Fatal paracetamol overdose-how low can you go?. *Med. Sci.Law.* 1992; 32: 303-10.
24. Prescott LF. Glutathione- a protective mechanism against hepatotoxicity. *Biochem. Soc. Trans.* 1982; 10: 84-5.
25. Mitchell JR., Jollow DJ., Potter WZ., et al. Acetaminophen-induced hepatic necrosis: I. Role of drug metabolism. *J. Pharm. Exp. Ther.* 1973; 187: 185-94.
26. Mitchell JR., Jollow DJ., Potter WZ., et al. Acetaminophen- induced hepatic injury: IV. Protective role of glutathione. *J. Pharm.Exp.Ther.* 1973; 187: 211-7.

27. Jollow DJ., Mitchell JR., Potter WZ., et al. Acetaminophen- induced hepatic necrosis: II. Role of covalent binding in vivo. *J. Pharm.Exp. Ther.* 1973; 187: 195-02.
28. Potter WZ., Davis DC., Mitchell JR., et al. Acetaminophen-induced hepatic necrosis: III. Cytochrome P-450 mediated covalent binding in vitro. *J. Pharm.Exp.Ther.* 1973; 187: 203-10.
29. Dahlin DC., Miwa GT., Lu AYH., et al. N-acetyl-p- benzoquinonimine: a cytochrome P450 mediated oxidation product of acetaminophen. *Proc. Nat. Cad. Sci. USA.* 1984; 81: 1327-33.
30. Davis DC., Potter WZ., Jollow DJ., et al. Species difference in hepatic glutathione depletion, covalent binding and hepatic necrosis after acetaminophen. *Life Sci.* 1974; 14: 2099-109.
31. Hinson JA., Robert DW., Benson RW., et al. Mechanism of paracetamol toxicity. *Lancet.* 1990; 335: 732.
32. Timenstein MA. And Nelson SD. Acetaminophen- induced oxidation of protein thiol. Contribution of impaired thiol metabolising enzymes and the breakdown of adenine nucleotides. *J. Biol. Chem.* 1990; 265: 3059-65.
33. Tsoskos KJ., Hughes H., Smith CV., et al. Alkylation of the liver plasma membrane and inhibition of the Ca<sup>2+</sup> ATPase by acetaminophen. *Biochem. Pharm.* 1988; 37: 2125-31.
34. Timenstein MA. And Nelson SD. Subcellular binding and effects on calcium homeostasis produced by acetaminophen and nonhepatotoxic regioisomer, 3'-hydroxyacetanilide, in mouse liver. *J. Biol. Chem.* 1989; 264: 9814-9.
35. Thomas CE. And Reed DS. Effect of extracellular Ca<sup>2+</sup> omission on isolated hepatocytes.I. Induction of oxidative stress and cell injury. *J. Pharm. Exp. Ther.* 1988; 245: 493-500.
36. Ray SD., Sorge CL., Raucy JL., et al. Early loss of large genomic DNA in vivo with accumulation of calcium in the nucleus during acetaminophen-induced liver injury. *Toxicol. Appl.Pharm.* 1990; 106: 346-51.
37. Jaeschke H., Knight TR., Bajt ML., et al. The role of oxidant stress and reactive nitrogen species in acetaminophen hepatotoxicity. *Toxicol Letter.* 2003; 144: 279-88.

38. Dixon MF., Dixon B., Aparicio SR., et al. Experimental paracetamol-induced hepatic necrosis: a light and electron microscope and histochemical study. *J.Pathol.* 1976; 83: 569-71.
39. Bage NJ., Bodenheimer HC., Burchard K., et al. Long term sequelae of acetaminophen-associated FHF: relevance of early histology. *Am. J Gastroenterol.* 1988; 83: 569-71.
40. Johnson GK. And Tolman KG. Chronic liver disease and acetaminophen. *Ann. Intern. Med.* 1977; 87: 302-4.
41. Kleinman JG., Breitenfield RV., and Roth DA. Acute renal failure associated with acetaminophen ingestion: report of a case and review of the literature. *Clin. Nephrol.* 1980; 14: 201-5.
42. Cobden I., Record Co., Ward MK., et al. Paracetamol- induced acute renal failure in the absence of fulminant liver damage. *Br. Med. J.* 1982; 284: 21-2.
43. Thornton JR., and Losowsky MS. Severe thrombocytopenia after paracetamol overdose. *Gut.* 1990; 34: 1159-60.
44. Pimstone BL. and Uys CJ. Liver necrosis and myocardial pathology following paracetamol overdose. *South. African Med.J.* 1968; 42: 259-62.
45. Sanerkin NG. Acute myocardial necrosis in paracetamol poisoning. *Br. Med. J.* 1971; 3: 478.
46. Mann JM., Pierre LM., Kragel PJ. Cardiac consequences of massive acetaminophen overdose. *Am. J. Cardiol.* 1989; 63: 1018-21.
47. Flanagan RJ., Mant TGK. Coma and metabolite acidosis early in severe acute paracetamol poisoning. *Hum.Toxicol.* 1986; 5 : 256-9.
48. Koulouris Z., Tierney MG., Jones G. Metabolic acidosis and coma following a severe acetaminophen overdose. *Ann. Pharm.* 1999; 33: 1191-4.
49. Singer AJ., Carracio TR., Mofensen HC. The temporal profile of increased transaminase levels in patients with acetaminophen-induced liver dysfunction. *Ann. Emerg. Med.* 1995; 26: 49-53.
50. Ohtani N., Matsuzaki M., Anno Y., et al. A case of myocardial damage following acute paracetamol poisoning. *Jpn. Circ. J.* 1989; 53: 278-82.

51. Makin AJ., Williams R. The current management of paracetamol overdosage. *Br. J. Clin. Prac.* 1994; 48: 144-8.
52. Lesna M., Watson AJ., Douglas AP., et al. Evaluation of paracetamol induced damage in liver biopsies. *Virchows. Arch.* 1976; 370: 330-44.
53. Mathew J., Hines JE., James OFW., et al. Non parenchymal cell responses in paracetamol (acetaminophen)- induced liver injury. *J. Hepatol.* 1994; 20: 537-41.
54. Hu JJ., Yoo JSH., Lin M., et al. Protective effects of diallyl sulfide on acetaminophen-induced toxicities. *Food and chem. Tox.* 1996; 34: 963-69.
55. Younes M., Sause C., Sieghers CP., et al. Effect of desferrioxamine and diethyl-dithiocarbamate on paracetamol- induced hepato- and nephrotoxicity. The role of lipid peroxidation. *J. Appl. Toxic.* 1988; 84: 261-5.
56. Corocan GB., Mitchell JR., Vaishnav YN., et al. Evidence that acetaminophen and N-hydroxy-acetaminophen from a common arylating intermediate, N-acetyl-p-benzoquinone-imine. *Mol. Pharm.* 1980; 18: 536-42.
57. Horton AA. And Wood JM. Effects of inhibitors of phospholipase A2, cyclooxygenase and thromboxane synthetase on paracetamol hepatotoxicity in the rat. *Eicosanoid.* 1989; 2: 123-9.
58. Lewis RK., Paloucek FP. Assessment and treatment of acetaminophen overdose. *Clin. Pharm.* 1991; 10: 765-74.
59. Anker AL., Smilkstein MJ. Acetaminophen concept and controversies. *Emerg. Med. Clin. North. Am.* 1994; 12: 335-49.
60. Rose SR. Subtleties of managing acetaminophen poisoning. *Am. J. Hosp.Pharm.* 1994; 55: 3065-8.
61. Rumack BH., Matthew H. Acetaminophen poisoning and toxicity. *Pediatrics.* 1975; 55:871-6.
62. Rumack BH., Peterson RC., Koch GG., et al. Acetaminophen overdose: 662 cases with evaluation of oral acetylcysteine treatment. *Arch. Intern. Med.* 1981; 141: 380-5.
63. Bond GR., Krenzelok EP., Normann SA., et al. Acetaminophen ingestion in childhood- case and relative risk of alternative referral strategies. *J. Toxicol. Clin. Toxicol.* 1994; 32: 513-25.

64. Zed PJ., Krenzelok EP. Treatment of acetaminophen overdose. *Am. J. Health-Stst. Pharm.* 1999; 56: 1081-91.
65. Douglas DR., Smilkstein MJ., Rumark BH. APAP levels within 4 hours. Are they useful?. *Vet. Hum. Toxicol.* 1994; 36: 350.
66. Vale JA., Meredith JJ: Poisoning diagnosis and treatment, 2 nd ed. Lowe and Brydone printer Ltd., New York. 1999.
67. Harvey FD. And Levitt TE. Experiment evaluation of paracetamol antidotes. *J.Int. Med.Res.* 1976; 4: 130-7.
68. Gazzard BG., hugehe FD., Portmann B., et al. protection of rats against the hepatotoxicity effect of paracetamol. *Br. J. Exp. Path.* 1974; 55: 601-5.
69. Prescott LF., and Mathew H. Cystamine for paracetamol overdosage. *Lancet.* 1974; 1: 998.
70. Prescott LF., park J., Sutherland GR., et al. Cystemine, methionine and penicilline in the treatment of paracetamol poisoning. *Lancet.* 1976; 11: 109-14.
71. Douglas AP., Hamlyn AN., James O. Controlled trial of cysteamine in treatment of acute paracetamol (acetaminophen) poisoning. *Lancet.* 1976; 1: 111-5.
72. Smith JM., Robert WO., Hall SM.,et al. Late treatment of paracetamol poisoning with mercaptamine. *Br. Med. J.* 1987; 1: 331-3.
73. Crome P., Vale JA., Volans GN., et al. Oral methionine in the treatment of severe paracetamol (acetaminophen) overdose. *Lancet.* 1976; 2: 829-30.
74. Vale JA., Meredith JJ., Goulding R. Treatment of acetaminophen poisoning. The use of oral methionine. *Arch. Intern. Med.* 1981; 141: 394-6.
75. Phear EA., Reybner B., Sherlock S., et al. Methionine toxicity in liver disease and its prevention by chlorteotracycline. *J. Clin. Sci.* 1956; 15: 93-117.
76. Prescott LF., Wright M. B.A.L. in paracetamol poisoning. *Lancet.* 1974; 2: 833-4.
77. Flanagan RJ. The role of acetylcysteine in clinical toxicity. *Med. Toxic.* 1987; 2: 93-104.
78. Slattery JT., Wilson JM., Kalthorn TF., et al. Dose dependent pharmacokinetics of acetaminophen: evidence of glutathione depletion in human. *Clin. Pharm. Ther.* 1987; 41: 413-8.



79. Mant JGK., Tempowski JH., Volans CN., et al. Adverse reaction to acetylcysteine effects of overdose. *Br. Med. J.* 1984; 289:217-9.
80. Dawson AH., Henry DA., McEwen J. Adverse reaction to N-acetyl cysteine during treatment for paracetamol poisoning. *Med. J. Aust.* 1989; 150: 329-31.
81. Ferrari V. Safety and drug interactions of oral acetylcysteine related to utilization data. *Eur. J. Resp. Dis.* 1980; 61: 151-7.
82. Rumark BH., Peterson RG., Koch GC., et al. Acetaminophen overdose. 662 cases with evaluation of oral acetylcysteine treatment. *Arch. Intern. Med.* 1981; 141: 380-5.
83. Smilkstein MJ., Knapp GL., Kulig KW., et al. Efficacy of oral N-acetyl cysteine in the treatment of acetaminophen overdose. Analysis of a multicenter study. *New Engl. J. Med.* 1988; 319: 1557-62.
84. Brahans D. Paracetamol overdose: timing the antidote. *Lancet.* 1989; 1: 567-8.
85. Fairman MD., Jensen JC., Coursiers LR. Elimination of disulfiram and metabolites in alcoholics after single and repeated dose. *Clin. Pharm. Ther.* 1984; 36: 520-6.
86. Johansson B. A review of the pharmacokinetics and pharmacodynamic of disulfiram and its metabolites. *Acta. Psychiatric. Scand. Suppl.* 1992; 369: 15-36.
87. Eneanya DI., Bianchine JR., Duran DO., et al. The actions and metabolic fate of disulfiram. *Ann. Rev. Pharm. Toxicol.* 1981; 21: 575-96.
88. Olesen OV. Disulfiram (antabuse) as inhibitor of phenytoin metabolism. *Acta. Pharm. Toxicol.* 1960; 24: 317-22.
89. Emery MG., Jubert C., Thymmel KE., et al. Duration of cytochrome P450 2E1 (CYP2E1) inhibition and estimation of functional CYP2E1 enzyme half-life after single-dose disulfiram administration in humans. *J. Pharm. Exp. Ther.* 1999; 291: 213-9.
90. Poulsen HE., Anderson JR., Loft S., et al. Disulfiram therapy adverse drug reaction and interactions. *Acta. Psychiatr. Scand. Suppl.* 1992; 369: 59-66.
91. Poulsen HE., Ranek L., Jorgensen L. the influence of disulfiram on acetaminophen metabolism in man. *Xenobiotica.* 1991; 21: 243-9.
92. Hajela R., Cunningham GM., Kapur BM., et al. Catatonic reaction to omeprazole and disulfiram in a patient with alcohol dependence. *Can. Med. Assoc. J.* 1990; 143: 1207-8.

93. Yodaiken RE. Ethylene dibromide and disulfiram- A lethal combination. *JAMA*. 1987; 239: 2783.
94. Meng Z., Zhang B. Oxidative damage of sulfur dioxide inhalation on brain and liver of mice. *Envi. Toxicol. Pharmacol.* 2003; 13: 1-8.
95. Leelarungrayab N., Rattanapanone P., Kongtawelert P. Biomolecular changes in blood of pediatric patients with pneumonia receiving chest physical therapy. 25<sup>th</sup> Annual Scientific meeting on Mahidol's day. 24 Sep. 2001. Chiang Mai. Bulletin. 2001; 40: 44.
96. Koop DR. Hydroxylation of p-nitrophenol by rabbit ethanol-inducible cytochrome P 450 isozyme 3a. *Mol. Pharmacol.* 1986; 29: 399-04.
97. Draper AJ., Madan A., Parkinson A. Inhibition of coumarin 7- hydroxylase activity in human liver microsome. *Arch. Biochem. Biophys.* 2002; 291: 1089-94.
98. Yuwathaworn K. Pharmacokinetic. Mahidol University printed, 2<sup>nd</sup> th. Bangkok, Thailand. 2540.
99. Rao TRK. Naidu MUR., Sekhar KR., et al. Comparative bioavailability of three paracetamol preparation. *Indian J. Pharm.* 1990; 22: 89-91.
100. Kucukardali Y., Cinan U., Acar HV., et al. Comparative of the therapeutic efficacy of 4-methylpyrazole and N-acetylcysteine on acetaminophen (paracetamol) hepatotoxicity in rats. *Curr. Med. Res. Opin.* 2002; 18: 78-81.
101. Poulsen HE., Lerche A., Pedersen NT. Phenobarbital induction does not potential hepatotoxicity but accelerates liver cell necrosis form acetaminophen overdose in the rat. *Pharmacology.* 1985; 30: 100-8.
102. Howland M.A.: "Acetaminophen". The clinical basis of medical toxicology, 2<sup>nd</sup> ed. McGraw Hill, New York, pp 502-5, 2001.
103. Stripp B., Greene FE., Gillette JR. Disulfiram impairment of drug metabolism by rat liver microsome. *J. pharm. Exp. Ther.* 1969; 170: 347-54.
104. Zematis MA., Greene FE. Impairment of hepatic microsomal drug metabolism in the rat during daily disulfiram administration. *Biochem. Pharm.* 1976; 25: 1355-60.
105. Hu JJ., Yoo JSH., Lin M., et al. Protective effects of diallyl sulfide on acetaminophen-induced toxicities. *Food chem. Toxicol.* 1996; 34: 963-9.



106. Zimmerman HJ. Hepatotoxicity: the adverse effect of drugs and other chemicals on the liver, 2nd ed. Lippincott Williams and Wilkins. Philadelphia. pp 208-9, 1999.
107. Goldfrank LR., Plomenbaum NE., Lewis NA., et al. Goldfrank's toxicologic emergencies. 7th ed. McGraw-Hill. United States of America. Pp 224-5, 2002.
108. Tonge RP., Kelly EJ., Bruschi SA., et al. Role of CYP1A2 in the hepatotoxicity of acetaminophen: Investigations using CYP1a2 null mice. *Toxicol. Appl. Pharmacol.* 1998; 153: 102-8.
109. Radzialowski FM., Bousquet WF. Daily rhythmic variation in hepatic drug metabolism in the rat and mouse. *J. Pharm. Exp. Ther.* 1968; 163: 229-38.
110. Brown BL., Allis JW., Simmons JE., et al. Fasting for less than 24 h induces cytochrome P 450 2E1 and 2B1/2 activities in rats. *Toxicol. Letters.* 1995; 81: 39-44.
111. Liu PT., Ioannides C., Shavila J., et al. Effects of ether anaesthesia and fasting on various cytochromes P450 of rat liver and kidney. *Biochem. Pharm.* 1993; 45: 871-7.
112. Labrecque G., Belanger PM. Biological rhythms in the absorption, distribution, metabolism and excretion of drugs. *Pharmacol. Ther.* 1991; 52: 95-127.
113. Ducharme J., Abdullah S., Wainer IW. Dextromethorphan as an in vivo probe for the simultaneous determination of CYP 2D6 and CYP3A activity. *J. Chromatogr. B. Biomed. Appl.* 1996; 678: 113-28.
114. Kharasch ED., Hankins DC., Jubert C., et al. Lack of single-dose disulfiram effects on cytochrome P450 2C9, 2C19, 2D6 and 3A4 activities: evidence for specificity toward P-450 2E1. *Drug. Metab. Dispos.* 1999; 27: 717-23.
115. Abraham P. Increased protein thiol in the liver and plasma of rats in acute acetaminophen intoxication. *Clinica. Chimica. Acta.* 2004; 339: 203-4.
116. Skrzydlawska E., Farbiszewski R. Protective effect of N-acetylcysteine on reduced glutathione, reduced glutathione-related enzyme and lipid peroxidation in methanol in toxication. *Drug. Alcohol. Depend.* 1999; 57: 61-7.
117. Wang EJ., Li Y., Lin M., et al. Protective effects of garlic and related organosulfur compounds on acetaminophen-induced hepatotoxicity in mice. 1996; 136: 146-54.

118. Bertram B., Frei E., Wiessler M. Influence of disulfiram on glutathione, glutathione-S-transferase, and on nitrosamine-dealkylases of liver kidney and esophagus of the rats. *Biochem. Pharm.* 1985; 34: 387-8.
119. Russell J., Spickett CM., Reglinski J., et al. Alteration of the erythrocyte glutathione redox balance by N-acetylcysteine, captoprill and exogenous glutathione. *FEBS letters.* 1994; 347:215-20.
120. Ploeman JPHTM., Iersel MLPS., Wormhoudt LW., et al. In vitro inhibition of rat and human glutathione-s- transferase isoemzyme by disulfiram and diethyldithiocarbamate. *Biochem. Pharm.* 1996; 52: 197-04.
121. Hu P., Jin L., Baillie TA. Studies on the metabolic activation of disulfiram in rat. Evidence for electrophilic s-oxygenated metabolites as inhibitors of aldehyde dehydrogenase and precursors of urinary N-acetylcysteine conjugates. *J. Pharm. Exp. Ther.* 1997; 281: 611-7.
122. Jorgensen L., Thomsen P., poulsen HE. Disulfiram prevents acetaminophen hepatotoxicity in rats. *Pharm. Toxicol.* 1988; 62: 267-71.
123. Schiodt FV., Lee WM., Ostapowicz., et al. Influence of acute and chronic alcohol intake on the clinical course and outcome in acetaminophen overdose. *Hepatology.* 1999; 30: 165.