

REFERENCES

- Agüete E.C., Gago-Martínez A., Leão J.M., Rodrigues-Vázquez J.A., Menàrd C., Lawrence J.F. HPLC and HPCE analysis of microcystins RR, LR and YR present in cyanobacteria and water by using immunoaffinity extraction. *Talanta* 2003; 59: 697-705.
- Azevedo S.M.F.O., Carmichael W.W., Jochimsen E.M., Rinehart K.L., Lau S., Shaw G.R., Eaglesham G.K. Human intoxication by microcystins during renal dialysis treatment in Caruaru-Brazil. *Toxicology* 2002; 181-2: 441-6. 2002
- Bateman K.P., Thibault P., Douglas D.J., White R.L. Mass spectral analyses of microcystins from toxic cyanobacteria using on-line chromatographic and electrophoretic separations. *J Chromatogr* 1995; 712: 253-68.
- Beasley V.R., Cook W.O., Dahlem A.M., Hooser S.B., Lovell R.A., Valentine W.M. Intoxication in livestock and water fowl. *Clinical Toxicology Veterinary Clinics of North America and Food Animal Practice* 1989; 5: 345-61.
- Bell S.G. and Codd G.A. Cyanobacterial toxins and human health. *Rev Med Microbiol* 1994; 5: 256-64.
- Bergs K., Wyman J., Carmichael W.W., Dabholkar A. Isolated rat liver perfusion studies with cyclic heptapeptide toxins of *Microcystis* and *Oscillatoria* (Freshwater cyanobacteria). *Toxicon* 1988; 26: 827-37.
- Botes D.P., Wessels P.L., Kruger H., Runnegar M.T.C., Santikarn S., Smiths R.J., Barna J.C.J., Williams D.H. Structural studies on cyanoginosins-LR, -YR, -YA, and -YM, peptide toxins from *Microcystis aeruginosa*. *J Chem Soc Perkin Trans* 1985; 1: 2747-8.
- Bouaïcha N. and Maatouk I. Microcystin-LR and nodularin induce intracellular glutathione alteration, reactive oxygen species production and lipid peroxidation in primary cultured rat hepatocytes. *Toxicol Lett* 2004; 148: 53-63.
- Brattacharya R., Rao P.V., Bhaskar A.S., Pant S.C., Dube S.N. Liver slice culture for assessing the hepatotoxicity of freshwater cyanobacteria. *Hum Exp Toxicol* 1996; 15: 105-10.

- Brooks W.P. and Codd G.A. Extraction and purification of toxic peptides from natural blooms and laboratory isolates of the cyanobacterium *Microcystis aeruginosa*. *Lett Appl Microbiol* 1986; 2: 1-3.
- Brooks W.P. and Codd G.A. Distribution of *Microcystis aeruginosa* peptide toxin and interactions with hepatic microsomes in mice. *Pharmacol Toxicol* 1987; 60: 187-91.
- Carmichael W.W., Jones C.L.A., Mahmood N.A., Theiss W.C. Algal Toxins and Water based diseases. *CRC Crit Rev Environ Control* 1985; 15: 275-313.
- Carmichael W.W., Beasley V.R., Bunner D.L., Eloff J.N., Falconer I.R., Gorham P.R., Harada K.-I., Yu M.-J., Krishnamurthy T., Moore R.E., Rinehart K.L., Runnegar M.T.C., Skullberg O.M., Watanabe M. Naming of cyclic heptapeptide toxins of cyanobacteria (blue-green algae). *Toxicon* 1988; 26: 971-3.
- Carmichael, W.W. (1989). Freshwater cyanobacteria (blue-green algae) toxins. In C.L. Ownby, G.V. Odell (Ed.), *Natural Toxins: Characterization, Pharmacology and Therapeutics* (pp.3-16), Oxford: Pergamon Press.
- Carmichael, W.W. "A status report on planktonic cyanobacteria (blue-green algae) and their toxins", Environmental Monitoring Systems Laboratory, Office of Research and Development, US Environmental Protection Agency, Cincinnati, Ohio, 1992.
- Carmichael W.W. The toxins of cyanobacteria. *Sci. Am.* 1994; 270: 78-86.
- Chong M.W.K., Gu K.D., Lam P.K.S., Yang M., Fong W.F. Study on the cytotoxicity of microcystin-LR on cultured cells. *Chemosphere* 2000; 41: 143-7.
- Chong M.W.K., Wong B.S.F., Lam P.K.S., Shaw G.R., Seawright A.A. Toxicity and uptake mechanism of cylindrospermopsin and lophytotoxin in primary rat hepatocytes. *Toxicon* 2002; 40: 205-11.
- Chorus, I. and Bartram, J. (1999). *Toxic cyanobacteria in water. A guide to their public health consequences, monitoring and management*. London: E & FN Spon.
- Chu F.S., Huang X., Wei R.D. Enzyme-linked immunosorbent assay for microcystins in blue-green algal blooms. *J Assoc Off Anal Chem* 1990; 73: 451-6.
- Codd G.A., Bell S.G., Brooks W.P. Cyanobacterial toxins in water. *Water Sci Technol* 1989; 21: 1-13.

- Codd, G.A., Wards, C.J., Beattie, K.A., Bell S.G. (1999). Widening perception of the occurrence and significance of cyanobacterial toxins. In G.A. Peschek (Ed.), *The Phototrophic Prokaryotes* (pp.623-32), New York: Kluwer Academic/Plenum Publishers.
- Codd G.A. Cyanobacterial toxins, the perception of water quality, and the prioritisation of eutrophication control. *Ecol Engineer* 2000; 16: 51-60.
- Creasia D.A. Acute inhalation toxicity of microcystin-LR in mice. *Toxicon* 1990; 28: 605.
- Cuvin-Aralar M.L., Fastner J., Focken U., Becker K., Aralar E.V. Microcystins in natural blooms and laboratory cultured *Microcystis aeruginosa* from Laguna de Bay, Philippines. *System Appl Microbiol* 2002; 25: 179-82.
- Dahlem A.M., Hassan A.L., Swanson S.P., Carmichael W.W., Beasley V.R. A model system for studying the bioavailability of intestinally administered microcystin-LR, a hepatotoxic peptide from the cyanobacterium. *Microcystis aeruginosa* in the rat. *Pharmacol Toxicol* 1989; 64: 177-81.
- Dawson R.M. The toxicology of microcystins. *Toxicon* 1998; 36: 953-62.
- Deerasamee, S., Martin, N., Sontipong, S., Sriamporn, S., Sriplung, H., Srivatanakul, P., Vatanasapt, V., Parkin, D.M., Ferlay, J. "Cancer in Thailand 1992-1994", IARC technical Report no.34, Lyon, 1999.
- Demott W.R., Zhang Q.-X., Carmichael W.W. Effects of toxic cyanobacteria and purified toxins on the survival and feeding of a copepod and three species of *Daphnia*. *Limnol Oceanog* 1991; 36: 1346-57.
- Dillenberg H.O. and Dahnell M.K. Toxic water bloom in Saskatchewan. *Can Med Assoc J* 1960; 83: 1151-4.
- Ding W.X., Shen H.-M., Shen Y., Zhu H.-G., Ong C.N. Microcystic cyanobacteria cause mitochondrial membrane potential alteration and reactive oxygen species formation in primary cultured rat hepatocytes. *Environ Health Perspect* 1998; 106: 409-13.
- Ding W.X., Shen H.-M., Ong C.-N. Critical role of reactive oxygen species and mitochondrial permeability transition in microcystin-induced rapid apoptosis in rat hepatocytes. *Hepatology* 2000; 32: 547-55.
- Ding W.-X. and Ong C.N. Role of oxidative stress and mitochondrial changes in cyanobacteria-induced apoptosis and hepatotoxicity. *FEMS Microbiol Lett* 2003; 220: 1-7.

- Edwards C., Lawton L.A., Coyle S.M., Ross P. Automated purification of microcystins. *J Chromatogr A* 1996; 734: 175-82.
- Erhardt M., von Döhren H., Jungblut P. Rapid typing and elucidation of new secondary metabolite of intact cyanobacteria using MALDI-TOF mass spectrometry. *Nature Biotech* 1997; 15: 906-9.
- Eriksson J.E., Hägerstrand H., Isomaa B. Cell selective cytotoxicity of a peptide toxin from the cyanobacterium *Microcystis aeruginosa*. *Biochim Biophys Acta* 1987; 930: 304-10.
- Falconer I.R., Jackson A.R.B., Langley J., Runnegar M.T. Liver pathology in mice in poisoning by the blue-green alga *Microcystis aeruginosa*. *Aust J Biol Sci* 1981; 34: 179-87.
- Falconer, I.R. (1992). Poisoning by blue-green algae. in I.R. Falconer, D. Watters, M. Lavin, D. Maguire, J. Pearn (Ed.), *Toxins and Targets, Effects of Natural and Synthetic Poisons on living cells and Fragile Ecosystems*.
- Falconer, I.R. (1994). Health problems from exposure to cyanobacteria and proposed safety guidelines for drinking and recreational water. in G.A. Codd, T.M. Jefferies, C.W. Keevil, E. Potter. (Ed.), *Detection methods for cyanobacterial toxins*, Cambridge, The Royal Society for Chemistry.
- Fastner J., Flieger I., Neumann U. Optimised extraction of microcystins from field samples-A comparison of different solvents and procedures. *Wat. Res.* 1998; 32: 3177-81.
- Gehringer M.M., Shepard E.G., Downing T.G., Wiegand C., Neilan B.A. An investigation into the detoxification of microcystin-LR by the glutathione pathway in Balb/c mice. *The International J Biochem Cell Biol* 2004; 36: 931-41.
- Guo D., Mant C.T., Teneja A.K., Parker J.M.R., Hodges R.S. Prediction of peptide retention times in reversed-phase high-performance liquid chromatography II. Correlation of observed and predicted peptides retention times factors and influencing the retention times of peptides. *J Chromatogr* 1986; 359: 519-32.
- Guzman R.E., Solter P.F., Runnegar M.T. Inhibition of nuclear protein phosphatase activity in mouse hepatocytes by the cyanobacterial toxin microcystin-LR. *Toxicon* 2003; 41: 778-81.
- Harada K.-I., Suzuki M., Dahlem A.M., Beasley V.R., Carmichael W.W., Rinehart, JR. K.L. Improved method for purification of toxic peptides produced by cyanobacteria. *Toxicon* 1988a; 26: 433-9.

- Harada K.-I., Matsuura K., Suzuki M., Oka H., Watanabe M.F., Oishi S., Dahlem A.M., Beasley V.R., Carmichael W.W. Analysis and purification of toxic peptides from cyanobacteria by high-performance liquid chromatography. *J Chromatogr* 1988b; 488: 275-83.
- Harada K.-I., Matsuura K., Suzuki M., Watanabe M.F., Oishi S., Dahlem A.M., Beasley V.R., Carmichael W.W. Isolation and characterization of the minor components associated with microcystins LR and RR in the cyanobacterium (Blue-green algae). *Toxicon* 1990; 28: 55-64.
- Harada K.-I., Murata H., Qiang Z., Suzuki M., Kondo F. Mass spectrometric screening method for microcystins in cyanobacteria. *Toxicon* 1996; 34: 701-10.
- Hayes K.P. and Burch M.D. Odourous compounds associated with algal blooms in South Australian waters. *Wat Res* 1989; 23: 115-21.
- Henning K., Cremer J., Meyer H. Cytotoxicity of cyanobacterium *Microcystis aeruginosa*. *J Vet Med B* 1992; 39: 307-10.
- Honkanen R.E., Zwiller J., Moore R.E., Daily S.L., Khatra B.S., Dukelow M., Boynton A.L. Characterization of microcystin-LR, a potent inhibitor of type 1 and type 2A protein phosphatases. *J Biol Chem* 1990; 265: 19401-4.
- Huber-Pestalozzi G. (1955). Das Phytoplankton des Süßwassers: Euglenophyceen, 4. Teil. Stuttgart, E. Schweizerbart sche Verlagsbuchhandlung.
- Huber-Pestalozzi G. (1968). Das Phytoplankton des Süßwassers: Crypto-phyceae, Chloromonadophyceae, Dinophyceae, 3. Teil. Stuttgart, E. Schweizerbart sche Verlagsbuchhandlung.
- Huber-Pestalozzi G. (1983). Das Phytoplankton des Süßwassers: Chlorophyceae Grünalgen Ordnung Chlorococcales. 7. Teil. 1. Hälfte. Stuttgart, E. Schweizerbart sche Verlagsbuchhandlung.
- Hummert C., Reichelt M., Weiß J., Liebert H.-P., Luckas B. Identification of microcystins in cyanobacteria from the Bleiloch former drinking-water reservoir (Thuringia, Germany). *Chemosphere* 2000; 44: 1581-8.
- Ito E., Kondo F., Terao K., Harada K.-I. Neoplastic nodular formation in mouse liver induced by repeated intraperitoneal injections of microcystin-LR. *Toxicon* 1997; 35: 1453-7.

- Jochimsen E.M., Carmichael W.W., An J.S., Cardo D.M., Cookson S.T., Holmes C.E.M., Antunes M.B. de C., Filho D.A. de Melo., Lyra T.M., Barreto V.S., Azevedo S.M., Jaris W.R. Liver failure and death after exposure to microcystins at a hemodialysis center in Brazil. *N Engl J Med* 1998; 338: 873-8.
- Jones G.J. and Orr P.T. Release and degradation of microcystin following algicide treatment of a *Microcystis aeruginosa* bloom in a recreational lake, as determined by HPLC and protein phosphatase inhibition assay. *Wat Res* 1994; 28: 871-6.
- Jones G.J., Falconer I.F., Wilkins R.M. Persistence of cyclic peptide toxins in dried cyanobacterial crusts from Lake Mokoan, Australia. *Environ Toxicol Water Qual* 1995; 10: 19-24.
- Kaya K. and Watanabe M.M. Microcystin composition of an axenic clonal strain of *Microcystis viridis* and *Microcystis viridis*-containing waterblooms in Japanese freshwaters. *J Appl Phycol* 1990; 2: 173-8.
- Khan S.A., Ghosh S., Wickstrom M., Miller L.A., Hess R., Haschek W.M., Beasley V.R. Comparative pathology of microcystin-LR in cultured hepatocytes, fibroblasts, and renal epithelial cells. *Nat Toxins* 1995; 3: 119-28.
- Khlongdee, S. (1991). *The relationship between water quality and species composition and abundance of algae in a reservoir of Chiang Rai Waterworks*. Master's thesis. Chiang Mai University, Chiang Mai.
- Kiatpradub, S. (2003a). *Diversity of toxic blue-green algae and water quality in Bang Phra reservoir Chon Buri Province in the year 2000-2001*. Master's thesis. Chiang Mai University, Chiang Mai.
- Kiatpradub, S. (2003b). *Eutrophication and water quality in Huay Yuak reservoir, Chiang Mai Province in the year 2002*. Master's independent study. Chiang Mai University, Chiang Mai.
- Kiviranta J., Sivonen K., Niemela S.I. Detection of toxicity of cyanobacteria by *Artemia salina* bioassay. *J Environ Toxicol Water Qual* 1991; 6: 423-36.
- Kondo F., Ikai Y., Oka H., Ishikawa N., Watanabe M.F., Watanabe M., Harada K.-I., Suzuki M. Separation and identification of microcystins in cyanobacteria by frit-fast atom bombardment liquid chromatography/mass spectrometry. *Toxicon* 1992; 30: 227-37.

- Komárek J. and Anagnostidis K. Modern approach to the classification system of cyanophytes 2-Chlorococcales. *Arch Hydrobiol* 1986; 43: 157.
- Komárek, J. and Anagnostidis, K. Cyanoprokaryota 1. Teil: Chlorococcales. Stuttgart, Gustav Fischer Verlag Jena, 1999.
- Kotak B.G., Kenefick S.L., Fritz D.L., Rousseaux C.G., Prepas E.E., Hrudey S.E. Occurrence and toxicological evaluation of cyanobacterial toxins in Alberta Lakes and farm dugouts. *Wat Res* 1993; 27: 495-506.
- Kotak B.G., Lam A.K.Y., Prepas E.E., Kenefick S.L., Hrudey S.E. Variability of the hepatotoxin microcystin-LR in hypereutrophic drinking waterlakes. *J Phycol* 1995; 31: 248-63.
- Krishnamurthy K.T., Carmichael W.W., Sarver E.W. Toxic peptides from freshwater cyanobacteria (blue-green algae). I. Isolation, purification and characterisation of peptides from *Microcystis aeruginosa* and *Anabaena flos-aquae*. *Toxicon* 1986; 24: 865-73.
- Kungsuwan A., Noguchi T., Watanabe M.F., Matsunaga S., Watabe S., Hashimoto K. Properties of two toxins from blue-green alga *Microcystis aeruginosa*. *Toxicon* 1988; 26: 119.
- Lam A.K.Y., Fedorak P.M., Prepas E.E. Biotransformation of the cyanobacterium hepatotoxin microcystin-LR, as determined by HPLC and protein phosphatases bioassay. *Environ Sci Technol* 1995; 29: 242-6.
- Lambert T.W. et al. Quantitation of the microcystin hepatotoxin in water at environmentally relevant concentrations with the protein phosphatase bioassay. *Environ Sci Technol* 1994; 28: 753-5.
- Lawton L.A., Edwards C., Codd G.A. Extraction and high-performance liquid chromatographic method for the determination of microcystins in raw and treated waters. *Analyst* 1994; 119: 1525-30.
- Lawton L.A., Edwards C., Beattie K.A., Pleasance S., Dear G.T., Codd G.A. Isolation and characterization of microcystins from laboratory cultures and environmental samples of *Microcystis aeruginosa* and from an associated animal toxicosis. *Nat Toxins* 1995; 3: 50-7.
- Long B.M., Jones G.J., Orr P.T. Cellular microcystin content in N-limited *Microcystis aeruginosa* can be predicted from growth rate. *Appl Environ Microbiol* 2001; 67: 278-83.
- Lukač M. and Aegerter R. Influence of trace metals on growth and toxin production of *Microcystis aeruginosa*. *Toxicon* 1993; 31: 293-305.

- MacKintosh C., Beattie K.A., Klumpp S., Cohen P., Codd G.A. Cyanobacterial microcystin LR is a potent and specific inhibitor of protein phosphatases 1 and 2A from both mammals and higher plants. *FEBS Lett* 1990; 264: 187-92.
- Magalhães V.F., Soares R.M., Azevedo S.M.F.O. Microcystin contamination in fish from the Jacarepaguã Lagoon (Rio de Janeiro, Brazil): ecological implication and human health risk. *Toxicon* 2001; 39: 1077-85.
- Mahakhant A., Sano T., Ratanachot P., Tong-a-ram T., Srivastava V.C., Watanabe M.M., Kaya K. Detection of microcystins from cyanobacterial water blooms in Thailand freshwater. *Phycol Res* 1998; 46: 25-9.
- Maharaj Nakorn Chiang Mai Hospital, "Annual report vol. 22", Chiang Mai Cancer Registry, Maharaj Nakorn Chiang Mai Hospital, Faculty of Medicine, Chiang Mai University, Chiang Mai, 1999
- McDermott C.M., Nho C.W., Howard W., Holton B. The cyanobacterial toxin, microcystin-LR, can induce apoptosis in a variety of cell types. *Toxicon* 1998; 36: 1981-96.
- Meriluoto J. and Eriksson J.E. Rapid analysis of peptide toxins in cyanobacteria. *J Chromatogr* 1988; 438: 93-9.
- Meriluoto J. Chromatography of microcystins. *Anal Chim Acta* 1997; 35: 277-98.
- Mulsin, P. (1997). *Phytoplankton biovolume and water quality in reservoir of Mae Kuang Dam, Chiang Mai*. Master's thesis. Chiang Mai University, Chiang Mai.
- Mur, L.R., Skullberg, O.M., Utkilen, H. (1999). Cyanobacteria in the environment. in I. Chorus, J. Bartram (Ed.), *Toxic Cyanobacteria in water. A guide to their public health consequences, monitoring and management* (pp.15-40), London: E & FN spon.
- Namikoshi M., Rinehart K.L., Sakai R., Stotts R.R., Dahlem A.M., Beasley V.R., Carmichael W.W., Evans W.R. Identification of 12 hepatotoxins from a Homer Lake bloom of the cyanobacteria *Microcystis aeruginosa*, *Microcystis viridis*, and *Microcystis wesenbergii*: nine new microcystins. *J Org Chem* 1992; 57: 866-72.
- Nasri A.B., Bouaïcha N., Fastner J. First report of a microcystin-containing bloom of the cyanobacteria *Microcystis* spp. in Lake Oubeira, East Algeria. *Arch Environ Contam Toxicol* 2004; 46: 197-202.

- Ngearnpat, N. (2003). *Monitoring of toxic blue-green algae, Microcystis spp. and water quality in Nong Han reservoir Sakon Nakhon Province in the year 2000-2001*. Master's thesis. Chiang Mai University, Chiang Mai.
- NHMRC/ARMCAZ, "Revised Australian Drinking Water Guidelines", National Health and Medical Research Council, Agricultural and Resource Management Council of Australia and New Zealand, 2001.
- Nishiwaki-Matsushima R., Ohta T., Nishiwaki S., Suganuma M., Kohyama K., Ishikawa T., Carmichael W.W., Fujiki H. Liver tumor promotion by the cyanobacterial cyclicpeptide toxin microcystin-LR. *J Cancer Res Clin Oncol* 1992; 118: 420-4.
- Oh H.-M., Lee S.J., Kim J.-H., Kim H.S., Yoon B.-D. Seasonal variation and indirect monitoring of microcystin concentrations in Daechung reservoir, Korea. *Appl Environ Microbiol* 2001; 67: 1484-9.
- Otsuka S., Suda S., Li R., Watanabe M., Oyaizu H., Matsumoto S., Watanabe M.M. Phylogenetic relationships between toxic and non-toxic strains of the genus *Microcystis* based on 16S to 23S internal transcribed spacer sequence. *FEMS Microbiol* 1999; 172: 15-21.
- Oudra B., Loudiki M., Sbiyyaa B., Martins R., Vasconcelos V., Namikoshi N. Isolation, characterization and quantification of microcystins (heptapeptides hepatotoxins) in *Microcystis aeruginosa* dominated bloom of Lalla Taker koust lake-reservoir (Morocco). *Toxicon* 2001; 39: 1375-81.
- Panuvanitchakorn, N. (2003). *Distribution o toxic blue-green algae, Microcystis spp. and water quality in Lamtakong reservoir Nakorn Ratchasima Province in the year 2000-2001*. Master's thesis. Chiang Mai University, Chiang Mai.
- Peerapornpisal Y., Sonthichai W., Somdee T., Mulsin P., Rott E. Water quality, distribution and primary productivity of phytoplankton in the reservoir of Mae Kuang Udomtara dam, Chiang Mai, Thailand. *J Sci Fac CMU* 1999; 26: 25-43.
- Peerapornpisal, Y. *et al.* (2001). *Survey and monitoring of toxic algae in the raw water resources for water supplies*. Chaing Mai University, Chiang Mai.
- Peerapornpisal, Y., Suttajit, M., Sonthichai, W., Koonnanuwachaidet, P., Niwasabut, C., Ruangyuttikarn, W., Lipigorngoson, S., Promkutkaew, S., Pekkoh, J., Prommana, R.,


- Bailey-Watts, T. (2002). *Ecological and toxicological investigation on Microcystis aeruginosa Kütz. in some reservoirs of Northern Thailand*. Chiang Mai University, Chiang Mai.
- Pekkoh, J. (2002). *Distribution of toxic algae and water quality in the reservoir of Mae Kuang Udomtara dam, Chiang Mai Province in 1999-2000*. Master's thesis. Chiang Mai University, Chiang Mai.
- Pflugmacher S., Wiegand C., Oberemm A., Beattie K.A., Krause E., Codd G.A., Steinberg C.E.W. Identification of an enzymatically formed glutathione conjugate of the cyanobacterial hepatotoxin microcystin-LR: the first step of detoxication. *Biochim Biophys Acta* 1998; 1425: 527-33.
- Pilotto L.S., Douglas R.M., Burch M.D., Cameron S., Beers M., Rouch G.R., Kirk M., Cowie C.T., Hardiman S., Moore C., Attewell R.G. Health effects of recreational exposure to cyanobacteria (blue-green algae) during recreational water-related activities. *Aust N Z J Public Health* 1997; 21: 562-6.
- Poon G.K., Griggs L.J., Edwards C., Beattie K.A., Codd G.A. Liquid chromatography-electrospray ionization-mass spectrometry of cyanobacterial toxins. *J Chromatogr* 1993; 628: 215-33.
- Pouria S., Andrade A., Barbosa J., Cavalcanti R.L., Barreto V.T.S., Ward C.J., Preiser W., Poon G.K. Fatal microcystin intoxication in haemodialysis unit in Caruaru, Brazil. *Lancet* 1998; 352: 21-6.
- Prescott, G.W. (1970). *How to know the freshwater algae*. Iowa: W.M.C. Brown Company Publishers Dubuque.
- Prommana, R. (2000). *Diversity of toxic algae in some water resources of wetland, in Chiang Mai-Lamphun basin*. Master's independent study. Chiang Mai University, Chiang Mai.
- Prommana, R. (2002). *Distribution of toxic algae and water quality in Kwan Phayao, Phayao Province in 1999-2000*. Master's independent study. Chiang Mai University, Chiang Mai.
- Proongkiat, T. (1999). *Diversity of phytoplankton and water quality in the reservoir of Mae Ngat Somboonchol dam*. Master's thesis. Chiang Mai University, Chiang Mai.

- Rapala J., Sivonen K., Lyra C., Niemelä S.I. Variation of microcystins, cyanobacterial hepatotoxins, in *Anabaena* spp. as a function of growth stimuli. *Appl Environ Microbiol* 1997; 64: 2206-12.
- Ratanachot, P. (1998). *Systematics and toxicity of cyanobacteria in Thailand*. Master's thesis. King Mongkut Institute of Technology Ladkrabang, Bangkok.
- Ressom, R. *et al.* (1994). Health effects of toxic cyanobacteria (blue-green algae). Australian National Health and Medical Research Council. Canberra.
- Repavich W.M., Sonzogni W.C., Standridge J.H., Wedepohl R.E., Meisner L.F. Cyanobacteria (Blue-green algae) in Wisconsin waters: Acute and Chronic toxicity. *Wat Res* 1990; 24(2): 225-31.
- Reynolds, C.S. (1984). *The Ecology of Freshwater Phytoplankton*. Cambridge: Cambridge University Press.
- Robarts R.D. and Zohary T. Temperature effects on photosynthetic capacity, respiration, and growth rates of bloom-forming cyanobacteria. *N Z J Mar Freshwat Res* 1987; 21: 391-9.
- Robinson N., Pace J.G., Matson C.F., Miura G.A., Lawrence W.B. Tissue distribution, excretion and hepatic biotransformation of microcystin-LR in mice. *J Pharmacol Exp Ther* 1990; 256: 176-82.
- Robinson N., Matson C.F., Pace J.G. Association of microcystin-LR and its biotransformation product with a hepatic-cytosolic protein. *J Biochem Toxicol* 1991; 6: 171-80.
- Ruangyuttikarn W., Miksik I., Pekkoh J., Peerapornpisal Y., Deyl Z. Reversed-phase liquid chromatographic-mass spectrometric determination of microcystin-LR in cyanobacterial blooms under alkaline conditions. *J Chromatogr B* 2004; 800: 315-9.
- Runnegar M.T.C., Gerdes R.G., Falconer I.R. The uptake of the cyanobacterial hepatotoxin microcystin by isolated rat hepatocytes. *Toxicon* 1991; 29: 43-51.
- Runnegar M.T.C., Kong S., Berndt N. Protein phosphatase inhibition and in vivo hepatotoxicity of microcystins. *Am J Physiol* 1993; 265: G224-30.
- Sekijima M., Tsutsumi T., Yoshida T., Harada T., Tashiro F., Chen G., Yu S.-Z., Ueno Y. Enhancement of glutathione S-transferase placental form positive liver cell foci development by microcystin-LR in aflatoxinB1-initiated rats. *Carcinogenesis* 1999; 20: 161-5.

- Shen P., Shi Q., Hua Z.C., Kong F.X., Wang Z.G., Zhuang S.X., Chen D.C. Analysis of microcystins in cyanobacteria blooms and surface water samples from Meiliang Bay, Taihu Lake, China. *Environ International* 2003; 29: 641-7.
- Siegelman, H.W., Adams, W.H., Stoner, R.D., Slatkin D.N. "Seafood Toxins" Series no.162, ACS symposium, American Chemical Society, Washington D.C., 1984.
- Sivonen K. Effects of light, temperature, nitrate, orthophosphate, and bacteria on growth of and hepatotoxin production by *Oscillatoria agardhii* strains. *Appl Environ Microbiol* 1990; 56: 2658-66.
- Sivonen, K. and Jones, G. (1999). Cyanobacterial toxins. in: I. Chorus, J. Bartram (Ed.), *Toxic cyanobacteria in water. A guide to their public health consequences, monitoring and management* (pp.41-111), London: E & FN Spon.
- Skulberg O.M., Codd G.A., Carmichael W.W. Toxic blue-green algal blooms in Europe: a growing problem. *Ambio* 1984; 13: 244-7.
- Song L., Sano T., Li R., Watanabe M.M., Liu Y., Kaya K. Microcystin production of *Microcystis viridis* (cyanobacteria) under different culture conditions. *Phycol Res* 1998; 46: 19-23.
- Spoof L., Vesterkvist P., Lindholm T., Meriluoto J. Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography-electrospray ionization mass spectrometry. *J Chromatogr A* 2003; 1020: 101-15.
- Stoner R.D., Adams W.H., Slatkin D.N., Siegelman H.W. The effects of single L-amino acid substitutions on the lethal potencies of the microcystins. *Toxicon* 1989; 27: 825-8.
- Stotts R.R., Namikoshi M., Haschek W.M., Rinehart K.L., Carmichael W.W., Dahlem A.M., Beasley V.R. Structural modifications impairing reduced toxicity in microcystins from *Microcystis* spp. *Toxicon* 1993; 31: 783-9.
- Takamura N., Yasuno M. Diurnal changes in the vertical distribution of phytoplankton in hypertrophic Lake Kasumigaura, Japan. *Hydrobiol* 1984; 112: 53-60.
- Takenaka S. Covalent glutathione conjugation to cyanobacterial hepatotoxin microcystin LR by F344 rat cytosolic and microsomal glutathione S-transferase. *Environ Toxicol Pharmacol* 2001; 9: 135-9.

- Toivola D.M., Eriksson J.E., Brautigan D.L. Identification of protein phosphatase 2A as the primary target for microcystin-LR in rat liver homogenates. *FEBS Lett* 1994; 344: 175-80.
- Tsuji K., Naito S., Kondo F., Ishikawa N., Watanabe M.F., Suzuki M., Harada K.-I. Stability of microcystins from cyanobacteria: effect of light on decomposition and isomerization. *Environ Sci Technol* 1994; 28: 173-7.
- Tsuji K., Setsuda S., Watanuki T., Kondo F., Nakazawa H., Suzuki M., Harada K.-I. Microcystin levels during 1992-5 for lakes Sagami and Tsukui Japan. *Natural Toxin* 1996; 4: 189-94.
- Turell M.J. and Middlebrook J.L. Mosquito inoculation: an alternative bioassay for toxins. *Toxicon* 1988; 26: 1089-94.
- Ueno Y., Nagata S., Tsutsumi T., Hasegawa A., Watanabe M., Park H.D., Chen G.-C., Yu S.-Z. Detection of microcystins, a blue-green algal hepatotoxin, in drinking water sampled in Haimen and Fusui, endemic areas of primary liver cancer in China, by highly sensitive immunoassay. *Carcinogenesis* 1996; 17: 1317-21.
- Van der Westhuizen A.J. and Eloff J.N. Effect of temperature and light on the toxicity and growth of the blue-green algae *Microcystis aeruginosa* (UV-006). *Plant* 1985; 163:55-9.
- Vasconcelos V.M., Sivonen K., Evans W.R., Carmichael W.W., Namikoshi M. Hepatotoxic microcystin diversity in cyanobacterial blooms collected in Portuguese freshwaters. *Wat Res* 1996; 30: 2377-84.
- Walsby, A.E. (1981). Cyanobacteria : planktonic gas-vacuolated form. in M. Star, H. Stolp, A. Balowes, H.G. Schlegel (Ed.), *The Prokaryotes* (pp.224-35), New York: Springer Verlag.
- Watanabe M.F., Oishi S., Harada K.-I., Matsuura K., Kawai H., Suzuki M. Toxins contained in *Microcystis* species of cyanobacteria (Blue-green algae). *Toxicon* 1988; 26: 1017-25.
- Watanabe M.F., Harada K.-I., Carmichael W.W., Fujiki H. *Toxic Microcystis*. Boca Raton: CRC Press, 1996.
- Watanabe M.F. and Oishi S. Effect of environmental factors on toxicity of a cyanobacterium (*Microcystis aeruginosa*) under culture conditions. *Appl Environ Microbiol* 1985; 49: 1342-4.
- WHO, "Guidelines for Drinking-water Quality. Second edition, Addendum to Volume 2, Health Criteria and Other Supporting Information", World Health Organization, Geneva, 1998.

Wick R.J. and Thiel P.G. Environmental factors affecting the production of peptide toxins in floating scums of the cyanobacterium *Microcystis aeruginosa* in a hypertrophic African reservoir. *Environ Sci technol* 1990; 24:1413-8.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved