

REFERENCES

- Abraham EH, Prat AG, Gerweck L, et al. The multidrug resistance (mdr1) gene product functions as an ATP channel. *Proc Natl Acad Sci U S A*, 1993. 90(1): p. 312-6.
- Allen JD, Schinkel AH. Multidrug resistance and pharmacological protection mediated by breast cancer resistance protein (BCRP/ABCG2). *Mol. Cancer Ther.* 2002; 1: 427-34.
- Ambudkar SV, Dey S, Hrycyna CA, Ranmachandra M, Pastan I, Gottesman MM. Biochemical, cellular and pharmacological aspects of the multidrug transporter, *Annu. Rev. pharmacol. Toxicol.* 1999; 39: 361-98.
- Arora A, Seth K, Kalar N, Shukla Y. Modulation of P-glycoprotein-mediated Multidrug resistance in K562 leukemia cells by indole-3-carbonol. *Tox. Appl. Pharmacol.* 2005; 202: 237-43.
- Broxterman HJ, Lankelma J, Hoekman K. Resistance to cytotoxic and anti-angiogenic anticancer agents: similarities and differences. *Drug Resist Updat* 2003; 6(3)111-27.
- Borst P, Oude RE. Mammalian ABC transporters in health and disease. *Annu. Rev. Biochem.* 2002; 71: 537-92.
- Bredel M. Anticancer drug resistance in primary human brain tumors. *Brain Res.* 2001; 35: 161-204.
- Brem B, Seger C, Pacher T, Hofer O, Vajrodaya S, Greger H. Feeding deterrence and contact toxicity of *Stemona* alkaloids-a source of potent natural insecticides. *J Agric Food Chem.* 2002 Oct 23;50(22):6383-8
- Chavez D, Cui B, Chai HB, Garcia R, Mejia M, Farnawotr NR, Cordell GA, Pezzuto JM, Kinghorn AD. Reversal of multidrug resistance by tropane alkaloids from the stems of *Erythroxylum rotundifolium*. *J. Nat. Prod.* 2002; 65: 606-10.
- Clynes M, Daly C, NicAmhlaoibh R, et al. Recent developments in drug resistance and apoptosis research. *Crit Rev Oncol Hematol*, 1998. 28(3): p. 181-205

- Cornwell MM, Pastan I, Gottesman MM. Certain calcium channel blockers bind specifically to multidrug-resistant human KB carcinoma membrane vesicles and inhibit drug binding to P-glycoprotein. *J Biol Chem*, 1987. 262(5): p. 2166-70.
- Courtois A, Payen L, Lagadic D, Guillouzo A, Fardel O. Evidence for a multidrug resistance-associated protein 1 (MRP1) related transport system in culture rat liver biliary epithelial cells. *Life Science*. 1999; 64(9): 763-74.
- Duffy CP, Elliott CJ, O'Connor RA, Heenan MM, Coyle S, Cleary IM, Kavanagh K, Verhaegen S, O'Loughlin CM, Nicamhlaoibh R, Clynes M. Enhancement of chemotherapeutic drug toxicity to human tumour cells in vitro by a subset of non-steroidal anti-inflammatory drugs (NSAIDs). *Eur. J. Cancer*. 1998; 34(8): 1250-9.
- Duhem C, Ries F, Dicato M. What Does Multidrug Resistance (MDR) Expression Mean in the Clinic? *Oncologist*, 1996. 1(3): p. 151-158.
- Farnsworth NR. Biological and phytochemical screening of plants. *J. Pharm. Sci*, 1996; 55(3): 225-76.
- Fardel O, Lecureur V, Guillouzo A. The P-glycoprotein multidrug transporter. *Gen Pharmacol*, 1996. 27(8): p. 1283-91.
- Ferry DR, Traunecker H, and Kerr DJ. Clinical trials of P-glycoprotein reversal in solid tumours. *Eur J Cancer*, 1996. 32A(6): p. 1070-81.
- Fromm MF. The influence of MDR1 polymorphisms on P-glycoprotein expression and function in humans. *Adv Drug Deliv Rev*, 2002. 54(10): p. 1295-310.
- Fu L, Deng ZA, Pan QC Fan W. Screening and discovery of novel MDR modifiers from naturally occurring bisbenzylisoquinoline alkaloids, *Anticancer Res*. 2001; 21: 2273-80.
- Fu LW, Zhang YM, Liang YJ, Yang XP, Pan QC. The multidrug resistance of tumour cells was reversed by tetradrine in vitro and in xenografts derived from human breast adenocarcinoma MCF-7/adr cells., *Eur. J. Cancer*. 2002; 38: 418-26.
- Junying G, Huang, Wenquan, Ren, Tianchi, Ma, Xiufeng. *Practical Traditional Chinese Medicine & Pharmacology. Medicinal Herbs*. New World Press, Beijing, China. 1997. ISBN No. 7-80005-119-6.

Germann UA, Pastan I, Gottesman MM P-glycoproteins: mediators of multidrug resistance. *Semin Cell Biol*, 1993. 4(1): p. 63-76.

Germann UA. P-glycoprotein--a mediator of multidrug resistance in tumour cells. *Eur J Cancer*, 1996. 32A(6): p. 927-44.

Giaccone G, Pinedo HM. Drug Resistance. *Oncologist*, 1996. 1(1 & 2): p. 82-87.

Goldstein LJ. MDR1 gene expression in solid tumours. *Eur J Cancer*, 1996. 32A (6): p. 1039-50.

Gottesman MM, Fojo T, Bates SE. Multidrug resistance in cancer: role of ATP-dependent transports. *Nature Rev*. 2002; 2: 48-58.

Gotz M, Bogrit T, Gray AH. The structure of tuberostemonine. *Tetrahedron letters*. 1961;20:707-15.

Gotz M, Bogrit T, Gray AH, Strunz GM. The structure of tuberostemonine. *Tetrahedron*. 1968;24:2631-43.

Hirose M. Biology and modulation of multidrug resistance (MDR) in hematological malignancies. *Int J Hematol*, 2002. 76 Suppl 2: p. 206-11.

Horvath LE, Konstantinov SM, Ilarionova MV, Todorov DK. Effects of the plant alkaloid thaliblastine on non-cross-resistant and sensitive human leukemia cells in relation with reversal of acquired anthracycline resistance., *Fitoterapia*. 2004; 75: 712-7.

Hrycyna CA. Molecular genetic analysis and biochemical characterization of mammalian P-glycoproteins involved in multidrug resistance. *Semin Cell Dev Biol*, 2001. 12(3): p. 247-56

Hsu, Hong-Yen. How to treat yourself with Chinese herbs. Keats Publishing Inc. 1980. ISBN No. 0-87983-603-2.

<http://www.biopathic.com/castoverview/htm>

<http://www.oncolink.com>

<http://www.pharmacology.unmc.edu/cancer>

<http://www.WHO.com>

Jiang RW, Hon PM, But PP, Chung HS, Lin G, Ye WC, Mak TCW. Isolation and stereochemistry of two new alkaloids from *Stemona tuberosa*. *Tetrahedron*. 2002;58:6705-12.

- Jiyavorrnanant T, Chanbang Y, Supyen D, Sonthichai S, Jatisatienr A. The effects of *Acorus calamus* Linn., and *Stemona tuberosa* Lour. Extracts on the insect pest, *plutella xylostella* (Linnaeus). ISHS Acta Horticulturae 597: International Conference on Medicinal and Aromatic Plants (Part II)
- Kam TS, Lim KH, Yoganathan K, Hayashi M, Komiyama K. Laundurines A-D, cytotoxic indole alkaloids in incorporating a cyclopropyl moiety from *Kopsia tenuis* and revision of the structures of tenuisines A-C. Tetrahedron. 2004; 60: 10739-45.
- Kerr DJ, Graham J, Cummings J, et al. The effect of verapamil on the pharmacokinetics of adriamycin. Cancer Chemother Pharmacol. 1986; 18: 239-42.
- Keys D. Chinese Herbs - Their Botany, Chemistry and Pharmacodynamics. 1976 (1990 in paperback) Charles E. Tuttle. ISBN No.0-8048-1667-0.
- Khantamas O, Chaiwangyen W, Limtrakul P. Screening of flavonoids for their potential inhibitory effect on P-glycoprotein activity in human cervical carcinoma KB cells. Chiang Mai Med. Bull. 2004; 43(2): 45-56.
- Krishna R, Mayer LD. Multidrug resistance (MDR) in cancer. Mechanisms, reversal using modulators of MDR and the role of MDR modulators in influencing the pharmacokinetics of anticancer drugs. Eur J Pharm Sci, 2000. 11(4): p. 265-8.
- Krishna R, Mayer LD. Modulation of P-glycoprotein (PGP) mediated multidrug resistant (MDR) using chemosensitizers: recent advance in drug design of selective MDR modulators., Curr. Med. Chem.-Anti-Cancer agents. 2001; (1): 163-74.
- Lage H. Abc-transporters: implications on drug resistance from microorganism to human cancers. Int. J. Antimicrob Agents. 2003. 22 (3): 188-99.
- Lee HL, Chiang YF. Insecticidal activity of the herbal plant, *Stemona tuberosa* Lour. mosquito larvae. Tropical Biomedicine (1994) 11(1): 87-89.
- Ling V. P-glycoprotein: its role in drug resistance. Am J Med, 1995. 99(6A): p. 31S-34S.
- Lo Y, Liu F, Cherng J. Effect of PSC 833 liposomes and Intralipid on the transport of epirubicin in Caco-2 cells and rat intestines. J Control Release, 2001. 76(1-2): p. 1-10.

- Loor F, Tiberghien F, Wenandy T, Didier A, Traber R. Cyclosporins: structure-activity relationships for the inhibition of the human MDR₁ P-glycoprotein ABC transporter. *J Med Chem* 2002; 45(21): 4598-612.
- Lu, Henry C. *Legendary Chinese Healing Herbs – entertaining & beneficial to your health*. Pelanduk Publications, Malaysia. 1991. ISBN No. 967-978-394-4.
- Mei DY, Liu WJ. Reversal of cancer multidrug resistance by tea polyphenol in KB cells. *J. Chemotherapy*. 2003; 15(3): 260-5.
- Mi Q, Cui B, Silva GL, Lantvit D, Lim E, Chai H, Hollingshead MG, Mayo JG, Kinghorn AD, Pezzuto JM. Pervilleines B and C, new tropane alkaloid aromatic esters that reverse the multidrug-resistance in the hollow fiber assay. *Cancer Res*. 2002; 184: 132-20.
- Mosmann T. Rapid colorimetric assay for cellular growth and survival : Application to proliferation and cytotoxicity assay. *J. Immunol. Methods* 1983; 65: 55-63.
- Muller M, Yong M, Peng XH, Petre B, Arora S, Ambudkar SV. Evidence for the role of glycosylation in accessibility of the extracellular domains of human MRP₁ (ABCC₁). *Biochemistry*. 2002; 41: 10123-32.
- Naito M, Tsuruo T. Competitive inhibition by verapamil of ATP-dependent high affinity vincristine binding to the plasma membrane of multidrug-resistant K562 cells without calcium ion involvement. *Cancer Res*, 1989. 49(6): p. 1452-5.
- Namaumi K, Tsuchida K, Nakaike S, Yamagishi T, Ichihara T, Takahashi K, Watajima H, Suzuki Y, Naito M, Tsuruo T. Overcoming of multidrug resistance by VA-033, a novel derivative of apovincaminic acid ester. *Eur. J. Pharmacol.* 1997; 327: 239-46.
- Parkin DM, Bray FI, Devesa SS. Cancer burden in the year 2000. The global picture. *Eur J Cancer*, 2001. 37 Suppl 8: p. S4-66.
- Pilli, Aloise R, Oliveira M. Recent progress in chemistry of the *Stemona* alkaloids. *Nat. Prod. Rep.*, 2000, **17**, 117–127

- Plouzek CA, Ciolino HP, Clarke R, Yeh GC. Inhibition of P-glycoprotein activity and reversal of multidrug resistance *in vitro* by rosemary extract.. Eur J Cancer. 1999;35(10):1541-5.
- Quan Z, Ozawa T, Sato M, Umezawa Y. Screening methods for substrates of Multidrug resistance-associated protein. Anal. Chem. Acta. 2000; 423: 197-203.
- Reid DP. Chinese Herbal Medicine. Shambhala (Boston) 1993. ISBN NO. 0-87773-397-X and ISBN No. 0-87773-398-8 (paperback).
- Roninson IB. The role of the MDR1 (P-glycoprotein) gene in multidrug resistance in vitro and in vivo. Biochem Pharmacol, 1992. 43(1): 95-102. .
- Sankaranarayanan R, Budukh AM, Rajkumar R. Effective screening programmes for cervical cancer in low- and middle-income developing countries. Bull World Health Organ, 2001. 79(10): p. 954-62.
- Sarkadi B, Csilla OL, Nemet K, Varadi A. ABCG2-a transporter for all seasons. FEBS Lett. 2004; 57: 116-20.
- Sauna ZE, Smith MM, Muller M, Kerr KM, Ambudkar SV. The mechanism of action of multidrug-resistance-linked P-glycoprotein. J Bioenerg Biomembr, 2001. 33(6): p. 481-91.
- Schinkel AH, Jonker JW. Mammalian drug efflux transporters of the ATP binding cassette (ABC) family: an overview. Adv. Drug Deliv. Rev. 2003; 25: 3-29.
- Shapiro AB, Ling V. Extraction of Hoechst 33342 from the cytoplasmic leaflet of the plasma membrane by P-glycoprotein, Eur. J. Biochem. 1997; 250: 122-9.
- Sharom FJ, Liu R, Romsicki Y, Lu P. Insights into the structure and substrate interactions of the P-glycoprotein multidrug transporter from spectroscopic studies. Biochim Biophys Acta, 1999. 1461(2): p. 327-45.
- Silva GI, Cui B, Chavez D, You M, Chai HB, Rasoanaivo P, Lynn SM, O'Neill M., Lewis JA, Besterman JM, Monks A, Farnawotrth NR, Cordell GA, Pezzuto JM, Kinghorn AD. Modulation of the multidrug-resistance phenotype by new tropane alkaloid aromatic esters from *Erythroxylum pervillei*. J. Nat. Prod. 2001; 64: 1514-20.
- Starling JJ, Shepard RI, Cao J, Law KI, Norman BH, Kroin JS, Ehlhardt WJ, Baughman TM, Winter MA, Bell MG, Shih C, Gruber J, Elmquist WF,

- Dantzig AH. Pharmacological characterization of LY335979: a potent cyclopropyldibenzosuberane modulator of P-glycoprotein. *Advan. Enzyme Regul.* 1997; 37: 335-47.
- Stavrovskaya AA. Cellular mechanisms of multidrug resistance of tumor cells. *Biochemistry (Mosc)*, 2000. 65(1): p. 95-106.
- Stouch TR, Gudmundsson O. Progress in understanding the structure-activity relationships of P-glycoprotein. *Adv Drug Deliv Rev*, 2002. 54(3): p. 315-28.
- Tamai I, Safa AR. Azidopine noncompetitively interacts with vinblastine and cyclosporin A binding to P-glycoprotein in multidrug resistant cells. *J Biol Chem*, 1991. 266(25): p. 16796-800.
- Teodori E, Dei S, Scapecchi S, Gualtieri F. The medicinal chemistry of multidrug resistance (MDR) reversing drugs. *Farmaco*, 2002. 57(5): p. 385-415.
- Thomas DB, Ray RM, Kuypers J, Kiviat N, Koetsawang A, Ashley RL, Qin Q, Koetsawang S. Human papillomaviruses and cervical cancer in Bangkok. III. The role of husbands and commercial sex workers. *Am J Epidemiol*, 2001. 153(8): p. 740-8.
- Tierra M. *The Way of Chinese Herbs – the most complete guide to natural healing and health with traditional Chinese herbalism*. 2003 (purchase date). Pocket Books, London. ISBN No. 0-671-89869-8.
- Touhey S, Connor RO, Plunkett S, Maguire A, Clynes M. Structure-activity relationship of indomethacin analogues for MRP-1, COX-1 and COX-2 inhibition: identification of novel chemotherapeutic drug resistance modulator. *Eur. J. Cancer*. 2002; 38: 1661-70.
- Ueo S, Irie H, Harada H. The structure of stenine, a new alkaloid occurring in *Stemona tuberosa*. *Chem Pharm Bull (Tokyo)*. 1967 Jun;15(6):768-70.
- Umezawa K, Matsushima T, Sugimura T, Hiakawa T, Tanaka M, Katoh Y et al. In vitro transformation of hamster embryo cells by quercetin. *Toxicol Lett* 1977; 175-78.
- Varma MV, Ashokraj Y, Dey CS, Panchagnula R. P-glycoprotein inhibitors and their screening: a perspective from bioavailability enhancement. *Pharmacol Res* 2003. 48(4): 347-59.

- Verweij J, Jonge MJD. Achievements and future of chemotherapy. *Eur J Cancer*, 2000. 36(12): p. 1479-87.
- Wagner D, Spahn-Langguth H, Hanafy A, Koggel A, Langguth P. Intestinal drug efflux: formulation and food effects. *Adv Drug Deliv Rev*, 2001. 50 Suppl 1: p. S13-31.
- Wijnholds J, Evers R, Leusden MRV, Mol CAAM, Zaman GJR, Mayer U, Beijnen JH, Valk MV, Krimpenfort, Berns A, Borst P. Increased sensitivity anticancer drugs and decreased inflammatory response mice lacking MRP, *Nature Med*. 1997; 3: 1275–1279.
- Willemse PH, Vries EGE, Pras E, Maduro JH. Treatment of cervical cancer. *Lancet*, 2002. 359(9303): p. 3578.
- Willingham MC, Cornwell MM, Cardarelli CO, Gottesman MM, Pastan I. Single cell analysis of daunomycin uptake and efflux in multidrug-resistant and -sensitive KB cells: effects of verapamil and other drugs, *Cancer Res*. 1986; 46: 5941-6.
- Witteveen PO, Verhaar MJ, Jurgensliemk-Schulz IM, Eijkeren MA. Update on the treatment of advanced cervical cancer. *Crit Rev Oncol Hematol*, 2002. 43(3): p. 245-56.
- World Health Organisation (WHO) Regional Publications: Western Pacific Series No. Medicinal Plants in Viet Nam. 1990. Institute of Materia Medica, Hanoi. 1990. ISBN No. 92-9061-101-4.
- Xu RS, Lu YJ, Chu JH, Iwashita T, Naoki H, Naya Y, Nakanishi K. Studies on some new *Stemona* alkaloids a diagnosisically useful ^1H NMR line-broadening effect. *Tetrahedron*. 1982;38 (17): 2667-70.
- Ye Y, Qin GW, Xu RS. Alkaloids from *Stemona tuberosa*. *Phytochemistry*. 1994;37 (4) :1201-03.
- Zhao WM, Quin GW, Ye Y, Xu RS, Le XF. Bibenzyls from *Stemona tuberosa*. *Phytochemistry* (1995) 38(3): 711-713.
- Zhu YP. Chinese Materia Medica - chemistry, pharmacology and applications. Harwood Academic Publishers. 1998. ISBN No. 90-5702-285-0.