

## REFERENCE

- Adler I.D., Cole J., Danford N., *et al.* 1985. *In vitro* cell-mutation assays. In Adler I.D., *et al.* (Ed), Environmental Health Criteria 51: Guide to short-term tests for detecting mutagenics and carcinogenic chemicals, Geneva, World Health Organization, pp 68-79.
- Alali F.Q., Liu X. and McLaughlin J.L. 1999. Annonaceous acetogenins: Recent progress. *J. Nat. Prod.*, 62, 504-540.
- Albert B., Bray D., Lewis J., Raff M., Roberts K. and Watson J.D. 1994. *Molecular biology of the cell*, 3<sup>rd</sup> ed. New York & London : Garland Publishing Inc.
- Atindehou K.K., Schmid C., Burn R., Kone M.W. and Traore D. 2004. Antitrypanosomal and antiplasmodial activity of medicinal plants from Cote d' Ivoire. *J. Ethno.*, 90, 221-227.
- Bunyaprapatsorn N. and Chockchaichareanporn O. 1996. *Medicinal Plants*, 1<sup>st</sup> ed. Phamachochemistry, Mahidol University, Bangkok.
- Cavanagh T. 1997. Re: Where can I find out more about HeLa cells [online]. Available: <http://www.madsci.org/posts/archives/may97/860431113.Cb.r.html> (11 April 2005).
- Çelik A., Mazmanci B., Çamlıca Y., Çömelekoğlu Ü. and Aşkin A. 2005. Evaluation of cytogenetic effects of lambda-cyhalothrin on Wistar rat bone marrow by gavage administration. *Ecotoxicol. Environ. Safe.*, 61, 128-133.
- Chaabouni H., Chaabouni M., Maazoul F., *et al.* 2001. Prenatal diagnosis of chromosome disorders in Tunisian population. *Ann. Genet.*, 44, 99-104.
- Chaichantiyuth C., Tiyaworanan S., Mekaroonreung S., *et al.* 2001. Oxidized heptenes from flowers of *Melodorum fruticosum*. *Phytochem.*, 58, 1311-1315.
- Chalearmkrin P. 2000. *Annonaceous plants*. Bangkok : Barn Lae Suan Publishing. (published in Thai).
- Chang F.R., Wu Y.C., Duch C.Y. and Wang S.K. 1993. Studies on the acetogenins of Formosan annonaceous plants. II. cytotoxic acetogenins from *Annona reticulata*. *J. Nat Prod.*, 56, 1688-1694.

- Chang F.R., Chen J.L., Chiu H.F., Wu M.J. and Wu Y.C. 1998. Acetogenin from seeds of *Annona reticulata*. *Phytochem.*, 47, 1057-1061.
- Chew A.L. and Maibach H.I. 2000. *In vitro* methods to predict skin irritation. In Gad S. C. (Ed), *In vitro Toxicology*, 2<sup>nd</sup> ed, New York-London, Taylor & Francis, pp. 49-61.
- Chiang H.C., Jaw S.M., Chen C.F. and Kan W.S. 1992. Antitumor agent, physalin F from *Physalis angulata* L. *Anticancer Res.*, 12, 837-843.
- Chu D.M., Miles H., Toney D., Ngyuen C. and Marciano-Cabral F. 1998. Amebicidal activity of plant extracts from Southeast Asia on *Acanthamoeba* spp. *Parasitol. Res.*, 84, 746-752.
- D'Sauza U.J.A., Zain A. and Raju S. 2005. Genotoxic and cytotoxic effects in the bone marrow of rats exposed to a low dose of paraquat via the dermal route. *Mut. Res.*, 581, 187-190.
- Duke J. 2004. Dr. Duke's Phytochemical and Ethnobotanical Databases [online] Available: <http://www.ars-grin.gov/duke/> (4 April 2004).
- Duesberg P., Li R., Rasnick D., *et al.* 2000. Aneuploidy precedes and segregates with chemical carcinogenesis. *Cancer Genet. Cytogenet.*, 119, 83-93.
- Ebert A.D., Chen F., He X., Cryns V.L. and Bohn M.C. 2005. A tetracycline-regulated adenovirus encoding dominant-negative caspase-9 is regulated in rat brain and protects against neurotoxin-induced cell death *in vitro*, but not *in vivo*. 2005. *Exp. Neurol.*, 191, S80-S94.
- El T.A., Satti G.M. and Khalid S.A. 1999. Antiplasmodial activity of selected Sudanese medicinal plants with emphasis on *Maytenus senegalensis* (Lam.) Exell. *J. Ethnopharmacol.*, 64, 227-233.
- Fang X.P., Rieser M.J., Gu Z.M., Zhao G.X. and McLaughlin J.L. 1993. Annonaceous acetogenins: an update review. *Phyto-chem. Anal.*, 4, 27-48.
- Fauza D. 2004. Amniotic fluid and placental stem cells. *Best Pract. Res. Clin. Obstet. Gynecol.*, 18, 877-891.
- Frame. 2001. FRAME: Fund for replacement of animals in medical experiments [online] Available: <http://www.frame.org.uk>. (15 April 2005).

- Freshney R.I. 1994. Measurement of viability and cytotoxicity. in Culture of animal cells: a manual of basic Technique, 3<sup>rd</sup> ed. New York: Willey-Liss, pp 287–306.
- Freshney R.I. 2000. Cytotoxicity. in Culture of animal cells: a manual of basic Technique, 4<sup>th</sup> ed, New York : Willey-Liss, pp 329-343.
- Gu Z.M., Zhao G.X., Oberlies N.H., Zeng L. and McLaugh J.J.. 1995. Annonaceous acetogenins: Potent mito-chondrial inhibitors with diverse applications. J. Nat. Prod., 997, 242–248.
- Hu Q., Xu J. and Chen L. 2005. Antimutagenicity of selenium-enriched rice on mice exposure to cyclophosphamide and mitomycin C. Cancer Lett., 220, 29 – 35.
- Jung J.H., Chang C.J., Smith D.L., *et al.* 1991. Additional bioactive heptenes from *Melodorum fruticosum*. J. Nat. Prod., 54, 500-505.
- Kamuhabwa A., Nshimo C. and de Witte P. 2000. Cytotoxicity of some medicinal plant extracts used in Tanzanian traditional medicine. J. Ethanopharmacol., 70, 143-149.
- Kaviani A., Perry T.E., Dzakovic A., *et al.* 2001. The amniotic fluid as a source of cells for fetal tissue engineering. J. Prediat. Surg., 36, 1662-1665.
- Kaviani A., Guleserian K., Perry T.E., *et al.* 2003. Fetal tissue engineering from Amniotic fluid. Am. Collage. Surg., 196, 592-597.
- Klangsinirikul P. 2003. Genotoxic effect of Lannate on lymphocytes of agriculturists in Saraphi and Chom Thong districts Chiang Mai Province. Thesis of Master of Science in Biology, Chiang Mai University, Chiang Mai.
- Laboeuf M., Cave A., Bhaumik P.K., Mukherjee B. and Mukherjee R. 1982. The phytochemistry of the Annonaceae. Phytochem., 21, 2783-2813.
- Le Beau M.M. 2001. Role of cytogenetics in the diagnosis and classification of Hematopoietic Neoplasms. In Knowles D.M. (Ed), Neoplastic hematopathology, Philadelphia, Lippincott Williams & Wilkins, pp 391-418.
- Leopardi P., Villani P., Cordelli E., Siniscalchi E. and Veschetti E. 2005. Assessment of the *in vivo* genotoxicity of vanadate : Analysis of micronucleus and DNA damage induced in mice by oral exposure. Toxicol. Lett., xxx, xxx-xxx. (article in press).

- Levan, A. and Biesele, J.J. 1958. Role of Chromosomes in carcinogenesis, as studied in serial tissue culture of mammalian cells. *Ann. NY. Acad. Sci*, 71, 1022-1053.
- Macville M., Schrock E., Padilla-Nash H., *et al.* 1999. Comprehensive and definitive molecular cytogenetic characterization of HeLa cells by Spectral Karyotyping. *Cancer Res.*, 59, 141-150.
- Mevatee U. 1998. The human cytogenetics. Department of Anatomy, Faculty of Medicine, Chiang Mai University, Chiang Mai, pp 5-1 - 5-15 (published in Thai).
- Mitchell A.D. 2000. *In vitro* genetic toxicity testing. In Gad S.C. (Ed), *In vitro Toxicology*, 2<sup>nd</sup> ed, New York-London, Taylor & Francis, pp 94-127.
- Morre D.J., De Cabo R., Farley C., Oberlies N.H. and McLaughlin J.L. 1995. Mode of action of bullatacin, a potent antitumor acetogenin: inhibition of NADH oxidase activity of HeLa and HL-60, but not liver, plasma membranes. *Life Sci.*, 56, 343-348.
- Mouchet F., Gauthier L., Mailhes C., *et al.* 2005. Biomonitoring of the genotoxic potential of aqueous extracts of soils and bottom ash resulting from municipal solid waste incineration, using the comet and micronucleus tests on amphibian (*Xenopus laevis*) larvae and bacterial assay (Mutatox<sup>R</sup> and Ames tests). *Science of the Total Environment*. xx, xxx-xxx. (article in press).
- Orabai K.Y., Walker L.A., Clark A.M. and Hufford C.D. 2000. Characterization of the major metabolite of sampangine in rats. *J. Nat. Prod.*, 63, 685-687.
- Pintha K. 2003. Effect of *Morinda charantia* extract on vinblastine accumulation and efflux across P-glycoprotein in human cervical carcinoma cells. Thesis of Master of Science in Biochemistry, Chiang Mai University, Chiang Mai.
- Potier B. 2001. Filmmaker immortalizes 'immortal' cells [online]. Available: <http://www.news.harvard.edu/gazette/2001/07.19/04-filmmaker.html>. (11 April 2004).
- Rupprecht J.K., Hui Y.-H. and McLaughlin J.L. 1990. Annonaceous acetogenins: A review. *J. Nat. Prod.*, 53, 237-278.

- Sadeghiani N., Barbosa L.S., Silva L.P., Azevedo R.B., Morais P.C. and Lacava S.G.M. 2005. Genotoxicity and inflammatory investigation in mice treated with magnetite nanoparticles surface coated with polyaspartic acid. *J. Magnet. Mat.*, 289, 466 – 468.
- Samuel E. 2001. Amniotic fluid could heal newborn babies [online]. Available: <http://www.mindfully.org/GE/GE3/Amniotic-Fluid-Newborn.htm>. (11 April 2005).
- Sangngam S. 2005. Culture of human amniotic cell lines for laboratory application. Master's Independence study of Biological Science in Biology, Chiang Mai University, Chiang Mai. (published in Thai).
- Saxena R.C., Harshan V., Saxena A., Sukumaran P., Sharma M.C. and Kumar M.L. 1993. Larvicidal and chemosterilant activity of *Annona squamosa* alkaloids against *Anopheles stephensi*. *J. Am. Mosq. Control Assoc.*, 9, 84-87.
- Shirwaikar A., Rajendran K., Dinesh K.C. and Bodla R. 2004. Antidiabetic activity aqueous leaf extract of *Annona squamosa* in streptozotocin-nicotinamide type 2 diabetic rats. *J. Ethnopharmacol.*, 91, 171-175.
- Singh A. and Singh D.K. 2004. Effect of herbal molluscicides and their combinations on the reproduction of the snail *Lymnaea acuminata*. *Arch. Environ. Contam. Toxicol.*, 46, 470.
- Singh P., Singh V.K. and Singh D.K. 2005. Effect of combination of some plant-derived molluscicides with MGK-264 or piperonyl butoxide on the reproduction of the snail *Lymnaea acuminata*. *Pest. Manag. Sci.*, 61, 204-208.
- Tanamatayarat P. 2000. Cytotoxic activity screening of some Rubiaceae plants in Northern Thailand. Thesis of Master of Pharmacy in Pharmaceutical Chemistry, Chiang Mai University, Chaing Mai.
- Walen K.H. 2002. The origin of transformed cells: studies of spontaneous and induced cell transformation in cell cultures from marsupials, a snail and human amniocytes. *Cancer Genet. Cytogen.*, 133, 45-54.



- Wisadkeaw P. 2004. Some characteristics of amniocytic cell lines, AMC-K46 and AC-F2. Bachelor's Independence study in Biological Science in Biology, Chiang Mai University, Chiang Mai. (published in Thai).
- Woo S.H., Reynolds M.C., Sun N.J., Cassady J.M. and Snapka R.M. 1997. Inhibition of topoisomerase II by lirinodine. *Biochem. Pharmacol.*, 54, 467-473.
- Wu Y.C., Hung Y.C., Chang F.R., Cosentino M., Wang H.K. and Lee K.H. 1996. Identification of ent-16 beta, 17-dihydroxykauran-19-oic acid as an anti-HIV principle and isolation of the new diterpenoids annosquamosins A and B from *Annona squamosa*. *J. Nat. Prod.*, 59, 635-637.
- Wutthi-Dramawetch W. 1977. The Encyclopaedia of Medicinal Plants of Thailand : The Thai Pharmaco-Ethnobotany. The Oadian Store Publishing Co. Ltd.: Bangkok. (published in Thai).
- Yu J.G., Liu D., Xu L.Z. and Yang S.L. 1997. Studies on chemical structures of two iso-acetogenins from *Annona reticulata*. *Yao Xue Xue Bao.*, 32, 914-919.
- Yuan S.S., Chang H.L., Chen H.W., *et al.* 2003. Annonacin, a mono-tetrahydrofuran acetogenin, arrests cancer cells at G1 phase and causes cytotoxicity in a Bax- and caspase-3-related pathway. *Life Sci.*, 25, 2853-2861.
- Zeng L., Zhang Y., McLaughlin J.L., *et al.* 1996. Five new monotetrahydrofuran ring acetogenins from the leaves of *Annona muricata*. *J Nat Prod.*, 59, 1035-1042.