

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (in Thai)	v
ABSTRACT (in English)	viii
TABLE OF CONTENTS	xii
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF ABBREVIATIONS	xviii
CHAPTER	
I INTRODUCTION	1
II LITERATURE REVIEW	5
III MATERIALS AND METHODS	20
IV RESULTS	34
V DISCUSSIONS	99
VI CONCLUSION	109
REFERENCES	112
APPENDICES	127
CURRICULUM VITAE	169

LIST OF TABLES

TABLE	Page
1 The distribution of <i>Haplorchis taichui</i> metacercaria and other heterophyid metacercariae were found in 14 species of fish from Chom Thong District	36
2 The distribution of <i>Haplorchis taichui</i> metacercaria and other heterophyid metacercariae were found in 7 species of fish from Mae Tang District	37
3 Number of metacercariae in each part of fish body from Chom Thong and Mae Tang Districts	38
4 Activity of <i>Haplorchis taichui</i> after incubation with various concentrations of niclosamide from 100 active worms in each experiment	71

LIST OF FIGURES

Figure	Page
1 Adult of <i>Haplochis taichui</i> from experimentally infected chick 3 days post-infection	18
2 The ventrogenital sac of <i>Haplochis taichui</i> with hollow spines in a fan-shaped	18
3 Life cycle of <i>Haplorchis taichui</i>	19
4 Wangpan dam, Chom Thong District, Chiang Mai Province	30
5 Mae Ngad Somboonchon Reservoir, Mae Tang District, Chiang Mai Province	30
6 The naturally infected fish, <i>Henicorhynchus siamensis</i> .	31
7 The experimental definitive host, chick (<i>Gallus gallus domesticus</i>)	31
8 The experimental definitive host, ICR mouse (<i>Mus musculus</i>)	32
9 Bearmann's apparatus	32
10 The experimental first intermediate host, snail (<i>Tarebia granifera</i>)	33
11 The experimental second intermediate host, cyprinoid fish (<i>Barbodes gonionotus</i>)	33
12 Monthly infection rates of <i>Haplorchis taichui</i> metacercariae (for a year-round) in Chom and Mae Tang Districts, Chiang Mai	39
13 Occurrence of <i>Haplorchis taichui</i> metacercariae in various parts of the fish body from both localities, A) Chom Thong District and B) Mae Tang District	39

LIST OF FIGURES (Continued)

Figure	Page
14 The recovery rates of <i>Haplorchis taichui</i> from chicks each experimentally infected with 200 metacercariae 1 to 54 days post-infection	42
15 The recovery rates of <i>Haplorchis taichui</i> from mice each experimentally infected with 200 metacercariae 1 to 15 days post-infection	43
16 Encysted metacercaria of <i>Haplorchis taichui</i> from a naturally infected fish, <i>Henicorhynchus siamensis</i>	47
17 Excysted metacercaria of <i>Haplorchis taichui</i> from a naturally infected fish, <i>Henicorhynchus siamensis</i>	48
18 A juvenile of <i>Haplorchis taichui</i> 1 day PI in a chick	49
19 A juvenile of <i>Haplorchis taichui</i> 2 days PI in a chick	50
20 Mature adult of <i>Haplorchis taichui</i> 3 days old in a chick	51
21 Egg of <i>Haplorchis taichui</i> , collected from chick feces 9 days PI	52
22 A miracidium escaped from an egg by pressure under a cover slip (adult 9 days PI in a chick)	53
23 Young redia of <i>Haplorchis taichui</i> from a snail, <i>Tarebia granifera</i> (10 days PI)	54
24 Mother redia of <i>Haplorchis taichui</i> from a snail, <i>Tarebia granifera</i> (49 days PI)	55

LIST OF FIGURES (Continued)

Figure	Page
25 Daughter redia of <i>Haplorchis taichui</i> from a snail, <i>Tarebia granifera</i> (49 days PI)	56
26 Cercarial stage of <i>Haplorchis taichui</i> from a snail (49 days PI)	57
27 Metacercarial cyst of <i>Haplorchis taichui</i> from a fish, <i>Barbodes gonionotus</i> (1 day PI)	58
28 Metacercarial cyst of <i>Haplorchis taichui</i> from a fish, <i>Barbodes gonionotus</i> (3 days PI)	59
29 Metacercarial cyst of <i>Haplorchis taichui</i> from a fish, <i>Barbodes gonionotus</i> (6 days PI)	60
30 Tegumental surface of <i>Haplorchis taichui</i> metacercaria	64
31 Adult surface of <i>Haplorchis taichui</i> , 7 days post-infection	66
32 Four types of sensory papillae on metacaercariae and adults of <i>Haplorchis taichui</i>	68
33 The distribution of sensory papillae on the tegumental surface of <i>Haplorchis taichui</i>	70
34 The adult surface of <i>Haplorchis taichui</i> in the control group, 24 hours after incubation in Tyrode's solution	76
35 The tegumental changes after incubation in 0.01 µg/ml niclosamide solution for 24 hours	78

LIST OF FIGURES (Continued)

Figure	Page
36 Tegumental changes after treatment with 0.1 µg/ml niclosamide solution for 24 hours	80
37 Tegumental changes after treatment with 1.0 µg/ml niclosamide solution for 24 hours	82
38 Tegumental changes after treatment with 10.0 µg/ml niclosamide solution for 24 hours	84
39 Tegument of <i>Haplorchis taichui</i> in the control group, 24 hours after exposure to Tyrode's solution	89
40 Transmission electron micrographs of <i>Haplorchis taichui</i> adult following incubation in 0.01 µg/ml niclosamide solution for 24 hours	91
41 Transmission electron micrographs of <i>Haplorchis taichui</i> adult following incubation in 0.1 µg/ml niclosamide solution for 24 hours	93
42 Transmission electron micrographs of <i>Haplorchis taichui</i> adult following incubation in 1.0 µg/ml niclosamide solution for 24 hours	95
43 Transmission electron micrographs of <i>Haplorchis taichui</i> adult following incubation in 10.0 µg/ml niclosamide solution for 24 hours	97

LIST OF ABBREVIATIONS

AP = Apical gland	GP = Genital pore
BL = Basal lamina	HS = Hollow spine
BP = Birth pore	I = Intestinal caeca
Bu = Bubble	K = Knob
C = Cilia	LC = Laurer's canal
Ce = Cercaria	LM = Longitudinal muscle
CM = Circular muscle	M = Miracidium
CW = Cyst wall	Mi = Mitochondria
DL = Dorsal lobe	N = Nucleus
E = Esophagus	O = Ovary
EB = Excretory bladder	Op = Operculum
Eg = Egg	OS = Oral sucker
EP = Excretory pore	P = Pharynx
ES = Esophagus	Pa = Papillae
F = Fin	Pp = Prepharynx
G = Gut	PG = Penetration gland
GB = Germ ball	PGD = Penetration gland duct
GC = Germ cell	R = Redia

LIST OF ABBREVIATIONS (Continued)

RG = Rudimentary genital organ

S = Sperm

SB = Secretory bodies

Sp = Spine

SV = Seminal vesicle

SR = Seminal receptacle

T = Testis

U = Uterus

V = Vitellaria

VS = Ventrogenital sac



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved