

CONTENTS

| Title | Page |
|---|-------------|
| Acknowledgement | iii |
| Abstract (English) | iv |
| Abstract (Thai) | vi |
| List of tables | xiii |
| List of illustrations | xv |
| Abbreviations and symbols | xvii |
| Chapter 1 Introduction | 1 |
| Chapter 2 Literature review | 4 |
| Source of protease | 4 |
| Classification of protease | 5 |
| Mechanism of action of protease | 8 |
| Isolation of salt tolerant bacteria | 9 |
| The protease production from bacteria | 11 |
| The purification and characterization of protease and aminopeptidase from bacteria | 13 |
| The application of protease in foods | 21 |
| Enzyme purification | 29 |

CONTENTS (Continued)

| Title | Page |
|---|------|
| Chapter 3 Isolation and characterization of proteolytic enzyme from salt tolerant bacteria | 39 |
| Introduction | 39 |
| Materials and Methods | 40 |
| - Isolation of salt tolerant bacteria | 40 |
| - The study of the characteristics of isolated bacteria | 40 |
| - The ability of growth of isolated bacteria on medium containing various concentrations of sodium chloride | 41 |
| - The ability of growth of isolated at various temperatures | 41 |
| - Productivity of protease by isolated bacteria on skimmed milk agar | 41 |
| - Productivity of proteases by isolated bacteria in PY medium | 41 |
| - Effect of composition of medium on protease production | 42 |
| - Time course of selected bacteria | 42 |
| - Effect of concentrations of carbon and nitrogen sources on proteases production | 42 |
| - Productivity of extracellular protease by <i>Bacillus</i> sp., K52, K53, K61 and KK128 | 44 |
| - Productivity of intracellular protease by <i>Bacillus</i> sp., K52, K53, K61 and KK128 | 45 |
| - Productivity of extra- and intraminopeptidase by <i>Bacillus</i> sp., K52, K53, K61 and KK128 | 45 |
| - Identification of four bacteria | 46 |
| - Enzyme assay | 46 |
| - Protein determination | 46 |
| - Effect of pH on enzyme activity | 47 |

CONTENTS (Continued)

| Title | Page |
|---|------|
| - Effect of temperature on enzyme activity | 47 |
| - Thermal stability | 47 |
| - Effect of cation on enzyme activity | 47 |
| - Effect of chemical reagent on enzyme activity | 48 |
| - Effect of sodium chloride on enzyme activity | 48 |
| - Substrate specificity | 48 |
| Results and Discussion | 48 |
| - Isolation of salt-tolerant bacteria | 48 |
| - The study of the characteristics of isolated bacteria | 49 |
| - The ability of growth of isolated bacteria on various concentrations of sodium chloride | 51 |
| - The ability of bacteria on various temperatures | 52 |
| - Proteases production on skimmed milk agar (SMA) | 53 |
| - Protease production in PY medium | 55 |
| - Effect of composition of medium on protease production | 55 |
| - Time course of four isolated bacteria in medium 3 | 58 |
| - The effect of concentrations of carbon and nitrogen sources on extracellular protease production | 60 |
| - Productivity of intracellular proteases by <i>Bacillus</i> sp., K52, K53, K61 and KK128 | 65 |
| - Productivity of extra- and intracellular aminopeptidase by <i>Bacillus</i> sp., K52, K53, K61 and KK128 | 65 |
| - Identification of four bacteria | 66 |
| - Effect of pH on enzyme activity | 71 |
| - Effect of temperature on enzyme activity | 72 |
| - Thermal stability | 72 |

ลิขสิทธิ์ในเอกสารนี้เป็นลิขสิทธิ์ของมหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved

CONTENTS (Continued)

| Title | Page |
|---|------|
| - The effect of various reagents on enzyme activity | 73 |
| - The effect of sodium chloride on enzyme activity | 76 |
| - Substrate specificity | 77 |
| Chapter 4 Purification and characterization of aminopeptidase from thermophilic <i>Geobacillus thermoleovorans</i> 47b | 80 |
| Introduction | 80 |
| Materials and Methods | 81 |
| - Effect of the concentrations of meat extract and peptone on aminopeptidase production | 82 |
| - Time course of <i>G. thermoleovorans</i> 47b | 83 |
| - Purification of aminopeptidase | 84 |
| - Aminopeptidase assay | 85 |
| - Protein determination | 85 |
| - Molecular weight estimation | 86 |
| - Effect of pH on enzyme activity and stability | 86 |
| - Effect of temperature on enzyme activity | 87 |
| - Substrate specificity | 87 |
| - Effect of chelating reagents on the enzyme activity | 87 |
| - Effect of cations on enzyme activity | 88 |
| - Metal ion requirement of aminopeptidase | 88 |
| - Effect of chemical reagents on enzyme activity | 88 |
| - Effect of sodium chloride on enzyme activity | 88 |
| - Kinetic constants | 89 |
| - Hydrolysis of bitter peptides | 89 |

CONTENTS (Continued)

| Title | Page |
|--|-------------|
| Results and Discussion | 91 |
| - Effect of the concentrations of meat extract and peptone on aminopeptidase production | 91 |
| - Time course of <i>G. thermoleovorans</i> 47b | 92 |
| - Purification of aminopeptidase | 93 |
| - Molecular weight estimation | 93 |
| - Effect of pH on enzyme activity and stability | 94 |
| - Effect of temperature on enzyme activity and stability | 98 |
| - Effect of chelating reagents on the enzyme activity | 100 |
| - Effect of cations on enzyme activity | 100 |
| - Effect of bivalent ions on enzyme activity | 101 |
| - Effect of chemical reagents on enzyme activity | 103 |
| - Effect of sodium chloride on the aminopeptidase activity | 104 |
| - Substrate specificity of purified aminopeptidase | 104 |
| - Km and Vamax | 106 |
| - Hydrolysis of bitter peptides | 107 |
| Chapter 5 General discussion | 110 |
| References | 118 |
| Appendix | |
| - Appendix A. Reagents and dyes | 136 |
| - Appendix B. Reagents and method for determination of enzyme activity and protein properties | 138 |
| - Appendix C. The characteristic of isolated bacteria | 152 |
| Curriculum vitae | 194 |

LIST OF TABLES

| Table | Page |
|---|------|
| 2.1 Sources microorganisms and properties of thermotostable proteolytic enzyme | 22 |
| 2.2 Some bitter peptides isolated from protein hydrolyzates | 27 |
| 2.3 Chromatographic methods | 29 |
| 2.4 Functional groups used ion exchangers | 31 |
| 3.1 The composition of medium 1- medium 9 | 43 |
| 3.2 The composition of medium 3 formula1- formula 7 | 44 |
| 3.3 Summary of bacteria isolated from various sources | 50 |
| 3.4 The summary of morphological characteristic of isolated bacteria | 51 |
| 3.5 The summary of the growth number of bacteria on nutrient agar containing various concentrations of sodium chloride | 52 |
| 3.6 The summary of the number of ability of growth of isolated bacteria at various temperature | 53 |
| 3.7 The summary of the number of isolated bacteria gave clear zone on SMA containing various concentrations of sodium chloride | 54 |
| 3.8 Protease production of bacteria in PY medium | 56 |
| 3.9 Protease production of bacteria in different composition of medium | 57 |
| 3.10 The specific activity of extracellular protease of <i>Bacillus</i> sp., K52, K53, K61 and KK128 in various formula of medium 3 | 64 |
| 3.11 The specific activity of intracellular protease <i>Bacillus</i> sp., K52, K53, K61 and KK128 in medium 3 formula 1 and formula 2 | 65 |
| 3.12 The characteristics of four bacteria | 67 |
| 3.13 Effect of various reagents on crude protease activity of strains K52, K53, K61 and KK128 | 75 |
| 3.14 Substrate specificity of proteases of <i>Bacillus licheniformis</i> K61 | 78 |

LIST OF TABLES (Continued)

| Table | Page |
|--|------|
| 4.1 The composition of various media | 82 |
| 4.2 Effect of the concentrations of meat extract and peptone on the production of aminopeptidase | 92 |
| 4.3 Purification of aminopeptidase from <i>G. thermoleovorans</i> 47b | 94 |
| 4.4 Comparison of molecular weight and optimum pH of aminopeptidase from bacteria | 96 |
| 4.5 Optimum temperature and thermostability of aminopeptidase from various bacteria | 99 |
| 4.6 Effect of chelation reagents on the aminopeptidase activity | 101 |
| 4.7 Effect of cations on enzyme activity | 102 |
| 4.8 Effect of bivalent ions on the aminopeptidase activity | 102 |
| 4.9 Effect of chemical reagents on aminopeptidase activity | 103 |
| 4.10 Substrate specificity of aminopeptidase from <i>G. thermoleovorans</i> 47b | 105 |
| 4.11 Hydrolysis of bitter peptides by enzymatic or acid method | 109 |

LIST OF ILLUSTRATIONS

| Figure | | Page |
|--------|--|------|
| 2.1 | Reaction velocity (V) as a function of substrate concentration [S] | 37 |
| 2.2 | Lineweaver-Burk plot | 38 |
| 3.1 | Time course of <i>Bacillus</i> sp., K52, K53, K61 and KK128 | 59 |
| 3.2 | Production of extracellular protease by <i>Bacillus</i> sp., K52, K53, K61, and KK128 in medium 3 formula 1 and 2 | 61 |
| 3.3 | Production of extracellular protease by <i>Bacillus</i> sp., K52, K53, K61, and KK128 in medium 3 formula 3, 4 and 5 | 62 |
| 3.4 | Production of extracellular protease by <i>Bacillus</i> sp., K52, K53, K61, and KK128 in medium 3 formula 6 and 7 | 63 |
| 3.5 | Effect of pH on protease activities of <i>Bacillus</i> sp., K52, K53, K61, and KK128 | 71 |
| 3.6 | Effect of temperature on protease activities of <i>Bacillus</i> sp., K52, K53, K61, and KK128 | 72 |
| 3.7 | Effect of temperature on the stability of protease of <i>Bacillus</i> sp., K52, K53, K61, and KK128 | 74 |
| 3.8 | Effect of concentration of sodium chloride on protease activities of <i>Bacillus</i> sp., K52, K53, K61, and KK128 | 77 |
| 4.1 | Aminopeptidase production and cell wet weight in optimized medium of <i>G. thermoleovorans</i> 47b the medium volume 1,000 ml of medium contained in 2,000 ml Erlenmeyer flask | 93 |
| 4.2 | Molecular weight estimation of <i>G. thermoleovorans</i> 47b aminopeptidase by SDS-PAGE | 95 |
| 4.3 | Effect of pH on enzyme activity and stability | 97 |
| 4.4 | Effect of temperature on aminopeptidase activity | 98 |

LIST OF ILLUSTRATIONS (Continued)

| Figure | | Page |
|---------------|--|-------------|
| 4.5 | Effect of temperature on stability of aminopeptidase | 100 |
| 4.6 | Effect of sodium chloride on the aminopeptidase activity | 104 |
| 4.7 | Lineweaver-Burk plot | 106 |
| 4.8 | Time course of the hydrolysis of bitter peptides from <i>Geobacillus thermoleovorans</i> 47b | 108 |