

TABLE OF CONTENTS

	Page
Approval Page	ii
Acknowledgements	iii
Abstract (in English)	iv
Abstract (in Thai)	vi
Table of Contents	viii
List of Tables	xii
List of Figures	xiv
Abbreviations and Symbols	xvi
 CHAPTER 1 INTRODUCTION	 1
1.1 The general knowledge of fluoride and defluoridation process	2
1.1.1 The properties of fluoride	2
1.1.2 Occurrence of fluoride in ground and surface water	2
1.1.3 Fluoride toxicity	4
1.1.4 Fluoride in natural water in Thailand	7
1.1.5 Defluoridation techniques in drinking water	8
1.2 Adsorption	11
1.2.1 Chemisorption and physical adsorption	12
1.2.2 Classification of the adsorption isotherm	13
1.2.3 Isotherm equations	14

	Page
a) Langmuir adsorption isotherm	14
b) The Fruendlich adsorption isotherm	15
c) The BET equation for multimolecular adsorption	17
1.2.4 Surface area, average pore radius and pore volume distribution	17
1.3 Fired clay	21
1.4 Literature reviews	23
1.5 Objective of this work	26
CHAPTER 2 EXPERIMENTAL	28
2.1 Chemicals, materials and apparatus	28
2.1.1 Chemicals and materials	28
2.1.2 Apparatus	29
2.2 Preparation of fired clay samples, standard solution and reagent	30
2.2.1 Preparation of the fired clay	30
2.2.2 Preparation of the solutions	30
2.3 Procedures	33
2.3.1 Characteristic of the fired clay chips	33
2.3.2 Performance evaluation of fluoride ion selective electrode and construction of fluoride calibration curve	34
2.3.3 Batch experiment for fluoride adsorption on fired clay chips	34
a) Effect of the particle size of fired clay chips	34
b) Effect of the static and dynamic conditions	35

	Page
c) Effect of the agitation rates	35
d) Effect of the contact time and initial fluoride concentration	36
e) Effect of the pH	36
f) Effect of the temperature	36
g) Effect of the coexisting ions	37
2.3.4 Column experiment for fluoride adsorption on fired clay chips	37
a) Effect of the amount of fired clay chips	37
b) Effect of the flow rate	38
2.3.5 Defluoridation of the potable water samples	38
2.3.6 Investigation of the water quality before and after defluoridation by fired clay chips column	39
CHAPTER 3 RESULTS AND DISCUSSION	41
3.1 Characterization of the fired clay chips	41
3.2 Performance evaluation of the fluoride ion selective electrode and construction of the fluoride calibration curve	42
3.3 The study of fluoride adsorption onto fired clay chips	44
3.3.1) Effect of the particle size of fired clay chips	44
3.3.2) Effect of the dynamic and static conditions	45
3.3.3) Effect of the agitation rates	47
3.3.4) Effect of the contact time and initial fluoride concentration	49

	Page
3.3.5) Effect of the pH	51
3.3.6) Effect of the temperature	54
3.3.7) Effect of the coexisting ions	61
3.4 Column operation for fluoride adsorption	63
3.4.1) Effect of the quantity of fired clay chips used for packing the column	64
3.4.2) Effect of the flow rate	67
3.5 Defluoridation of the potable water samples	72
3.6 Water quality before and after defluoridation by fired clay chips packed column	76
CHAPTER 4 CONCLUSION	78
THE RELEVANCY OF THE RESEARCH WORK TO THAILAND	82
REFERENCES	83
APPENDICES	86
CURRICULUM VITAE	94

LIST OF TABLES

Table	Page
1.1 The situation of fluoride in ground water in Thailand	7
2.1 Preparation of solution with interfering ions	31
2.2 Preparation of mixed solution of fluoride and interfering ions	32
2.3 The column characteristics and its condition for defluoridation of water sample	38
3.1 Physical and chemical properties of fired clay chips	41
3.2 Logarithm of the concentration and the voltage of standard fluoride solution	43
3.3 Effect of the particle size of fired clay chips on fluoride adsorption	45
3.4 Residual fluoride concentration at static and dynamic conditions	46
3.5 Residual fluoride concentration at different agitation rates	48
3.6 Fluoride adsorption in relation with contact times at different initial fluoride concentrations	50
3.7 The residual fluoride concentration and amount of adsorbed fluoride at different pH	52
3.8 Adsorption isotherm data at 30 °C	54
3.9 Adsorption isotherm data at 40 °C	56
3.10 Adsorption isotherm data at 50 °C	57
3.11 Calculation for heat of adsorption of fluoride on fired clay chips	60


Table	Page
3.12 Residual fluoride concentration at different ration of coexisting ions and fluoride ions	62
3.13 Residual concentration of fluoride in the effluents of a packed column for defluoridation remaining after passing through the column packed with fired clay chips	65
3.14 Effect of the flow rate	67
3.15 Turbidity of the washing water at various conditions	70
3.16 The condition for defluoridation of water sample	73
3.17 Sample information	73
3.18 Residual fluoride concentration in water after passing through the column of fired clay chips	74
3.19 Data for water quality analysis before and after defluoridation by fired clay chips	76

LIST OF FIGURES

Figure	Page
1.1 Ground and surface water contamination as the result of fluoride rich up	3
1.2 Dose response of fluoride curve	4
1.3 Dental fluorosis	6
1.4 Skeletal fluorosis	6
1.5 Five types of isotherms for adsorption	13
3.1 Calibration curve of the standard fluoride solution	43
3.2 Effect of the static and dynamic conditions on fluoride adsorption	46
3.3 Effect of the agitation rate on fluoride adsorption by fired clay chips	48
3.4 Time-dependent adsorption profile of fluoride on fired clay chips at different initial concentrations of fluoride	50
3.5 Effect of pH on the adsorption of fluoride by fired clay chips	53
3.6 Adsorption isotherm of fluoride on fired clay chips at 30 °C	55
3.7 Adsorption isotherm of fluoride on fired clay chips at 40 °C	57
3.8 Adsorption isotherm of fluoride on fired clay chips at 50 °C	58
3.9 Adsorption isotherm curve of fluoride on fired clay chips at 30, 40 and 50 °C	59
3.10 The relationship between logarithm of the residual fluoride concentration and the reciprocal of temperature	60
3.11 Effect of coexisting ions on the adsorption of fluoride on fired clay chips	62

Figure	Page
3.12 Fired clay chips defluoridator set up	64
3.13 Residual fluoride concentration in the effluents of a column packed with different weights of fired clay chips	66
3.14 Effect of the flow rate on column operation	68
3.15 The turbidity fired clay washing water at various conditions	71
3.16 Residual fluoride concentration in water sample	75

ABBREVIATIONS AND SYMBOLS



Å	Angstrom
ml/g	Milliliter per gram
cm	Centimeter
°C	Degree Celsius
g	Gram
hr	Hour
i.d.	Internal diameter
kJ	kiloJoules
m ² /g	Squaremeter per gram
M	Molar
mg/l	Milligram per liter
min	Minute
ml	Milliliter
mV	Millivolt
rpm	Revolutions per minute
μmol/g	Micromol per gram
μS/cm	MicroSiemen per centimeter
%	Percent
F ⁻ -ISE	Fluoride ion selective electrode
K	Kelvin

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved