

# TABLE OF CONTENTS

	Page
Acknowledgements	iii
Abstract in English	iv
Abstract in Thai	vi
List of tables	xi
List of figures	xii
Abbreviations and symbols	xiv
CHAPTER 1 INTRODUCTION	1
CHAPTER 2 LITERATURE REVIEWS	
2.1 Lichens	4
2.2. Lichens as bioindicators for air pollution monitoring	5
2.2.1 Mapping of lichens	6
2.3 Effect of air pollution on lichens	10
2.4 Passive sampling	11
2.4.1 Operating principle	12
CHAPTER 3 MATERIALS AND METHODS	
3.1 Apparatus	15
3.2 Chemicals	15
3.3 Instruments	16
3.4 Description of study area	17
3.4.1 General climatic condition	17
3.5 Mapping of lichen diversity	23
3.5.1 Sampling procedure	23
3.5.2 Calculation of lichen diversity values	26
3.5.3 Determination of lichen diversity classes	27
3.5.4 Scales to interpret lichen diversity	28
3.5.5 Mapping	29

# TABLE OF CONTENTS (CONTINUED)

	Page
3.6 Analysis of bark pH	29
3.7 Passive sampling	29
3.7.1 Description of sampling site	29
3.7.2 Climatic condition during the exposure period	30
3.7.3 Preparation of diffusion tube	31
3.7.4 Exposure of diffusion tube	31
3.7.5 Extraction of sample	31
3.7.6 Analysis of nitrite ( $\text{NO}_2^-$ ) and sulfate ( $\text{SO}_4^{2-}$ ) by ion chromatography	32
CHAPTER 4 RESULTS	
4.1 Mapping of lichens diversity	
4.1.1 Lichens diversity	34
4.1.2 Calculation of lichen diversity value	36
4.1.3 Determination of lichen diversity classes	39
4.1.4 Scales to interpret lichen diversity	39
4.1.5 Lichen mapping	40
4.2 Analysis of bark pH	45
4.3 Determination of $\text{NO}_2$ and $\text{SO}_2$ by passive sampling technique	
4.3.1 Sampling site	45
4.3.2 Determination of nitrite ( $\text{NO}_2^-$ ) and sulfate ( $\text{SO}_4^{2-}$ ) by ion chromatography	46
4.3.3 Comparison with active sampling measurement	50
4.4 Correlation between the four parameters	51
CHAPTER 5 DISCUSSIONS	54
CHAPTER 6 CONCLUSIONS	61
REFERENCES	63

# TABLE OF CONTENTS (CONTINUED)

	Page
APPENDIX	
APPENDIX A Recording form	73
APPENDIX B Calculation	75
APPENDIX C Additional results	79
APPENDIX D Chromatogram	84
APPENDIX E Statistical analysis tables	85
APPENDIX F Pictures of lichens	87
CURRICULUM VITAE	93

## LIST OF TABLES

Table		Page
3.1	Determining the lichen diversity class of the investigated area	27
4.1	Lists of total lichen species found in study area	34
4.2	The mean of sum of frequencies (MSF), lichen diversity values (LDVs), standard deviation (SD) and standard error (SE)	37
4.3	The median of standard error and the width of lichen diversity class	39
4.4	Air pollution level of sampling units according to lichen air quality classes	41
4.5	Comparison of bark pH with lichen air quality classes	45
4.6	Comparison of average concentration of NO <sub>2</sub> (µg/m <sup>3</sup> ) in ambient air with lichen air quality classes	47
4.7	Comparison of average concentration of SO <sub>2</sub> (µg/m <sup>3</sup> ) in ambient air with lichen air quality classes	48
4.8	Correlation between four parameters with the results of Pearson test	51
4.9	Comparison between LDV, concentration of NO <sub>2</sub> , SO <sub>2</sub> and type of land use of eight lichen air quality classes	52

## LIST OF FIGURES

Figure	Page
3.1 The study area in Lampang city, the red zone indicates the built up area	18
3.2 Land use type within Lampang urban area in 2002	19
3.3 Commercial and industrial area within Lampang urban area	20
3.4 The annual temperature of Amphoe Mueang Lampang in 2004	21
3.5 The annual relative humidity of Amphoe Mueang Lampang in 2004	21
3.6 The annual rainfall of Amphoe Mueang Lampang in 2004	22
3.7 Annual prevailing wind distributions in study area	22
3.8 Sampling units and the location of the investigated Mango tree	24
3.9 Sampling grid, consists of four ladder, with five 10 ×10 cm Contiguous quadrats, attached at four cardinal points	25
3.10 Standard exposure scale	28
3.11 Daily temperature during the exposure period	30
3.12 Relative humidity during the exposure period	30
4.1 Dendrogram of lichen species found in study area	35
4.2 Exposure scale of study area	39
4.3 Map of lichens indicating air quality in Amphoe Mueang Lampang	43
4.4 Map of lichens indicating air quality zone in Amphoe Mueang Lampang and location of passive sampling site	44
4.5 Calibration curve of NO <sub>2</sub> <sup>-</sup> (0.2 µg/ml – 1 µg/ml)	46
4.6 Calibration curve of SO <sub>4</sub> <sup>2-</sup> (0.2 µg/ml – 1 µg/ml)	47

## LIST OF FIGURES (CONTINUED)

Figure		Page
4.7	Correlation between LDVs and NO <sub>2</sub> (µg/m <sup>3</sup> ) of all sampling site	49
4.8	Correlation between LDVs and SO <sub>2</sub> (µg/m <sup>3</sup> ) of all sampling site	49
4.9	Comparison of average NO <sub>2</sub> concentration measured by passive with active sampling during two weeks period of exposure	50
4.10	Comparison of average SO <sub>2</sub> concentration measured by passive with active sampling during two weeks period of exposure	51

# ABBREVIATIONS AND SYMBOLS

°	Degree
°C	Degree Celsius
ml	Milliliters
g	Grams
mg	Milligrams
µg	Micrograms
mg/m <sup>3</sup>	Milligrams per cubic meter
µg/m <sup>3</sup>	Micrograms per cubic meter
SO <sub>2</sub>	Sulfur dioxide
NO <sub>2</sub>	Nitrogen dioxide
NO <sub>2</sub> <sup>-</sup>	Nitrite
SO <sub>4</sub> <sup>2-</sup>	Sulfate
TEA	Triethanolamine
ppb	Parts per billion
ppm	Parts per million