REFERENCES

- Al-Adamat, R.A.N., Foster, I.D.L., and Baban, S.M.J., (2003), Groundwater vulnerability and risk mapping for the basaltic aquifer of the Azraq Basin of Jordan using GIS, remote sensing and DRASTIC, Journal of Applied Geography, v. 23, p. 303-324.
- Aller, L., Bennett, T., Lehr, J.H., Petty, R. J., and Hackett, G., (1987), DRASTIC: A Standardized System for Evaluating Groundwater Pollution Potential Using Hydrogeologic Settings, United States Environmental Protection Agency Report 600/2-87/035, 622 p.
- Australian Water Resources Council, (1992), Draft Guidelines for Groundwater Protection, National Water Quality Management Strategy.
- Chaimanee, N., and Teerarungsikul, N., (1990), Geologic Map of Thailand, Changwat Phuket: 1:50,000 Scale, Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Chaimanee, N., and Teerarungsikul, N., (1990), Geologic Map of Thailand, Amphoe Thalang: 1:50,000 Scale, Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Chaimanee, N., and Teerarungsikul, N., (1993), Geology and Quaternary Geology of Phuket Island, Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Chuamthaisong, C., and Intrasutra, T., (1992), Role of groundwater resources for rural development, Proceedings of the National Conferences on Geologic Resources of Thailand: Potential for Future Development, Department of Mineral Resources, Bangkok, Thailand, p. 64-54.
- Coleman, M.L., Shepherd, T.J., Durham, J.J., Rouse, J.E., Moore, G.R., (1982), Reduction of water with zinc for hydrogen isotope analysis: Analytical Chemistry, v. 54, p. 993-995.
- Craig, H., (1961), Standard for reporting concentrations of deuterium and oxygen-18 in natural waters, Science, 133 p.
- Department of Groundwater Resources, (2005), Internet: http://www.DGR.co.th (March 19, 2005).
- Department of Land Development, (1987), Land Use Map of Changwat Phuket: 1:50,000 Scale, Land Use Planning Division, Department of Land Development, Bangkok, Thailand.
- Department of Land Development, (1992), Soil Digital Data from 1:50,000 Scale Map, Department of Land Development, Bangkok, Thailand.
- Department of Mineral Resources, (2001), Groundwater Map Guide Book Phuket Province (A User Manual of Groundwater Map of Phuket Province on 1:100,000 scale) Groundwater Division, Department of Mineral Resources, Bangkok, Thailand.

- Environmental System Research Institute, Inc., (1997), Computer Software: ArcView Version 3.1®.
- Fetter, C.W., (1988), Applied Hydrogeology, New York: Macmillan, 691 p.
- Harman, J., Mclellan, J. E., Rudolph, D. L., Heagle, D. J., Piller, C., and Denhoed, S. E., (2000), A Proposed Framework for Managing the Impact of Agriculture on Groundwater: Harden Environmental Services Ltd., 67 p.
- International Association of Hydrogeologists, (1994), Guidebook on Mapping Groundwater Vulnerability, Verlag Heinz Heise GmbH&Co, Hannover, v. 16, 131 p.
- International Atomic Energy Agency/World Health Organization, (2001), Global Network for Isotopes in Precipitation: GNIP Database accessible at http://isohis.iaea.org.
- International Groundwater Resources Assessment Centre, Internet: http://www.igrac.nitg.tno.nl (March 19, 2005).
- Kumar, C. S., Navular, and Engle, B. A., (2003), Predicting spatial distributions of vulnerability of Indiana State aquifer systems to nitrate leaching using GIS: http\\www.ncgia.uscb.edu/conf/SANTA_FE_CD_ROW/sf_papers /navular_ruma/m y_paper.html.
- Kwansirikul, K., Singharajwarapan, F.S., Mackay, R., Ramingwong, T., and Wongpornchai, P., (2004), Vulnerability assessment of groundwater resources in the Lampang Basin of Northern Thailand, Journal of Environmental Hydrology, v. 12.
- Kwansirikul, K., Singharajwarapan, F.S., Kita, I., and Takashima, I., (2005), Hydrochemical and isotopic characteristics of groundwater in the Lampang Basin, Northern Thailand, ScienceAsia, v. 31, p. 73-82.
- Lobo-Ferreira, J. P., and Oliveira, M. M., (2003), On the Experience of Groundwater Vulnerability Assessment in Portugal: Aquifer Vulnerability and Risk International Workshop AVR03, Salamanca, Mexico, p. 10.
- Margane, A., Tatone, T., Chatprasert, S., and Kunthacap, P., (1998), Environmental Geology for Regional Planning: Contributions to the Hydrogeology of the Chiang Mai/Lamphun Basin, Technical Report No. 20, Department of Mineral Resources, Bangkok, Thailand.
- Margat, J., (1968), Groundwater vulnerability to contamination, Bases de la cartographie, (Doc.) BRGM, 68 SGL 198 HYD, Orleans, France.
- Meteorological Department, (2004), Meteorological Data of Changwat Phuket 1971-2000, Bangkok, Thailand.
- Osborn, N. I., Eckenstein, E., and Koon, K. Q., (1998), Vulnerability Assessment of Twelve Major Aquifers in Oklahoma: Oklahoma Water Resources Board Technical Report 98-5, 36 p.

- Piscopo, G., (2001), Groundwater Vulnerability Map: Explanatory Notes, Center of Natural Resources, Department of Land and Water Conservation, New South Wales, Australia, 14 p.
- Putthapiban, P., (1984), Geochemistry and Geochronology of Phuket Granites, Phuket, Thailand, Doctoral Dissertation, La Trobe University, Australia.
- Rosen, L., (1994), A Study of the DRASTIC methodology with emphasis on Swedish conditions: Journal of Groundwater, v. 32, p. 278-285.
- Royal Irrigation Department, (1996), The potential water resources development study of Phuket water resources supply project, Sanyu Consultant Inc.
- Saykawlard, S., (1999), GIS applications to environmental risk and monitoring of Phuket underground dam, Proceedings of the International Conference on Water Resources Management in Intermountain Basins, Chiang Mai University, Thailand, p. 345-356.
- Secunda, S., Collin, M.L., and Melloul, A.J., (1998), Groundwater vulnerability assessment using a composite model combining DRASTIC with extensive agricultural land use in Israel's Sharon region, Journal of Environmental Management, v. 54, p. 39-57.
- Socki, R.A, Karlsson, H.R., and Gibson, E.K., (1992). Extraction technique for the determination of oxygen-18 in water using pre-evacuated glass vials: Analytical Chemistry, v. 64, p. 829-831.
- Sophonsakulrat, W., (1994), Application of GIS for Groundwater Planning and Management: the Sukhothai Groundwater Development Project, Thailand, AIT Thesis No. WA-95-15, Asian Institute of Technology, Thailand, 73 p.
- Thapinta, A., and Hudak, P. F., (2003), Use of geographic information systems for assessing groundwater pollution potential by pesticides in Central Thailand, Environment International, v. 29, p. 87-93.
- Thirumalaivasan, D., and Karmegam, M., (2001), Aquifer vulnerability assessment using analytic hierarchy process and GIS for upper Palar watershed, Proceedings of the 22nd Asian Conference on Remote Sensing, Singapore, v. 1, p. 712-717.
- United Nations Environment Programme, (2005), After the Tsunami: Rapid Environmental Assessment: http://www.unep.org/tsunami.
- United States Geological Survey, (1999). Improvements to DRASTIC Groundwater Vulnerability Mapping Method: http\\www.idaho.usgs.gov/PDF/factsheet/DRASTIC.pdf.
- United States Geological Survey, (2005), Internet: http://www.usgs.org/tsumani.
- Wichiantong, W., (1993), The Phuket Water Resources for Underground Dam, Royal Irrigation Department, Bangkok, Thailand, 25 p.
- Zaporozec, A., (1989), Hydrogeologic Map for Groundwater Protection, In Recent Advances in Groundwater Hydrology, American Institute of Hydrology, Minneapolis, Minnesota, p. 588-597.