

## REFERENCES

1. Cross L.E. Ferroelectrics Materials for Electromechanical Transducer Applications. *Mater. Chem Phys.* 1996; **43**: 108-115.
2. Wang J., Xue J.M., Wan D.M., and Gan B.K. Mechanically Activating Nucleation and Growth of Complex Perovskites. *J. Solid State Chem* 2000; **154**: 321-328.
3. Sumi K., Qiu H., Kamei H., Moriya S., Murai, M., Shimada M., Nishiwaki T., Takei K., and Hashimoto M. Structural, Compositional and Piezoelectric Properties of the Sol-Gel  $\text{Pb}(\text{Zr}_{0.56}\text{Ti}_{0.44})_{0.80}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{0.20}\text{O}_3/\text{Pb}(\text{Zr}_{0.56}\text{Ti}_{0.44})\text{O}_3$  Composition Films. *Thin Solid Films.* 1999; **349**: 270-275.
4. Ouchi H., NaGano K., and Hayakawa S. Piezoelectric Properties of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$ - $\text{PbZrO}_3$  Solid Solution Ceramics. *J. Am Ceram Soc.* 1965; **48**: 630-635.
5. Abe Y., Yanagisawa Y., Kakegawa K., and Sasaki Y. Piezoelectric and Dielectric Properties of Solid Solution of  $\text{PbZrO}_3$ - $\text{PbTiO}_3$ - $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  System Prepared by Wet-Dry Combination Method. *Solid State Commun.* 2000; **113** : 331-334.
6. Jaffe B., Cook W.R. and Jaffe H., Piezoelectric Ceramics : Academic Press Limited. New York, 1971.
7. Noheda B., Cox D. E., Shirane G., Gonzalo J. A., Cross L. E., and Park S.-E. A Monoclinic Ferroelectric Phase in the  $\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$  Solid Solution. *Appl. Phys. Lett.* 1999; 74(14) : 2059-2061.
8. Koval V., Alemany C., Brianĉin J., Brunckovà H. and SaksI K. Effect of PMN Modification on Structure and Electrical Response of (x)PMN-(1-x)PZT Ceramic Systems. *J. Eur. Ceram Soc.* 2003; **23**: 1157-1166.
9. Ouchi H. Piezoelectric Properties and Phase Relations of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$ - $\text{PbZrO}_3$  Ceramics with Barium or Strontium Substitutions. *J. Am Ceram Soc.* 1968; **51(3)** : 169-176.
10. Yang G., Liu S-F., Ren W., and Mukherjee B.K. Uniaxial Stress Dependence of the Piezoelectric Properties of Lead Zirconate Titanate Ceramics. *Active Materials: Behavior and Mechanic. SPIE Proceedings.* 2000; **3992**: 103-113.

11. Haertling G.H. Ferroelectric Ceramics: History and Technology. *J. Am. Ceram. Soc.* 1999; **82**(4) : 797-817.
12. Wongsanmai S., Moonrat P., Silawongsawat T., Ananta S., and Yimnirun R. Study of Hysteresis Properties of Lead Zirconate Titanate (PZT) Ceramic by Sawyer-Tower Circuit. *Naresuan University Journal.* 2003; **3** : 21-27.
13. Damjanovic D. Ferroelectric, Dielectric and Piezoelectric Properties of Ferroelectric Thin Films and Ceramics. *Rep. Prog. Phys.* 1998; **61** : 1267-1324.
14. Fousek J. Joseph Valasek and the Discovery of Ferroelectricity. *Proc. IEEE 9<sup>th</sup> Int'l Symp. Application of Ferroelectrics.* 1995, 1-5.
15. Shaw J.C., Lin K.S., and Lin I.N. Dielectric Behavior at Morphotropic Phase Boundary for PMN-PZT Ceramics. *Scripta Mater.* 1993; **29**: 981-986.
16. Wang C.H. The Microstructure and Characteristics of 0.875PZT-0.125PMN Ceramics with Addition of Pb-Based Flux. *J. Eur. Ceram. Soc.* 2002; **22**: 2033-2038.
17. Xu Y. Ferroelectric Materials and Their Applications. North-Holland Elsevier Sci. Publ. Amsterdam. 1991.
18. Safari A., Panda R.K. and Janas V.F. Ferroelectric Ceramics: Processing, Properties & Application. *Appl. Ferro. Ceram Mater.* 2000, 1-47.
19. Moulson A.J., and Herbert J.M. Electroceramics: Material, Properties, Applications. Chapman & Hall. London, 1991.
20. Kamlah M. Review Article: Ferroelectric and Ferroelastic Piezoelectrics-Modeling of Electromechanical Hysteresis Phenomena. *Continuum Mech Therm* 2001; **13**(4) : 219-268.
21. Sawyer, C.B. and Tower, C.H. Rochelle Salt as a Dielectric. *Phys. Rev.* 1930; **35**: 269-275.
22. Jullian C. "Investigations of Polarization Switching Over Broad Time and Field Domains in Various Ferroelectrics". B.S. Thesis, University of Technology of Compiègne. 2003.
23. Chiang Y.M., Birnie D.P., and Kingery W.D., Physical Ceramics: Principle for Ceramic Science and Engineering. John Wiley & Sons. New York, Inc, 1997.
24. Cross L.E. Relaxor Ferroelectrics: An Overview. *Ferroelectrics.* 1994; **151** : 305-320.

25. Smolenskii G.A. Physical Phenomena in Ferroelectric with Diffused Phase Transition. *J. Phys. Soc. Jnp*, 1970; **28**: 29-37.
26. Cross L.E. Relaxor Ferroelectrics. *Ferroelectrics*. 1987; **76**: 241-267.
27. Shrout T.R., and Fielding J. Relaxor Ferroelectric Materials. *Proc. IEEE Ultrasonics Symposium* 1990: 711-720.
28. Cross L.E. Ferroelectric Ceramics: Tailoring Properties for Specific Applications. *Ferroelectric Ceramics: Tutorial review, theory, processing and application*. Berlin Birkhäuser. 1993, 1-85.
29. Smolenskii G.A., and Agranovskaya A.I. Dielectric Polarization and Losses of Some Complex Compounds. *Sov. Phys.—Tech. Phys.* 1958; *3*(7): 1380-1382.
30. Fanning D.M. “Structure Property Relations in Ferroelectric Materials”. Ph.D. Thesis, University of Illinois at Urbana-Champaign, 2000.
31. Park K., Slamanca-Riba L., Wuttig M., and Viehland D. Ordering in Lead Magnesium Niobate Solid Solutions. *J. Mater. Sci.* 1994; **29**(5) : 1284-1289.
32. Park J.H., Yoon K.H., and Kang D.H. Dielectric and Electrical Properties of Preferentially (111) Oriented Zr-Rich  $0.1\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $0.9\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$  Thin Films by Chemical Solution Deposition. *Thin Solid Films*. 2001; **396**: 84-89.
33. Yimnirun R., Ananta S., and Laoratanakul P. Effect of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Mixed-Oxide Modification on Dielectric Properties of  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  Ceramics. *Mater. Sci. Eng. B*. 2004; **112**: 79-86.
34. Yoo J., Lee C., Jeong Y., Chung K., Lee D. and Paik D. Microstructural and Piezoelectric Properties of Low Temperature Sintering PMN-PZT Ceramics with the Amount of  $\text{Li}_2\text{CO}_3$  Addition, *Mater. Chem Phys.* 2004, in press.
35. Ramana M. K.V., Narayana M. S., Chandra M. K. and Bhanumathi A. Domain Orientation and Piezoelectric Properties of Ag Doped PMN-PZT Ceramics. *Proc. IEEE 8<sup>th</sup> Int'l Symp. Application of Ferroelectrics*. 1992; **1** : 140-147.
36. Shil'nikov A.V., Sopit A.V., Burkhanov A.I., and Luchaninov A.G. The Dielectric Response of Electrostrictive  $(1-x)\text{PMN}$ - $(x)\text{PZT}$  Ceramics. *J. Eur. Ceram Soc.* 1999; **19**: 1295-1297.

37. Burkhanov A.I., Shil'nikov A.V., Sopit A.V., and Luchaninov A.G. Dielectric and Electromechanical Properties of (1-x)PMN-(x)PZT Ferroelectrics Ceramics. *Phys. Solid State*. 2000; **42**(5) : 910-916.
38. Yimnirun R., Ananta S. and Laoratanakul P. Dielectric and Ferroelectric Properties of Lead Magnesium Niobate-Lead Zirconate Titanate Ceramics Prepared by Mixed-Oxide Method. *J. Eur. Ceram Soc.* 2004, in press.
39. Shaw J.H., Liu K.S., and Lin I.N. Modification of Piezoelectric Characteristics of the Pb(Mg,Nb)O<sub>3</sub>-PbZrO<sub>3</sub>-PbTiO<sub>3</sub> Ternary System by Aliovalent Additives. *J. Am Ceram Soc.* 1995; **78**(1) : 178-182.
40. Tipakontitikul R. and Ananta S. A Modified Two-Stage Oxide Synthetic Route to Lead Zirconate Titanate Powders. *Mater. Lett.* 2004; **58**(3) : 449-454.
41. Ananta S., Tipakontitikul R. and Tunkasiri T. Synthesis, Formation and Characterization of Zirconium Titanate (ZT) Powders. *Mater. Lett.* 2003; **57** : 2637-2642.
42. Swartz S.L. and ShROUT T.R. Fabrication of Perovskite Lead Magnesium Niobate. *Mater. Res. Bull.* 1982; **17** : 1245-1250.
43. Tipakontitikul R. "Microstructure and Electrical Property Relationships of Lead Zirconate Titanate-Lead Magnesium Niobate Ceramics". Chiang Mai University, 2005, personal communication.
44. Udomporn A. "Preparation and Structural Characterization of Lead Magnesium Niobate-Lead Titanate Ceramics". Ph.D. Thesis, Chiang Mai University, 2004.
45. Powder Diffraction File Search Manual Hanawalt Method Inorganic 1987 (JCPDS), International Center for Diffraction Data U.S.A.
46. Ananta S. and Thomas N.W. Relationships between Sintering Conditions, Microstructure and Dielectric Properties of Lead Magnesium Niobate, *J. Eur. Ceram Soc.* 1999; **19** : 629-635.
47. Costa A.L., Galassi C., Fabbri G., Roncari E. and Capiani C. Pyrochlore Phase and Microstructure Development in Lead Magnesium Niobate Materials. *J. Eur. Ceram Soc.* 2001; **21** : 1165-1170.
48. Liou Y.C., Shih C.Y. and Yu C.H. Pb(Fe<sub>1/2</sub>Nb<sub>1/2</sub>)O<sub>3</sub> Perovskite Ceramics Produced by Simplified Walframite Route. *Jpn. J. Appl. Phys.* 2002; **41** : 3829-3831.

49. Lee B.W. Synthesis and Characterization of Compositionally Modified PZT by Wet Chemical Preparation from Aqueous Solution. *J. Eur. Ceram Soc.* 2004; **24**: 925-929.
50. Watanabe A., Haneda H., Moriyoshi Y., Shirasaki S., Kuramoto S. and Yamamura H. Preparation of Lead Magnesium Niobate by a Coprecipitation Method. *J. Mater. Sci.* 1992; **27**: 1245-1249.
51. Paik D.S., Komarneni S., Abothu I.R. and Rao A.V.P. Composite of  $0.3\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $0.7\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  Prepared by a Sol-Gel Method. *J. Mater. Chem.* 1997; **7(9)**: 1831-1835.
52. Meyer, M.A. and Chawla, K.K. Mechanical behaviors of Materials, *Prentice-Hall International, Inc.*, 1999.
53. Wang C.H., Chang S.J. and Chang P.C. Effect of Sintering Condition on Characteristics of  $\text{PbTiO}_3$ - $\text{PbZrO}_3$ - $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ . *Mater. Sci. Eng. A.* 2004, in press.
54. Lu C.H. and Fu S.C. Preparation of Pyrochlore-Free Lead Magnesium Niobate Via Adding Excess Constituent Compounds. *Mater. Lett.* 1996; **27**: 71-75.
55. Saha D., Sen A. and Maiti H.S. Fast Firing of Lead Magnesium Niobate at Low Temperature. *J. Mater. Res.* 1996; **11**: 932-938.
56. Saha D., Sen A. and Maiti H.S. Low Temperature Liquid Phase Sintering of Lead Magnesium Niobate. *Ceram. Int.* 1999; **25**: 145-151.
57. He L.X., Gao M., Li C.E. Zhu W.M. and Yan H.X., Effect of  $\text{Cr}_2\text{O}_3$  Addition on the Piezoelectric Properties and Microstructure of  $\text{PbZr}_x\text{Ti}_y(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Ceramics. *J. Eur. Ceram Soc.* 2001; **21**: 703-709.
58. Kamlah M., Böhle U. and Munz D. On a Non-Linear Finite Element Method for Piezoelectric Structures Made of Hysteresis Ferroelectric Ceramics. *Comp. Mater. Sci.* 2000; **19**: 81-86.
59. Chaplya P. and Carman G. Dielectric and Piezoelectric Response of Lead Zirconate-Lead Titanate at High Electric and Mechanical Loads on Term of Non-180° Domain Wall Motion. *J. Appl. Phys.* 2001; **90(10)**: 5278-5286.
60. Viehland D. and Chen Y. Random-field Model for Ferroelectric Domain Dynamics and Polarization Reversal. *J. Appl. Phys.* 2000; **88(11)**: 6696-6707.

61. Lohkamper R., Neumann H. and Arlt G. Internal Bias in Acceptor-Doped BaTiO<sub>3</sub> Ceramics : Numerical Evaluation of Increase and decrease. *J. Appl. Phys.* 1990; **68(8)** : 4220-4224.
62. Gao Y., Uchino K. and Viehland D. Effect of Rare Earth Metal Substituents on the Piezoelectric and Polarization Properties of Pb(Zr,Ti)O<sub>3</sub>-Pb(Sb,Mn)O<sub>3</sub> Ceramic. *J. Appl. Phys.* 2002; **92(4)** : 2094-2099.
63. Tan Q. and Viehland D. Influence of Thermal and Electrical Histories on Domain Structure and Polarization Switching in Potassium-Modified Lead Zirconate Titanate Ceramics. *J Am Ceram Soc.* 1998; **81(2)** :328-336.
64. Gao J., Zheng L., Zhu X., Wang L., Lin C. and Zhu D. Asymmetry of the Hysteresis Loops for the Au/PbTiO<sub>3</sub>/YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7.8</sub> Capacitor. *Nucl. Instrum Meth.B.* 2000; **169** : 12-15.
65. Park H., Yoon S., Park H. and Hill R. Electrical Properties of PZT Thin Films by Photochemical Deposition. *Thin Solid Films.* 2004; **447-448**: 669-673.
66. Lohkamper R., Neumann H. and Arlt G. Internal Bias in Acceptor-Doped BaTiO<sub>3</sub> Ceramics : Numerical Evaluation of Increase and decrease. *J. Appl. Phys.* 1990; **68(8)** : 4220-4224.
67. Randall C.A., Barber R., Whatmore R. and Groves P. Short-Range Order Phenomena in Lead-Based Perovskite. *Ferroelectrics.* 1987; **76**: 277-281.
68. Wang C.H. The Piezoelectric and Dielectric Properties of PZT-PMN-PZN. *Ceram Int.* 2004; **30**: 605-611.
69. Benguigui L. Thermodynamic Theory of the Morphotropic Phase Transition Tetragonal-Rhombohedral in the Perovskite Ferroelectrics. *Solid State. Commun.* 1972; **11** :825-828.
70. Devonshire F. Theory of the Morphotropic Phase Transition Tetragonal-Rhombohedral in Lead Zirconate-Titanate Solid Solution. *Phil. Mag. Lett.* 1949; **40**: 1040-1048.