

## References

- [1] Metallisation Technical Report, Metallisation Limited, England, April 1996.
- [2] L. Pawlowski, “The Science and Engineering of Thermal Spray Coating”, John Wiley & Sons, England (1995).
- [3] M. R. Dorfman, “Thermal Spray. Advanced Materials & Processes”, Sulzer Mecto (US) Inc., New York ( 2002).
- [4] G. Jandin, H. Liao, Z.Q. Feng and C. Coddet, “Correlation between Operating Conditons, Microstructure and Mechanical Properties of Twin Wire Arc Sprayed Steel Coatings”, Materials Science and Engineering A349 (2003) 298-305.
- [5] M.P. Planche, H. Liao and C. Coddet, “Relationships between in-flight particle characteristics and coating microstructure with a twin wire arc spray process and different working conditions”, Surface and Coatings Technology 182 (2004) 215-226.
- [6] J. M. Guilemany, J. Fernandez, N. Espallargas, P.H. Suegama and A.V. Benedetti, “Influence of spraying parameters on the electrochemical behaviour of HVOF thermally sprayed stainless steel coatings in 3.4% NaCl”, Surface & Coating Technology 200 (2005) 3064-3072.
- [7] Key to Metal Group & INI International (1999-2006). The world’s Most Comprehensive STEEL Database’ [online]. Available: <http://www.key-to-steel.com> (2005, January)
- [8] AWS Committee on Thermal Spraying, AWS Technical Activities Committee, AWS Board of Directors, “Thermal Spraying Practice, Theory, and Application”, American welding society, Inc., Florida. 1985.

- [9] Gordon England I. Eng. AMIM (no date). 'Independent Metallurgist and Consultant to the Thermal Spray Coating Industry' [online]. Available: <http://www.gordonengland.co.uk> (2005, January)
- [10] J. Stokes, "The theory and application of the HVOF thermal spray process", Sulzer Metco, 2003.
- [11] G. E. Halford, US army Corp of Engineers® (May, 2006) [online]. Available: <http://www.usace.army.mil> (January, 2005)
- [12] B. Bhushan, and B. K. Gupta, "Handbook of Tribology Matetrials", McGraw-Hill, Inc. U.S.A. (1991).
- [13] F. Van den Berge, "Thermal Spray Processes: An Overview", Journal of Advanced Materials and Processes, Vol. 154 (6) (1998).
- [14] Hovedkontor (no date) [online]. Available: <http://www.airproduct.com> (2005)
- [15] G. Halada (2005, May). 'Department of Materials Science and Engineering' [online]. Available: <http://www.matscieng.sunysb.edu> (February, 2005)
- [16] L. Jeffus, "Welding Principle and Applications", 3<sup>rd</sup> ed., Delmar Publisher Inc., U.S.A., 1993.
- [17] Hayden Corporation (2003) [online]. Available: <http://www.haydencorp.com> (January, 2005)
- [18] M. Pasandideh-Fard, and J. Mostaghimi, "Deformation and Solidification of Molten Particles on a Substrate in Thermal Plasma Spraying", Proceedings of the 7th National Thermal Spray Conference, Boston, (1994), 405-414.
- [19] H. Fukanuma, and A. Ohmori, "Behavior of Molten Droplets Impinging on Flat Surfaces", Proceedings of the 7th National Thermal Spray Conference, Boston, (1994), 563-568.

- [20] M. F. Smith, R. A. Neiser, and R. C. Dykhuizen, "An Investigation of the Effects of Droplet Impact Angle in Thermal Spray Deposition", Proceedings of the 7th National Spray Conference, Boston, (1994) 603-608.
- [21] M. Pasandideh-Fard, and J. Mostagimi, "Droplet Impact and Solidification in a Thermal Spray Process: Droplet-Substrate Interactions", Proceedings of the 9th National Spray Conference, Ohio, USA, (1996) 637-646.
- [22] R. Bhola, and S. Chandra, "Splat Solidification of Tin Droplets", Proceedings of the 9th National Spray Conference, Ohio, USA, (1996) 657-663.
- [23] J. R. Davis (2004). 'Handbook of Thermal Spray Technology' [online]. Available: <http://www.engr.sjsu.edu/jrhee/me210/chapter4.pdf>.
- [24] C. J. Li, J. L. Li, W. B. Wang, A. Ohmori, K. Tani, C. Coddet (Ed.), "Thermal Spray: Meeting the Challenges of the 21st Century", American Society for Metals International, Materials Park, OH, USA, (1998) 481– 488.
- [25] C. J. Li, A. Ohmori, J. Therm. Spray Technol. 11 (3) (2002) 365– 374.
- [26] G. Montavon, S. Sampath b, C.C. Berndt b, H. Herman b, C. Coddet , "Effects of the spray angle on splat morphology during thermal spraying", Surface and Coatings Technology 91 (1997) 107-1 15.
- [27] R.M. Carter and Y. Yan, "Measurement of particle shape using digital imaging Techniques", Journal of Physics: Conference Series 15 (2005) 177–182.
- [28] P. Fauchais, M. Fukumoto, A. Vardelle, and M. Vardelle, "Knowledge Concerning Splat Formation: An Invited Review", Journal of Thermal Spray Technology 13(3) (2004)337-360.

- [29] C. Moreau, M. Lamontagne and P. Cielo, in T.F. Bernecki (ed.), Thermal Spray Research and Applications, ASM International, Materials Park, OH, USA, 1991, pp. 19-26.
- [30] Colloidal Dynamics Pty Ltd. (1999-2005) [online].  
Available: <http://www.colloidal-dynamics.com> (1999, January)
- [31] K. Whalley, P. Rebarson and G. Richard (1995-2006). 'Pearson Education, Inc., [online]. Available: <http://www.science-focus.net> (January, 2002)
- [32] M. S. Lou, J. C. Chen, & C. Li, "Surface roughness prediction technique for CNC end-milling", Journal of Industrial Technology, 15 (1) (1997) 1-6.
- [33] Hartman (2005). 'Technical Ceramics Information Center' [online]. Available: <http://www.keramverband.de> (January, 2005)
- [34] J. L. Yand and J. C. Chen, "A Systematic Approach for Identifying Optimum Surface Roughness Performance in End-Milling Operations", Journal of Industrial Technology, 17 (2) (2001) 3.
- [35] M.S. Bingley and S. Schnee, "A study of the mechanism of abrasive wear for ductile metals under wet and dry three-body conditions", Wear 258 (2005) 50-61.
- [36] K. Niemi, P. Vuoristo, T. Mantyla, G. Barnezat, and A. R. Nicoll, "Abrasion Wear Resistance of Carbide Coatings Deposited by Plasma and High Velocity Combustion Processes", Proceedings of 13th International Thermal Spray Conference, Florida, USA, (1992) 685-694.
- [37] J. Karthikeyan, J. DeFalco, and M. Dorfman, "Tungsten Carbide-Cobalt Coatings for Industrial Applications", Sulzer METCO Technical Papers, [www.sulzermetco.com](http://www.sulzermetco.com), (2001).

- [38] D.J. Whitefield and A. Van Benkom, "Abrasive wear properties of experimental metastable duplex stainless steels", *Wear* 196 (1996) 92-99.
- [39] H. Ageorges and P. Fauchais, "Plasma spraying of stainless steel particles coated with an alumina shell", *Thin Solid Film* 370 (2000) 213-222.
- [40] S. Dallaire, "Hard arc-Sprayed Coating with Enhanced Erosion and Abrasion Wear Resistance", *Thermal spray-Surface Engineering via Applied Research, Proceeding for the 2000 International Thermal Spray Conference, Canada* (2000) 575-582.
- [41] G. Liu, K. Rozniatowski, and K. J. Kurzydowski, "Quantitative characteristics of FeCrAl films deposited by arc and high-velocity arc spraying", *Materials Characterization* 46 (2001) 99-104.
- [42] H. Pokhmurska, V. Dovhunyk, "Tribological properties of arc sprayed coatings obtained from FeCrB and FeCr-based powder wires", *Surface and Coatings Technology* 151-152 (2002) 490-494.
- [43] G. Jandin, H. Liao, Z. Q. Feng, and C. Coddet, "Correlation between operating conditions, microstructure and mechanical properties of twin wire arc sprayed steel coatings", *Material Science and Engineering A348* (2003) 298-305.
- [44] S. Sampath, X.Y. Jiang, and J. matejcek, "Role of thermal spray processing method on the microstructure, residual stress and properties of coatings: an integrated study for Ni-5 wt.%Al bond coat", *Materials Science and Engineering A364* (2004) 216-231.
- [45] J.C. Fang, W.J. Xu and Z.Y. Zhao, "Arc spray forming", *Journal of Materials Processing Technology* 164-165 (2005) 1032-1037.

- [46] H.L. Liao, Y.L. Zhu, R. Bolot, C. Coddet and S. N. Ma, “Size distribution of particles from individual wires and the effect of nozzle geometry in twin wire arc spraying”, *Surface & Coatings Technology* volume 200 issue 7 (2005) 2123-2130.
- [47] X. Wang, D. Zhuang, E. Pfender, J. Herberlein, W. Gerberich, “Effect of atomizing gas pressure on coating properties in wire arc spray”, *Proc. 7<sup>th</sup> National Thermal Spray Conference*, 20-24 June 1994, Boston, Massachusetts, (1994) 587.
- [48] วรพจน์ ศิริรักษ์, “การหาค่าสภาวะที่เหมาะสมที่สุดสำหรับการพ่นเคลือบแบบอาร์คไฟฟ้าสำหรับ ลวดโลหะที่ผลิตในประเทศไทย”, *วิทยานิพนธ์วิศวกรรมศาสตรมหาบัณฑิต สาขาวิชาอุตสาหกรรม บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่* (2549).