

## REFERENCES

1. T. R. Armstrong, L. E. Morgens, A. K. Maurice and R. C. Buchanan, Effect of Zirconia on Microstructure and Dielectric Properties of Barium Titanate Ceramics, *J. Am. Ceram. Soc.*, **72**, 605-611 (1989).
2. T. R. Armstrong, L. E. Morgens, A. K. Maurice and R. C. Buchanan, Dielectric Properties of Fluxed Barium Titanate Ceramics with Zirconia Additions, *J. Am. Ceram. Soc.*, **73**, 700-706 (1990).
3. C. M. Neirman, The Curie point temperature of  $\text{Ba}(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_3$  Solid Solution, *J. Mater. Sci.*, **23**, 1973-1980 (1988).
4. U. Weber, G. Greuel, U. Boedtger, D. Henning and R. Waser, Dielectric Properties of  $\text{Ba}(\text{Zr},\text{Ti})\text{O}_3$ -Based Ferroelectrics for Capacitor Applications, *J. Am. Ceram. Soc.*, **84**, 759-766 (2001).
5. X. G. Tang, K. H. Chew and H. L.W. Chan, Diffuse Phase Transition and Dielectric Tunability of  $\text{Ba}(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_3$  Relaxor Ferroelectric Ceramics, *Acta Mater.*, **52**, 5177-5183 (2004).
6. A. R. West, 1999, *Basic Solid State Chemistry*, John Wiley & Sons, Inc., Chichester.
7. W. D. Kingery, H. K. Bowen and D. R. Uhlmann, 1991, *Introduction to Ceramics*, John Wiley & Sons, Inc., Singapore.
8. A. J. Moulson and J. M. Herbert, 1990, *Electroceramics: Materials, Properties and Application*. 1<sup>st</sup> ed, Chapman and Hall.
9. L. Smart and E. Moore, 1998, *Solid State Chemistry*, Stanley Thornes (Publishers) Ltd., United Kingdom.

10. D. W. Richerson, 1992, *Modern Ceramics Engineering*, Marcel Dekker Inc. N.Y.
11. E. John, 1990, *The Elements*, Oxford University Press, Great Britain.
12. A. Tkach, P. M. Vilarinho and A. Kholkin, Effect of Mg Doping on the Structural and Dielectric Properties of Strontium Titanate Ceramics, *J. Appl. Phys. A*, **79**, 2013-2020 (2004).
13. K. Sreedhar and N. R. Pavaskar, Synthesis of  $MgTiO_3$  and  $Mg_4Nb_2O_9$  Using Stoichiometrically Excess MgO, *Mater. Lett.*, **53**, 452-455 (2002).
14. A. Tkach, P. M. Vilarinho and A. Kholkin, Effect of MgO Doping on the Structural and Dielectric Properties of Strontium Titanate Ceramics, *Appl. Phys. A*, **79**, 2013-2020 (2004).
15. H. Kishi, N. Kohzu, J. Sugino and H. Ohsato, The Effect of Rare-earth (La, Sm, Dy, Ho and Er) and Mg on the Microstructure in  $BaTiO_3$ , *J. Euro. Ceram. Soc.*, **19**, 1043-1046 (1999).
16. W. E. Lee and W. M. Rainforth, 1994, *Ceramic Microstructures*, Chapman & Hall, London.
17. R. M. German, *Sintering Theory and Practice*, John Wiley & Sons, Inc., New York.
18. B. Tareev, 1979, *Physics of Dielectric Material*. 2<sup>nd</sup> ed, Mir Publishers.
19. C. Kittel, 1991, *Introduction to Solid State Physics*. 7<sup>th</sup> e, John Wiley & Son.
20. A. G. Guy, 1976, *Essentials of Materials Science*, Mc. Graw-Hill Book Company.
21. G. H. Haertling, Ferroelectric Ceramics: History and Technology, *J. Am. Ceram. Soc.*, **82**, 797-818 (1999).

22. T. Nagai and K. Iigima, Effect of MgO Doping on the Phase Transformation of BaTiO<sub>3</sub>, *J. Am. Ceram. Soc.*, **83**, 107-112 (2000).
23. T. Nagai, Preparation of a Barium Titanate-Dispersed-Magnesia Nanocomposite, *J. Am. Ceram. Soc.*, **81**, 425-428 (1998).
24. C. Vigreux, B. Deneuve, J. El. Fallah and J. M. Haussonne, Effects of Acceptor and Donor Additives on the Properties of MgTiO<sub>3</sub> Ceramics Sintered under Reducing Atmosphere, *J. Euro. Ceram. Soc.*, **21**, 1681-1684 (2001).
25. Y. Li, X. Yao and L. Zhang, Dielectric Properties and Microstructure of Magesium-doped Ba<sub>1+k</sub>(Ti<sub>1-x</sub>Ca<sub>x</sub>)O<sub>3-x+k</sub> Ceramics, *Ceram. Int.*, **30**, 1283-1287 (2004).
26. Leo, C. J., Subba, G. V. and Chowdari, B. V. R., Effect of MgO Addition on the Ionic Conductivity of LiGe<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> Ceramics, *Solid State Ionics*, **159**, 357-367 (2003).
27. A. Tschope, S. Kilassonia and R. Birringer, The Grain Boundary Effect in Heavily Doped Cerium Oxide, *Solid State Ionics*, **173**, 57-61 (2004).
28. M. Kahn, Influence of Grain Growth on Dielectric Properties of Nb-Doped BaTiO<sub>3</sub>, *J. Am. Ceram. Soc.*, **54**, 455-457 (1996).
29. A.G.rit, D. Henning and G. With, Electrical Properties of Fine-Grained Barium Titanate Ceramics, *J. Appl. Phys.*, **58**, 1619-1625 (1985).
30. W-C. Yang, C-T. Hu and I-N. Lin, Effect of Y<sub>2</sub>O<sub>3</sub>/MgO Co-doping on the Electrical Properties of Base-metal-electroded BaTiO<sub>3</sub> Materials, *J. Euro. Ceram. Soc.*, **24**, 1479-1483 (2004).

31. L. Radonjic and V. Srdic, Effect of Magnesia on the Densification Behavior and Grain Growth of Nucleated Gel Alumina, *Mater., Chem. & Phys.*, **47**, 78-84 (1997).
32. T-Y. Chan, S-J. Liu and S-T. Lin, Effect of High Concentrations of Liquid Phase and Magnesia on the Grain Growth of Alumina, *Ceram. Int.*, **24**, 617-625 (1998).
33. V. Ferreira, and J. Baptista, Role of Niobium in Magnesium Titanate Microwave Dielectric Ceramics, *J. Am. Ceram. Soc.*, **79**, 1679-1698 (1996).
34. E. Brzozowski, M. S. Castro and B. Stojanovic, Secondary Phases in Nb-Doped BaTiO<sub>3</sub> Ceramics, *Ceram. Int.*, **28**, 773-777 (2002).
35. M. N. Rahaman, and R. Manalert, Grain Boundary Mobility of BaTiO<sub>3</sub> Doped with Aliovalent Cations, *J. Euro. Ceram. Soc.*, **18**, 1063-1071 (1998).
36. T-B. Wu and J-N. Lin, Transition of Compensating Defect Mode in Niobium-Doped Barium Titanate, *J. Am. Ceram. Soc.*, **77**, 759-764 (1994).
37. E. Brzozowski and M. S., Castro, Influence of Nb<sup>5+</sup> and Sb<sup>3+</sup> Dopants on the Defect Profile, PTCR Effect and GBBL Characteristics of BaTiO<sub>3</sub> Ceramics, *J. Euro. Ceram. Soc.*, **24**, 2499-2507 (2004).
38. I. Zhou, Z. Jiang, S. Zhang and C. Yu, Preparation and Properties of Sr<sub>0.7</sub>Ba<sub>0.3</sub>TiO<sub>3</sub>-based Multilayer Boundary-layer Capacitors, *J. Mater. Sci. Lett.*, **11**, 1134-1136 (1992).
39. M. Kahn, Influence of Grain Growth on Dielectric Properties of Nb-Doped BaTiO<sub>3</sub>, *J. Am. Ceram. Soc.*, **54**, 455-457 (1997).

40. B. D. Stojanovic, C. R. Foschini and F. O. S. Veira, Size Effect on Structure and Dielectric Properties of Nb-Doped Barium Titanate, *J. Mater. Pro. Tech.*, **143-144**, 802-806 (2003).
41. X. Wang, R-Z. Chen and L-T. Li, The Grain Size Effect on Dielectric Properties of BaTiO<sub>3</sub> Based Ceramics, *Mater. Sci. Eng. B*, **99**, 199-202 (2003).
42. J. P. Bonsack, Dielectric Properties of Barium Titanate Containing Niobium and the Effect of Additives, *Ceram. Bull.* **50**, 488-492 (1971).
43. H. Chazono and H. Kishi, , Sintering Characteristics in BaTiO<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub>-Co<sub>3</sub>O<sub>4</sub> Ternary System: I, Electrical Properties and Microstructure, *J. Am. Ceram. Soc.*, **82**, 2689-2697 (1999).
44. H. Chazono and H. Kishi, Sintering Characteristics in BaTiO<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub>-Co<sub>3</sub>O<sub>4</sub> Ternary System: II, Stability of So-called “Core-shell”structure, *J. Am. Ceram. Soc.*, **83**, 101-106 (2000).
45. S. H. Yoon, K. H. Lee and H. Kim, Effect of Acceptors on the Segregation of Donors in Niobium-Doped Barium Titanate Positive Temperature Coefficient Resistors, *J. Am. Ceram. Soc.*, **83**, 2463-2472 (2000).
46. S. H. Yoon, J. H. Lee and D. Y. Kim, Core-Shell Structure of Acceptors-Rich, Coarse Barium Titanate Grains, *J. Am. Ceram. Soc.*, **85**, 3111-3113 (2002).
47. S. H. Yoon, J. H. Lee and D. Y. Kim, Effect of the Liquid-Phase Characteristic on the Microstructures and Dielectric Properties of Donor-(Niobium) and Acceptor-(Magnesium) Doped Barium Titanate, *J. Am. Ceram. Soc.*, **86**, 88-92 (2003).

48. F. Weill, J, L. Rehspringer, Crystallographic Study of BaTiO<sub>3</sub>-Ba(M<sub>1/3</sub>N<sub>2/3</sub>)O<sub>3</sub> Solid Solution (M=Co or Mg and N=Nb or Ta), *J. Mater. Sci.*, **27**, 2316-2320 (1992).
49. F. Weill, J and L. Rehspringer, Dielectric Characterisation of BaTiO<sub>3</sub>-Ba(M<sub>1/3</sub>N<sub>2/3</sub>)O<sub>3</sub> Solid Solution (M=Co or Mg and N=Nb or Ta), *J. Mater. Sci.*, **27**, 2321-2325 (1992).
50. A. Munpakdee, J. Tontrakoon, K. Siriwitayakorn and T. Tunkasiri, Effect of Ba(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> on Microstructure and Dielectric Properties of Barium titanate Ceramics, *J. Mater. Sci. Lett.* **22**, 1307-1310 (2003).
51. M. Drofenik, Anomalous Grain Growth in Donor-Doped Barium Titanate with Excess Barium Oxide, *J. Am. Ceram. Soc.*, **85**, 653-660 (2002).
52. J-K. Lee and K-S. Hong, Roles of Ba/Ti Ratios in the Dielectric Properties of BaTiO<sub>3</sub> Ceramics, *J. Am. Ceram. Soc.*, **84**, 2001-2006 (2001).
53. JCPDS Card No. 79-2263, International Center for Diffraction Data, Newtown Square, PA (2002).
54. JCPDS Card No. 17-0173, International Center for Diffraction Data, Newtown Square, PA (2002).
55. JCPDS Card No. 83-1880, International Center for Diffraction Data, Newtown Square, PA (2002).
56. JCPDS Card No. 86-1570, International Center for Diffraction Data, Newtown Square, PA (2002).
57. S. Fengbing, L. Qiang, Z. Haisheng, and L. Chunhong, Phase Formation and Transition in the Lead Magnesium Niobate-Lead Titanate System, *Mater. Chem. & Phys.*, **83**, 135-139 (2004).

58. D. Henning and A. Schnell, Diffuse Ferroelectric Phase Transition in  $\text{Ba}(\text{Ti}_{1-y}\text{Zr}_y)\text{O}_3$  Ceramics, *J. Am. Ceram. Soc.*, **65**, 539-544 (1982).
59. T. R. Armstrong, L. E. Morgens and R. C. Buchanan, Effects of Zirconia on Microstructure and Dielectric Properties of Barium Titanate Ceramics, *J. Am. Ceram. Soc.*, **72**, 605-611 (1989).
60. JCPDS Card No. 35-0817, International Center for Diffraction Data, Newtown Square, PA (2002).
61. JCPDS Card No. 49-0580, International Center for Diffraction Data, Newtown Square, PA (2002).
62. C. Suryanarayana and M. Grant Norton, *X-Ray Diffraction A Practical Approach*, 1998, Plenum Press, United State of America.
63. S. H. Yoon and H. Kim, Space Charge Segregation During the Cooling Process and Its Effect on the Grain Boundary Impedance in Nb-doped  $\text{BaTiO}_3$ , *J. Euro. Ceram. Soc.*, **22**, 689-696 (2002).
64. L. Zhou, P. M. Vilarinho and J. L. Baptista, Dependence of the Structural and Dielectric Properties of  $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$  Ceramic Solid Solution on Raw Material Processing, *J. Eur. Ceram. Soc.*, **19**, 2015-2020 (1999).
65. N. S. Prasad and K. B. R. Verma, Structural and Dielectric Properties of Ferroelectric  $\text{Sr}_{1-x}\text{Ba}_x\text{Bi}_2(\text{Nb}_{0.5}\text{Ta}_{0.5})_2\text{O}_9$  and  $\text{Sr}_{0.5}\text{Ba}_{0.5}\text{Bi}_2(\text{Nb}_{1-y}\text{Ta}_y)_2\text{O}_9$  Ceramics, *J. Mater. Res. Bull.*, **38**, 195-206 (2003).
66. N. Vittayakorn and G. Rujijanagul, The Morphotropic Phase Boundary and Dielectric Properties of the  $x\text{Pb}(\text{Zr}_{1/2}\text{Ti}_{1/2})\text{O}_3-(1-x)\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Perovskite Solid Solution, *J. Appl. Phys.*, **96**, 5103-5109 (2004).

67. B. P. Das, R. N. P. Choudhary and P. K. Mahapatra, Effect of Europium (Eu) on Structural, Dielectric and Electrical Properties of Pb(SnTi)O<sub>3</sub> Ferroelectric Ceramics, *Mater. Sci. Eng. B*, **104**, 96-105 (2003).
68. P. Ian, Flux-Sintered BaTiO<sub>3</sub> Dielectrics, *J. Mater. Sci.*, **17**, 1398-1408 (1982).
69. S. L. Cheng, C. C. Fu and G. M. Wei, The Properties of Low-Temperature Fired Piezoelectric Ceramics, *J. Mater. Sci.*, **21**, 571-576 (1986).
70. S. L. Cheng, C. C. Fu and G. M. Wei, Low-Temperature Sintering of PZT Ceramics, *J. Ceram. Inter.*, **13**, 223-231 (1987).
71. L. M. Ernest and C. L. McDaniel, The System Bi<sub>2</sub>O<sub>3</sub>- B<sub>2</sub>O<sub>3</sub>, *J. Am. Ceram. Soc.*, **45**, 355-360 (1962).
72. Q. Li, J. Qi, Y. Wang, Z. Gui and L. Li, Improvement of Temperature-Stable BaTiO<sub>3</sub>-based Dielectrics by Addition of Li<sub>2</sub>CO<sub>3</sub> and CoO<sub>3</sub>, *J. Eur. Ceram. Soc.*, **21** 2217-2220 (2001).
73. L. Zhou, P. M. Vilarinho and J. L. Baptista, Solubility of Bimuth Oxide in Barium Titanate, *J. Am. Ceram. Soc.*, **82**, 1064-1066 (1999).
74. K. Kim and C. Kim, Structure and Dielectric Properties of Bi-doped Ba<sub>0.6</sub>Sr<sub>0.4</sub>TiO<sub>3</sub> Thin Films Fabricated by Sol-gel Method, *J. Microelec. Eng.*, **1** (2002) xxxx-xxxx.
75. G. H. Maher, Influence of Bi<sup>3+</sup>, Bi<sup>5+</sup> Doping on the Curie Temperature of BaTiO<sub>3</sub>, *Am. Ceram. Soc. Bull.*, **60**, 401 (1981).
76. N. Halder, D. Chattopadhyau, A. D. Sharma, Effect of Sintering Atmosphere on the Dielectric Properties of Barium Titanate based Capacitors, *Mater. Res. Bull.* **36**, 905-913 (2001).

77. G. F. Cheng and S. L. Fu, Dielectric Properties of Low-Fitting  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Ti}_x\text{O}_3$ - $\text{Bi}_2\text{O}_3/\text{Li}_2\text{O}$  Ceramics, *J. Mater. Sci.*, **25**, 424-430 (1990).
78. L. Zhou and Z. Jiang, Electrical Properties of  $\text{Sr}_{0.7}\text{Ba}_{0.3}\text{TiO}_3$  Ceramics Doped with  $\text{Nb}_2\text{O}_5$ ,  $3\text{Li}_2\text{O}-2\text{SiO}_2$  and  $\text{Bi}_2\text{O}_3$ , *J. Mater. Sci. Lett.*, **10**, 1286-1288 (1991).
79. Y. Kuromitsu, S. F. Wang, S. Yoshikawa and R. E. Newnham, Interaction Between Barium Titanate and Binary Glasses, *J. Am. Ceram. Soc.*, **77**, 493-498 (1994).
80. T. Hayashi, T. Hasegawa and Y. Akiyama, Enhancement of Piezoelectric Properties of Low-Temperature-Fabricated  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbZrO}_3$ - $\text{PbTiO}_3$  Ceramics with  $\text{LiBiO}_2$  Sintering Aid by Post-Annealing Process, *Jap. J. App. Phys.*, **43**, 6683-6688 (2004).
81. JCPDS Card No. 85-0923, International Center for Diffraction Data, Newtown Square, PA (2002).
82. JCPDS Card No. 42-0202, International Center for Diffraction Data, Newtown Square, PA (2002).
83. JCPDS Card No. 85-0923, International Center for Diffraction Data, Newtown Square, PA (2002).
84. T. F. Lin, J. L. Lin and C. T. Hu, The Microstructure Developments and Electrical Properties of Calcium-Modified Barium Titanate Ceramics, *J. Mater. Sci.*, **26**, 491-496 (1991).
85. JCPDS Card No. 29-0179, International Center for Diffraction Data, Newtown Square, PA (2002).

86. M. J. Laurent, G. Desgrardin and B. Raveau, Sinteritn of SrTiO<sub>3</sub> in a Reducing Atmosphere in the Presence of the Perovskite “SrLi<sub>1/4</sub>Nb<sub>3/4</sub>O<sub>3</sub>”, *J. Mater. Sci.*, **25**, 599-606 (1990).
87. S. Y. Cheng, T. C. Lee and C. C. Wei, Electrical Property of Li<sub>2</sub>CO<sub>3</sub>-added SrTiO<sub>3</sub> Ceramics, *J. Mater. Sci. Lett.* **5**, 721-722 (1986).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright<sup>©</sup> by Chiang Mai University  
All rights reserved