

## BIBLIOGRAPHY

- Behrman SJ. The implantation of magnets in the jaw to aid denture retention. *J Pros Dent* 1960; 10: 807-841.
- Behrman SJ. Magnets implanted in the mandible aid to denture retention. *J Am Dent Ass* 1964; 68: 206-215.
- Blechman AM, Smiley H. Magnetic force in orthodontics. *Am J Orthod* 1978; 74: 435-43.
- Blechman AM. Magnetic force systems in orthodontics: clinical results of a pilot study. *Am J Orthod* 1985; 87: 201-10.
- Blechman AM, Steger ER. Comment on static magnetic field bioeffects[Letter]. *Am J Orthod Dentofac Orthop* 1993; 104: 20A-21A.
- Bondemark L, Kurol J, Hallonsten AL, Andreasen JO. Attractive magnets for orthodontic extrusion of crown-root fractured teeth. *Am J Orthod Dentofac Orthop* 1997; 112: 187-93.
- Bondemark L, Kurol J, Wennberg A. Biocompatibility of new, clinically used, and recycled orthodontic samarium-cobalt magnets. *Am J Orthod Dentofac Orthop* 1994a; 105: 568-74.
- Bondemark L, Kurol J, Wennberg A. Orthodontic rare earth magnets – in vitro assessment of cytotoxicity. *Br J Orthod* 1994b; 21: 335-41.
- Bondemark L, Kurol J. Distalization of maxillary first and second molars simultaneously with repelling magnets. *Eur J Orthod* 1992; 14: 264-72.
- Bortner CD, Cidlowski JA. Flow cytometric analysis of cells shrinkage and monovalent ions during apoptosis In: Lawrence MS, Jonathan DA eds. *Apoptosis*. 1<sup>st</sup> ed. San diego: Academic press, 2001: 49-51.
- Bronckers ALJJ *et al.* DNA fragmentation during bone formation in neonatal rodents assessed by transferase-mediated end labeling. *J Bone Miner Res* 1996a; 11: 1281-91.

- Bronckers ALJJ *et al.* Nuclear DNA fragmentation during postnatal tooth development of mouse and hamster and during dentine repair in the rat. *Eur J Oral Sci* 1996b; 104: 102-11.
- Camilleri S, McDonald F. Static magnetic field effects on the sagittal suture in Rattus Norvegicus. *Am J Orthod Dentofac Orthop* 1993; 103: 240-6.
- Cohen JJ. Programmed cell death in the immune system. *Adv Immunol* 1991; 50: 55.
- Cohen JJ, Duke RC. Apoptosis and programmed cell death in immunity. *Ann Rev Immunol* 1992; 10: 267-93.
- Cole AS, Eastoe JE. Biochemistry and oral biology. 2<sup>th</sup> ed. London: Butterworth, 1988: 400-1.
- Compton MM. Development of an apoptosis endonuclease assay. *DNA Cell Biol* 1991; 10: 133-41.
- Daezynkiewicz Z, Li X, Bender E. Use of flow and laser-scanning cytometry in analysis of cell death In: Lawrence MS, Jonathan DA eds. *Apoptosis*. 1<sup>st</sup> ed. San diego: Academic press, 2001: 70-72.
- Darendeliler MA, Friedli JM. Treatment of an impacted canine with magnets. *J Clin Orthod* 1994; 28: 639-42.
- Darendeliler MA, Joho JP. Class II bimaxillary protrusion treated with magnetic forces: Case Report. *J Clin Orthod* 1992; 26: 361-8.
- Darendeliler MA, Joho JP. Magnetic activator device II (MAD II) for correction of class II, division 1 malocclusions. *Am J Orthod Dentofac Orthop* 1993; 103: 223-39.
- Darendeliler MA, Yaksel S, Meral O. Open-bite correction with the magnetic activator device IV. *J Cli Orthod* 1995; 9: 569-576.
- Dellinger EL. A clinical assessment of the active vertical corrector – a nonsurgical alternative for skeletal open bite treatment. *Am J Orthod* 1986; 89: 428-36.
- Donohue VE, McDonald F, Evans RD. In vitro cytotoxicity testing of neodymium iron boron magnets. *J Appl Biom* 1995; 6: 69-74.

- Drive C, Gregory CD, Philips DJ, Evans DL, Milner AE, Wyllie AH. Analysis and discrimination of necrosis and apoptosis (programmed cell death) by multiparameter flow cytometry. *Biochim. Biophys. Acta* 1992; 1133: 275-85.
- 1<sup>st</sup> ed. Philadelphia: W.B.Saunders, 1986; 151: 334-41.
- Evans RD, McDonald F. Effect of corrosion products (neodymium iron boron) on oral fibroblast proliferation. *J Appl Biomater* 1995; 6: 199-202.
- Facchinetti A, Tessarollo L, Mazzocchi M, Kingsron R, Collava D, Biasi G. An improved method for the detection of DNA fragmentation. *J Immunol Methods* 1991; 136: 1251.
- Fadox VA, Voelker DR, Campbell PA, Cohen JJ, Bratton DL, Henson PM. Exposure of phosphatidylserine on the surface of apoptotic lymphocytes triggers specific recognition and removal by macrophages. *J Immunol* 1992; 148: 2207.
- Geis-Gerstorfer J, Weber H. In vitro corrosion behavior of four Ni-Cr dental alloys in lactic acid and sodium chloride solutions. *Dent Mater* 1987; 3: 289-95.
- Gianelly AA, Vaitas AS, Thomas WM. The use of magnets to move molars distally. *Am J Orthod Dentofac Orthop* 1989; 96: 161-7.
- Gilling BRD. Magnetic retention for complete and partial overdentures. Part I. *J Prosthet Dent* 1981; 45: 484-91.
- Gilling BRD. Magnetic retention for overdentures. Part II. *J Prosthet Dent* 1983; 49: 607-18.
- Gorman A, McCarthy J, Finucane D, Reville W, Cotter T. Morphological assessment of apoptosis. In: Cotter TG, Martin SJ eds. *Technique in apoptosis [a user's guide]*. London: Portland Press, 1996: 1-20.
- Haley TJ. Pharmacology and toxicology of the rare earth elements. *J. Pharm. Sci* 1965; 54: 663-70.
- Jotikasthita D, Krisanaprakornkit S, Rangdaeng S. The biological effect of magnet on the viability and growth of the cultured human oral epithelial cells. (Research report) Chiang Mai: Chiang Mai Univ, 2005.

- Kawahara H, Yamagami A, Nakamura M. Biological testing of dental materials by means of tissue culture. *Int Dent J* 1968; 113; 443-67.
- Kawata T, Hirota K, Sumitani K, Umehara K, Yano K, Jer Tzeng H, et al. A new orthodontic force system of magnetic brackets. *Am J Orthod Dentofac Orthop* 1987; 92: 241-8.
- Kawata T, Matsuga M. A study of new orthodontic treatment by means of magnet. *J Dent Res* 1979; 58: 1292.
- Kerr JFR, Wyllie AH, Currie AR. Apoptosis: a basic biological phenomenon with wide-ranging implication in tissue kinetics. *Br J Cancer* 1972; 26: 239-57.
- Khaejornbut J, Wilson DJ, Owens PDA. The development and fate of the dental lamina of the mandibular first molar tooth in the rat. *J Anat* 1991; 179: 85-96.
- Koopman G, Reutelingperger CP, Keehnen RM, Pals ST, Van Oers MH. Annexin V for flow cytometric detection of phosphatidylserine expression of B cells undergoing apoptosis. *Blood* 1994; 84: 1415-20.
- Lawrence MS, Jonathan DA. *Apoptosis*. 1<sup>st</sup> ed. San Diego: Academic Press, 2001: 86-87: 346-7.
- Linder-Aronson A, Forsberg C-M, Rygh P, Lindskog S. Tissue response to space closure in monkeys: a comparison of orthodontic magnets and superelastic coil springs. *Eur J Orthod* 1996; 18: 581-8.
- Linder-Aronson A, Lindskog S, Rygh P. Orthodontic magnets: effect on gingival epithelium and alveolar bone in monkeys. *Eur J Orthod* 1992; 14: 255-63.
- Linder-Aronson A, Rygh P, Lindskog S. Effects of orthodontic magnets on cutaneous epithelial thickness and tibial bone growth in rats. *Acta Odontol Scand* 1995; 53: 259-63.
- Luewitoonwechkit S, Jotikasthira D. Viability and growth of the cultured human gingival fibroblasts under static magnetic field [Thesis]. Chiang Mai University, 2003.
- Marek M. Corrosion. In: Anusavice KJ, editor. *Phillips' Science of Dental Materials*. 10<sup>th</sup> ed. Philadelphia: W.B.Saunders, 1996: 347-59.
- Muller M. The use of magnets in orthodontics. *Eur J Orthod* 1984; 6: 247-53.

- Nishikawa S, Sasaki F. DNA localization in nuclear fragmentation of apoptotic ameloblast using anti-DNA immunoelectron microscopy: programmed cell death of ameloblasts. *Histochem Cell Biol* 1995; 104: 151-9.
- Noar GE, Evans RD. Magnets in orthodontics-an overview. *Br J Orthod* 1999; 26: 29-37.
- Obatake RM, Collard SM, Martin J, Ladd GD. The effects of sodium fluoride and stannous fluoride on the surface roughness of intraoral magnet systems. *J Prosthet Dent* 1991; 66: 553-8.
- Olive PL, Frazer G, Banath JP. Radiation-induced apoptosis measured in TK6 human B lymphoblast cells using the comet assay. *Radiat Res* 1993 ;136: 130.
- Omerod MG, Sun XM, Brown D, Snowden RT, Cohen GM. Quantification of apoptosis and necrosis by flow cytometry. *Acta Oncol* 1993; 32: 417.
- Overbeeke R, Steffens-Nakken H, Vermes I, Reutelingsperger C, Haanen C. Early features of apoptosis detected by four different flow cytometry assays. *Apoptosis* 1998; 3 (2): 115-21.
- Panichakul W, Jotikasthira D. The composition and effect of corrosion products released from magnets on viability and growth of the human gingival fibroblasts [Thesis]. Chiang Mai University, 2003.
- Park HY, Shearer TR. In vitro release of nickel and chromium from simulated orthodontic appliances. *Am J Orthod Dentofac Orthop* 1983; 84: 156-9.
- Payne CM, Cromeley DW. An image analysis workstation designed for multiple users: Application of quantitative digital imaging techniques to electron microscopy. *Ultrastruct Pathol* 1992; 16: 147-54.
- Pollard DT, Earnshaw CW. Cell Biology. 1<sup>st</sup> ed. Pennsylvania: Saunders, 2002: 767-8.
- Ramfjord SP, Major AM. Periodontology and periodontics: structure and biology of the periodontium. 1<sup>st</sup> ed. Philadelphia: Saunder, 1979:9-18.
- Raynal PR, Pollard HB. Annexins: the ploblem of assessing biological role for a gene family of multifunctional calcium and phospholipids-bingding proteins. *Biochem Biophys Acta* 1994; 1197: 63-69.

- Riley MA, Williams AJ, Speight JD, Walmsley AD, Harris IR. Investigations into the failure of dental magnets. *Int J Prosthodont* 1999; 12: 249-54.
- Robinson AL. Powerful new magnet material found. *Science* 1984; 223: 920-2.
- Sandler PJ, Meghji S, Murray AM, Springate SD, Sandy JR, Crow V, et al. Magnets and orthodontics. *Br J Orthod* 1989; 16: 243-49.
- Sandler PJ, Springate SD. Unerupted premolars – an alternative approach. *Br J Orthod* 1991; 18: 315-21.
- Schawrtzman RA, Cidlowski JA. Internucleosomal deoxyribonucleic acid cleavage activity in apoptotic thymocytes: Detection and endocrine regulation. *Endocrinology* 1991; 128: 1190-7.
- Sgond R, Gruber J. Apoptosis detection: an overview. *Exp Geront* 1998; 33 (6): 525-533.
- Shaw AJ. Epithelial cell culture. 1<sup>st</sup> ed. New York: Oxford University Press, 1996.
- Smith GJ et al. Application of confocal scanning laser microscopy in experimental pathology. *J Electron Microsc Technol* 1991; 18: 38-49.
- Springate SD, Sandler PJ. Micro-magnetic retainers: an attractive solution to fixed retention. *Br J Orthod* 1991; 18: 139-41.
- Studzinski GP. Apoptosis: A practical approach. 1<sup>st</sup> ed. New York: Oxford University Press, 1999: 67-68: 129-130.
- Ten Cate AR, Anderson RD. An ultrastructural study of tooth resorption in the kitten. *J Dent Res* 1986; 65: 1087-93.
- The International Organization for Standardization. ISO 10993-5: Biological evaluation of medical devices-tests for in vitro cytotoxicity. Geneva: the Organization, 1999.
- The International Organization for Standardization. ISO 10993-15: Biological evaluation of medical devices-identification and quantification of degradation products from metals and alloys. Geneva: the Organization, 2000.
- Tsutsui H, Kinouchi Y, Sasaki H, Shiota M, Ushita T. Studies on the Sm-Co magnet as a dental material. *J Dent Res* 1979; 58: 1597-606.

- Ueda N, Shah SV. Apoptosis. J Lab Clin Med 1994; 124 (2): 169-77.
- van Engeland M, Ramaekers FC, Schutte B, Reutelingsperger CP. A novel assay to measure loss of plasma membrane asymmetry during apoptosis of adherent cells in culture. Cytometry 1996; 24: 131-9.
- Vardimon AD, Gruber TM, Voss LR, Muller TP. Functional orthopedic magnetic appliance (FOMA) III- modus operandi. Am J Orthod Dentofac Orthop 1990; 97: 135-48.
- Vardimon AD, Gruber TM, Voss LR, Verrusio E. Magnetic versus mechanical expansion with different force thresholds and points of force application. Am J Orthod Dentofac Orthop 1987; 92(6): 455-66.
- Vardimon AD, Mueller HJ. In-vivo and in-vitro corrosion of permanent magnets in orthodontic therapy. J Dent Res 1985; 64: 185.
- Vardimon AD, Stutzmann JJ, Gruber TM, Voss LR, Petrovic AG. Functional orthopedic magnetic appliance (FOMA) II- modus operandi. Am J Orthod Dentofac Orthop 1989; 95: 371-87.
- Vermes I, Haanen C, Steffens-Nakken H, Reutelingsperger C. A novel assay for apoptosis flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labeled Annexin V. J Immunol Meth 1995; 184: 39-51.
- Watanakit W, Jotikasthira D. The composition and forces generated by orthodontic and commercial magnets. CM Dent J 2001; 22(1): 73-85.
- Wood MG, Nanda RS. Intrusion of posterior teeth with magnets: an experiment in growing baboons. Angle Orthod 1988; 58: 136-50.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved