

REFERENCES

1. The Forest Herbarium, Royal Forest Department. 2001. Thai Plant Names Tem Smitinand (2nd ed.), pp. 126, 229-230. Bangkok : Prachachon.
2. National Germplasm Resources Laboratory, Beltsville, Maryland. 2003. Data from GRIN Taxonomy, Taxon : *Chromolaena odorata* (L.) R.M.King & H.Rob. [Online]. Available : <http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?403697> [27 May 2003].
3. Woerdenbag, H.J. (1993) *Eupatorium* species. In P.A.G.M. De Smet, *et al* (eds.), Adverse Effects of Herbal Drugs 2, pp. 171-194. Berlin Heidelberg : Springer-Verlag.
4. National Germplasm Resources Laboratory, Beltsville, Maryland. 2003. GRIN species of *Chromolaena* [Online]. Available : <http://www.ars-grin.gov/cgi-bin/npgs/html/splist.pl?13986> [27 May 2003]
5. National Germplasm Resources Laboratory, Beltsville, Maryland. 2003. Data from GRIN Taxonomy, Taxon : *Eupatorium odoratum* L. [Online]. Available : <http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?16328> [27 May 2003].
6. Iwu, M.M., ed. 1993. Pharmacognostical Profile of Selected Medicinal Plants. In Handbook of African Medicinal Plants, pp. 181-182. Boca Raton : CRC Press.
7. Department of Agriculture Fisheries and Forestry, Australian Government. 2002. Fact sheet No. 56 : Siam weed [Online]. Available : <http://www.affa.gov.au/content/output.cfm?ObjectID=D2C48F86-BA1A-11A1-A2200060B0A03977> [20 October 2002].
8. Chacko, M.J. and Narasimham, A.U. 2003. Biocontrol attempts against *Chromolaena odorata* in India - a review [Online]. Available : <http://www.ctpm.uq.edu.au/chromolaena/1/1att.html> [3 September 2003]
9. Medicinal Plant Information Center. 2000. Med. Plant News Letter 8(2) : 15-16
10. Phan, T.-T., Wang, L., See, P., Grayer, R.J., Chan, S.-Y. and Lee, S.T. 2001. Phenolic compounds of *Chromolaena odorata* protect cultured skin cells from oxidative damage : implication for cutaneous wound healing. Biol. Pharm. Bull. 24(12) : 1373-1379.

11. Iwu, M.M. and Chiori, C.O. 1984. Antimicrobial activity of *Eupatorium odoratum* extracts. Fitoterapia **55**(6): 354-356.
12. Inya-Agha, S.I., Oguntimein, B.O., Sofowora, A. and Benjamin, T.V. 1987. Phytochemical and antibacterial studies on the essential oil of *Eupatorium odoratum*. Int. J. Crude Drug Res. **25**(1) : 49-52.
13. Bouda, H., Tapondjou, L.A., Fontem, D.A. and Gumedzoe, M.Y.D. 2001. Effect of essential oils from leaves of *Ageratum conyzoides*, *Lantana camera* and *Chromolaena odorata* on the mortality of *Sitophilus zeamais* (Coleoptera, Curculionidae). J. Stored Pro. Res. **37** : 103-109.
14. Irobi, O.N. 1992. Activities of *Chromolaena odorata* (Compositae) leaf extract against *Pseudomonas aeruginosa* and *Streptococcus faecalis*. J. Ethnopharmacol. **37**(1) : 81-83.
15. Caceres, A., Menendez, H., Mendez, E., Cohobon, E., Samayoa, B.E., Jauregui, E., Peralta, E. and Carrillo, G. 1995. Antigonorhoeal activity of plants used in Guatemala for the treatment of sexually transmitted diseases. J. Ethnopharmacol. **48**(2) : 85-88.
16. Phan, T.T., Hughes, M.A., Cherry, G.W., Le, T.T. and Pham, H.M. 1996. An aqueous extract of the leaves of *Chromolaena odorata* (formerly *Eupatorium odoratum*) (Eupolin) inhibits hydrated collagen lattice contraction by normal human dermal fibroblasts. J. Alt. Comp. Med. **2**(3) : 335-343.
17. Phan, T.T., Hughes, M.A., and Cherry, G.W. 1998. Enhanced proliferation of fibroblasts and endothelial cells treated with an extract of the leaves of *Chormolaena odorata* (Eupolin), an herbal remedy for treating wounds. Plast. Reconstr. Surg. **101**(3) : 756-765.
18. Phan, T.T., Hughes, M.A. and Cherry, G.W. 2001. Effects of an aqueous extract from the leaves of *Chromolaena odorata* (Eupolin) on the proliferation of human keratinocytes and on their migration in an in vitro model of reepitheliazation. Wound. Rep. Reg. **9** : 305-313.
19. Phan, T.T., Allen, J., Hughes, M.A., Cherry, G. and Wojnarowska, F. 2000. Upregulation of adhesion complex proteins and fibronectin by human keratinocytes treated with an aqueous extract from the leaves of *Chromolaena odorata* (Eupolin). Eur. J. Dermatol. **10**(7) : 522-527.

20. Phan, T.T., See, P., Lee, S.T. and Chan, C.S. 2001. Antioxidant effects of the extracts from the leaves of *Chromolaena odorata* on human dermal fibroblasts and epidermal keratinocytes against hydrogen peroxide and hypoxanthine-xanthine oxidase induced damage. Burns. **27** : 319-327.
21. Triratana, T., Suwannuraks, R. and Naengchomnong, W. 1991. Effect of *Eupatorium odoratum* on blood coagulation. J. Med. Assoc. Thai. **74**(5) : 283-287.
22. Biller, A., Boppré, M., Witte, L. and Hartmann, T. 1994. Pyrrolizidine alkaloids in *Chromolaena odorata*. Chemical and chemoecological aspects. Phytochemistry **35**(3) : 615-619.
23. Suksamrarn, A., Chotipong, A., Suavansri, T., Boongird, S., Timsuksai, P., Vimuttipong, S. and Chuaynugul, A. 2004. Antimycobacterial activity and cytotoxicity of flavonoids from the flowers of *Chromolaena odorata*. Arch. Pharm. Res. **27**(5) : 507-511.
24. The U.S. Department of Agriculture (USDA). 2004. Plants profile : *Chromolaena odorata* [Online]. Available : http://plants.usda.gov/cgi_bin/topics.cgi?earl=classification.html [26 April 2004].
25. Wollenweber, E., Dörr, M. and Muniappan, R. 1995. Exudate flavonoids in a tropical weed, *Chromolaena odorata* (L.) R. M. King et H. Robinson. Biochem. Syst. Ecol. **23**(7-8) : 873-874.
26. Wollenweber, E. and Roitman, J.N. 1996. A novel methyl ether of quercetagenin from *Chromolaena odorata* leaf exudate. Biochem. Syst. Ecol. **24**(5) : 479-480.
27. Ahmad, M. and Nabi, M.N. 1967. Chemical investigation on the leaves of *Eupatorium odoratum* Linn. (Beng. Assam Lata). Scientific Researches (Dacca, Pakistan). **4**(2-3) : 154-157.
28. Ahmad, M. and Nabi, M.N. 1969. Chemical investigation on the leaves of *Eupatorium odoratum* Linn. (Beng. Assam Lota) Part 2. Scientific Researches (Dacca). **6**(1-2) : 37-41.
29. Talapatra, S.K., Bhar, D. and Talapatra, B. 1977. Terpenoids and related compounds : Part XIII-Epoxylypeol, a new triterpenoid from *Eupatorium odoratum*. Indian J. Chem. **15B** : 806-807.

30. Baruah, R.N. and Pathak, M.G. 1993. Fatty acid composition of *Chromolaena odorata* flower fat. Indian J. Nat. Prod. 9(1) : 17-18.
31. Bose, P.K., Chakrabarti, P., Chakravarti, S., Dutta, S.P. and Barua, A.K. 1973. Flavonoids constituents of *Eupatorium odoratum*. Phytochemistry 12 : 667-668.
32. Bose, P.K., Chakrabarti, P., Chakravarti, S., Dutta, S.P. and Barua, A.K. 1974. Chemical examination of the leaves of *Eupatorium odoratum*. Trans. Bose Res. Inst. 37(1-2) : 25-30.
33. Talapatra, S.K., Bhar, D.S. and Talapatra, B. 1974. Flavonoid and terpenoid constituents of *Eupatorium odoratum*. Phytochemistry 13 : 284-285.
34. Barua, R.N., Sharma, R.P., Thyagarajan, G. and Hertz, W. 1978. Flavonoids of *Chromolaena odorata*. Phytochemistry 17 : 1807-1808.
35. Arene, E.O., Pettit, G.R. and Ode, R.H. 1978. The isolation of isosakuranetin methyl ether from *Eupatorium odoratum*. J. Nat. Prod. 41(2) : 186-189.
36. Metwally, A.M. and Ekejiuba, E.C. 1981. Methoxylated flavonoids and flavanones from *Eupatorium odoratum*. Planta Med. 42 : 403-405.
37. Hai, M.A., Biswas, P.K., Shil, K.C. and Ahmad, M.U. 1991. Chemical constituents of *Eupatorium odoratum* Linn (Compositae). J. Bangladesh Chem. Soc. 4(1) : 47-49.
38. Hai, M.A., Saha, K. and Ahmad, M.U. 1995. Chemical constituents of *Eupatorium odoratum* Linn. (Compositae). J. Bangladesh Chem. Soc. 8(2) : 139-142.
39. Suksamrarn, A., Chotipong, A., Suavansri, T., Boongrid, S., Timsuksai, P., Vimuttipong, S. and Chuaynugul, A. 2004. Antimycobacterium activity and cytotoxicity of flavonoids from the flowers of *Chromolaena odorata*. Arch. Pharm. Res. 27(5) : 507-511.
40. Dhingra, S.N., Dhingra, D.R. and Bhattacharyya, S.C. 1956. Oil of *Eupatorium odoratum* : structure of the alcohol eupatol. Perfumery Essent. Oil Record. 47 : 312-314.
41. Dhingra, S.N., Dhingra, D.R. and Bhattacharyya, S.C. 1956. Sesquiterpene hydrocarbons from *Eupatorium odoratum* : structure of *d* and *l*-eupatene. Perfumery Essent. Oil Record 47 : 315-316.

42. Chandra, G. 1985. Investigations on essential oils and isolates of potential value at H B T I, Kanpur. Indian Perfumer. 29(1-2) : 23-30.
43. Lamaty, G., Menut, C., Zollo, P.H.A., Kuiate, J.R., Bessiere, J.M., Ouamba, J.M. and Silou, T. 1992. Aromatic plants of tropical central Africa. IV. Essential oils of *Eupatorium odoratum* L. from Cameroon and Congo. J. Ess. Oil Res. 4 : 101-105.
44. Duñg, N.X., Bien, L.K. and Leclercq, P.A. 1992. The constituents of the leaf oil of *Chromolaena odorata* (L.) R. M. King and H. Robinson from Vietnam. J. Ess. Oil Res. 4 : 309-310.
45. Bamba, D., Bessiere, J.-M., Marion, C., Péliissier, Y. and Fourasté, I. 1993. Essential oil of *Eupatorium odoratum*. Planta Med. 59 : 184-185.
46. Baruah, R.N. and Leclercq, P.A. 1993. Constituents of the essential oil from the flowers of *Chromolaena odorata*. Planta Med. 59 : 283.
47. Bedi, G., Tonzibo, Z.F., Chalchat, J.C. and N'Guessan, T.Y. 2001. Composition chimique des huiles essentielles de *Chromolaena odorata* L. King Robinson (Asterceae) d'Abidjan-Côte D'Ivoire. J. Soc. Ouest-Afr. Chim. 11 : 29-37.
48. Herz, W., de Groote, R., Murari, R. and Blount, J.F. 1978. Sesquiterpene lactones of *Eupatorium recurvans*. J. Org. Chem. 43(18) : 3559-3564.
49. Herz, W. and Ramakrishnan, G. 1978. δ -Lactones of polyhydroxy-C₂₆ acids in *Eupatorium pilosum*. Phytochemistry 17(8) : 1327-1332.
50. Herz, W., Govindan, S.V. and Blount, J.F. 1979. Tetracyclic analogues of the rosane lactones from *Eupatorium album*. J. Org. Chem. 44(17) : 2999-3003.
51. Le-Van, N. and Pham, T.V.C. 1979. Two new flavones from *Eupatorium coelestinum*. Phytochemistry 18(11) : 1859-1861.
52. Herz, W., de Groote, R., Murari, R. and Kumar, N. 1979. Sesquiterpene lactones of *Eupatorium serotinum*. J. Org. Chem. 44(15) : 2784-2788.
53. Bohlmann, F., Dutta, L.N., Robinson, H. and King, R.M. 1979. Neue sesquiterpenlactone aus *Eupatorium sessilifolium*. Phytochemistry 18(8) : 1401-1403.
54. Manchand, P.S. and Blount, J.F. 1979. Structure of evillosin, a novel labdane diterpenoid lactone from *Eupatorium villosum*. J. Org. Chem. 44(8) : 1322-1324.

55. Herz, W., Murari, R. and Govindan, S.V. 1979. Sesquiterpene lactones of *Eupatorium anomalum* and *Eupatorium mohrii*. Phytochemistry 18(8) : 1337-1341.
56. Quijano, L., Calderón, J.S., Gómez, F.G., Garduno, J.T. and Ríos, T.C. 1980. Deltoidin A and B, two new germacrolide from *Eupatorium deltoideum*. Phytochemistry 19(9) : 1975-1977.
57. Herz, W., Kumar, N. and Blount, J.F. 1980. A thiol-containing ester side chain in a sesquiterpene lactone from *Eupatorium mikanioides*. Absolute configuration of deacetyleupaserrin and its congeners. J. Org. Chem. 45(3) : 489-493.
58. Bohlmann, F., Suwita, A., King, R.M. and Robinson, H. 1980. Neue guajanolide aus *Eupatorium rotundifolium*. Phytochemistry 19(6) : 1233-1234.
59. Bohlmann, F., Zdero, C., Fiedler, L., Robinson, H. and King, R.M. 1981. A labdane derivative from *Chromolaena collina* and a *p*-hydroxyacetophenone derivative from *Stomatanthes corumbensis*. Phytochemistry 20(5) : 1141-1143.
60. Bohlmann, F., Gupta, R.K., King, R.M. and Robinson, H. 1981. Prostaglandin-like fatty acid derivative from *Chromolaena morii*. Phytochemistry 20(6) : 1417-1418.
61. Rao, K.V. and Alvarez, F.M. 1981. Antibiotic principle of *Eupatorium capillifolium*. J. Nat. Prod. 44(3) : 252-256.
62. Soltis, D. and Gastony, G.J. 1981. Flavonoids of *Sullivantia*. J. Nat. Prod. 44(1) : 50-52.
63. Herz, W., Govindan, S.V. and Kumar, N. 1981. Sesquiterpene lactones and other constituents of *Eupatorium lancifolium* and *E. semiserratum*. Phytochemistry 20(6) : 1343-1347.
64. Bohlmann, F., Singh, P., Jakupovic, J., King, R.M. and Robinson, H. 1982. Three cadinene derivatives and a prostaglandin-like acid from *Chromolaena* species. Phytochemistry 21(2) : 371-374.
65. Bohlmann, F., Borthakur, N., King, R.M. and Robinson, H. 1982. Further prostaglandin-like fatty acids from *Chromolaena morii*. Phytochemistry 21(1) : 125-127.

66. Gomez, F., Quijano, L., Calderon, J.S., Perales, A. and Rios, T. 1982. 2,2-dimethylchromenes from *Eupatorium aschembornianum*. Phytochemistry **21**(8): 2095-2097.
67. Ito, K., Sakakibara, Y. and Haruna, M. 1982. Seven guaianolides from *Eupatorium chinense*. Phytochemistry **21**(3) : 715-720.
68. Herz, W. and Kulanthaivel, P. 1982. Flavones from *Eupatorium leucolepis*. Phytochemistry **21**(9) : 2363-2366.
69. Herz, W. and Kulanthaivel, P. 1982. Sesquiterpene lactones of *Eupatorium scabridum*. Phytochemistry **21**(10) : 2475-2479.
70. Bohlmann, F., Jakupovic, J. and Vogel, W. 1982. 11-Hydroxy- α - and β -cubebene from *Eupatorium serotinum*. Phytochemistry **21**(5) : 153-154.
71. Gonzalez, A.G., Fraga, B.M., Hernandez, M.G. and Garcia, V.P. 1982. Eupatarone, a 2-acetylbenzofuran from *Eupatorium sternbergianum*. Phytochemistry **21**(7) : 1826-1827.
72. Calderon, J.S., Quijano, L., Garduno, M., Gomez, F. and Rios, T. 1983. 2 α -isovaleroyloxyperuic acid, a diterpene from *Eupatorium petiolare*. Phytochemistry **22**(11) : 2617-2619.
73. Monache, G.D., Monache, F.D., Becerra, J., Silva, M. and Menichini, F. 1984. Thymol derivatives from *Eupatorium glechonophyllum*. Phytochemistry **23**(9) : 1947-1950.
74. Bohlmann, F., Banerjee, S., King, R.M. and Robinson, H. 1984. Additional germacranolides from *Eupatorium serotinum*. Phytochemistry **23**(5) : 1189-1190.
75. Ahmed, A.A., Whittemore, T. and Mabry, T.J. 1985. A heliangolide from *Chromolaena glaberrima*. Phytochemistry **24**(3) : 605-606.
76. Misra, L.N., Jakupovic, J., Bohlmann, F. and Hirschmann, G.S. 1985. Isodaucane derivatives, norsesquiterpenes and clerodanes from *Chromolaena laevigata*. Tetrahedron **41**(22) : 5353-5356.
77. Okunade, A.L. and Wiemer, D.F. 1985. Ant-repellent sesquiterpene lactones from *Eupatorium quadrangularae*. Phytochemistry **24**(6) : 1199-1201.

78. Gonzalez, A.G., Barrera, J.B., Hernandez, A.C.Y., Rosas, F.E. and Dominguez, X.A. 1985. Eudesmane sesquiterpenes from *Eupatorium quadrangulare*. Phytochemistry **24**(8) : 1847-1848.
79. Ahmed, A.A., Whittemore, A.T. and Mabry, T.J. 1986. A guaianolide from *Chromolaena glaberrima*. J. Nat. Prod. **49**(2) : 363-364.
80. Mesquita, A.A.L., Correa, D.D.B., De Padua, P., Guedes, M.L.O. 1986. Flavonoids from four Compositae species. Phytochemistry **25**(5) : 1255-1256.
81. Boeker, R., Jakupovic, J., Bohlmann, F., King, R.M. and Robinson, H. 1986. Further heliangolides and guaianolides from *Eupatorium altissimum*. Phytochemistry **25**(7) : 1669-1672.
82. Yu, S.G., Gage, D.A., Fang, N. and Mabry, T.J. 1986. Flavonols and flavonol glycosides from *Eupatorium areolare* var. *leiocarpum*. J. Nat. Prod. **49**(1) : 181-182.
83. Vollmar, A., Schafer, W. and Wagner, H. 1986. Immunologically active polysaccharides of *Eupatorium cannabinum* and *Eupatorium perfoliatum*. Phytochemistry **25**(2) : 377-381.
84. Hernandez, V.M., Miranda, R., Martinez, M. and Nathan, P.J. 1986. Presence of bornyl *p*-coumarate in the roots of *Eupatorium deltoideum*. J. Nat. Prod. **49**(6) : 1173-1174.
85. Jakupovic, J., Ellmauerer, E., Bohlmann, F., Whittemori, A. and Gage, D. 1986. Diterpenes from *Eupatorium turbinatum*. Phytochemistry **25**(11) : 2677-2678.
86. Hubert, T.D., Okunade, A.L. and Wiemer, D.F. 1987. Quadrangolide, a heliangolide from *Eupatorium quadrangulare*. Phytochemistry **26**(6) : 1751-1753.
87. Ferraro, G., Martino, V., Borrajo, G. and Coussio, J.D. 1987. 5,7,3',4'-tetrahydroxy-6-methoxyflavanone from *Eupatorium subhastatum*. Phytochemistry **26**(11) : 3092-3093.
88. El-Sayed, N.H., Miski, M., Whittemore, A.T. and Mabry, T.J. 1988. Sesquiterpene lactones from *Chromolaena opadoclinia*. Phytochemistry **27**(10) : 3312-3314.
89. Ferraro, G.E., Martino, V.S. and Coussio, J.D. 1988. 4',4''-dimethylcuppressuflavanone from *Eupatorium subhastatum*. J. Nat. Prod. **51**(3) : 586-587.

90. Castillo, G.T., Jakupovic, J., Bohlmann, F., King, R.M. and Robinson, H. 1989. *Ent*-Clerodane derivatives from *Chromolaena connivens*. Phytochemistry **28**(2): 641-642.
91. Siebertz, R., Proksch, P., Wray, V. and Witte, L. 1989. Accumulation and biosynthesis of benzofurans in root cultures of *Eupatorium cannabinum*. Phytochemistry **28**(3) : 789-793.
92. Woerdenbag, H., van der Linde, J.C.C., Kampinga, H.H., Malingre, T.M. and Konings, W.T. 1989. Induction of DNA damage in Ehrlich ascites tumor cells by exposure to eupatoriopicrin. Biochemical Pharmacology **38**(14) : 2279-2283.
93. Ananvoranich, S., Likhitwitayawuid, K., Ruangrunsi, N., Blasko, G. and Cordell, G.A. 1989. Determination of a new sesquiterpene skeleton through selective INEPT spectroscopy. J. Org. Chem. **54**(9) : 2253-2255.
94. Nair, A.G.R. and Sivakumar, R. 1990. 6-Hydroxykaempferol 6,4'-dimethyl ether 3-galactoside from *Eupatorium glandulosum*. Phytochemistry **29**(3) : 1011-1012.
95. González, A.G., Barrera, J.B., Díaz, J.G., Pérez, E.M.R., Yanes, A.C., Rauter, P. and Pozo, J. 1990. Diterpenes and other constituents of *Eupatorium salvia*. Phytochemistry **29**(1) : 321-323.
96. Agostino, M.D., De Simone, F., Dini, A., Ramundo, E. and Zollo, F. (1990) Flavonol glycosides from *Eupatorium tinifolium*. Phytochemistry **29**(1) : 353-354.
97. Agostino, M.D., De Simone, F., Zollo, F. and Pizza, C. 1990. A monoterpene glucoside from *Eupatorium tinifolium*. Phytochemistry **29**(11) : 3656-3657.
98. Martinez, M., Calderon, J.S., Nathan, P.J. 1991. The revised structure of the cytotoxic heliangolide euparhombin. J. Nat. Prod. **54**(6) : 1642-1644.
99. Gonzalez, A.G., Perez, E.M.R., Diaz, J.G. and Barrera, J.B. 1991. Absolute stereochemistry of salvic acid and related related diterpenes. J. Nat. Prod. **54**(2) : 609-611.
100. Liu, K., Roeder, E., Chen, T.H.L. and Xiu, X.J. 1992. Pyrrolizidine alkaloids from *Eupatorium fortunei*. Phytochemistry **31**(7) : 2573-2574.

101. Bandara, B.M.R., Hewage, C.M., Karunaratne, V., Wannigama, G.P. and Adikaram, N.K.B. 1992. An antifungal chromene from *Eupatorium riparium*. Phytochemistry **31**(6) : 1983-1985.
102. Luis, J.M.A. and Mendez, P.D. 1993. Flavonoids from the leaves of *Chromolaena subscandens*. J. Nat. Prod. **56**(4) : 610-612.
103. Nair, A.G.R., Jayaprakasam, R., Gunasekaran, R., Bayet, C. And Voirin, B. 1993. 6-Hydroxykaempferol 7-(6''-caffeoylglucoside) from *Eupatorium glandulosum*. Phytochemistry **33**(5) : 1275-1276.
104. Muschietti, L., Martino, V., Ferraro, G. and Coussio, J. 1994. 5,7,5'-trihydroxy-3,6,2',4'-tetramethoxyflavone from *Eupatorium buniifolium*. Phytochemistry **36**(4) : 1085-1086.
105. De Gutierrez, A.N., Catalan, C.A.N., Diaz, J.G. and Herz, W. 1995. Sesquiterpene lactones, a labdane and other constituents of *Urolepis hecatantha* and *Chromolaena arnottiana*. Phytochemistry **39**(4) : 795-800.
106. Triana, J., Bahsas, A., Delgado, P., Jaimes, R. and Trejo, C.O. 1995. *Ent*-norlabdanes and other constituents of four Venezuelan species previously classified in the genus *Eupatorium*. J. Nat. Prod. **58**(5) : 744-747.
107. Stevens, J.F., Elema, E.T. and Wollenweber, E. 1995. Exudate flavonoids of *Eupatorium cannabinum*. Biochem. Syst. Ecol. **23**(4) : 451-452.
108. Nair, A.G.R., Gunasegaran, R., Krishnan, S., Bayet, C. And Voirin, B. 1995. Flavonol glycosides from leaves of *Eupatorium glandulosum*. Phytochemistry **40**(1) : 283-285.
109. Grechkin, A.N. 1995. Clavulones and related tert-hydroxycyclopentenone fatty acids : occurrence, physiological activity and problem of biogenetic origin. J. Lipid Mediators Cell Signalling **11** : 205-218.
110. Baez, D.H., de los Rios, C., Crescente, O. and Caserta, A. 1998. Antibacterial and chemical evaluation of *Chromolaena moritziana*. J. Ethnopharmacol. **59** : 203-206.
111. Carreras, C.R., Rossomando, P.C. and Giordano, O.S. 1998. *Ent*-labdanes in *Eupatorium buniifolium*. Phytochemistry **48**(6) : 1031-1034.

112. Urzua, A., Caroli, M., Vasquez, L., Mendoza, L., Wilkens, M. and Tojo, E. 1998. Antimicrobial study of the resinous exudates and of diterpenoids isolated from *Eupatorium salvia* (Asteraceae). *J. Ethnopharmacol.* **62** : 251-254.
113. Nakasugi, T., Nakashima, M. and Komai, K. 2000. Antimutagens in Gaiyou (*Artemisia argyi* Levl. et Vant.). *J. Agric. Food Chem.* **48** : 3256-3266.
114. Tori, M., Ohara, Y., Nakashima, K. and Sono, M. 2001. Thymol derivatives from *Eupatorium fortunei*. *J. Nat. Prod.* **64**(8) : 1048-1051.
115. Muschietti, L., Gorzalczany, S., Ferraro, G., Acevedo, C. and Martino, V. 2001. Phenolic compounds with anti-inflammatory activity from *Eupatorium buniifolium*. *Planta Med.* **67**(8) : 743-744.
116. Lang, G., Passreiter, M., Medinilla, B., Castillo, J.J. and Witte, L. 2001. Non-toxic pyrrolizidine alkaloids from *Eupatorium semialatum*. *Biochem. Syst. Ecol.* **29** : 143-147.
117. Blair, S., Mesa, J., Correa, A., Carmona-Fonseca, J., Granados, H. and Saez, J. 2002. Antimalarial activity of neurolenin B and derivatives of *Eupatorium inulaefolium* (Asteraceae). *Pharmazie.* **57**(6) : 413-415.
118. El-Seedi, H.R., Ohara, T., Sata, N. and Nishiyama, S. 2002. Antimicrobial diterpenoids from *Eupatorium glutinosum* (Asteraceae). *J. Ethnopharmacol.* **81** : 293-296.
119. El-Seedi, H.R., Sata, N., Torssell, K.B.G. and Nishiyama, S. 2002. New labdane diterpenes from *Eupatorium glutinosum*. *J. Nat. Prod.* **65**(5) : 728-729.
120. Yamaguchi, S., Muro, S., Kobayashi, M., Miyazawa, M. and Hirai, Y. 2003. Absolute structures of some naturally occurring isopropenyldihydrobenzofurans, remirol, remiridol, angenomalin and isoangenomalin. *J. Org. Chem.* **68**(16) : 6274-6278.
121. Albuquerque, M.R.J.R., Silveira, E.R., de Uchôa, D.E.A., Lemos, T.L.G., Souza, E.B., Santiago, G.M.P. and Pessoa, O.D.L. 2004. Chemical composition and larvicidal activity of the essential oils from *Eupatorium betonicaeforme* (D.C.) Baker (Asteraceae) *J. Agric. Food Chem.* **52**(22) : 6708-6711.
122. Siedle, B., Garcia-Pineros, A.J., Murillo, R., Schulte-Monting, J., Castro, V., Rungeler, P., Klaas, C.A., Da Costa, F.B.; Kisiel, W. and Merfort, I. 2004. Quantitative structure-activity relationship of sesquiterpene lactones as inhibitors of transcription factor NF- κ B. *J. Med. Chem.* **47**(24) : 6042-6054.

123. Yang, S.-P., Huo, J., Wang, Y., Lou, L.-G. And Yue, J.-M. 2004. : Cytotoxic sesquiterpenoids from *Eupatorium chinense*. J. Nat. Prod. **67**(4) : 638-643.
124. Huo, J., Yang, S.-P., Ding, J. And Yue, J.-M. 2004. Cytotoxic sesquiterpene lactones from *Eupatorium lindleyanum*. J. Nat. Prod. **67**(9) : 1470-1475.
125. Solis, P.N., Wright, C.W., Anderson, M.M., Gupta, M.P. and Phillipson, J.D. 1993. A microwell cytotoxicity assay using *Artemia salina* (brine shrimp). Planta Med. **59** : 250-252.
126. Meyer, B.N., Ferrigni, N.R., Putnam, J.E., Jacobsen, L.B., Nichols, D.E. and McLaughlin. 1982. Brine shrimp : a convenient general bioassay for active plant constituents. Planta Med. **45** : 31-34.
127. Zhao, G., Hui, Y., Rupprecht, J.K., McLaughlin, J.L. and Wood, K.V. 1992. Additional bioactive compounds and trilobacin, a novel highly cytotoxic acetogenin, from the bark of *Asimina triloba*. J. Nat. Prod. **55** : 347-356.
128. Rieser, M.J., Gu, Z.-M., Fang, X.-P., Zeng, L., Wood, K.V. and McLaughlin, J.L. 1996. Five novel mono-tetrahydrofuran ring acetogenins from the seeds of *Annona muricata*. J. Nat. Prod. **59** : 100-108.
129. Mongelli, E., Pomilio, A.B., Sanchez, J.B., Guerra, F.M. and Massanet, G.M. 2002. *ent*-Kaur-16-en-19-oic acid, a KB cells cytotoxic diterpenoid from *Elaeoselinum foetidum*. Phytotherapy Res. **16** : 387-388.
130. Kirtikara, K., Morham, S.G., Raghov, R., Laulederkind, S.J.F., Kanekura, T., Goorha, S. and Ballou, L.R. 1998. Compensatory prostaglandin E2 biosynthesis in cyclooxygenase 1 or 2 null cells. J. Exp. Med. **187** : 517-523.
131. Kirtikara, K., Swangkul, S. and Ballou, L.R. 2001. The analysis of non-steroidal antiinflammatory drug selectivity in prostaglandin G/H synthase (PGHS)-null cells. Inflammation Research **50**(6) : 327-332.
132. Skehan, P., Ritsa, S., Dominic, S., *et al.* 1990. New Colorimetric Cytotoxicity Assay for Anticancer-Drug Screening. J. Natl. Cancer Inst. **82**: 1107-1112.
133. Trager, W. and Jensen, J.B. 1976. Human malaria parasites in continuous culture Science. **193**(4254): 673-675.
134. Desjardins, R.E., Canfield, C.J., Haynes, J.D. and Chulay, J.D. 1979. Quantitative assessment of antimalarial activity *in vitro* by a semiautomated microdilution technique. Antimicrob. Agents Chemother. **16** : 710-718.

135. Collins, L.A. and Franzblau, S.G. 1997. Microplate Alamar Blue Assay versus BACTEC 460 System for High-Throughput Screening of Compounds against *Mycobacterium tuberculosis* and *Mycobacterium avium*. Antimicrob. Agents Chemother. **41**(5) : 1004-1009.
136. Davies, N.W. 1990. Gas chromatographic retention indices of monoterpenes and sesquiterpenes on methyl silicon and Carbowax 20M phases J. Chromatogr. **503** : 1-24.
137. Adams, R.P., ed. 1995. Identification of essential oil components by gas chromatography/mass spectroscopy. Carol Stream : Allured.
138. Ali, M. and Sidiqui, N.A. 2000. J. Med. Aroma. Plant Sci. **22**(1B) : 568-571.
139. Sabarez, H.T., Price, W.E. and Korth, J. 2000. Volatile changes during dehydration of d' Agen Prunes. J. Agric. Food. Chem. **48** : 1838-1842.
140. Saidat, B., Guermouche, M.H., Canlet, C., Berdague, P. and Bayle, J.P. 2002. HPLC study of the intramolecular cyclization of a new nematogenic molecule. The gas chromatographic properties of the resulting liquid crystal. Chromatographia. **55**(1/2) : 55-61.
141. Marongiu, B., Piras, A., Pani, F., Porcedda, S. and Ballerom, M. 2003. Extraction, separation and isolation of essential oils from natural matrices by supercritical CO₂. Flavour Frag. J. **18**(6) : 505-509
142. Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of *Ocimum killimandscharicum* Guerke. J. Ess. Oil Res. **4** : 125-128.
143. Jirovetz, L., Buchbauer, G., Ngassoum, M.B. and Geissler, M. 2002. Aroma compound analysis of *Piper nigrum* and *Piper guineense* essential oils from Cameroon using solid-phase microextraction-gas chromatography, solid-phase microextraction-gas chromatography-mass spectrometry and olfactometry. J. Chromatog. A. **976**(1-2) : 265-275.
144. Shafi, P.M., Rosamma, M.K., Jamil, K. and Reddy, P.S. 2002. Antibacterial activity of the essential oil from *Aristolochia indica*. Fitoterapia **73** : 439-441.
145. Filipowicz, N., Kamiński, M., Kurlenda, J., Asztemborska, M. and Ochocka, J.R. 2003. Antibacterial and antifungal activity of juniper berry oil and its selected components. Phytotherapy Res. **17**(3) : 227-231.

146. Phutdhawong, W., Korth, J., Buddhasukh, D. and Pyne, S.G. 2002. Volatile components from *Cephalotaxus griffithii* growing in northern Thailand. Flavour Frag. J. 17(2) : 153-155
147. Liu, Y.-L., Ho, D.K., Cassady, J.M., Cook, V.M. and Baird, W.M. 1992. Isolation of potential cancer chemopreventive agents from *Eriodictyon californicum*. J. Nat. Prod. 55(3) : 357-363.
148. Wollenweber, E., Mann, K., Dörr, M., Fritz, H., Roitman, J.N. and Yatskivych, G. 1995. Exudate flavonoids in three *Ambrosia* species. Nat. Prod. Lett. 7 : 109-116.
149. Bernini, R.B., Mincione, E., Sanetti, A., Mezzetti, M. and Bovicelli, P. 2000. Aromatic ring hydroxylation of flavanones by dimethyldioxirane. Tetrahedron Lett. 41 : 1087-1090.
150. Islam, T. and Tahara, S. 2000. Dihydroflavonols from *Lannea coromandelica*. Phytochemistry 54(8) : 901-907.
151. Rossi, M.H., Yoshida, M. and Maia, J.G.S. 1997. Neolignans, styrylpyrones and flavonoids from an *Aniba* species. Phytochemistry 45(6) : 1263-1269.
152. Zhao, Q.-S., Tian, J., Yue, J.-M., Chen, S.-N., Lin, Z.-W. and Sun, H.-S. 1998. Diterpenoids from *Isodon flavidus*. Phytochemistry 48(6) : 1025-1029.
153. Fernandez, C., Fraga, B.M. and Hernandez, M.G. 1988. Flavonoid aglycones from some Canary islands species of *Sideritis*. J. Nat. Prod. 51(3) : 591-593.
154. Binutu, O.A. and Cordell, G.A. 2001. Constituents of *Azelia bella* stem bark. Phytochemistry 56(8) : 827-830.
155. Guelacti, T., Canan, E., Semra, K. and Ayhan, U. 1996. A new flavanone from *Teucrium alyssifolium*. Turkish Journal of Chemistry 20(3) : 265-267.
156. Malterud, K.E., Bremnes, T.E., Faegri, A., Moe, T., Sandanger D.E.K., Anthonsen, T. and Henriksen, L.M. 1985. Flavonoids from the wood of *Salix caprea* as inhibitors of wood-destroying fungi. J. Nat. Prod. 48(4) : 559-63.
157. Markham, K.R., ed. 1982. Techniques of flavonoid identification. London : Academic Press.
158. Heller, W. and Forkmann, G. 1994. Biosynthesis of flavonoids. In Harborne, J.B. (ed.), The flavonoids : advances in research since 1986, pp. 499-535. London : Chapman & Hall.