VIII

TABLE OF CONTENTS

	Page
Acknowledgement	I
English Abstract	IV
Thai Abstract	VI
List of Tables	XVI
List of Figures	XXV
Chapter 1 Introduction	
1.1 Hypertension and its treatment	1
1.1.1 Epidemiology	1
1.1.2 Definitions	2
1.1.2.1 Blood pressure	2
1.1.2.2 Classification of hypertension	3
1.1.2.3 White coat hypertension	4
1.1.2.4 Hypertension crisis	6
1.1.2.5 Isolated systolic hypertension	6
1.1.2.6 Hypertension with special groups	6
1.1.3 Blood pressure measurement	11
A 1 1.1.3.1 History	\mathbf{e}_{11}
1.1.3.2 Blood pressure measurement techniques	12
1.1.4 Pathophysiology and etiology	17
1.1.4.1 Essential hypertension or primary hypertension	18

	Page
1.1.4.2 Secondary hypertension	23
1.1.5 Diagnosis	24
1.1.6 Treatment	25
1.1.6.1 Goal BP value	26
1.1.6.2 Pharmacological treatment	26
1.1.6.3 Nonpharmacological treatment	27
1.2 Outcome research	29
1.2.1 Patient satisfaction	30
1.2.2 Quality of life	31
1.3 Pharmaceutical care model	35
1.3.1 Definition	35
1.3.2 Pharmaceutical care in practice	35
1.4 The role of pharmacists as practitioners in primary health care	36
1.5 General aims of the study	44
1.6 Research framework	44
Chapter 2 Methodology	46
Cop _{2.1 Pilot study} by Chiang Mai Univer	S ₄₆
2.1.1 Methodology for the pilot study	46
2.1.2 Patient medication record developed	47
2.1.3 Comparison in reading between mercury	48
sphygmomanometer and digital meter	

	Page
2.1.4 Pro formas' construction	49
2.1.5 Test for reliability and validity	50
2.1.6 Data collection	51
2.2 Main study	51
2.2.1 Study sites	51
2.2.2 Research design	52
2.2.2.1 Treatment group	53
2.2.2.2 Control group	55
2.2.3 Study population and patient selection	55G
2.2.4 Research tools	56
2.2.5 Outcome measurements	56
2.2.6 Data analysis	57
Chapter 3 Results	59
3.1 Results of the pilot study	59
3.1.1 Sample size calculation	59
3.1.2 Sphygmomanometer comparison with digital meter	61
3.1.3 Patient satisfaction	61
Item development and selection	62
Participants	62
Content validity	62
Reliability	63

	Page
3.1.4 Patient knowledge	65
Item development and selection	65
Participants	65
Reliability	65
3.1.5 Conclusion	69
3.2 Results of the main study	70
3.2.1 After the first six months	70
3.2.1.1 Patient characteristics	71
3.2.1.2 Pharmacist's intervention	73
3.2.1.3 Visits	75
3.2.1.4 Clinical outcomes	77
3.2.1.4.1 Blood pressure control	77
3.2.1.4.2 Blood pressure difference	79
3.2.1.4.3 Results of patient outcomes after six	81
AJANSUK Months Blad 1880	
3.2.1.4.4 Compliance rates	81
3.2.1.4.5 Lifestyle modification	83
3.2.1.5 Humanistic outcomes	84
3.2.1.5.1 Patient knowledge	85
3.2.1.5.2 Patient satisfaction	91
3.2.1.5.3 Quality of life (SF-36)	95

	Page
3.2.1.5.4 Quality of life (Digit Span test)	108
3.2.1.6 Economic outcome	109
3.2.1.6.1 Cost of medications	110
3.2.1.6.2 Cost of medications on admission	112
3.2.1.7 Conclusion	118
3.2.2 Over 12 months (During July2003-February2004)	123
3.2.2.1 Pharmacist's intervention	123
3.2.2.2 Visits	126
3.2.2.3 Clinical outcomes	127
3.2.2.3.1 Blood pressure control	128
3.2.2.3.2 Blood pressure difference	129
3.2.2.3.3 Results of patient outcomes after 12	130
months follow-up	
3.2.2.3.4 Compliance rates	131
3.2.2.3.5 Lifestyle modification	133
3.2.2.4 Humanistic outcomes	134
3.2.2.4.1 Patient knowledge	134
3.2.2.4.2 Patient satisfaction	140
3.2.2.4.3 Quality of life (SF-36)	145
3.2.2.2.4 Quality of life (Digit Span test)	152
3.2.2.5 Economic outcome	153

XIII

	Page
3.2.2.5.1 Cost of medications	154
3.2.2.5.2 Cost of medications on admi	ission 155
3.2.2.6 Conclusions	162
3.2.3 The results at 1 year (October 2002-February	2004) 167
3.2.3.1 Pharmacist's interventions	167
3.2.3.2 Visits	168
3.2.3.3 Clinical outcomes	169
3.2.3.3.1 Blood pressure control	169
3.2.3.3.2 Blood pressure difference	175
3.2.3.3.3 Results of patient outcomes a	after 179
one year follow-up	
3.2.3.3.4 Compliance rates	180
3.2.3.3.5 Lifestyle modification	182
3.2.3.4 Humanistic outcomes	185
3.2.3.4.1 Patient knowledge	185
3.2.3.4.2 Patient satisfaction	192
3.2.3.4.3 Quality of life (SF-36)	Universign
3.2.3.4.4 Quality of life (Digit Span te	st) 204
3.2.3.3 Economic outcomes	207
3.2.3.3.1 Cost of medications	207
3.2.3.3.2 Cost of medications on admis	ssion 209

XIV

	Page
3.2.3.4 Conclusions	217
Chapter 4 General discussion and overall conclusions	222
4.1 Design and statistics	222
4.2 Blood pressure outcomes	223
4.3 Compliance	225
4.4 Lifestyle modification	226
4.5 Patient clinical outcomes (visits, hospitalization, death	227
and disabling)	
4.6 Pharmacist intervention	228
4.7 Cost	230
4.8 Patient knowledge	231
4.9 Patient satisfaction	232
4.10 Patient quality of life (SF-36 and Digit Span test)	234
4.11 Is a pharmacists' contribution, as described here, practical in	237
primary care units in Thailand? What might the impact	
of the results be on the system as a whole?	
4.12 Limitations of the study	241
4.13 Conclusions and further research	242
References	243
Appendices	252
Appendix 1 Practice protocol for pharmacist in primary care unit	253

Appendix 2	The reliability and correlation tests of the pro formas	212
Appendix 3	Publications and poster presentations submitted to international	282
	conferences	
Curriculum vi	tae	308
	321	

XVI

LIST OF TABLES

Tal	ole 0918194	Page
1.1	Classification and management of BP for adults	5
1.2	Techniques for BP measurement	15
1.3	Factors which may influence blood pressure measurement in	16
	the clinic setting adapted from reference	
1.4	Cardiovascular risk factors	25
1.5	Summary of studies of pharmacists' involvement in hypertensive	39
	patients	
3.1	Results of blood pressure readings between the digital meter	61
	And sphygmomanometer in 20 patients	
3.2	Content validity in domains of patient satisfaction pro forma	63
3.3	Domains and items from the interview pro forma	64
3.4	Item analysis and reliability test of patient knowledge	67
3.5	Correlations and coefficient alpha of each subscale item with its	68
	own scale (Bold) and with the other scales	
3.6	Homogeneity of demographic variables between groups at	72
	the baseline (N=235)	
3.7	The response of physicians to the pharmacist's recommendations	-73
	on modifications to patient medications	
3.8	Examples of the type of the pharmacist's interventions which were	74
	sent for the doctors' considerations	

XVII

Table	Page
3.9 The assessment of hypertensive medications class and the number	75
of hypertensive medications which were used at the pre test and	
after six months	
3.10 Numbers of visits to receive medications in the treatment and	76
control groups	
3.11 Blood pressures at the pre test and after six months in the treatment	79
and control groups	
3.12 Mean blood pressures and paired differences for all patient (235)	80
and for the group of patients (158) with existing high BP (≥140/90	
mm Hg) at the pre test	
3.13 Patient clinical outcomes during October 2002-June 2003 in	81
the treatment and the control groups	
3.14 Patient compliance rates of the treatment and the control groups	83
at the pre test and after six months	
3.15 Patient compliance rates compared within each group between	83
the pre test and after six months follow-up	
3.16 The proportion of patients who had made lifestyle modifications after	84
six months compared between the control and the treatment groups	
3.17 Percent correct responses compared between the treatment and	88
the control groups	
3.18 Percent correct responses compared between the pre test and after	89
six months in each group	

XVIII

Table	Page
3.19 Percent correct responses compared between groups in each domain	90
of patient knowledge constructed questions	
3.20 Percent of correct answers compared within groups after six months	90
3.21 Means of patient satisfaction at the pre test and after six months in	93
the treatment and the control groups	
3.22 The results between groups when patient satisfaction items grouped	94
by each domain	
3.23 The results of patient satisfaction when compared between the pre test	94
and after six month shown by each domain	
3.24 Descriptive statistics of SF-36 at the pre test and after six months for	103
the treatment group	
3.25 Descriptive statistics of SF-36 at the pre test and after six months for	104
the control group	
3.26 Means SF-36 scores for the treatment and the control groups at the pre	105
test and after six months	
3.27 Comparison of mean scores within each group for the pre test and	105
after six months	
3.28 The percentage responses of Health Reported Transition compared	106
between the treatment and the control groups and compared within	
each group	

Tab	le	Page
3.29	Mean scores of the Digit Span test compared between the treatment	109
	and the control groups and compared within each group between	
	the pre test and after six months	
3.30	Total costs of all medications, medications for hypertension	113
	and medications for non hypertension compared between the	
	treatment and the control groups over nine months follow up	
3.31	Total costs of all medications compared within each group and	114
	between the treatment and the control groups	
3.32	Total costs of hypertension medications, number of patients who	114
	received prescriptions in each month and total costs of medication	
	per patient compared between groups	
3.33	Total costs of non hypertension medications, number of patients who	115
	received prescriptions in each month and total costs of medications	
	per patient compared between groups	
3.34	Costs of medications and number of hospitalizations during	115
	October02-June03	
3.35	The response of physicians to the pharmacist's recommendations on	124
	modification of patient medications during July 03 – February 04	
3.36	Examples of pharmacist's interventions sent for doctors' consideration	125
3.37	Assessment of hypertensive medications class and the number of	126
	hypertensive medications which were used after 12 months	

Tab	le	Page
3.38	Numbers of visits to receive medications in the treatment and	127
	the control groups	
3.39	Blood pressures at the pre test and after 12 months in the treatment	129
	and the control groups	
3.40	Mean blood pressures and paired differences for all patients (235) and	130
	for the group of patients (158) with existing high BP ($\geq 140/90 \text{ mmHg}$)	
	at the pre test, compared between the pre test and after 12 months	
3.41	Patient clinical outcomes during July03-February04 in the treatment and	131
	control groups	
3.42	Patient compliance rates of the treatment group and the control groups	132
3.43	Patient compliance rates compared within each group between the pre	132
	test and after 12 months follow up	
3.44	The proportion of patients who had made lifestyle modifications after	133
	12 months compared between the treatment and the control groups	
3.45	Percent correct response compared between the treatment and the control	137
	groups between the pre test and after 12 months	
3.46	Percent correct response compared between the pre test and after 12	138
	months in each group	
3.47	Percent correct response compared between groups in each domain	139
	of patient knowledge constructed questions	
3.48	Percentage of correct answers compared within group after 12 months	139

Tab	le	Page
3.49	Means and mean ranks of patient satisfaction compared between groups	143
	and between the pre test and after 12 months in the treatment and	
	the control groups	
3.50	The results between groups showing which patient satisfaction items	144
	were grouped by each domain	
3.51	The results of patient satisfaction compared between the pre test and	144
	after 12 months shown by each domain	
3.52	Descriptive statistics of SF-36 in the pre test and after 12 months for	148
	the treatment group	
3.53	Descriptive statistics of SF-36 in the pre test and after 12 months for	149
	the control group	
3.54	Mean SF-36 scores for the control and treatment groups in the pre test	150
	and after 12 months follow up	
3.55	Comparison of mean scores within each group for the pre test and	150
	after 12 months follow up	
3.56	The percentage responses of Health Reported Transition compared	151
	between the control and the treatment groups and compared within	
	each group	
3.57	Mean scores of Digit Span test compared between the control and	153
	the treatment groups and compared within each group between the	
	pre test and after 12 months	

XXII

Tab.	le	Page
3.58	Total costs of all medications during July03-February04 compared	157
	between groups	
3.59	Total costs of all medications compared within each group and	158
	between the treatment and the control groups	
3.60	Total costs of hypertension medications compared within each group	158
	and between the treatment and the control groups	
3.61	Total costs of non hypertension medications compared within each	159
	groups and between the treatment and the control groups	
3.62	Costs of medications and number of hospitalization during	159
	July03-February04	
3.63	The response of physicians to the pharmacist's recommendations on	168
	modification of patient's medications over 12 months	
3.64	Numbers of visits to receive medications in the treatment and the	169
	control groups	
3.65	BP control compared between groups at each period of time	172
	measurement and a covariate	
	Results of proportions of patients having BP control compared within	173
	each group across three times; the pre test, after six months and after	
	12 months	
3.67 I	Mean BPs comparison by 3x2 factorial ANOVA for 235 hypertensive	178
	Patients	

XXIII

Tabl	le e	Page
3.68	Patient clinical outcomes during October 2002-February 2004 in	179
	the treatment and the control groups	
3.69	Compliance rates compared between the treatment and control groups	181
3.70	Patient compliance rates comparison in the treatment and the control	181
	groups across three times	
3.71	Lifestyle modification compared between groups across three times	184
3.72	The proportion of patients who had made lifestyle modifications after	184
	12 months compared between the control and the treatment groups and	
	pairwise comparison between the pre test, after six and after 12 months	
	in each group	
3.73	Percent correct response compared between the control and treatment	188
	groups	
3.74	Percent correct response compared between the pre test, after six and	189
	after 12 months in each group	
3.75	Percent correct response compared between groups in each domain of	191
	patient knowledge constructed questions	
3.76	Mean of patient satisfaction compared between the control and	196
	treatment groups	
3.77	The results between groups where patient satisfaction items were	197
	grouped by each domain and pairwise follow up results in each group	
	over 3 times by Grabriel test	

VIXX

Table	Page
3.78 Mean SF-36 scores for the control and treatment groups at the pre test	200
after six and after 12 months	
3.79 The percentage responses of Health Reported Transition compared	203
between the control and the treatment groups and compared within	
each group	
3.80 Mean scores of Digit Span test compared between the treatment and	206
the control groups and compared within each group across the pre test,	
after six and 12 months	
3.81 Total costs of all medication, medications for hypertension and	211
medication for non hypertension compared between the treatment	
and the control groups during October 2002-February 2004	
3.82 Total costs of all medications compared within each group and	212
between the treatment and the control groups	
3.83 Total costs of hypertension medications compared within each	213
group and between the treatment and the control groups	
3.84 Total costs of non hypertension medications compared within each	214
group and between the treatment and the control groups	
3.85 Costs of medications and number of hospitalizations during	214
October 02-February04	

XXV

LIST OF FIGURES

Fig	ures 082169	Page
1.1	Example of ambulatory BP monitoring trace with normal nocturnal dip	3
1.2	Hales making manometric measurements from the carotid artery	12
	of a horse in 1733	
1.3	Sounds heard with application of the stethoscope over the palpable artery	17
1.4	The regulation of BP within the cardiovascular system	18
1.5	Research framework	45
3.1	Percentage responses for Health Reported Transition between the control	107
	and the treatment groups at the pre test	
3.2	Percentage responses for Health Reported Transition between the control	107
	and the treatment groups after six months	
3.3	Total costs of medications in each group during the period	116
	October02-June03	
3.4	Hypertension costs of medications in each group during the period	116
	October02-June03	
3.5	Non hypertension costs of medications in each group during the period	S ¹¹⁷
	October 02-June03	
3.6	Summary of the process for the study during the first six months	121
3.7	Summary of the significant outcome results after six months	122
3.8	Percentage responses for Health Reported Transition between the	151
	control and the treatment groups at the pre test	

XXVI

Figures	Page
3.9 Percentage responses for Health Reported Transition between the	152
control and the treatment group after six months	
3.10 Total costs of all medications during July03-February04	160
3.11 Total costs of hypertension medications during July03-February04	160
3.12 Total costs of non hypertension medications during July03-February04	161
3.13 Summary of the process for the study over a whole year	165
3.14 Summary of the significant outcome results after 12 months	166
3.15 Means of blood pressure control in 235 patients across the pre test,	174
after six months and after 12 months	
3.16 Means of blood pressure control in 158 patients across the pre test,	174
after six months and after 12 months	
3.17 Illustration of the significant interaction results of role emotional subscal	e 202
3.18 Percentage responses for Health Reported Transition between the	204
control and the treatment groups after six months	
3.19 Percentage responses for Health Reported Transition between the	204
control and the treatment group after 12 months	
3.20 Total costs of all medications during 17 months, October 02-February 04	215
3.21 Total costs of hypertension medications during 17 months, October 02-	215
February 04	
3.22 Total costs of non hypertension medications during 17 months,	216
October 02-February 04	
3.23 Summary of the outcomes after 12 months by multiple comparisons	221