

References

- Astilean, S., C. Ionescu, G. Cristea, S.I. Farcas, I. Bratu and R. Vitoc. 1997. NMR Spectroscopy of Inclusion Complex of Sodium Diclofenac with β -Cyclodextrin in Aqueous Solution. *Biospectroscopy*, 3: 233-239.
- Baboota, S and S.P. Agarwal. 2003. Meloxicam complexation with β -cyclodextrin: influence on the anti-inflammatory and ulcerogenic activity. *Pharmazie*, 58: 73-74.
- Babu, R.J. and J.K. Pandit. 2004. Effect of cyclodextrins on the complexation and transdermal delivery of bupranolol through rat skin. *International Journal of Pharmaceutics*, 271: 155-165.
- Banerjee, R. and M. Sarkar. 2002. Spectroscopic studies of micro environment dictated structural forms of piroxicam and meloxicam. *Journal of Luminescence*, 99: 255-263.
- Barr, L., P.G. Dumanski, C.J. Easton, J.B. Harper, K. Lee, S.F. Lincoln, A.G. Meyer and J.S. Simpson. 2004. Cyclodextrin Molecular Reactors. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 50: 19-24.
- Bayomi, M.A., K.A. Abanumay, Abdulaziz A. Al-Angary. 2002. Effect of inclusion complexation with cyclodextrins on photostability of nifedipine in solid state. *International Journal of Pharmaceutics*, 243: 107-117.
- Bernhard, E. and F. Zimmermann. 1984. Contribution to the understanding of oxycam ionization constants. *Arzneim.-Forsch./Drug Res.*, 34 (I): 647-648 in Rozou, S., A. Voulgari and E. Antoniadou-Vyza. 2004. The effect of pH dependent molecular conformation and dimerization phenomena of piroxicam on the drug:

cyclodextrin complex stoichiometry and its chromatographic behaviour - A new specific HPLC method for piroxicam: cyclodextrin formulations. *European Journal of Pharmaceutical Sciences*, 21: 661-669.

Blanchard, J. and S. Proniuk. 1999. Some important considerations in the use of cyclodextrins. *Pharmaceutical Research* 16: 1796-1798.

Braibanti, A., E. Fisicaro, A. Ghiozzi, C. Compari and G. Bovis. 1998. Host-guest interactions between β -cyclodextrin and piroxicam. *Reactive & Functional Polymers*, 36: 251-255.

Cappello, B., C. Di Maio and M. Iervolino. 2002. Investigation on the Interaction of Bendazac with β -, Hydroxypropyl- β -, and γ -Cyclodextrins. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 43: 251-257.

Cerchiara, T., B. Luppi., F. Bigucci and V. Zecchi. 2003. Effect of chitosan on progesterone release from hydroxypropyl- β -cyclodextrin complexes. *International Journal of Pharmaceutics*, 258: 209-215.

Chen, C.Y., F.A. Chen, A.B. Wu, H.C. Hsu, J.J. Kang and H.W. Cheng. 1996. Effect of hydroxypropyl- β -cyclodextrin on the solubility, photostability and in-vitro permeability of alkannin/shikonin enantiomers. *International Journal of Pharmaceutics*, 141: 171-178.

Chen, F.A. , A.B. Wu and C.Y. Chen. 2003. Inclusion Complex of Carprofen with Hydroxypropyl- β -cyclodextrin. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 46: 213-213.

Coly, A. and J.J. Aaron. 1998. Cyclodextrin-enhanced Fluorescence and photochemically-induced Fluorescence determination of five aromatic pesticides in water. *Analytica Chimica Acta*, 360: 129-141.

- Dall'asta, C., G. Ingletto, R. Corradini, G. Galaverna and R. Marchelli. 2003. Fluorescence Enhancement of Aflatoxins Using Native and Substituted Cyclodextrins. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 45: 257-263.
- Dalmora, M.E.A. and A.G. Oliveira. 1999. Inclusion complex of piroxicam with β -cyclodextrin and incorporation in hexadecyltrimethylammonium bromide based microemulsion. *International Journal of Pharmaceutics*, 184: 157-164.
- Demian, B.A. 2000. Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- β -cyclodextrin with steric and hydrophobicity parameters. *Carbohydrate Research*, 328: 635-639.
- De Hassonville, S.H., B. Perly, G. Piel, T. Van Hees, V. Barillaro, P. Bertholet, L. Delattre, and B. Evrard. 2002. Inclusion complexes of cyproterone acetate with cyclodextrins in aqueous solution. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 44: 289-292.
- Dollo, G., P. Le Corre, F. Chevanne and R. LeVerge. 1996. Inclusion complexation of amide-typed local anaesthetics with γ -cyclodextrin and its derivatives. I. Physicochemical characterization. *International Journal of Pharmaceutics*, 131: 219-228.
- Dordunoo, S.K. and H.M. Burt. 1996. Solubility and stability of taxol: Effects of buffers and cyclodextrins. *International Journal of Pharmaceutics*, 133: 191-201.
- Duchene D., D. Wouessidjewe and G. Ponchel. 1999. Cyclodextrins and carrier systems. *Journal of Controlled Release*, 62: 263-268.

- Elgezawi, S., N. Omar, N. Elrabbat, H. Ueda and J.H. Perrin. 1988. Microcalorimetric and chromatographic investigation of the binding of some pyridine derivatives to cyclodextrins. *Journal of Pharmaceutical and Biomedical Analysis*, 6: 399-406.
- Escandar, G.M. 1999. Spectrofluorimetric determination of piroxicam in the presence and absence of β -cyclodextrin. *Analyst*, 124: 587-591.
- Evrard, B., P. Chiap, P. DeTullio, F. Ghalmi, G. Piel, T. Van Hees, J. Crommen, B. Losson and L. Delattre. 2002. Oral bioavailability in sheep of albendazole from a suspension and from a solution containing hydroxypropyl- β -cyclodextrin. *Journal of Controlled Release*, 85: 45-50.
- Fenyvesi, E., K. Otta, I. Kolbe, C. Novak and J. Szejtli. 2004. Cyclodextrin complexes of UV filters. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 48: 117-123.
- Fernandes, C.M., M.T. Vieira and F.J.B. Veiga. 2002. Physicochemical characterization and in vitro dissolution behavior of nicardipine–cyclodextrins inclusion compounds. *European Journal of Pharmaceutical Sciences*, 15: 79-88.
- Fernandes, C.M. and F. J. B. Veiga. 2002. The cyclodextrins as modelling agents of drug controlled release. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 44: 79-85.
- Filipovic-Grcic, J., D. Voinovich, M. Moneghini, M. Becirevic-Lacan, L. Magarotto and I. Jalsenjak. 2000. Chitosan microspheres with hydrocortisone and hydrocortisone–hydroxypropyl- β -cyclodextrin inclusion complex. *European Journal of Pharmaceutical Sciences*, 9: 373-379.

- Finì A., G. Fazio and G. Feroci. 1995. Solubility and solubilization properties of non-steroidal anti-inflammatory drugs. *International Journal of Pharmaceutics*, 126: 95-102.
- Flood, K.G., E.R. Reynolds and N.H. Snow. 2000. Characterization of inclusion complexes of betamethasone-related steroids with cyclodextrins using high-performance liquid chromatography. *Journal of Chromatography A*, 903: 49-65.
- Guyot, M., F. Fawaz, J. Bildet, F. Bonini and A.M. Lagueny. 1995. Physicochemical characterization and dissolution of norfloxacin/cyclodextrin inclusion-compounds and PEG solid dispersions. *International Journal of Pharmaceutics*, 123: 53-63.
- Guo, Q. X., S. H. Luo and Y. C. Liu. 1998. Substituent effects on the driving force for inclusion complexation of α - and β -cyclodextrin with monosubstituted benzene derivatives. *Journal of Inclusion Phenomena and Molecular Recognition in Chemistry*, 30: 173-182.
- Hancock, B.C. and G. Zografi. 1997. Characteristics and significance of the amorphous state in pharmaceutical Systems (Review). *Journal of Pharmaceutical Sciences*, 86: 1-12.
- Hanna, K., C. de Brauer and P. Germain. 2003. Solubilization of the neutral and charged forms of 2,4,6-trichlorophenol by β -cyclodextrin, methyl- β -cyclodextrin and hydroxypropyl- β -cyclodextrin in water. *Journal of Hazardous Materials*, 100: 109-116.
- Hashimoto, H. 2002. Present status of industrial applications of cyclodextrins in Japan. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 44: 57-62.

- Hedges, A.R. 1998. Industrial applications of cyclodextrins. *Chemical Reviews*, 98: 2035-2044.
- Helm, H., B.W. Muller and T. Waaler. 1995. Complexation of dihydroergotamine mesylate with cyclodextrin derivatives - Solubility and stability in aqueous solution. *European Journal of Pharmaceutical Sciences*, 3: 195-201.
- Higuchi, T. and K.A. Connors. 1965. Phase-solubility techniques. *Adv. Anal. Chem. Instr.*, 7: 117-212.
- Irie, T. and K. Uekama. 1997. Pharmaceutical applications of cyclodextrins. 3. Toxicological issues and safety evaluation. *Journal of Pharmaceutical Sciences*, 86: 147-162.
- Irie, T., and K. Uekama. 1999. Cyclodextrins in peptide and protein delivery. *Advance Drug Delivery Reviews*, 36: 101-123.
- Jarho, P., A. Urtti, D.W. Pate, P. Suhonen and T. Jarvinen. 1996. Increase in aqueous solubility, stability and in vitro corneal permeability of anandamide by hydroxypropyl- β -cyclodextrin. *International Journal of Pharmaceutics*, 137: 209-216.
- Jug, M. and M. Becirevic-Lacan. 2004. Influence of hydroxypropyl- β -cyclodextrin complexation on piroxicam release from buccoadhesive tablets. *European Journal of Pharmaceutical Sciences*, 21: 251-260.
- Junquera, E., D. Ruiz and E. Aicart. 1999. Role of hydrophobic effect on the noncovalent interactions between salicylic acid and a series of β -cyclodextrins. *Journal of Colloid and Interface Science*, 216: 154-160.
- Khan, K.A. 1975. Concept of dissolution efficiency. *Journal of Pharmacy and Pharmacology*, 27: 48-49.

- Kim, K.H. and Y.H. Park. 1998. Enantioselective inclusion between terbutaline enantiomers and hydroxypropyl- β -cyclodextrin. *International Journal of Pharmaceutics*, 175: 247-253.
- Klein, C.T., D. Polheim, H. Viernstein and P. Wolschann. 2000a. A method for predicting the free energies of complexation between β -cyclodextrin and guest molecules. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 36: 409-423.
- Klein, C.T., D. Polheim, H. Viernstein, and P. Wolschann. 2000b. Predicting the Free Energies of complexation between cyclodextrins and guest Molecules: Linear versus Nonlinear Models. *Pharmaceutical Research*, 17: 358-365.
- Kopecky, F., B. Kopecka and P. Kaclik. 2001. Solubility study of nimodipine inclusion complexation with α - and β -Cyclodextrin and some substituted cyclodextrins. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 39: 215-217.
- Leuner, C. and J. Dressman. 2000. Improving drug solubility for oral delivery using solid dispersions. *European Journal of Pharmaceutics and Biopharmaceutics*, 50: 47-60.
- Li, P., S.E. Tabibi and S.H. Yalkowsky. 1998. Combined effect of complexation and pH on solubilization. *Journal of Pharmaceutical Sciences*, 87: 1535-1537.
- Li, J.F., Y.X. Wei, L.H. Ding and C. Dong. 2003. Study on the inclusion complexes of cryptotanshinone with β -cyclodextrin and hydroxypropyl- β -cyclodextrin. *Spectrochimica Acta Part A – Molecular and Biomolecular Spectroscopy*, 59: 2759-2766.

- Lin S.Y. and Y.H. Kao. 1989. Studies on drug-interaction in pharmaceutical formulations. 12.Solid particulates of drug β -cyclodextrin inclusion complexes directly prepared by a spray drying technique. *International Journal of Pharmaceutics*, 56: 249-259.
- Lipkowitz, K.B. 1998. Applications of Computational Chemistry to the Study of Cyclodextrins. *Chemical Reviews*, 98: 1829-1873.
- Liu, L. and Q.X. Guo. 2002. The driving forces in the inclusion complexation of cyclodextrins. *Journal of Inclusion Phenomena and Macrocyclic Chemistry* 42: 1-14.
- Liu, L. and Q.X. Guo. 2004. Use of quantum chemical methods to study cyclodextrin chemistry. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 50: 95-103.
- Liu, L., K.S. Song, X.S. Li and Q.X. Guo. 2001. Charge-transfer interaction: A driving force for cyclodextrin inclusion complexation. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 40: 35-39.
- Lobenberg, R. and G.L. Amidon. 2000. Modern bioavailability, bioequivalence and biopharmaceutics classification system. New scientific approaches to international regulatory standards. *European Journal of Pharmaceutics and Biopharmaceutics*, 50: 3-12.
- Loftsson, T. and M.E. Brewster. 1996. Pharmaceutical applications of cyclodextrins. 1. Drug solubilization and stabilization. *Journal of Pharmaceutical Sciences*, 85: 1017-1025.

- Loukas, Y.L., V. Vraha and G. Gregoriadis. 1997. Novel non-acidic formulations of haloperidol complexed with β -cyclodextrin derivatives. *Journal of Pharmaceutical and Biomedical Analysis*, 16: 263-268.
- Lu, X. and Y. Chen. 2002. Chiral separation of amino acids derivatives with fluoresceine-5-isothiocyanate by capillary electrophoresis and laser-induced fluorescence detection using mixed selectors of beta-cyclodextrin and sodium taurocholate. *Journal of Chromatography A*, 955: 133-140.
- Luger P., K. Daneck, W. Engel, G. Trummlits and K. Wagner. 1996. Structure and physicochemical properties of meloxicam, a new NSAID. *European Journal of Pharmaceutical Sciences*, 4: 175-187.
- Marques, H.M.C., J. Hadgraft and I.W. Kellaway. 1990. Studies of cyclodextrin inclusion complexes. 1. The salbutamol–cyclodextrin complex as studied by phase solubility and DSC. *International Journal of Pharmaceutics*, 63: 259-266.
- Marconi, G., S. Monti, F. Manoli, A.D. Esposti and B. Mayer. 2004. A circular dichroism and structural study of the inclusion complex artemisinin- β -cyclodextrin. *Chemical Physics Letters*, 383: 566-571.
- Masson M., T. Loftsson, S. Jonsdottir, H. Fridriksdottir and D.S. Petersen. 1998. Stabilisation of ionic drugs through complexation with non-ionic and ionic cyclodextrins. *International Journal of Pharmaceutics*, 164: 45-55.
- Matsubara, K., T. Irie and K. Uekama. 1997. Spectroscopic characterization of the inclusion complex of a luteinizing hormone-releasing hormone agonist, buserelin acetate, with dimethyl- β -cyclodextrin. *Chemical Pharmaceutical Bulletin* 45: 378-383.

- McKenzie, C.R., J.P. Fawcett, D.W. Boulton and I.G. Tucker. 1997. Formulation and evaluation of a propanidid hydroxypropyl- β -cyclodextrin solution for intravenous anaesthesia. *International Journal of Pharmaceutics*, 159: 191-196.
- Mele, A., R. Mendichi and A. Selva. 1998. Non-covalent associations of cyclomaltooligosaccharides (cyclodextrins) with trans- β -carotene in water: evidence for the formation of large aggregates by light scattering and NMR spectroscopy. *Carbohydrate research*, 310: 261-267.
- Miyazaki S., T. Yamahira, Y. Marimoto and T. Nadai. 1981. Micellar interaction of indomethacin and phenylbutazone with bile-salts. *International Journal of Pharmaceutics*, 8: 303-310.
- Moyano, J.R., M.J. Arias Blanco, J.M. Gines and F. Giordano. 1997. Solid-state characterization and dissolution characteristics of glicacide- β -cyclodextrin inclusion complexes. *International Journal of Pharmaceutics*, 148: 211-217.
- Mura, P., G.P. Bettinetti, A. Manderioli, M.T. Faucci, G. Bramanti and M. Sorrenti. 1998. Interactions of ketoprofen and ibuprofen with β -cyclodextrins in solution and in the solid state. *International Journal of Pharmaceutics*, 166: 189-203.
- Nagase, Y., Hirata, M., Wada, K., Arima, H., Hirayama, F., Irie, T., Kikuchi, M. and Uekama, K. 2001. Improvement of some pharmaceutical properties of DY-9760e by sulfobutyl ether β -cyclodextrin. *International Journal of Pharmaceutics*, 229: 163-172.
- Nath, B.S. and H.N. Kumar. 2000. A 2(3) Factorial studies on factors influencing meloxicam-beta-cyclodextrin complexation for better solubility. *Indian Journal of Pharmaceutical Sciences*, 62: 129-132.

- Okimoto, K., R.A. Rajewski, K. Uekama, J.A. Jona and J.V. Stella. 1996. The interaction of charged and uncharged drugs with neutral (HP- β -CD) and anionically charged (SBE7- β -CD) β -Cyclodextrins. *Pharmaceutical Research*, 13: 256-264.
- Pairat, M., J. Van Ryn, H. Schierok, A. Mauz, G. Trummlitz and G. Engelhardt. 1998. Differential inhibition of cyclooxygenases-1 and -2 by meloxicam and its 4'-isomer. *Inflammation Research*, 47: 270-276.
- Pak, C., P.J. Marriott, P.D. Carpenter and R.G. Amiet. 1998. Enantiomeric separation of propranolol and selected metabolites by using capillary electrophoresis with hydroxypropyl- β -cyclodextrin as chiral selector. *Journal of Chromatography A*, 793: 357-364.
- Peeters, J., P. Neeskens, J.P. Tollenaere, P. Van Remoortere and M.E. Brewster. 2002. Characterization of the Interaction of 2-hydroxypropyl- β -cyclodextrin with itraconazole at pH 2, 4 and 7. *Journal of Pharmaceutical Sciences*, 91: 1414-1422.
- Pose-Vilarnovo, B., I. Perdomo-Lopez, M. Echezarreta-Lopez, P. Schroth-Pardo, E. Estrada and J.J. Torres-Labandeira. 2001. Improvement of water solubility of sulfamethizole through its complexation with β - and hydroxypropyl- β -cyclodextrin - Characterization of the interaction in solution and in solid state. *European Journal of Pharmaceutical Sciences*, 13: 325-331.
- Perdomo-Lopez, I., A.I. Rodriguez-Perez, J.M. Yzquierdo-Peiro, A. White, E.G. Estrada, T.G. Villa and J.J. Torres-Labandeira. 2002. Effect of cyclodextrin on the solubility and antimycotic activity of sertaconazole: Experimental and computational studies. *Journal of Pharmaceutical Sciences*, 91: 2408-2415.

- Perlovich, G.L., M. Skar and A. Bauer-Brandl. 2003. Driving forces and the influence of the buffer composition on the complexation reaction between ibuprofen and HPCD. *European Journal of Pharmaceutical Sciences*, 20: 197-200.
- Piel, G., G. Dive , B. Evrard , T. Van Hees , S.H. de Hassonville and L. Delattre. 2001. Molecular modeling study of β - and γ -cyclodextrin complexes with miconazole. *European Journal of Pharmaceutical Sciences*, 13: 271-279.
- Pose-Vilarnovo, B., I. Perdomo-Lopez, M. Echezarreta-Lopez, P. Schroth-Pardo, E. Estrada and J.J. Torres-Labandeira. 2001. Improvement of water solubility of sulfamethizole through its complexation with β - and hydroxypropyl- β -cyclodextrin - Characterization of the interaction in solution and in solid state. *European Journal of Pharmaceutical Sciences*, 13: 325-331.
- Rajewski, R.A. and V.J. Stella. 1996. Pharmaceutical applications of cyclodextrins. 2. In vivo drug delivery. *Journal of Pharmaceutical Sciences*, 85: 1142-1169.
- Ravelet, C., A. Geze, A. Villet, C. Grosset, A. Ravel, D. Wouessidjewe and E. Peyrin. 2002. Chromatographic determination of the association constants between nimesulide and native and modified β - cyclodextrins. *Journal of Pharmaceutical and Biomedical Analysis*, 29: 425-430.
- Rekharsky, M.V. and Y. Inoue. 1998. Complexation thermodynamics of cyclodextrins. *Chemical Reviews*, 98: 1875-1917.
- Reynolds E.F, K. Parfitt, A.V. Parsons, S.C. Sweetman eds. 1989. Martindales: *The Extra Pharmacopoeia*, 29th ed. London. The Pharmaceutical Press, p. 37-38
- Rozou, S., A. Voulgari and E. Antoniadou-Vyza. 2004. The effect of pH dependent molecular conformation and dimerization phenomena of piroxicam on the drug: cyclodextrin complex stoichiometry and its chromatographic behaviour - A new

- specific HPLC method for piroxicam: cyclodextrin formulations. *European Journal of Pharmaceutical Sciences*, 21: 661-669.
- Saetern, A.M., N.B. Nguyen, A. Bauer-Brandl and M. Brandl. 2004. Effect of hydroxypropyl- β -cyclodextrin-complexation and pH on solubility of camptothecin. *International Journal of Pharmaceutics*, 284: 61-68.
- Savolainen, J., Järvinen, L, Matilainen, L and Järvinen, T. 1998. Improved dissolution and bioavailability of phenytoin by sulfobutylether- β -cyclodextrin ((SBE) $_{7m}$ - β -CD) hydroxypropyl- β -cyclodextrin (HP- β -CD) complexation. *International Journal of Pharmaceutics*, 165: 69-78.
- Selassie, C.D. 2003. History of Quantitative Structure-Activity Relationship in Donald J. Abraham edited, *Burger's Medicinal Chemistry and Drug Discovery*, 6th edition, Volume 1: Drug Discovery, John&Wiley and Sons, Inc.
- Scalia, S., S. Villani, A. Scatturin, M.A. Vandelli and F. Forni. 1998. Complexation of the sunscreen agent, butyl-methoxydibenzoylmethane, with hydroxypropyl- β -cyclodextrin. *International Journal of Pharmaceutics*, 175: 205-213.
- Schneider, H.J., F. Hacket, V. Rudiger and H. Ikeda. 1998. NMR Studies of cyclodextrins and cyclodextrin complexes. *Chemical Reviews*, 98: 1755-1785.
- Singh, M., R. Sharma and U.C. Banerjee. 2002. Biotechnological applications of cyclodextrins. *Biotechnology Advances*, 20: 341-359.
- Sinha, V.R., R. Anitha, S. Ghosh, A. Nanda and R. Kumria. 2005. Complexation of celecoxib with β -cyclodextrin: Characterization of the interaction in solution and in solid state. *Journal of Pharmaceutical Sciences*, 94: 676-687

- SadlejSosnowska, N. 1996. Thermodynamic parameters of the formation of a complex between cyclodextrins and steroid hormones. *Journal of Chromatography A*, 728: 89-95.
- Sugihara, G. and M. Hisatomi. 1999. Enthalpy-entropy compensation phenomenon observed for different surfactants in aqueous solution. *Journal of Colloid and Interface Science*, 219: 31-36.
- Szejtli, J. 1998. Introduction and general overview of cyclodextrin chemistry. *Chemical Reviews*, 98: 1743-1753.
- Szejtli, J. 2003. Cyclodextrins in the textile industry. *Starch - Starke*, 55: 191-196.
- Tran, C.D. and S.D. Lacerda. 2002. Near-Infrared Spectroscopic investigation of inclusion complex formation of cyclodextrins in room-temperature ionic liquid. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 44: 185-190.
- Taraszevska, J., K. Migut and M. Kozbial. 2003. Complexation of flutamide by native and modified cyclodextrins. *Journal of Physical Organic Chemistry*, 16: 121-126.
- Tsai, R.S., P.A. Carrupt, N. Eltayar, Y. Giroud, P. Andrade, B. Testa, F. Bree and J.P. Tillement. 1993. Physicochemical and structural - properties of nonsteroidal antiinflammatory oxicams. *Helvetica Chimica Acta*, 76: 842-854.
- Uekama, K., F. Hirayama and T. Irie. 1998. Cyclodextrin drug carrier systems. *Chemical Reviews*, 98: 2045-2076.
- Uekama, K. 2002. Recent aspects of pharmaceutical application of cyclodextrins. *Journal of Inclusion Phenomena and Macrocyclic Chemistry* 44: 3-7.
- Vandelli, M.A., B. Ruozi, F. Forni, A. Mucci, G. Salvioli and E. Galli. 2000. A

solution and solid state study on 2 – Hydroxypropyl - β - cyclodextrin complexation with hyodeoxycholic acid. *Journal of Inclusion Phenomena and Macrocyclic Chemistry* 37: 237-251.

Van Santvliet, L., K. Caljon, L. Pieters and A. Ludwig. 1998. Physicochemical properties, NMR spectroscopy and tolerance of inclusion complexes of antazoline and tetracaine with hydroxypropyl- β -cyclodextrin. *International Journal of Pharmaceutics*, 171: 147-156.

Veiga, M.D., M. Merino. 2002. Interactions of oxyphenbutazone with different cyclodextrins in aqueous medium and in the solid state. *Journal of Pharmaceutical and Biomedical Analysis*, 28: 973-982.

Vianna, R.F.L., M.V.L.B. Bentley, G. Ribeiro, F. S. Carvalho, A.F. Neto, D.C.R. de Oliveira and J.H. Collett. 1998. Formation of cyclodextrin inclusion complexes with corticosteroids: their characterization and stability. *International Journal of Pharmaceutics*, 167: 205-213.

Viernstein, H. 1994. Complex formation of spironolactone and bendroflumethiazide with β -cyclodextrin. Investigations of complexes by near infrared spectroscopy. *Scientia Pharmaceutica*, 62: 299-366.

Walker, R.B., V.N. Dholakia, K.L. Brasfield and R. Bakhtiar. 1998. Effect of Hydroxypropyl- β -cyclodextrin on the central stimulant activity of (-)-Ephedrine and an oxazolidine prodrug in rats. *General Pharmacology – The Vascular System*, 30: 725-731.

Wiseman, E.H., Y.H. Chang and J.G. Lombardino. 1976. Piroxicam, a novel anti-inflammatory agent. *Arzneimittel - Forschung/Drug Research*, 26 : 1300-1303

in Rozou, S., A. Voulgari and E. Antoniadou-Vyza. 2004. The effect of pH

dependent molecular conformation and dimerization phenomena of piroxicam on the drug: cyclodextrin complex stoichiometry and its chromatographic behaviour - A new specific HPLC method for piroxicam: cyclodextrin formulations. *European Journal of Pharmaceutical Sciences*, 21: 661-669.

Xiliang, G., Y. Yu, Z. Guoyan, Z. Guomei, C. Jianbin and S. Shaomin. 2003. Study on inclusion interaction of piroxicam with β -cyclodextrin derivatives. *Spectrochimica Acta Part A*, 59: 3379-3386.

Yang, C., L. Lui, T.W. Mu and Q.X. Guo. 2001. Improved accuracy and efficiency in the determination of association constants with the spectrophotometric method. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 39: 97-101.

Yazdanian, M., K. Briggs, C. Jankovsky and A. Hawi. 2004. The "high solubility" definition of the current FDA guidance on biopharmaceutical classification system may be too strict for acidic drugs. *Pharmaceutical Research*, 21: 293-299.

Zhang, G., S. Shuang, C. Dong and J. Pan. 2003. Study on the interaction of methylene blue with cyclodextrin derivatives by absorption and fluorescence spectroscopy. *Spectrochimica Acta Part A*, 59: 2935-2941.

Zhenming, D., L. Xiuping, Z. Guomei, S. Shaomin and P. Jinghao. 2003. Study on vitamin K₃-cyclodextrin inclusion complex and analytical application. *Spectrochimica Acta Part A*, 59: 2073-2079.