

REFERENCES

Asai, T., Fujii, S., Osumi, T., Otagiri, Y., Namimatsu, T., Sato, S. (2002a). Isolation and serological survey of *Salmonella* in pigs in Japan. *J. Vet. Med. Sci.* **64** (11), 1011-1015.

Asai, T., Otagiri, Y., Osumi, T., Namimatsu, T., Hirai, H., Sato, S. (2002b): Isolation of *Salmonella* from diarrheic feces of pigs. *J. Vet. Med. Sci.* **64** (2), 159-160.

Axelsson, F., Sorin, M.-L. (1997): Transia *Salmonella* Technical Handbook 1997. Version 1.1. Hisings Backa: Diffchamb AB. pp. 6-20.

Bangtrakulnonth, A., Pornreongwong, S., Pulsrikarn, C., Sawanpanyalert, P., Hendriksen, R.S., Lo Fo Wong, D.M.A., Aarestrup, F.M. (2004): *Salmonella* serovars from humans and other sources in Thailand, 1993-2002. *Emerg. Infect. Dis.* **10**, 131-136.

Beloil, P.A., Chauvin, C., Proux, K., Rose, N., Queguiner, S., Eveno, E., Houdayer, C., Rose, V., Fravallo, P., Madec, F. (2003): Longitudinal serological responses to *Salmonella enterica* of growing pigs in a subclinically infected herd. *Prev. Vet. Med.* **60** (3), 207-226.

Beloil, P.A., Fravallo, P., Chauvin, C., Fablet, C., Salvat, G., Madec, F. (2003): *Listeria* spp. contamination in piggeries: Comparison of three sites of environmental swabbing for detection and risk factor hypothesis. *J. Vet. Med.* **50**, 155-160.

Beloil, P.A., Fravallo, P., Fablet, C., Jolly, J.P., Eveno, E., Hascoet, Y., Chauvin, C., Salvat, G., Madec, F. (2004): Risk factors for *Salmonella enterica* subsp. *enterica* shedding by market-age pigs in French farrow-to-finish herds. *Prev. Vet. Med.* **63** (1-2), 103-120.

- Berends, B.R., Urlings, H.A.P., Snijders, J.M.A., Van Knapen, F. (1996): Identification and quantification of risk factors animal management and transport regarding in *Salmonella* spp. in pigs. *Int. J. Food Microbiol.* **30**, 37-53.
- Berends, B.R., Van Knapen, F., Mossel, D.A.A., Burt, S.A., Snijders, J.M.A. (1998): Impact on human health of *Salmonella* spp. on pork in The Netherlands and the anticipated effects of some currently proposed control strategies. *Int. J. Food Microbiol.* **44** (3), 219-229.
- Callaway, T.R., Anderson, R.C., Edrington, T.S., Elder, R.O., Genovese, K.J., Bischoff, K.M., Poole, T.L., Jung, Y.S., Harvey, R.B., Nisbet, D.J. (2003): Preslaughter intervention strategies to reduce food-borne pathogens in food animals. *J. Anim. Sci.* **81**(E. Suppl. 2), E17-E23.
- Carstensen, B., Christensen, J. (1998): Herd size and sero-prevalence of *Salmonella enterica* in Danish swine herds: a random-effects model for register data. *Prev. Vet. Med.* **34**, 191-203.
- Christensen, J., Rudemo M. (1998). Multiple change-point analysis applied to the monitoring of *Salmonella* prevalence in Danish pigs and pork. *Prev. Vet. Med.* **36** (2), 131-143.
- D' Aoust, J-Y. (2001): *Salmonella*. In: Labbe R.G., Garcia S. (ed.): Guide to Foodborne Pathogens. 1st ed. New York: John Wiley & Sons. pp. 163-191.
- D' Aoust, J-Y., Maurer, J., Bailey, J.S. (2001): *Salmonella* Species. In: Doyle, M.P., Beuchat, L.R., Montville, T.J. (ed.): Food Microbiology. 2nd ed. Washington, D.C.: ASM Press. pp. 141-178.
- Daniel, W.W. (1984): Some Important Sampling Distribution. In: Biostatistic: A Foundation in the Health Science. 4th ed. New York: John Wiley & Sons. pp. 98-126.

David, G.K. (1994): Logistic Regression, A self-learning Text. 1st ed. New York: Springer-Verlag New York, Inc.

Davies, R.H., Heath, P.J., Coxon, S.M., Sayers, A.R. (2003): Evaluation of the use of pooled serum, pooled muscle tissue fluid (meat juice) and pooled faeces for monitoring pig herds for *Salmonella*. *J. Appl. Microbiol.* **95** (5), 1016-1025.

Davies, P.R., Morrow, W.E.M., Jones, F.T., Deen, J., Fedorka-Cray, P.J., Harris, I.T. (1997): Prevalence of *Salmonella* in finishing swine raised in different production systems in North Carolina, USA. *Epidemiol. Infect.* **119**, 237-244.

Davies, P.R., Turkson, P.K., Funk, J.A., Nichols, M.A., Ladely, S.R., Fedorka-Cray, P.J. (2000): Comparison of methods for isolating *Salmonella* bacteria from faeces of naturally infected pigs. *J. Appl. Microbiol.* **89**, 169-177.

Funk, J.A., Harris, I.T., Davies, P.R. (2005): Comparison of faecal culture and Danish Mix-ELISA for determination of *Salmonella enterica* subsp. *enterica* prevalence in growing swine. *Vet. Microbiol.* **107**, 115-126.

Hanes, D. (2003): Nontyphoid *Salmonella*. In: Miliotis, M.D. (ed.): International Handbook of Foodborne Pathogens. 1st ed. New York: Marcel Dekker, Inc. pp. 137-150.

Harnes-Parton, T. (2005): Enviro-Clare: Effective Microorganisms. <http://www.enviroclare.org/emicrobes.htm>. Date of access July 26, 2005.

Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., Williams, S.T. (2000): Facultatively Anaerobic Gram Negative Rods. In: Bergey's Manual of Determinative Bacteriology. 9th ed. Philadelphia: Lippincott Williams and Wilkins. pp. 175-289.

ISO 6579 (2002): International Standard: Microbiology of food and animal feeding stuffs –Horizontal method for the detection of *Salmonella* spp. Geneva: ISO copyright office.

Jay, J.M. (1996): Foodborne gastroenteritis caused by *Salmonella* and *Shigella*. In: Modern food microbiology. 5th ed. New York: Chapman & Hall. pp. 507-526.

Krieg, N.R., Holt, J.G. (1984): *Salmonella*. In: Bergey's manual of systematic bacteriology, vol. 1. London: Williams and Wilkinson. pp. 427-458.

Lo Fo Wong, D.M.A., Dahl, J., Stege, H., van der Wolf, P.J., Leontides, L., von Altrock, A., Thorberg, B.M. (2004): Herd-level risk factors for subclinical *Salmonella* infection in European finishing-pig herds. *Prev. Vet. Med.* **62**, 253-266.

Lo Fo Wong, D.M.A., Dahl, J., van der Wolf, P.J., Wingstrand, A., Leontides, L., von Altrock, A. (2003): Recovery of *Salmonella enterica* from seropositive finishing pig herds. *Vet. Microbiol.* **97**, 201-214.

Lo Fo Wong, D.M.A., Hald, T., (2000): *Salmonella* in pork (Pre-harvest and harvest control options based on epidemiologic, diagnostic and economic research). Final Report Contract no: FAIR1 CT95-0400. pp. 3-67.

Malorny, B., Hoorfar, J., Hugas, M., Heuvelink, A., Fach, P., Ellerbroek, L., Bunge, C., Dorn, C., Helmuth, R. (2003): Interlaboratory diagnostic accuracy of a *Salmonella* specific PCR-based method. *Int. J. Food Microbiol.* **89**, 241-249

Mousing, J., Thode Jensen, P., Halgaard, F., Feld, N., Nielsen, G., Nielsen, J.P., Bech-Nielsen, S. (1997): Nation-wide *Salmonella enterica* surveillance and control in Danish slaughter swine herds. *Prev. Vet. Med.* **29**, 247-261.

Nielsen, B., Alban, L., Stege, H., Sorensen, L. L., Mogelmoose, V., Bagger, J., Dahl, J., Baggesen, D. L. (2001): A new *Salmonella* surveillance and control programme in Danish pig herds and slaughterhouses. *Berl. Munch. Tieraerztl. Wochenschr.* **114**, 323-326.

Patchanee, P., Zessin, K.-H., Staak, C., Srikiatkarn, L., Taravijitkul, P., Tesaprateep, T. (2002): Pre-slaughter infection of *Salmonella* spp. and consideration of using The Danish Mix ELISA for monitoring *Salmonella* in pigs. *J. Vet. Chiangmai.* **1**, 33-38.

Pinto, V. (2005). Introduction to EM. <http://www.eminfo.info/index.html>. Date of access July 26, 2005.

Quinn, P.J., Carter, M.E., Markey, B., Carter, G.R. (1999): Clinical Veterinary Microbiology. 1st ed. London: Harcourt Publishers Limited.

Rajic, A., Keenlside, J., McFall, M.E., Deckert, A.E., Muckle, A.C., O'Connor, P., Manninen, K., Dewey, C.E., McEwen, S.C. (2005): Longitudinal study of *Salmonella* species in 90 Alberta swine finishing farms. *Vet. Microbiol.* **105**, 47-56.

Regulation (EC) No 2160/2003 of the European Parliament and of the council of 17 November 2003 on the control of *Salmonella* and other specified food-borne zoonotic agents. Official Journal of the European Union. 12.12.2003. L 325/1-L 325/15. http://europa.eu.int/eur-ex/pri/en/oj/dat/dat/2003/1_325/1_32520031212en00010015.pdf. Date of access June 1, 2005,

Schneider, P. (2003): The why's and how's of eliminating clinical *Salmonella*. In: London Swine Conference – Maintaining Your Competitive Edge. pp 9-16.

Skov, M.N., Carstensen, B., Tornøe, N., Madsen, M. (1999): Evaluation of sampling methods for the detection of *Salmonella* in broiler flocks. *J. Appl. Microbiol.* **86**, 695-700.

Sørensen, L.L., Alban, L., Nielsen, B., Dahl, J. (2004): The correlation between *Salmonella* serology and isolation of *Salmonella* in Danish pigs at slaughter. *Vet. Microbiol.* **101** (2), 131-141.

Stege, H., Christensen, J., Nielsen, J.P., Baggesen, D.L., Enøe, C., Willeberg, P. (2000): Prevalence of subclinical *Salmonella enterica* infection in Danish finishing pig herds. *Prev. Vet. Med.* **44**, 175-188.

Steinbach, G., Blaha, T., Methner, U. (2002): Estimating the prevalence of *Salmonella* spp. in swine herds – Influence of sensitivity and specificity of *Salmonella* detection. *J. Vet. Med.* **49**, 438-444.

van der Gaag, M.A., Saatkamp, H.W., Backus, G.B.C., van Beek, P., Huirne, R.B.M. (2004): Cost-effectiveness of controlling *Salmonella* in the pork chain. *Food Control.* **15**, 173-180.

van der Wolf, P.J., Bongers, J.H., Elbers, A.R.W., Franssen, F.M.M.C., Hunneman, W.A., van Exsel, A.C.A., Tielen, M.J.M. (1999): *Salmonella* infections in finishing pigs in the Netherlands: bacteriological herd prevalence, serogroup and antibiotic resistance of isolates and risk factors for infection. *Vet. Microbiol.* **67**, 263-275.

van der Wolf, P.J., Wolbers, W.B., Elbers, A.R.W., van der Heijden, H.M.J.F., Koppen, J.M.C.C., Hunneman, W.A., van Schie, F.W., Tielen, M.J.M. (2001): Herd level husbandry factors associated with the serological *Salmonella* prevalence in finishing pig herds in the Netherlands. *Vet. Microbiol.* **78** (3), 205-219.

van Winsen, R.L., van Nes, A., Keuzenkamp, D., Urlings, H.A.P., Lipman, L.J.A., Biesterveld, S., Snijders, J.M.A., Verheijden, J.H.M., van Knapen, F. (2001): Monitoring of transmission of *Salmonella enterica* serovars in pigs using bacteriological and serological detection methods. *Vet. Microbiol.* **80**, 267-274.