

## 6. REFERENCES

Allan, J.C., Velasquez-Tohom, M., Garcia-Noval, J., Torres-Alvarez, R., Yurrita, P., Fletes, C., De Mata, F., Soto de Alfaro, H., Craig, P.S. (1996): Epidemiology of intestinal taeniasis in four rural Guatemalan communities. *Ann. Trop. Med. Parasitol.* **90**, 157–165.

Allan, J.C., Velasquez, M., Fletes, C., Torres, R., Lopez, G., Yurrita, P., Soto de Alfaro, H., Rivera, A., Garcia-Noval, J. (1997): Mass chemotherapy for intestinal *Taenia solium* infection: effect on prevalence in humans and pigs. *Trans. R. Soc. Trop. Med. Hyg.* **91**, 595–598.

Anonymous (1994): The Food Control of Quality in Slaughterhouses, Slaughtering and Inspection of Meat. *Subsidiary Legislation to the Gazette of the United Republic of Tanzania* **75**, 201-242.

Bessonov, A.S., Cuperlovic, K., Gajadhar, A.A., Gamble, H.R., Van Knapen, F., Noeckler, K., Schenone, H., Zhu, X. (2000): International Commission on Trichinellosis: Recommendations on Methods for the Control of *Trichinella* in Domestic and Wild Animals Intended for Human Consumption, ICT Standards for Control Guidelines Committee, FAO, Rome/Italy.

Boa, M.E., Kassuku, A.A., Willingham III, A.L., Keyyu, J.D., Phiri, I.K., Nansen, P. (2002): Distribution and density of *cysticeci* of *Taenia solium* by muscle groups and organs in naturally infected local finished pigs in Tanzania. *Vet. Parasitol.* **106**, 155-164.

Boireau, P., Vallee, I., Roman, T., Perret, C., Fabien, J.F., Gajadhar, A. (2000): *Trichinella* in horses: a low frequency infection with high human risk. *Vet. Parasitol.* **93**, 309-320.

Botero, D., Restrepo, M. (1998): Human Parasitology. Editor Corporation for Investigation Biology, Colombia, pp 167-185

Britov, V.A. (1997): Trichinellosis in Kamchatka. *Wiad. Parasitol.* **43**, 287-288.

Campbell, W.C. (1988): Trichinosis revisited another look at modes of transmission. *Parasitol. Today* **4**, 83-86.

Cardenas, F., Quiroz, H., Plancarte, A., Meza, A., Dalma, A., Flisser, A. (1992): *Taenia solium* ocular cysticercosis finding in 30 cases animals of ophthalmology. *Parasitol.* **24**, 25-28.

Casulli, A., La Rosa, G., Amati, M., Pozio, E. (2001): High prevalence of *Trichinella nativa* infection in wolf (*Canis lupus*) populations of Tvier and Smoliensk regions of European Russia. *Vet. Parasitol.* **98**, 133-148.

Corwin, R.M., Stewart, T.B. (1999): Internal Parasites. In: Diseases of Swine, Iowa state University Press, Ames, Iowa, USA, pp. 713-730.

Craig, P.S., Pawlowski, Z. (2002): *Cestode Zoonoses: Cysticercosis*, IOS Press, Amsterdam, pp. 1-393.

Cuperlovic, K., Djordjevic, M., Pavlovic, Sofronic-Milosavljevic, L. (2001): Present status of trichinellosis in Yugoslavia: Serbia. *Parasitol. Today* **8** (2), 95-97.

DAHP (2002): Annual report on Animal Health and Production achievement and planning. Phnom penh, Cambodia, Annual MAFF report, pp. 1-20.

De-Aluja, A.S., Martinez, M.J.J., Villalobos, A.N. (1998): *Taenia solium* cysticercosis in young pigs: Age at first infection and histological characteristics. *Vet. Parasitol.* **76**, 1-2, 71-79.

De Bittencourt, P.R.M., Ademolekum, B., Bharucha, N., Car-Pio, A., Cossio, O.H. (1996): Epidemiology, socio-economic risk factor and etiology Epilepsia. *J. Trop. Med. Hyg.* **37**, 1121-1127.

Del Bruto, O.H., Dolezal, M., Castillo, P.R., Garcia, H.H. (2000): Neurocysticercosis and oncogenesis. *Arch. Med. Res.* **31**, 151-155.

Despommier, D.D. (1999): *Trichinella*. In: Cox, F.E. Kreier, G. J.P., Wakelin, D. (ed.): Microbiology and microbial infections: Parasitology. Arnold, London, Sydney, Auckland, **5**, 597-607.

Dick, T. A., Pozio, E. (2001): *Trichinella* spp. and Trichinellosis. In: Samuel, W. M., Pybus, M. J., Kocan, A. A. (eds.), Parasitic Diseases of Wild Mammals. 3rd Ed. Iowa State University Press, Ames, IA, 380-396.

Dohoo, I., Martin, W., Stryhn, H. (2003): Veterinary Epidemiological Research. Charlottetown, Canada, pp. 88-92.

Dorny, P., Phiri, I.K., Vercruysse, J., Gabriel, S., Willingham III, A.L., Brandt, J., Victor, B., Speybroeck, N., Berkvens, D. (2004): A Bayesian approach for estimating values for prevalence and diagnostic test characteristics of Porcine cysticercosis. *Inter. J. Parasitol.* **34**, 569-576.

Dupouy-Camet, J. (1997): Role of sylvatic species of *Trichinella* in horse meat transmission of trichinellosis. In: Ortega-Pierres, M.G., Gamble, R., van Knapen, F., (Eds.), Trichinellosis. Centro de Investigaciony Estudios Avanzados IPN, Mexico City, 545-550.

Dupouy-Camet, J. (2000): Trichinellosis: A worldwide zoonosis. *Vet. Parasitol.* **93**, 191-200.

Dupouy-Camet, J., Kociecka, W., Bruschi, F., Bolas- Fernandez, F., Pozio, E. (2002): Opinion on diagnosis and treatment of human trichinellosis. *J. Pharmacother.* **3**, 1117-1130.

Eom, K., Rim, H.J. (1993): Morphological descriptions of *Taenia asiatica* sp. *Korean J. Parasitol.* **31**, 1–6.

Eom, K., Rim, H.J. (1998): Morphological and genetic difference of larval tapeworms between *T. asiatica* and *T. saginata*. Proceeding IX<sup>th</sup> ICOPA, Tokyo, Japan, pp. 135.

Eom, K.S., Jeon, H.K., Kong, Y., Hwang, U.W., Yang, Y., Li, X., Xu, L., Feng, Z., Pawlowski, Z.S., Rim, H.J. (2002): Identification of *Taenia asiatica* in China: Morphological and epidemiological analysis. *J. Parasitol.* **88**, 758–764.

Erhart, A., Dorny, P., Nguyen Van De, Ha Viet Vien, Dang Cam Thach, Nguyen Duy Toan, Le Dinh Cong, Geerts, S., Speybroeck, N., Berkvens, D., Brandt, J. (2002): Prevalence study of *Taenia solium* cysticercosis in a small village in Northern Vietnam. *Trans. R. Soc. Trop. Med. Hyg.* **96**, 270-273.

European Commission (2000): European Commission Health and Consumer Protection Directorate D-Food, Irradiation Comment: Opinion of the scientific committee on veterinary measures relating to public health on "The control of cysticercosis in man and animals" (adopted on September 28–29, 2000) in Brussels/Belgium.

European Commission (2001): European Commission Health and Consumer Protection Directorate D-Food, Irradiation Comment: Opinion of the scientific committee on veterinary measures relating to public health on trichinellosis, epidemiology, methods of detection and *Trichinella*-free pig production, (adopted on 21-22 November 2001) in Brussels/Belgium.

Evans, C., Garcia, H.H., Gilman, R., Friedland, J.S. (1997): Controversies in the Management of Cysticercosis, *Emerg. Inf. Dis.* **3**, 403-405.

Evans, C.A.W., Gonzalez, A.E., Gilman, R.H., Verastegui, M., Garcia, H.H., Chavera, A., Pilcher, J.B., Tsang, V.C.W. (1997): Therapy for porcine cysticercosis: Implications for prevention of human disease. *Am. J. Trop. Med. Hyg.* **56**, 33-37.

Fan, P.C., Lin, C.Y., Chen, C.C., Chung, W.C. (1995): Morphological description of *Taenia saginata asiatica* (Cyclophyllidea: Taeniidae) from man in Asia. *J. Helminthol.* **69**, 299-303.

FAO (1999): FAO's information system on water and agriculture of Cambodia. Rome, Italy, pp. 1-13.

FAO (2003): Livestock Information, Sector Analysis and Policy Branch. AGAL, Rome, Italy, pp. 1-15.

Flisser, A., Sarti, E., Schantz, P. (1998): New strategy for controlling human cysticercosis. In: Proceedings of 9th ICOPA, Tokyo, Japan, 179-184.

Flisser, A., Sarti, E., Lightowlers, M., Schantz, P. (2003): Neurocysticercosis, regional status, epidemiology impact and control measures in the Americas. *Acta Trop.* **87**, 43-51.

Flisser, A., Viniegra, A.E., Aguilar-Vega, L., Garza-Rodriguez, A., Maravilla, P., Avila, G. (2004): Portrait of Human Tapeworms. *Am. Soc. J. Parasitol.* **90** (4), 914-916.

Forbes, L.B., Rajic, A., Gajadhar, A.A. (1998): Proficiency samples for quality assurance in *Trichinella* digestion tests. *J. Food Prot.* **61**, 1396-1399.

Forbes, L.B., Gajadhar, A.A. (1999): A validated *Trichinella* digestion assay and an associated sampling and quality assurance system for use in testing pork and horse meat. *J. Food Prot.* **62**, 1308-1313.

Gamble H.R. (1996): Detection of trichinellosis in pigs by artificial digestion and enzyme immunoassay. *J. Food Prot.* **59**, 295-298.

Gamble H.R., Patrascu I.V. (1996): Whole blood, serum, and tissue fluids in an enzyme immunoassay for swine trichinellosis. *J Food Prot.* **59**, 1213-1217.

Gamble H.R. (1997): Parasites associated with pork and pork products. *Rev. sci. tech. Off. Int. Epiz.* **16**, Paris, 496-506.

Gamble, H.R. (1997): A Summary of the National *Trichinae* Research Project and the Future of *Trichinae* Certification. Proceedings 81<sup>st</sup> LCI Annual Meeting and Conference on Animal Production Food Safety, 265-269.

Gamble, H.R. (1998): Trichinellosis. In: OIE Manual of Standards for Diagnostic Tests and Vaccines, 477–480 (Chapter 3.5.3).

Gamble, H.R., Bush, E. (1999): Seroprevalence of *Trichinella* infection in domestic swine based on the National Animal Health Monitoring System's 1990 and 1995 swine surveys. *Vet. Parasitol.* **80**, 303-310.

Gamble, H.R., Bessonov, A.S., Cuperlovic, K., Gajadhar, A.A., van Knapen, F., Noeckler, K., Schenone, H., Zhu, X.Q. (2000): International Commission on Trichinellosis: Recommendations on methods for the control of *Trichinella* in domestic and wild animals intended for human consumption, *Vet. Parasitol.* **93**, 393-408.

Gamble, H.R. (2000): Quality & safety “*Trichinae*”. *Amer. Meat. Sc. Ass.* 1-4

Garcia, H.H., Gilman, R.H., Tsang, V.C., Gonzalez, A.E. (1997): Clinical significance of neurocysticercosis in endemic villages. *Trans. Roy. Soc. Trop. Med. Hyg.* **91**, 176–178.

Garcia, H.H., Gilman, R.H., Gonzalez, A.E., Pacheco, R., Verastegui, M., Tsang, V.C.W. (1999): Human and porcine *Taenia solium* infection in a village in the highlands of Cusco, Peru. *Acta Trop.* **73**, 31–36.

Garcia, H.H., Evans, C.A.W., Nash, T.E., Takayanagui, O., White, A.C., Botero, D.V., Tsang, V.C.W., Schantz, P., Allan, J., Flisser, A., Correria, D., Sarti, E., Friedland, J., Martinez, S.M., Gonzalez, A.E., Gilman, R.H., Del Brutto, O.H. (2003): Consensus: Current Guidelines for the Treatment of Neurocysticercosis. *Clin. Microbiol. Rev.* **15**, 747-756.

García, E., Mora, L., Torres, P., Jercic, M. I., Mercado, R. (2005): First record of human trichinosis in Chile associated with consumption of wild boar. *Mem. Inst. Oswaldo. Cruz.* **100** (1), 17-18.

Garcia-Noval, J., Allan, J., Fletes, C., Moreno, E., Mata, F.D., Torres-Alvarez, R., Mencos, F. (1996): Epidemiology of *Taenia solium* taeniasis and cysticercosis in two rural Guatemalan communities. *Am. J. Trop. Med. Hyg.* **55**, 282-289.

Geerts, S., Zoli, A., Willingham, L., Brandt, J., Dorny, P., Preux, P.M. (2002): *Taenia solium* cysticercosis as an under-recognized problem. In: *Cestode Zoonoses: Cysticercosis* (eds Craig, P. and Pawlowski, Z.) IOS Press, Amsterdam, pp. 13-24.

Gemmell, M., Matyas, Z., Pawlowsky, Z., Soulsby, E.J.L. (1983): *Guidelines for Surveillance and Control of taeniosis/cysticercosis*. VPH/83-49, Geneva, World Health Organization, 1–207.

Gilman, R.H., Garcia, H.H., Gonzalez, A.E., Dunleavy, M., Verastegui, M., Evans, C. (1999): Short cuts to development: methods to control the transmission of cysticercosis in developing countries. Garcia, H.H., Martinez, S.M., (eds.): *Taenia solium* taeniosis/cysticercosis. Lima: Ed. Universo, 313–326.

Gonzalez, A.E., Gilman, R., Garcia, H.H., McDonald, J., Kacena, K., Tsang, V.C.W., Pilcher, J.B., Suarez, F., Gavidia, C., Miranda, E. (1994): Use of sentinel pigs to monitor environmental *Taenia solium* contamination. *Am. J. Trop. Med. Hyg.* **51**, 847– 850.

Gonzalez, L.M., Montero, E., Harrison, L.J.S., Parkhouse, R.M.E., Garate, T. (2000): Differential diagnosis of *Taenia saginata* and *Taenia solium* by PCR. *J. Clin. Microbiol.* **38**, 737-744.

Gonzalez, A.E., Falcon, N., Gavidia, C., Garcia, H.H., Tsang, V.C.W., Bernal, T., Romero, M., Gilman, R.H. (1999): Treatment of porcine cysticercosis with oxfendazole: a dose-response trial. *Vet. Rec.* **26**, 420-422.

Herenda D., Chambers P.G., Ettriqui A., Seneviratna P., DaSilva T.J.P. (2000): Manual on meat inspection for developing countries, FAO, Rome/Italy, pp. 193-195.

Hillwig, R.W., Cramer, J.D., Forsuth, K.S. (1978): Freezing time and temperature required to kill *cysticerci* of *Taenia saginata* in beef. *Vet. Parasitol.* **4**, 215-219.

Hoberg, E.P. (2002): *Taenia* tapeworms: their biology, evolution and socioeconomic significance. *Micr. Infect.* **4**, 859–866.

Ito, A., Sako, Y., Nakao, M., Nakaya, K. (2002): Neurosticyercosis in Asia, serology/ seroepidemiology in humans and pigs. In: Craig, P., Pawlowski, Z.

(Eds.): Cestode Zoonoses Echinococcosis and cysticercosis in an emergent and global problem. IOS Press, Amsterdam, pp. 25-31.

Ito, A., Yamasaki, H., Nakao, M., Sako, Y., Okamoto, M., Sato, M. O., Nakaya, K., Margono, S.S., Ikejima, T., Kassuku, A. A., Afonso, S.M.S., Ortiz, W. B., Plancarte, A., Zoli, A., Geerts, S., Craig, P.S. (2003): Multiple genotypes of *Taenia solium*-ramifications for diagnosis, treatment and control. *Acta Trop.* **87**, 95–101.

Ito, A., Urbani, C., Qiu, JM., Vuitton, D.A., Qiu, D.G., Heath, D.D., Craig, P.S., Zheng, F., Schantz, P. M. (2003): Control of cysticercosis: a public health challenge to international cooperation in China. *Acta Trop.* **86**, 3–17.

Jongwutiwes, S., Chantachum, N., Kraivichian, P., Siriyasatien, P., Putaporntip, C., Tamburrini, A., La Rosa, G., Sreesunpasirikul, C., Yingyourd, P., Pozio, E. (1998): First outbreak of human trichinellosis caused by *Trichinella pseudospiralis*. *Clin. Infect. Dis.* **26**, 111-115.

Joseph, G., David, S., Collins, R.H. (1999): Meat Hygiene. W.B. Saunders comp. Ltd., Harcourt, 10<sup>th</sup> ed., London, pp. 674-680, 645-651.

Kapel, C.M.O., Henriksen, S. A., Berg, T. B., Nansen, P. (1995): *Trichinella* infections in arctic foxes from Greenland: Studies and reflections on predilection sites of muscle larvae. *J. Helminthol.* **69**, 325-330.

Kapel, C.M.O., Henriksen, S.S., Nansen, P. (1997): Prevalence of *Trichinella nativa* according to zoogeography. In: Ortega-Pierres, G., Gamble, H. R., Van Knapen, F., Wakelin, D. (Eds.): Trichinellosis, 9<sup>th</sup> Int. Conf. on Trichinellosis. Germar Press, Nonoalco Tlateloco, Mexico, 591- 597.

Kapel, C.M., Webster, P., Bjorn, H., Murrell, K.D., Nansen, P. (1998): Evaluation of the infectivity of *Trichinella* spp. for reptiles (*Caiman sclerops*). *Inter. J. Parasitol.* **28**, 1935–1937.

Kapel, C.M. (2000): Host diversity and biological characteristics of the *Trichinella* genotypes and their effect on transmission. *Vet. Parasitol.* **93**, 263-78.

Kocięcka, W. (2000): *Trichinellosis*: Human disease, diagnosis and treatment. *Vet. Parasitol.* **93**, 365-83.

La Rosa, G., Marucci, G., Zarlenga, D.S., Pozio, E. (1998): Prevalence and risk factors associated with serum antibodies against *Trichinella spiralis*. *Inter. J. Parasitol.* **28**, 317-321.

Lightowlers, M.W. (1999): Eradication of *Taenia solium* cysticercosis: a role for hygiene of pigs. *Inter. J. Parasitol.* **29**, 811-817.

Liu, M., Boireau, P. (2002): Trichinellosis in China: epidemiology and control. *Tr. Parasitol.* **12**, 553-556.

Ljungstrom, I., Murrell, D., Pozio, E., Wakelin, D. (1998): Trichinellosis. In: Palmer, S.R., Lord Soubsey and Simpson, D.I.H. *Zoonoses*, Oxford University Press, Bath Press, Avon, pp. 326-328.

Ma, Y., Liu, J., Wang, Y., Li, G., Liu, W., Wei, G., Qiao, S., Jiang, H., Chen, X., Ma, X., Zhu, C. (1992): Experimental studies on growth and development of *Cysticercus cellulosae*. *Chin. J. Parasitic Dis. Prev. Contr.* **5**, 38–41.

Marinculic, A., Gaspar, A., Durakowic, C., Pozio, E., La Rosa, G. (2001): Epidemiology of swine trichinellosis in the republic of Croatia. *J. Parasitol.* **86**, (2), 92- 94.

MAFF (2000): Annual Conference on achievement and implemented activities of Agriculture, Forestry and Fisheries sector during the first five year development plan 1996-2000. MAFF, Phnom Penh, Cambodia, pp. 1-17.

MAFF (2001): Annual Conference on achievement of Agricultural Development Plan 2001-2005. MAFF, Phnom Penh, Cambodia, pp. 3-45.

MAFF (2003): Survey on hygienic improvement of slaughterhouse around Phnom Penh city. Short report of MAFF, Phnom Penh, Cambodia, pp. 1-23.

Martin, S.W., Meek, A.H., Willeberg, P. (1987): Veterinary Epidemiology, Principles and Methods, Iowa State University Press/Ames, 343.

Mayta, H., Talley. A., Gilman, R.H., Jimenez, J., Verastegui, M., Ruiz, M., Garcia, H.H., Gonzalez, A. (2000): Differentiating *Taenia solium* and *Taenia saginata* infections by simple hematoxylin-eosin staining and PCR restriction enzyme analysis. *J. Clin. Microbiol.* **38**, 133–137.

Ministry of Planning (1998): Population Census of Cambodia. National Institute of Statistic, Phnom Penh, Cambodia, pp. 1-79.

Moorhead, A., Grunenwald, P.E., Dietz, V.J., Schantz, P.M. (1999): Trichinellosis in the United States, 1991-1996 declining but not gone. *Am. J. Trop. Med. Hyg.* **60**(1), 66–69.

Morakote, N., Wijit, A., Uparanukraw, P. (2000): Further search for *Taenia saginata asiatica* in Chiang Mai, Thailand. *Ann. Trop. Med. Parasitol.* **94**, 521-4.

Murrell, K.D., Pozio, E. (2000): Trichinellosis: The zoonosis that won't go quietly. *Inter. J. Parasitol.* **30**, 1339-1349.

Murrell K.D., Lichtenfels J.R., Zarlenga D.S., Pozio, E. (2000): The systematics of the genus *Trichinella* with a key to species. *Vet. Parasitol.* **93**, 293-307.

Ngowi, H.A., Kassuku, A.A., Maeda, G.E.M., Boa, M.E., Carabin, H., Willingham III, A.L. (2004): Risk factors for the prevalence of porcine cysticercosis in Mbulu District, Tanzania. *Vet. Parasitol.* **120**, 275-283.

Nöckler, K., Voigt, W.P., Protz, D., Miko, A., Ziedler, K. (1995): Intravitale Diagnostik der trichinellose beim Schwein mit dem indirekten ELISA (Indirect ELISA for the diagnosis of trichinellosis in living pigs). *Berl. Münch. Tierärztl. Wschr.* **108**, 167-174.

Nöckler, K., Pozio, E., Voigt, W.P., Heidrich, J. (2000): Detection of *Trichinella* infection in food animals. *Vet. Parasitol.* **93**, 335-350.

Nöckler, K. (2003): *Trichinella* prevalence in the domestic and sylvatic cycle and its importance as a food-borne pathogen. *Helmintol.* **40**, 103-108.

Office International des Epizooties (2004): *Cysticercosis*. In: OIE Manual of Diagnostic Tests Standards and Vaccines for Terrestrial Animals, Part 2, Section 2.10 Chapter 2.10.1, Paris /France.

Office International des Epizooties (2004): *Trichinellosis*. In: OIE Manual of Diagnostic Tests Standards and Vaccines for Terrestrial Animals, Part 2, Section 2.2, Chapter 2.2.9, Paris /France.

Office International des Epizooties (2004): *Cysticercosis & trichinellosis: Terrestrial Animal Health Code 2004*, Paris /France.

Onah, D.N., Chiejina, S.N. (1995): *Taenia solium* cysticercosis and human taeniosis in the Nsuka area of Enugu State, Nigeria. *Ann. Trop. Med. Parasitol.* **89** (4), 399-407.

Owen, I.L., Sims, L.D., Wigglesworth, M.C., Puana, I. (2000): Trichinellosis in Papua New Guinea. *Aust. Vet. J.* **78**, 698-701.

Pawlowski, Z.S. (2002): *Taenia solium*: Basic biology and transmission. In: Singh, G. and Prabhakar, S., ed., *Taenia solium* cysticercosis, CABI Press, Oxford, pp. 1-13.

Phiri, I.K., Dorny, P., Gabriel, S., Willingham, III, A.L., Speybroeck, N., Vercruysse, J. (2002): The prevalence of porcine cysticercosis in Eastern and Southern provinces of Zambia. *Vet. Parasitol.* **108**, 31-39.

Phiri, I. K., Ngowi, H., Afonso, S., Matenga, E., Boa, M., Mukaratirwa, S., Githigia, S., Saimo, M., Sikasunge, C., Maingi, N., Lubega, G. W., Kassuku, A., Michael, L., Siziya, S., Krecek, R. C., Noormahomed, E., Vilhena, M., Dorny, P., Willingham III, A. L. (2003): The emergence of *Taenia solium* cysticercosis in Eastern and Southern Africa as a serious agricultural problem and public health risk. *Acta Trop.* **87**, 13-23

Plancarte, A., Flisser, A., Gauci, C.G., Lightowers, M.W. (1999): *Taenia solium* cysticercosis in pigs. *Inter. J. Parasitol.* **29**, 643-647.

Preux, P.M., Melaku, Z., Druet-Cabanac, M., Avode, G., Grunitzky, E.K., Bouteille, B., Cruz, M., Dumas, M. (1996): Cysticercosis and neurocysticercosis as current status. *Neurol. Infect. Epidem.* **1**, 63-68.

Pouedet, M.S.R., Zoli, A.P., Nguekam, Vondou, L., Assana, E., Speybroeck, N., Berkvens, D., Dorny, P., Brandt, J., Geerts, S. (2002): Epidemiological survey of swine cysticercosis in two rural communities of West Cameroon. *Vet. Parasitol.* **106**, 45-54.

Pozio, E. (1998): Trichinellosis in the European Union: Epidemiology, ecology and economic impact. *Parasitol. Today* **14**, 35–38.

Pozio, E., Miller, T.J., Kapel, C.M.O., La Rosa, G. (1998): Distribution of sylvatic *Trichinella* in Estonia according to climate zones. *J. Parasitol.* **84**, 5-193.

Pozio, E. (2000): Is horsemeat trichinellosis an emerging disease in EU. *Parasitol. Today* **16**, 266.

Pozio, E., Owen, I.L., La Rosa, G., Sacchi, L., Rossi, P., Corona, S. (1999): *Trichinella papuae* n.sp. (Nematoda), a new non-encapsulated species from domestic and sylvan swine of Papua New Guinea. *Inter. J. Parasitol.* **29**, 1825-1839.

Pozio, E. (2000): Factors affecting the flow among domestic, synanthropic and sylvan cycles of *Trichinella*. *Vet. Parasitol.* **93**, 241-262.

Pozio, E., Owen, I.L., Danaya, R.T., Tamburini, A. (2000): Human trichinellosis focus in Papua New Guinea. *Am. J. Trop. Med. Hyg.* **7**, 23-26.

Pozio, E. (2001): Taxonomy of *Trichinella* and the epidemiology of infection in the South-east Asia and Australia regions. *Southeast As. J. Trop. Med. Pub. Heal.* **15**, 12-18.

Pozio, E. (2001): New patterns of *Trichinella* infection, *Vet. Parasitol.* **98**, 133-148.

Rajshekhar, V., Joshi, D.D., Doanh, N. Q., Nguyen van De, Xiaonong, Z. (2003): *Taenia solium* taeniosis/ cysticercosis in Asia: epidemiology, impact and issue. *Acta Trop.* **87**, 53-60.

Ranque, S., Faugere, B., Pozio, E., La Rosa, G., Tamburrini, A., Pellissier, J.F., Brouqui, P. (2000): *Trichinella pseudospiralis* outbreak in France. *Emerg. Infect. Dis.* **6**, 543-7.

Ramisz, A., Symborski, J., Balicka-Ramisz, A. (2001): Epidemiological studies on trichinellosis among swine, wild boars and humans in Poland. *Parasitol.* **8** (2), 90-91.

Rodriguez-Canul, R., Fraser, A., Allan, J.C., Dominguez-Alpizar, J.L., Argaez-Rodriguez, F., Craig, P.S. (1999): Epidemiological study of *Taenia solium* taeniosis/cysticercosis in a rural village in Mexico. *Ann. Trop. Med. Parasitol.* **93**, 57-67.

Sarti, E., Schantz, P.M., Plancarte, A., Wilson, M., Gutierrez, I.O., Lopez, A.S., Roberts, J., Flisser, A. (1992): Prevalence and risk factors for *Taenia solium* taeniasis and cysticercosis in humans and pigs in a village in Morelos, Mexico. *Am. J. Trop. Med. Hyg.* **46**, 677-685.

Sarti, E., Flisser, A., Schantz, P.M., Gleizer, M., Loya, M., Plancarte, A., Avila, G., Allan, J., Craig, P., Bronfman, M., Wijeyaratne, P. (1997): Development and evaluation of a health education intervention against *Taenia solium* in a rural community in Mexico. *Am. J. Trop. Med. Hyg.* **56**, 127-132.

Sarti, E., Schantz, P.M., Avila, G., Ambrosio, J., Medina, R., Flisser, A. (2000): Mass treatment against human taeniasis for the control of cysticercosis. A population-based on intervention study. *R. Soc. Trop. Med. Hyg.* **94**, 85-89.

Schantz, P.M., Moore, A.C., Munoz, J.L., Hartman, B.J., Schaefer, J.A., Aron, A.M., Persaud, D., Sarti, E., Wilson, M., Flisser, A. (1992): Neurocysticercosis in Orthodox Jewish community in New York City. *N. Engl. J. Med.* **32**, 95-692.

Schantz, P.M., Wilkins, P.P., Tsang, V.C.W. (1998): The emergence of neurocysticercosis as a significant public health problem. In: *Emerging Infections* (eds Scheld, W.M. Craig, W.A. and Hughes, J.M.) ASM Press, Washington DC, pp. 213-242.

Schantz, P.M. (2002): *Taenia solium* Cysticercosis: An Overview of Global Distribution and Transmission. Chapter: *Taenia solium* cysticercosis. From Basic to Clinical Science, CABI Publishing, Washington DC, pp. 63-74.

Sciutto, E., Martı́nez, J.J., Villalobos, N.M., Hernandez, M., Jose, M.V., Beltran, C., Rodarte, F., Flores, I., Bobadilla, J.R., Fragoso, G., Parkhouse, M.E., Harrison, L.J.S., de Aluja, A.S. (1998): Diagnosis of porcine cysticercosis: a comparative study of circulating viable parasites. *Vet. Parasitol.* **79**, 299-313.

Simanjuntak, G.M., Margono, S.S., Okamoto, M., Ito, A. (1997): Taeniosis/cysticercosis in Indonesia as an emerging disease. *Parasitol. Today* **13**, 321-323.

Singh, G., Prabhakar, S., Ito, A., Cho, S.Y., Qiu, D.C. (2002): *Taenia solium* taeniosis and cysticercosis in Asia. In: Singh, G. and Prabhakar, S., eds, *Taenia solium* cysticercosis, CABI Press, Oxford, pp. 111-127.

Sohn, W.M., Kim, H.M., Chung, D.I., Yee, S.T. (2000): The first human case of *Trichinella spiralis* infection in Korea. *Kor. J. Parasitol.* **38** (2), 111-115.

Soulsby, E.J.L. (1982): *Helminths, Arthropods and Protozoa of Domesticated animals*. 2<sup>th</sup> Ed, Baillière Tindall, London, pp. 809.

Soulsby, E.J.L. (1982): *Helminths, Trichinella In Helminths, Arthropods and Protozoa of Domesticated Animals*, Lea and Febiger Inc, 7th ed, 1982, Philadelphia, pp. 330-334.

Takahashi, Y., Mingyuan, L., Waikagul, J. (2000): Epidemiology of trichinellosis in Asia and the Pacific Rim. *Vet. Parasitol.* **93**, 227-39.

Tsang, V.C.W., Wilson, M. (1995): *Taenia solium* cysticercosis is recognized as serious public health problem. *Parasitol. Today* **11**, 124-126.

Van Der Giessen, J.W.B., Rombout, Y., Franchimont, H.J., Rosa, G.L., Pozio, E. (1998): *Trichinella britovi* in red foxes in the Netherlands. *J. Parasitol.* **44**, 1065-1068.

White, A.C.J. (2000): Neurocysticercosis: updates on epidemiology, pathogenesis, diagnosis, and management. *Ann. Rev. Med.* **51**, 187-206.

Wilkins, P.P., Allan, J.C., Verastegui, M., Acosta, M., Eason, A.G., Garcia, H.H., Gonzalez, A.E., Gilman, R.H., Tsang, V.C. (1999): Development to detect *Taenia solium* taeniasis. *Am. J. Trop. Med. Hyg.* **60**, 199-204.

WHO (1979): *Parasitic zoonoses*. Technical Report Series 637, Geneva, pp. 107.

Zarlenga, D.S., Chute, M.B., Martin, A., Kapel, C.M. (2001): Differentiating all species of *Trichinella*. *Parasitol.* **8**, 24-26.

Zoli, A., Shey-Njila, O., Assana, E., Nguekam, J.P., Dorny, P., Brandt, J., Geerts, S. (2003): Regional status, epidemiology and impact of *Taenia solium* cysticercosis in western and central Africa. *Acta Trop.* **87**, 35-42.