

REFERENCES

- Bangtrakulnonth, A., Pornreongwong, S., Pulsrikarn, C., Sawanpanyalert, P., Hendriksen, R.S., Lo Fo Wong, D.M.A., Aarestrup, F.M. (2004): *Salmonella* serovars from humans and other sources in Thailand, 1993-2000. *Emerg. Infect. Dis.* **10**, 131-136.
- Bell, C. and Kyriakides, A. (2002): *Salmonella*, a practical approach to the organism and its control in foods. London: Backwell Science. pp. 1-25.
- Berends, B.R., Knapen, F.V., Snijders, J.M.A., Mossel, D.A.A. (1997): Identification and quantification of risk factors regarding *Salmonella* spp. on pork carcasses. *Int. J. Food Microbiol.* **36**, 199-206.
- Berends, B.R., Knapen, F.V., Mossel, D.A.A., Snijders, J.M.A. (1998): *Salmonella* spp. on pork at cutting plants and at the retail level and the influence of particular risk factors. *Int. J. Food Microbiol.* **44**, 207-217.
- Black, J.G. (2002): Microbiology-The fundamental. In: Microbiology principles and exploration. 5th ed. New York: John Wiley and Sons, Inc. pp. 2-72.
- Bolton, D.J., Pearce, R.A., Sheridan, J.J., Blair, I.S., McDowell, D.A. (2002): Washing and chilling as critical control points in pork slaughter hazard analysis and critical control point (HACCP) systems. *J. Applied Microbiol.* **92**, 893-902.
- Bornadi, S., Brindani, F., Pizzin, G., Lucidi, L., D'Incau, M., Liebana, E, Morabito, S. (2002): Detection of *Salmonella* spp., *Yersinia enterocolitica* and verocytotoxin-producing *Escherichia coli* O157 in pigs at slaughter in Italy. *Int. J. Food Microbiol.* **85**, 101-110.

Borch, E., Nesbakken, T., Christensen, H. (1996): Hazard identification in swine slaughter with respect to foodborne bacteria. *Int. J. Food Microbiol.* **30**, 9-25.

Botteldoorn, N., Herman, L., Rijpens, N., Heyndrickx, M. (2004): Phenotypic and Molecular Typing of *Salmonella* strains reveals different contamination sources in two commercial pig slaughterhouses. *Applied Environ. Microbiol.* **70** (9), 5305-5314.

Bouvet, J., Bavai, C., Rossel, R., Le Roux, A., Montet, M.P., Mazuy, C., Vernozy-Rozand, C. (2003): Evolution of pig carcass and slaughterhouse environment contamination by *Salmonella*. *Revue Méd. Vét.* **154** (12), 775-779.

Cary, W.J., Linz, J.E., Bhatnager, D. (2000): Molecular and cellular biology of *Salmonella* pathogenesis. In: *Microbial foodborne disease, Mechanisms of pathogenesis and toxin synthesis*. Lancaster: Technomic Publishing Co., INC. pp. 3-49.

Dahoo, L., Martin, W., Stryhn, H. (2003): *Veterinary epidemiological research*. Canada: Charlottetown. pp. 88-92.

Dickson, J.S., Hurd, H.S., Rostagno, M.H. (2003): *Salmonella* in the pork production chain. *Review Pork Check off*. pp. 1-12.

Doyle, M.P., Beuchat, L.R., Montville, T.J. (ed.) (2001): *Food Microbiology*. 2nd ed. Washington, D.C.: ASM Press. pp. 141-178.

Gill, C.O. and Bryant, J. (1992): The contamination of pork with spoilage bacteria during commercial dressing, chilling and cutting of pig carcasses. *Int. J. Food Microbiol.* **16**, 51-62.

Guerrant, R.L., Walker, D.H., Welter, P.F. (2001): *Essentials of tropical infectious diseases*. New York: Churchill Livingstone. pp. 146-155.

Hald, T., Wingstrand, A., Swanenburg, M., Altrock A., Thorberg B.M. (2003): The occurrence and epidemiology of *Salmonella* in European pig slaughterhouses. *Epidemiol. Infect.* **131**, 1187-1203.

Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., Williams, S.T. (2000): Facultatively Anaerobic Gram Negative Rods. In: *Bergey's Manual of Determinative Bacteriology*, 9th ed. Philadelphia: Lippincott Williams and Wilkins. pp. 175-289.

Hurd, H.S., McKean, J.D., Griffith, R.W., Wesley, I.V., Rostagno, M.H. (2002): *Salmonella enterica* infections in market swine with and without transport and holding. *Applied and Environ. Microbiol.* **68** (5), 2376–2381.

ISO 6579 (2002): International Standard: Microbiology of food and animal feeding stuffs –Horizontal method for the detection of *Salmonella* spp. Geneva: ISO copyright office.

Krieg, N.R. and Holt, J.G. (1984): *Salmonella*. In: *Bergey's manual of systematic bacteriology*. vol. 1. London: Williams and Wilkinson. pp. 427-458.

Lo Fo Wong, D.M.A. and Hald, T. (2000): *Salmonella* in pork (Pre-harvest and harvest control options based on epidemiologic, diagnostic and economic research). In: Final Report Contract no: FAIR1 CT95-0400. pp. 3-67.

Lo Fo Wong, D.M.A., Dahl, J., van der Wolf, P.J., Wingstrand, A., Leontides, L., von Altrock, A. (2003): Recovery of *Salmonella enterica* from seropositive finishing pig herds. *Vet. Microbiol.* **97**, 201-204.

Lund, M.B., Baird-Paker, T.C., Gould, G.W. (2000): The microbial safety and quality of food. vol. 2. Maryland: Aspen Publishers. pp. 1233-79.

Moat, A.G. and Foster, J.W. (1995): Microbial physiology. 3rd ed. New York: Wiley-Liss. 3, 260-261 pp.

Morris, C., Tam, C.K.P., Wallis, T.S., Jones, P.W., Hackett, J. (2003): Salmonella enterica serovar Dublin strains which are Vi antigen-positive use type IVB pili for bacterial self-association and human intestinal cell entry. Microbial Pathogen. **35** (6), 279-284.

Morrow, W. E. M. and Funk, J.A. (2001): *Salmonella* as a foodborne pathogen in pork. Animal Science Fact Sheet. ANS01-815S. August 2001.

National Aeronautics and Space Administration, NASA (2003). Science@NASA Headlines News. Available from http://science.nasa.gov/.../yeast/salmonella_sm.jpg

Oosterom, J. (1991): Epidemiological studies and proposed preventive measures in the fight against human salmonellosis. Int. J. Food Microbiol. **12**, 41-52.

Patchanee, P., Zessin, K.H., Staak, C., Srikijkarn, L., Taravijitkul, P., Tesaprateep, T. (2002): Pre-slaughter infection of *Salmonella* spp. and consideration of using The Danish Mix ELISA for monitoring Salmonella in pigs. Chiang Mai Vet. J. **1**, 33-38.

Pearce, R.A., Bolton, D.J., Sheridana, J.J., McDowell, D.A., Blair, I.S., Harrington D. (2003): Studies to determine the critical control points in pork slaughter hazard analysis and critical control point systems. Int. J. Food Microbiol. **90**, 331-339.

Popoff, M.Y., Bockemuel, J., Gheesling, L.L. (2004): Supplement 2002 (no.46) to the Kauffmann-White scheme. Reseach in Microbiol. **155**, 568-570.

Selander, R.K., Smith, N.H., Li, J., Beltran, P., Ferris, K.E., Kopecko, D.J., Rubin, F.A. (1992): Molecular evolutionary genetics of the cattle-adapted serovar *Salmonella* Dublin. *J. Bacteriol.* **174** (11), 3587–3592.

Srifuengfung, S., Chokephaibulkit, K., Yungyuen, T., Tribuddharat, C. (2005): *Salmonella meningitis* and antimicrobial susceptibilities. *Southeast Asian J. Trop. Med. Public Health.* **36**, 312-316.

Stärk, K.D., Wingstrand, A., Dahl, J., Magelmoose, V., Lo Fo Wong, D.M.A. (2002): Differences and similarities among experts' opinions on *Salmonella enterica* dynamics in swine pre-harvest. *Prev. Vet. Med.*, **53** (1-2), 7-20.

Sussman, M., Boulnois, G.J., Griffin G.E., Hormeche, C.E., Keusch, G.T., Levine, M.M., Smith H., Willium, P.L.T. (2002a): *Molecular medical microbiology*. vol. 1. Sandiago: Academic Press, pp. 52-3, 96-7.

Sussman, M., Boulnois, G.J., Griffin G.E., Hormeche, C.E., Keusch, G.T., Levine, M.M., Smith H., Willium, P.L.T. (2002b): *Molecular medical microbiology*. vol. 2. Sandiago: Academic Press, pp. 93, 1385.

Swanenburg, M., Wolf, P.J., Urlings, H.A.P., Snijders J.M.A, and Knapen, F. (2001): *Salmonella* in slaughter pigs: the effect of logistic slaughter procedures of pigs on the prevalence of *Salmonella* in pork. *Int. J. Food Microbiol.* **70**, 231-242.

Tamil Nadu Agricultural University, India (2005): *Basic Microbiology*. Available from www.tnau.ac.in/.../UGMicro/AGM151_201/theory.htm

The Commission of the European Communities (2001): *Official Journal of the European Communities* L 165/48 (2001).

Vaeteewootacharn, K., Sutra, S., Vaeteewootacharn, S., Sithigon, D., Jamjane, O., Chomvarin., C., Hahnvajjanawong, Thongsukulpanich, N., Thaewnon-giew, K. (2005): Salmonellosis and the food chain in Khon Kaen Northeastern Thailand. Southeast Asian J. Trop. Med. Public Health. **36**, 123-129.

Warriner, K., Aldsworth, T.G., Kaur, S., Dodd, C.E.R. (2002): Cross-contamination of carcasses and equipment during pork processing. J. Applied Microbiol. **93**, 169-177.

WHO (2001a): Antigenic Formulars of the *Salmonella* serovars. 8th ed. Paris: WHO Collabolation Centre for Reference and Reseach on *Salmonella*.150 p.

WHO (2001b): WHO International Training Course (Level-1) on Surveillance of Foodborne Diseases and Antimicrobial Resistance in Foodborne Pathogens. Bangkok: Global Salm-Surv. 41 p. (WHO laboratory protocols)

Wilcock, B.P. and Schwartz, K.J. (1999): In: Leman, A.D., (ed.): Diseases of swine. 8th ed. Oxford: Blackwell Science. pp. 570-582.