

REFERENCES

Ahrene SA, O'Brien NM. Dietary flavonols: Chemistry, food content, and metabolism. *Nutr* 2002; 18: 75-81.

Amagase H, Petesch BL, Matsuura H, Kasuga S, Hakura Y. Intake of garlic and its bioactive components. *J Nutr* 2001; 131: 955S-962S.

Anderson ME. Glutathione and Glutathione delivery compounds. *Adv Pharmacol* 1997; 38: 65-74.

Antioxidant glutathione. 6 Aug 2005 [Online]. Available <http://www.dur.ac.uk/d.p.dixon/GSH.gif>

Antonicelli F, Parmentier M, Drost EM, Hirani N, Rahman I, Donaldson K, MacNee W. Nacystelyn inhibits oxidant-mediated interleukin-8 expression and NF- κ B nuclear binding in alveolar epithelial cells. *Free Radic Biol Med* 2002; 32: 492-502.

Babior BM. Protein phosphorylation and respiratory burst. *Arch Biochem Biophys*. 1988; 264: 361-367.

Bae YS, Kang SW, Seo MS, Baines IC, Tekle E, Chock PB, Rhee SG. Epidermal growth factor (EGF)-induced generation of hydrogen peroxide. Role in EGF receptor-mediated tyrosine phosphorylation. *J Biol Chem* 1997; 272: 217-221.

Beckman KB, Ames BN. The free radical theory of aging matures. *Physiol Rev* 1998; 78: 547-581.

Beutler E, Duron O, Kelly BM. Improved method for the determination of blood glutathione. *J Lab Clin Med* 1963; 61: 882-888.

Bielski BH. The role of metals in aqueous superoxide chemistry. *Basic Life Sci* 1988; 49: 123-130.

Borek C. Antioxidant health effects of aged garlic extract. *J Nutr* 2001; 131: 1010S-1015S.

Boveris A, Alvarez S, Navarro A. The role of mitochondrial nitric oxide synthase in inflammation and septic shock. *Free Radic Biol Med* 2002; 33:1186-1193.

Boyle SP, Dobson VL, Duthie SJ, Kyle JA, Collins AR. Absorption and DNA protective effects of flavonoid glycosides from onion meal. *Eur J Nutr* 2000; 39: 213-223.

Cao G, Cutler RG. Protein oxidation and aging. I. Difficulties in measuring reactive protein carbonyls in tissue using 2,4-dinitrophenylhydrazine. *Arch Biochem Biophys* 1995; 320: 195-201.

Cao G, Sofic E, Prior RL. Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships. *Free Radic Bio Med* 1997; 22: 749-760.

Cathcart MK, Chisolm GM 3rd, McNally AK, Morel DW. Oxidative modification of low density lipoprotein (LDL) by activated human monocytes and the cell lines U937 and HL60. *In Vitro Cell Dev Biol* 1988; 24: 1001-1008.

Chen J, Small-Howard A, Yin A, Berry MJ. The responses of Ht22 cells to oxidative stress induced by buthionine sulfoximine (BSO). *BMC Neurosci* 2002; 6: 1-8.

Cheng SM, Yang SP, Tsao TP, Ho LJ, Lai JH. Cardiolol modulates in vitro lipopolysaccharide-induced interleukin-10 production in monocytic cells. *Acta Cardio Sin* 2003; 19: 83-92.

Cho SG, Choi EJ. Apoptotic signaling pathways: caspases and stress-activated protein kinases. *J Biochem Mol Biol* 2002; 35: 24-27.

Choi JH, Seo BR, Seo SH, Lee KT, Park JH, Park HJ, Choi JW, Itoh Y, Miyamoto K. Costunolide induces differentiation of human leukemia HL-60 cells. *Arch Pharm Res* 2002; 25: 480-484.

Dahlgren C, Johansson A, Orselius K. Difference in hydrogen peroxide release between human neutrophils and neutrophil cytoplasts following calcium ionophore activation. A role of the subcellular granule in activation of the NADPH-oxidase in human neutrophils?. *Biochim Biophys Acta* 1989; 17: 41-48.

De Kok LJ, Castro A, Durenkamp M, Koralewska A, Posthumus FS, Stuiver CEE, Yang L, Stulen I. Pathways of plant sulfur uptake and metabolism- an overview. *Landbauforschung Völkenrode Special Issue* 2005; 283: 5-13.

Dean RT, Fu S, Stocker R, Davies MJ. Biochemistry and pathology of radical-mediated protein oxidation. *Biochem* 1997; 324: 1-8.

del Bello BD, Paolicchi A, Comporti M, Pompella A, Maellaro E. Hydrogen peroxide produced during gamma-glutamyl transpeptidase activity is involved in prevention of apoptosis and maintain of proliferation in U937 cells. *FASEB J* 1999; 13: 69-79.

Desmarquest P, Chadelat K, Corroyer S, Cazals V, Clement A. Effect of hyperoxia on human macrophage cytokine response. *Respir Med* 1998; 92: 951-960.

Dillon SA, Burmi RS, Lowe GM, Billington D, Rahman K. Antioxidant properties of aged garlic extract: an in vitro study incorporating human low density lipoprotein. *Life Sci* 2003; 72: 1583-1594.

Dixon RA, Steele CL. Flavonoids and isoflavonoid -a gold mine for metabolic engineering. *Trends Plant Sci* 1999; 4: 394-400.

Du J, Gebicki JM. DNA degradation and protein peroxidation in cells exposed to hydroxyl free radicals. *Redox Rep.* 2002; 7: 329-331

Duthie GG, Duthie SJ, Kyle Janet-AM. Plant polyphenols in cancer and heart disease: implications as nutritional antioxidants. *Nutr Res Rev* 2000; 13: 79-106.

Electronic Publications at the University of Helsinki. 12 May 2002 [Online]. Available <http://ethesis.helsinki.fi/julkaisut/laa/kliin/vk/pietarinen-runtti/review.html>).

Eric B, Sriram N, David P, Shu Hai Z. Allium chemistry: HPLC analysis of thiosulfinates from onion, garlic, wild garlic (ramson), leek, scallion, shallot, elephant (great-headed) garlic, chive, and Chinese chive. *J Agric Food Chem* 1992; 40: 2418-2430.

Fantone JC, Ward PA. Inflammation. In Rubin E, Farber JL (eds). *Pathology* 3rd. Philadelphia, PA. Lippincott-Raven Publishers.1999; 36-75.

Fattorusso E, Iorizzi M, Lanzotti V, Tagliatela-Scafati O. Chemical composition of shallot (*Allium ascalonicum* Hort.). *J Agric Food Chem* 2002; 50: 5686-5690.

Fenwick GR, Hanley AB. The genus *Allium*. Part 2. *Crit Rev Food Sci Nutr* 1985; 22: 273-377.

Filomeni G, Aquilano K, Rotilio G, Ciriolo MR. Antiapoptotic response to induced GSH depletion; Involvement of heat shock protein and NF-kB activation. *Antioxid Redox Signal* 2005; 7: 446-455.

Filomeni G, Rotilio G, Ciriolo MR. Glutathione disulfide induces apoptosis in U937 cells by a redox-mediated p38 MAP kinase pathway. *FASEB J* 2003; 17: 64-66.

Fridovich I. Quantitative aspects of the production of superoxide anion radical by milk xanthine oxidase. *J Biol Chem* 1970; 245: 4053-4057.

Fu S, Gebicki S, Jessup W, Gebicki JM, Dean RT. Biological fate of amino acid, peptide and protein hydroperoxides. *Biochem J* 1995; 311: 821-827.

Fukushima S, Takada N, Hori T, Wanibuchi H. Cancer prevention by organosulfur compounds from garlic and onion. *J Cell Biochem Suppl* 1997; 27: 100-105.

Gay CA, Gebicki JM. Measurement of protein and lipid hydroperoxides in biological systems by the ferrixylenol orange method. *Anal Biochem* 2003; 315: 29-35.

Gebicki JM, Du J, Collins J, Tweeddale H. Peroxidation of proteins and lipids in suspensions of liposomes, in blood serum, and in mouse myeloma cells. *Acta Biochim Pol* 2000; 47: 901-11.

Gebicki JM. Protein hydroperoxides as new reactive oxygen species *Redox Rep* 1997; 3: 99-110.

Gebicki S, Gebicki JM. Formation of peroxides in amino acids and protein exposed oxygen free radicals. *Biochem J* 1993; 289: 743-749.

Geng Z, Lau BHS. Aged garlic extract modulated glutathione redox cycle and superoxide dismutase activity in vascular endothelial cells. *Phytother Res* 1997; 11:54-56.

Geng Z, Rong Y, Lau BHS. S-allyl cysteine inhibits activation of nuclear factor kappa B in human T cells. *Free Radic Bio Med* 1997; 23: 345-350.

German Medical Sciences. 2004 [Online]. Available <http://www.egms.de/egms/servlet/figure?id=cto000002&figure=f12&vol=2004-3>.

Gieseg S, Duggan S, Gebicki JM. Peroxidation of protein before lipids in U937 cells exposed to peroxy radicals. *Biochem J* 2000; 350: 215-218.

Griess Reagent System. Instructions for use of product G2930. Promega Corporation. Part# TB229. Technical Bulletin. USA. 1950-2005.

Halliwell B, Gutteridge J. Role of free radicals and catalytic metal ions in human disease; an overview. *Methods Enzymol* 1990; 186: 1-85.

Hawkins CL, Davies MJ. Generation and propagation of radical reactions on proteins. *Biochimica Biophys Acta* 2001; 1504: 196-219.

Hendrickson HP, Sahafayen M, Bell MA, Kaufmen AD, Hadwiger ME, Lunte CE. Relationship of flavonoid oxidation potential and effect of rat hepatic microsomal metabolism of benzene and phenol. *J Pharm Biomed Anal* 1994; 12: 335-341.

Hill A, Gompertz G, Stockley R. Factors influencing airway inflammation in chronic obstructive pulmonary disease. *Thorax* 2000; 33: 970-977.

Hirsch K, Danilenko M, Giat J, Miron T, Rabinkov A, Wilcheck M, Mirelman O, Levy J, Sharoni Y. Effect of purified allicin, the major ingredient of freshly crushed garlic, on cancer cell proliferation. *Nutr Cancer* 2000; 38: 245-254.

Hong G, Peiser G, Cantwell MI. Use of controlled atmospheres and heat treatment to maintain quality of intact and minimally processed green onions. *Postharvest Biol Technol* 2000; 20: 53-61.

Ide N, Lau. Garlic compounds minimize intracellular oxidative stress and inhibit nuclear factor κ B activation. *Nutr* 2001; 131: 1020S-1026S.

Imai J, Ide N, Nagae S, Moriguchi T, Matsuura H, Itakura Y. Antioxidant and radical scavenging effects of aged garlic extract and its constituents. *Planta Med* 1994; 60: 417-420.

Ito Y, Mishra NC, Yoshida K, Kharbanda S, Saxena S, Kufe D. Mitochondrial targeting of JNK/SAPK in the phorbol ester response of myeloid leukemia cells. *Cell Death Differ*. 2001; 8: 794-800.

Jha HC, Bergmann C, Zilliken F. Inhibitors of hydrogen peroxide-induced haemolysis of bovine erythrocytes. *Biochem Pharmacol* 1984; 33: 1893-1895.

Jibiki I, Hashimoto S, Maruoka S, Gon Y, Matsuzawa A, Nishitoh H, Ichijo H, Horie T. Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates nitric oxid-induced activator protein-1 activation in human bronchial epithelial cells. *Am J Respir Crit Care Med*. 2003; 167: 856-861.

Jovanovic SV, Steenken S, Tosic M, Marjanovic B, Simic MG. Flavonoids as antioxidants. *J Am Chem Soc* 1994; 116: 4846-4851.

Kahkonen MP, Hopia AI, Vuorela HJ, Rauha JP, Pihlaja K, Kujala TS, Heinonen M. Antioxidant activity of plant extracts containing phenolic compounds. *J Agric Food Chem* 1999; 47: 3954-3962.

Kass GE. Free-radical-induced changes in cell signal transduction In; Free Radical Toxicology, Wallace KB (ed). Washington. Taylor&Francis.1997; 349-374.

Kaku H, Goldstein IJ, Van Damme EJ, Peumans WJ. New mannose-specific lectins from garlic (*Allium sativum*) and ramsons (*Allium ursinum*) bulbs. Carbohydr Res 1992; 229: 347-353

Kehrer JP. The Haber-Weiss reaction and mechanisms of toxicity. Toxicology 2000; 149: 43-50.

Kelly MR, Geigerman CM, Loo G. Epigallocatechin gallate protects U937 cells against nitric oxide-induced cell cycle arrest and apoptosis. J Cell Biochem 2001; 81: 647-658.

Kim M-Y, Choi S-W, Chung S-K. Antioxidative flavonoids from the garlic (*Allium sativum* L.) shoot. Food Sci Biotechnol 2000; 9: 199-203.

Lanping M, Zaiqun L, Bo Z, Li Y, Zhongli L. Inhibition of free radical induced oxidative hemolysis of red blood cells by green tea polyphenols. Chin Sci Bull 2000; 45: 2052-2056.

Lau BSH. Suppression of LDL oxidation by garlic. J Nutr 2001; 131: 985S-988S.

Lawson L, Wang Z,-Y, Hughes BG. Identification and HPLC quantitation of the sulfides and dialk(en)yl thiosulfinates in commercial garlic products. Planta Med 1991; 57: 363-370.

Lee ES, Steiner M, Lin R. Thioallyl compounds: Potent inhibitor of cell proliferation. Biochim Biophys Acta 1994; 1221: 73-77.

Leighton T, Ginther C, Fluss L, Harter WK, Cansado J, Notaro V. Molecular characterization of quercetin and quercetin glycosides in *Allium* vegetables. Their effects on malignant cell transformation. In; Phenolic compounds from food and their effect on health; Huang MT, Ho CT, Lee CY (eds), ACS Symp Ser 1992; 507: 220-238.

Liu F, Ng TB. Antioxidative and free radical scavenging activities of selected medicinal herbs. Life Sci 2000; 66: 725-35.

Lucienne BB and Annick D. Flavonoids from *Allium ascalonicum* bulbs. Sciences, Serie D: Sci Naturelles 1967; 265: 2118-19.

Matsuura H, Ushiroguchi T, Itakura Y, Hayashi H, Fuwa T. A furostanol glycoside from garlic bulbs of *Allium sativum* L. *Chem Pharm Bull* 1988; 36: 3659-3663.

Meyer M, Saselman WH, Schluter V, Schreck R, Hofschneider PH., Baeuerle, P.A. Hepatitis B virus transactivator MHBs; activation of NF- κ B, selective inhibition by antioxidants and integral membrane localization. *EMBO J* 1992; 11: 2991-3001.

Miller NJ. Nonvitamin plasma antioxidants. In *Free radical and antioxidant protocol.*, Armstrong D (ed). New Jersey. Humana Press Inc. 1998: 285-297.

Miller MJS, Sandoval M, Ribbons KA, Mannick EE. Nitric oxide and cell death in inflammation. In; Laskin JD, Laskin DL (eds). *Cellular and molecular biology of nitric oxide*. New York. Marcel Dekker Press 1999; 247-267.

Mitchell RN, Corain RS. Acute and chronic inflammation. In; Kumar V, Cotran RS, Robbins SL (eds). *Robbins Basic Pathology 7th*. Philadelphia, PA. Saunders Press. 2003; 33-59.

Moncada S, Palmer RM, Higgs EA. Biosynthesis of nitric oxide from L-arginine. A pathway for the regulation of cell function and communication. *Biochem. Pharmacol* 1989; 38: 1709-1715.

Moriguchi T, Takasugi N, Itakura Y. The effects of aged garlic extract on lipid peroxidation and the deformability of erythrocytes. *J Nutr* 2001; 1331: 1016S-1019S.

Mossman BT, Stern M. Cell Signaling by oxidants: mitogen-activated protein kinases (MAPK) and activator protein -1 (AP-1). College of pathology, University of Medicine. Burlington. 2002 Available from; <http://www.medicine.uiowa.edu/frrb/VirtualSchool/Mossman-Stern-Signaling.pdf>.

Mosmann T. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Method* 1983; 65: 55-63.

Myhrstad MC, Carlsen H, Nordstrom O, Blomhoff R, Moskaug JO. Flavonoids increase the intracellular glutathione level by transactivation of the gamma-glutamylcysteine synthetase catalytic subunit promoter. *Free Radic Bio Med* 2002; 32: 386-393.

Nakagawa S, Kasuga S, Matsuura H. Prevention of liver damage by aged garlic extract and its components in mice. *Phytother Res* 1988; 1:1-4.

Navasumrit P, Ward TH, Dodd NJ, O'Connor PJ. Ethanol-induced free radicals and hepatic DNA strand breaks are prevented in vivo by antioxidants: effects of acute and chronic ethanol exposure. *Carcinogenesis*. 2000; 21: 93-99.

Niki E. Free radical initiators as source of water- or lipid-soluble peroxy radicals. *Methods Enzymol* 1990; 186: 100-108.

Nuutila AM, Puupponen-Pimia R, Aarni M, Oksman-Caldentey K-M. Comparison of antioxidant activities of onion and garlic extracts by inhibition of lipid peroxidation and radical scavenging activity. *Food Chem* 2003; 81: 485-493.

O'Brien J, Gillies DG. Product of the maillard reaction in aged garlic extract are antioxidants. Nutritional and health benefits garlic as a supplement conference, Newport beach, CA, 1998; 66 (Abstract).

O'Donnell JH, Sangster DF. Principles of radiation chemistry. London. Edward Arnold. 1970.

Oda T, Iwaoka J, Komatsu N, Muramatsu T. Involvement of N-acetylcysteine-sensitive pathways in ricin-induced apoptotic cell death in U937 cells. *Biosci Biotechnol Biochem* 1999; 63: 341-348.

Ohshima H, Tatemichi M, Sawa T. Chemical basis of inflammation-induced carcinogenesis. *Arch Biochem Biophys* 2003; 417: 3-11.

Olsson B, Johansson M, Gabrielsson J, Bolme P. Pharmacokinetics of reduced and oxidized N-acetylcysteine. *Eur J Clin Pharmacol* 1988; 34: 77-82.

Perchellet JP, Perchellet EM, Abney NL, Zirnstein JA, Belman S. Effects of garlic and onion oils on glutathione peroxidase activity, the ratio of reduced/oxidized glutathione and ornithine decarboxylase induction in isolated mouse epidermal cells treated with tumor promoters. *Cancer Biochem Biophys* 1986; 8: 299-312.

Pinto JT, Rivlin RS. Antiproliferative effects of Allium derivatives from garlic. *J Nutr* 2001; 131: 1085S-1060S.

Pocernich CB, Fontaine ML, Butterfield DA. In-vivo glutathione elevation protects against hydroxyl free radical-induced protein oxidation in rat brain. *Neurochem Int* 1990; 36: 185-191.

Poli G. Introduction serial review: reactive oxygen and nitrogen in inflammation. *Free Radic Biol Med* 2002; 33: 301-302.

Prasad K, Laxdal VA, Yu M, Raney BL . Evaluation of hydroxyl radical-scavenging property of garlic. *Mol Cell Biochem* 1996; 154: 55-63.

Rahman I, MacNee W. Lung glutathione and oxidative stress: implications in cigarette smoke-induced airway disease. *Am J Physiol* 1999; L1067-1088.

Rahman I, MacNee W. Regulation of redox glutathione levels and gene transcription in lung inflammation; therapeutic approaches. *Free Radic Bio Med* 2000; 28: 1405-1420.

Re R, Pellegrin N, Proteggente A, Pannala A, Yang M, Rice-Evan C. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radic Biol Med* 1999; 26: 12131-12137.

Rioux N, Castonguay. The induction of cyclooxygenase-1 by a tobacco carcinogen in U937 human macrophages is correlated to the activation of NF-kB. *Carcinogenesis* 2000; 21: 1745-1751.

Rylander R. Evaluation of the risks of endotoxin exposure. *Int J Occup Environ Health* 1997; 3: S32-S36.

Schreck R, Rieber P, Baeuerle PA. Reactive oxygen intermediates as apparently widely used messengers in the activation of the NF-kB transcription factor and HIV-1. *EMBO J* 1991; 10: 2247-2258.

Scott MD, Eaton JW. Markers of free-radical mediated tissue injury: Tales of caution of woe In; *Free Radical Toxicology*, Wallace KB (ed). Washington. Taylor & Francis. 1997; 401-420.

Simpson JA, Narita S, Gieseg S, Gebicki S, Gebicki JM. Long-lived reactive species on free-radical-damaged proteins. *Biochem J* 1992; 282: 621-624.

Stingleton V, Rossi J. Calorimetry of total phenolics with phosphomolybdic and phosphotungstic acid reagents. *Am J Enol Vitic* 1965; 16: 144-158.

Stuehr DJ, Marletta MA. Mammalian nitrate biosynthesis: mouse macrophages produce nitrite and nitrate in response to E.coli lipopolysaccharide. *Proc Natl Acad Sci* 1985; 77: 738-7742.

Sumiyoshi H, Wargovich MJ. Garlic (*Allium sativum* L.): a review of its relationship to cancer. *Asia Pacific J Pharm* 1989; 4: 133-140.

Sundaram SG, Milner JA. Diallyl disulfide inhibits the proliferation of human tumor cells in culture. *Biochim Biophys Acta* 1996; 1315: 15-20.

Tatsuya O, June I, Nobukazu N, Tsuyoshi M. Involvement of N-acetylcysteine-sensitive pathways in ricin-induced apoptotic cell death in U937 cells. *Biosci Biotechnol Biochem* 1999; 63: 341-348.

Terrance L, Charles G, Larry F, William HK, Jose C, Vicente N. Molecular characterization of quercetin and quercetin glycosides in *Allium* vegetables. Their effects on malignant cell transformation. *ACS Symp Ser* 1992; 50: 220-238.

Tietze, E. Enzymatic method for quantitative determination of nanogram amounts of total and oxidized glutathione; applications to mammalian blood and other tissues. *Anal Biochem* 1969; 27: 502-522.

Tweeddale H, Gebicki JM. Effect of proteins and amino acid on oxidation of liposomes by hydroxyl and peroxy free radicals. *Redox Rep* 2002; 7: 332-334.

van Acker SA, de Groot MJ, van den Berg DJ, Tromp MN, Donne-Op den Kelder G, van der Vijgh WJ, Bast A. A quantum chemical explanation of the antioxidant activity of flavonoids. *Chem Res Toxicol* 1996; 9: 1305-1312.

Vanhee D, Delneste Y, Lassalle P, Gosset P, Joseph M, Tonnel AB. Modulation of endothelial cell adhesion molecule expression in a situation of chronic inflammatory stimulation. *Cell Immunol* 1994; 155: 446-456.

Vlahopoulos S, Boldogh I, Casola A, Brasier AR. Nuclear factor-kappaB-dependent induction of interleukin-8 gene expression by tumor necrosis factor alpha: evidence for an antioxidant sensitive activating pathway distinct from nuclear translocation. *Blood* 1999; 15: 1878-1889.

Wei Z, Lau BH. Garlic inhibits free radical generation and augments antioxidant enzyme activity in vascular endothelial cells. *Nutr Res* 1998; 18: 61-70.

Weinberg JB. Nitric oxide and inflammation in autoimmune disorders. In Laskin JD (ed). *Cellular and molecular biology of Nitric oxide*. New York, Marcel Dekker Press. 1999; 199-224

Winterbourn CC. Comparative reactivities of various biological compounds with myeloperoxidase-hydrogen peroxide-chloride, and similarity of the oxidant to hypochlorite. *Biochim Biophys Acta* 1985; 18: 204-210.

Wright A, Hawkins CL, Davies MJ. Photo-oxidation of cells generates long-lived intracellular protein peroxides. *Free Radic Biol Med* 2003; 34: 637-47.

Wu CC, Sheen LY, Chen HW, Tsai SJ, Lii CK. Effects of organosulfur compounds from garlic oil on the antioxidation system in rat liver and red blood cells. *Food Chem Toxicol* 2001; 9: 563-569.

Xiaolin Y, Linghua M, Ruijun D, Buqian X. Evaluating antioxidant activity of several kinds of fruit and vegetable. *Shipin Kexue (Beijing, China)* 2001; 22: 52-56.

Yamazaki K, Hasshimoto A, Kokusenya Y, Miyamoto T, Sato T. Electrochemical method for estimating the antioxidative effect of methanol extracts of crude drugs. *Chem Pharm Bull* 1994; 42: 1663-1685.

Yeh Y, Yeh S. Garlic reduces plasma lipids by inhibiting hepatic cholesterol and triacylglycerol synthesis. *Lipids* 1994; 29: 189-193.

Ying M-C, Hwang S-W, Chan K-C. Nonenzymatic antioxidant activity of four organosulfur compounds derived from garlic. *J Agric Food Chem* 2002; 50: 6143-6147.

Yoshikawa T, Naito Y. What is oxidative stress?. *JMA* 2002; 45: 271-276.