

## REFERENCES

- Abdel-Hafez, S.I.I. (1984). Mycoflora of bean, broad bean, lentil, lupine and pea seeds in Saudi Arabia. *Mycopathologia* 88: 45-49.
- Adaskaveg, J.E., Blanchette, R.A., Gilbertson, R.L. (1991). Decay of date palm wood by white-rot and brown-rot fungi. *Canadian Journal of Botany* 69: 615-629.
- Alcorn, J.L. (1994). Appressoria in *Mycoleptodiscus* species. *Australian Systematic Botany* 7: 591-603.
- Alexopoulos, C.J., Mim, C.W. and Blackwell, M. (1996). *Introductory mycology*. 4<sup>th</sup> ed. New York, John Wiley and Sons Inc.
- Alfaro, M.E., Zoller, S. and Lutzoni, F. (2003). Bayes or bootstrap. A simulation study comparing the performance of Bayesian Markov chain Monte Carlo sampling and bootstrapping in assessing phylogenetic confidence. *Molecular Biology and Evolution* 20: 255-266.
- Andrews, J.H., Hecht, E.P. and Bashirian, S. (1985). Association between the fungus *Acremonium curvulum* and Eurasian water milfoil, *Myriophyllum spicatum*. *Canadian Journal of Botany* 60: 1216-1221.
- Anonymous. (1995). *JMP® Statistics and Graphics Guide, Version 3.1*. SAS Institute, Cary, NC, USA.
- Arambarri, M. and Cabello, M.N. (1989). A numerical taxonomic study of some phialidic genera of hyphomycetes: cluster analysis. *Mycotaxon* 34: 679-696.
- Bacon, C.W. and White, J.F. (2000). *Microbial Endophytes*. Marcel Dekker Inc., New York, USA.
- Baker, G.E., Dunn, P.H. and Sakai, W.S. (1979). Fungus communities associated with leaf surfaces of endemic vascular plants in Hawaii. *Mycologia* 71: 272-292.
- Barnett, H.L. and Hunter, B.B. (1972). *Illustrated Genera of Imperfect Fungi*. Burgess Publishing Company, Minnesota.
- Barr, M.E. (1976a). *Buergenerula* and the Physosporellaceae. *Mycologia* 68: 611-621.
- Barr, M.E. (1976b). Perspectives in the Ascomycotina. *Memories New York Botanic Garden* 28: 1-8.

- Barr, M.E. (1977). *Magnaporthe*, *Telimenella*, and *Hyponectria* (Physosporellaceae). *Mycologia* 69: 952-966.
- Barr, M.E. (1980). On the family Tubeufiaceae (Pleosporales). *Mycotaxon* 71: 935-957.
- Barr, M.E. (1993). Redisposition of Ellis taxa: A correction. *Mycotaxon* 48:537.
- Berbee, M.L. (2001). The phylogeny of plant and animal pathogens in the Ascomycota. *Physiology Molecular Plant Pathogen* 59: 165-187.
- Bertoni, M.D. and Cabral, D. (1988). Phyllosphere of *Eucalyptus viminalis*. II: Distribution of endophytes. *Nova Hedwigia* 46: 491-502.
- Bills, G.F. and Polishook, J.D. (1992). Recovery of endophytic fungi from *Chamaecyparis thyoides*. *Sydowia* 44: 1-12.
- Bills, G.F., Rossman, A.Y. and Polishook, J.D. (1994). Rediscovery of *Albosynnema elegans* and *Solheimia costaspora*. *Sydowia* 46: 1-11.
- Boddy, L. and Griffith, G.S. (1989). Role of endophytes and latent invasion in the development of decay communities in sapwood of angiospermous trees. *Sydowia* 41: 41-73.
- Boonphong, S., Kittakoop, P., Isaka, M., Pittayakhajonwut, D., Tanticharoen, M. and Thebtaranonth, Y. (2001). Multiplolides A and B, new antifungal 10-membered lactones from *Xylaria multiplex*. *Journal Natural Product* 64: 965-967.
- Booth, C. (1957). Studies on pyrenomycetes I. and II. *Mycological Papers* 68: 1-17.
- Booth, T. and Kenkel, N. (1986). Ecological studies of lignicolous marine fungi: a distribution model based on ordination and classification. In Moss S.T. (Ed.), *The Biology of Marine Fungi* (pp. 297-310), Cambridge: Cambridge University Press.
- Brooks, F. (2002). List of plant diseases in American Samoa 2002. *Land Grant Technical Report No. 38*: 1-50.
- Brown, K.B., Hyde, K.D. and Guest, D.I. (1998). Preliminary studies on endophytic fungal communities of *Musa acuminata* species complex in Hong Kong and Australia. *Fungal Diversity* 1: 27-51.

- Bryan, G.T., Daniels, M.J. and Osbourn, A.E. (1995). Comparison of fungi within the *Gaeumannomyces-Phialophora* complex by analysis of ribosomal DNA sequences. *Applied Environmental Microbiology* 61: 681-689.
- Bussaban, B. (2005). "Biodiversity of Endophytic and Saprobiic Fungi in Wild and Cultivated Zingiberaceae", Ph.D.'s thesis, Chiang Mai University, Thailand.
- Bussaban, B., Lumyong, P., McKenzie, E.H.C., Hyde, K.D and Lumyong, S. (2004). Fungi on Zingiberaceae (ginger). In E.B.G. Jones, M. Tantichareon and K.D. Hyde (Eds.), *Thai Fungal Diversity* (pp. 189-195). BIOTEC, Bangkok, Thailand.
- Bussaban, B., Lumyong, S., Lumyong, P., Hyde, K.D and McKenzie, E.H.C. (2003). Three new species of *Pyricularia* are isolated as Zingiberaceous endophytes from Thailand. *Mycologia* 95: 521-526.
- Bussaban, B., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2001a). A synopsis of the genus *Berkleasmium* with two new species and new records of *Canalisporium caribense* from Zingiberaceae in Thailand. *Fungal Diversity* 8: 73-85.
- Bussaban, B., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2001c). Endophytic fungi from *Amomum siamense*. *Canadian Journal of Microbiology* 47: 943-948.
- Bussaban, B., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2001b). Two new species of endophytes (ascomycetes) from Zingiberaceae sporulating in culture. *Nova Hedwigia* 73: 487-493.
- Bussaban, B., Lumyong, S., Lumyong, P., Seelanan, T., McKenzie, E.H.C and Hyde, K.D. (2005). Molecular and morphological characterization of *Pyricularia* and allied genera. *Mycologia* 97: 1002-1011.
- Cai, L., Jeewon, R. and Hyde, K.D. (2006). Phylogenetic investigations of Sordariaceae based on multiple gene sequences and morphology. *Mycological Research* 110: 137-150.
- Cai, L., Tsui, K.M., Zhang, K.Q. and Hyde, K.D. (2002). Aquatic fungi from Lake Fuxian, Yunnan, China. *Fungal Diversity* 9: 57-70.

- Câmara, M.P.S., Palm, M.E., van Berkum, P. and Stewart, E.L. (2001). Systematics of *Paraphaeosphaeria*: a molecular and morphological approach. *Mycological Research* 105: 41-56.
- Cannon, P.F. (1994). The newly recognized family Magnaporthaceae and its interrelationships. *Systema Ascomycetorum* 13:25-42.
- Cannon, P.F. (1997). Diversity of the *Phyllachoraceae* with special reference to the tropics. In K.D. Hyde (Ed.), *Biodiversity of Tropical Microfungi* (pp.255-278). Hong Kong: Hong Kong University Press.
- Cannon, P.F. and Alcorn, J.L. (1994). *Omnidemputus affinis* gen. et sp. nov., teleomorph of *Mycoleptodiscus affinis* sp. nov. *Mycotaxon* 51:483-487.
- Carmichael, J.W., Kendrick, W.B., Conners, I.L. and Lynne Sigler. (1980). *Genera of Hyphomycetes*. The University of Alberta Press, Edmonton, Alberta, Canada, 386p.
- Carris, L.M. and Glawe, D.A. (1988). *Dictyochaeta heteroderae*, comb. nov. *Mycotaxon* 33: 23.
- Carroll, G. and Petrini, O. (1983). Patterns of substrate utilization by some fungal endophytes from coniferous foliage. *Mycologia* 75: 53-63.
- Castlebury, L.A., Rossman, A.Y., Jaklitsch, W.J. and Vasilyeva, L.N. (2002). A preliminary overview of the Diaporthales based on large subunit nuclear ribosomal DNA sequences. *Mycologia* 94:1017-1031.
- Checa, J., Ramaley, A.W., Palm-Hernandez, M.E. and Câmara, M.P.S. (2002). *Paraphaeosphaeria barrii*, a new species on *Yucca schidigera* from Mexico. *Mycological Research* 106: 375-379.
- Chen, W., Shearer, C.A. and Crane, J.L. (1999). Phylogeny of *Ophioceras* spp. based on morphological and molecular data. *Mycologia* 91:84-94.
- Chenna, R., Sugawara, H., Koike, T., Lopez, R., Gibson T.J., Higgins, D.G. and Thompson, J.D. (2003). Multiple sequence alignment with the Clustal series of programs. *Nucleic Acids Research* 31:3497-3500.
- Choi, Y.W., Hyde, K.D. and Ho, W.H. (1999). Single spore isolation of fungi. *Fungal Diversity* 3: 29-38.
- Clay, K. (1988). Fungal endophytes of grasses: a defensive mutualism between plants and fungi. *Ecology* 69: 10-16.

- Clay, K. (1992). Fungal endophytes from plants: biological control and chemical diversity. *Natural Toxins* 1: 147-149.
- Conway, K.E. and Barr, M.E. (1977). Classification of *Ophioceras dolichostomum*. *Mycotaxon* 5:376-380.
- Couch, B.C. and Kohn, L.M. (2002). A multilocus gene genealogy concordant with host preference indicates segregation of a new species, *Magnaporthe oryzae* from *M. grisea*. *Mycologia* 94:683-693.
- Daecon, J.W. (1988). *Introduction to Modern Mycology*. Billing & Sons Ltd, Worcester, pp.1-239.
- Dalisay, T.U. (1998). "Biodiversity of microfungi associated with species of *Bambusa* and *Dendrocalamus*", Ph.D.'s thesis, The University of Hong Kong.
- Dennis, R.W.G. (1986). *Fungi of the Hebrides*. Royal Botanic Garden, Kew, 383 pages.
- Dickinson, C.H. (1967). Fungal colonization of *Pisum* leaves. *Canadian Journal of Botany* 45: 915-927.
- Dix, N.J. and Webster, J. (1985). *Fungal Ecology*. Chapman & Hall, London.
- Dreyfuss, M.M. and Petrini, O. (1984). Further investigations on the occurrence and distribution of endophytic fungi in tropical plants. *Botanica Helvetica* 94: 33-40.
- Dulymamode R., Kirk, P.M. and Peerally, A. (1999). Fungi from Mauritius: three new hyphomycete species endemic plants. *Mytaxon* 73: 313-323.
- Dulymamode R., Wu, W. and Peerally, A. (1998e). Three new hyphomycetes on *Pandanus* leaves from Mauritius. *Mycoscience* 39: 285-291.
- Dulymamode, R., Cannon, P.F. and Peerally, A. (1998a). Fungi from Mauritius: *Anthostomella* species on Pandanaceae. *Mycological Research* 102:1319–1324.
- Dulymamode, R., Cannon, P.F. and Peerally, A. (1998b). Fungi from Mauritius: three *Astrocytis* species from *Pandanus*. *Mycological Research* 102:1325–1330.
- Dulymamode, R., Cannon, P.F. and Peerally, A. (1998c). Fungi from Mauritius: *Linocarpon* species on *Pandanus*. *Mycological Research* 102:1331–1337.

- Dulymamode, R., Cannon, P.F. and Peerally, A. (1998d). Fungi from Mauritius: *Rubikia splendida* sp. nov., a coelomycete with unusual features. *Mycological Research* 102:1242–1244.
- Dulymamode, R., Cannon, P.F. and Peerally, A. (2001a). Fungi on endemic plants of Mauritius. *Mycological Research* 105:1472–1479.
- Dulymamode, R., Cannon, P.F., Hyde, K.D. and Peerally, A. (2001b). Four new ascomycetes species from endemic *Pandanus* of Mauritius. *Fungal Diversity* 8: 87-96.
- Eaton, R.A. and Jones, E.B.G. (1970). New fungi on timber from water-cooling towers. *Nova Hedwigia* 19: 779-786.
- Ellis, M.B. (1971). *Dematiaceous Hyphomycetes*. Commonwealth Mycological Institute, Kew.
- Ellis, M.B. (1976). *More Dematiaceous Hyphomycetes*. Commonwealth Mycological Institute, Kew.
- Eriksson, O. (1967). On graminicolous Pyrenomycetes from Fennoscandia 1. *Arkiv for Botanik, Series 2*, 6: 381-440.
- Eriksson, O.E. (1999). Outline of Ascomycota-1999. [*Myconet* 3: 1-88.]. <http://www.umu.se/myconet/M3.html>.
- Eriksson, OE. (2005). Outline of Ascomycota-2005. [*Myconet* 11: 1-113.] <http://www.umu.se/myconet/M11a.html>.
- Fallah, P.M. and Shearer, C.A. (1998). Freshwater Ascomycetes: *Phomatospora* spp. from lakes in Wisconsin. *Mycologia* 90: 323-329.
- Farr, D.F., Bills, G.F., Chamuris, G.P. and Rossman, A.Y. (1989). *Fungi on Plants and Plant Products in the United States*. APS Press, Minnesota, USA.
- Fell, J.W. and Hunter, I.L. (1979). Fungi associated with the decomposition of the black rush, *Juncus roemerianus*, in south Florida. *Mycologia* 71: 322-342.
- Fell, J.W., Cefalu, R.C., Master, I.M. and Tallman, A.S. (1975). Microbial activities in the mangrove leaf detrital system. In G. Walsh, S. Snedaker and H. Teas (Eds.), *The Biology and Management of Mangroves*, Gainsville (pp. 661-679), University of Florida.
- Felsenstein, J. (1985). Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* 6: 227-242.

- Fisher, P.J. and Petrini, O. (1992). Fungal saprobes and pathogens as endophytes of rice (*Oryza sativa L.*). *New Phytologist* 127: 133-137.
- Frankland, J.C. (1992). Mechanisms in fungal succession. In D.T. Wicklow and G.C. Carroll (Ed.), *The Fungal Community: Its Organization and Role in the Ecosystem 2<sup>nd</sup> edn.* (pp.383-401), Marcel Dekker Press, New York.
- Frankland, J.C. (1998). Fungal succession-unravelling the unpredictable. *Mycological Research* 102: 1-15.
- Freeman, J. and Ward, E. (2004). *Gaeumannomyces graminis*, the take-all fungus and its relatives. *Molecular Plant Pathology* 5: 235-252.
- Fröhlich, J. and Hyde K.D. (1999). Biodiversity of palm fungi in the tropics: are global fungal diversity estimates realistic? *Biodiversity and Conservation* 8: 977-1004.
- Fröhlich, J. and Hyde K.D. (2000). *Palm Microfungi*. Fungal Diversity Research Series 3, Fungal Diversity Press, Hong Kong, 380 p.
- Fröhlich, J. and Hyde, K.D. (1994). New *Oxydothis* species associated with palm leaf spots in north Queensland, Australia. *Mycological Research* 98: 213-218.
- Fröhlich, J. and Hyde, K.D. (1995). *Astrosphaeriella fronsicola* sp. nov. associated with leaf spots of *Oraniopsis* and other palms. *Mycological Research* 99: 453-456.
- Fröhlich, J., Hyde, K.D. and Petrini, O. (2000). Endophytic fungi associated with palms. *Mycological Research* 104: 1202-1212.
- Gams, W. (2000). *Phialophora* and some similar morphologically little-differentiated anamorphs of divergent ascomycetes. *Studies in Mycology* 45: 187-199.
- Gams, W. and Holubova-Jechova, V. (1976). *Chloridium* and some other Dematiaceous Hyphomycetes growing on decaying wood. *Study in Mycology*, 13: 90-93.
- Gamundi, I.J., Arambarri, A.M. and Giaiotti, A.L. (1977). Microflora de la Hojarasca de Nothofagus dombeyi. *Darwiniana* 21: 81-114.
- Gardner, S., Sidisunthorn, P. and Anusarnsunthorn, V. (2000). *A Field Guide to Forest Trees of Northern Thailand*. Bangkok: Kobfai Publishing Project.
- Gené, J., and J. Guarro. (1996). A new *Chaetomium* from Thailand. *Mycological Research* 100:1005-1009.

- Goh, T.K and Hyde, K.D. (1999). Fungi on submerged wood and bamboo in the Plover Cove Reservoir, Hong Kong. *Fungal Diversity* 3: 57-85.
- Goh, T.K. and Hyde, K.D. (2000). A new species of *Canalisporium* from Australia. *Mycologia* 92: 589-592.
- Goh, T.K., Ho W.H., Hyde, K.D. and Umali, T.E. (1997). New records and species of *Sporoschisma* and *Sporoschismopsis* from submerged wood in the tropics. *Mycological Research* 101: 1295-1307.
- Goh, T.K., Ho, W.H., Hyde, K.D., Whitton, S.R. and Umali, T.E. (1998). New records and species of *Canalisporium* (Hyphomycetes), with a revision of the genus. *Canadian Journal of Botany* 76: 142-152.
- Guo., L.D., Hyde, K.D. and Liew, E.C.Y. (1998). A method to promote sporulation in palm endophytic fungi. *Fungal Diversity* 1: 109-113.
- Hall, T.A. (1999). BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series* 41: 95-98
- Hanlin, R.T. (1998). *Illustrated Genera of Ascomycetes, Vol. II*, The American Phytopathological Society, Minnesota.
- Hansen, K., Perry, B.A. and Pfister, D.H. (2005). Phylogenetic origins of two cleistothelial fungi, *Orbicula parietina* and *Lasiobolidium orbiculoides*, within the operculate discomycetes. *Mycologia* 97: 1023-1033.
- Hata, K. and Futai, K. (1993). Effect of needle aging on the total colonization rates of endophytic fungi on *Pinus thunbergii* and *Pinus densiflora* needles. *Journal of Japanese Forest Society* 75: 338-341.
- Hawksworth, D.L. (1981). *Astrospheeriella* Sydow, a misunderstood genus of melanommataceous pyrenomycetes. *Botanical Journal of the Linnaean Society*, 87: 35-59.
- Hawksworth, D.L. (1991). The fungal dimension of biodiversity: magnitude, significance, and conservation. *Mycological Research* 95: 641-655.
- Hawksworth, D.L. (2002). Why study tropical fungi?. In R. Walting, J.C. Frankland, A.M. Ainsworth, S. Isaac and C.H. Robinson (Eds.), *Tropical Mycology-Micromycetes 2* (pp. 1-11), CABI Publishing.

- Hawksworth, D.L., Kirk, B.C., Sutton, B.C. and Pegler, D.N. (1995). *Ainsworth and Bisby's Dictionary of the Fungi*. C.A.B. International, Wallingford, U.K.
- Hawksworth, D.L., Minter, D.W., Kinsey, J. and Cannon, P.F. (1996). Inventorying a tropical fungal biota: intensive and extensive approaches. In K.K. Janardhanan, C. Rajendran, K. Natacajan and D.L. Hawksworth (Eds.) *Tropical Mycology*. Oxford & IBH Publishing, UK.
- Hawksworth, D.L., Sutton, B.C. and Ainsworth, G.C. (1983). *Ainsworth and Bisby's Dictionary of the Fungi*. Commonwealth Mycological Institute.
- Hedjaroude, G.A. (1968). Etudes taxonomiques sur les *Phaeosphaeria* Miyake et leurs formes voisines (Ascomycetes). *Sydowia*, 22: 57-107.
- Hering, T.F. (1965). Succession of fungi in the litter of a lake district oakwood. *Transactions of the British Mycological Society* 48: 391-408.
- Ho, W.H. and Hyde, K.D. (2000). A new family of freshwater ascomycetes. *Fungal Diversity* 4: 21-36.
- Hogg, B.M. and Hudson, H.J. (1966). Microfungi on leaves of *Fagus sylvatica*. I. The microfungal succession. *Transactions of the British Mycological Society* 49: 185-192.
- Holubová-Jechová, V. (1988). Studies on hyphomycetes from Cuba VIII. A new genus *Pericaudilium* and some species new for the territory of Cuba. *Eská Mykologie* 42: 200-204.
- Holubová-Jechová, V. and Mercado-Sierra, A. (1984). Studies on Hyphomycetes from Cuba II. Hyphomycetes from the Isla de la Juventud. *Česká Mykologie* 38: 96-120.
- Holubová-Jechová, V. and Mercado-Sierra, A. (1986). Studies on Hyphomycetes from Cuba IV. Dematiaceous Hyphomycetes from the Province Pinar del Rio. *Česká Mykologie* 40: 142-164.
- Hosagoudar, V.B. (1996). Meliolales of India. *Journal of Economic and Taxonomic Botany* 18: 253-265.
- Hosagoudar, V.B. and Abraham, T.K. (1999). New and interesting Meliolaceae members from Kerala. *Indian Phytopathology* 51: 301-303.
- Huang, L.H. (1976). Developmental morphology of *Triangularia backusii* (Sordariaceae). *Canadian Journal of Botany* 54: 250-267.

- Hudson, H.J. (1962). Succession of micro-fungi on aging leaves of *Saccharum officinarum*. *Transactions of the British Mycological Society* 45: 395-423.
- Hudson, H.J. (1980). *Fungal Saprophytism 2<sup>nd</sup> ed.* The Camelot Press Ltd., London.
- Hudson, H.J. and Websters, J. (1958). Succession of fungi on decaying stems of *Agropyron repens*. *Transactions of the British Mycological Society* 41: 165-177.
- Huelsenbeck, J.P., Ronquist, F. (2001). MRBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics* 17: 754-755.
- Hughes, S.J. (1951). Studies on micro-fungi X. *Zygosporium*. *Mycological Papers* 44: 1-18.
- Hughes, S.J. (1978). New Zealand Fungi 25, Miscellaneous species. *New Zealand Journal of Botany* 16: 311-370.
- Hughes, S.J. and Kendrick, W.B. (1968). New Zealand fungi 12. *Menispora, Codinaea, Menisporopsis*. *New Zealand Journal of Botany* 6: 323-375.
- Huhndorf, S.M., Miller, A.N. and Fernández, F.A. (2004). Molecular systematics of the Sordariales: the order and the family Lasiosphaeriaceae redefined. *Mycologia* 96: 368-387.
- Hurst, J.L., Pugh, G.J.F. and Walton, D.W.N. (1983). Fungal succession and substrate utilization on the leaves of three South Georgia (South Atlantic) phanerogams. *British Antarctic Survey Bulletin*: 89-100.
- Hyde, K.D. (1988). The genus *Linocarpon* from the mangrove palm *Nypa fruticans*. *Trans Mycological Society Japan* 29:339–350.
- Hyde, K.D. (1989). Vertical zonation of intertidal mangrove fungi. In Hattori T., Ishida Y, Maryama R., Mortia R. and Uchida A. (Eds.), *Recent Advances in Microbial Fungi*. Tokyo, Japan Scientific Societies Press.
- Hyde, K.D. (1991). Fungal colonization of *Rhizophora apiculata* and *Xylocarpus granatum* poles in Kampong Kapok mangrove, Brunei. *Sydowia* 43: 31-38.
- Hyde, K.D. (1992a). Fungi from palms. I. The genus *Linocarpon*, a revision. *Sydowia* 44:32–54.

- Hyde, K.D. (1992b). Tropical Australian Freshwater Fungi. IV. *Halosarpheia aquatica* sp. nov., *Garethjonesia lacunosispora* gen. & sp. nov. and *Ophioceras dolichostomum* (Ascomycetes). *Australian Systematic Botany* 5: 407-414.
- Hyde, K.D. (1993a). Fungi from palms. VI. Reflections on *Oxydothis* and related genera. *Sydowia* 45: 204-225.
- Hyde, K.D. (1993b). Fungi from palms. VII. The genus *Oxydothis* from rachides of palms in North Queensland, including five new species. *Sydowia* 45: 226-240.
- Hyde, K.D. (1994). Fungi from palms. XIII. The genus *Oxydothis*, a revision. *Sydowia* 46: 265-314.
- Hyde, K.D. (1995). Fungi from palms. XVII. The genus *Fasciatispora*, with notes on *Amphisphaerella*. *Nova Hedwigia* 61: 249-268.
- Hyde, K.D. (1997). Additions to the genus *Linocarpon* (Ascomycetes: Hypocreaceae). *Botanical Journal Linnaean Society* 123:109–131.
- Hyde, K.D. (2000). Improving screening in filamentous fungi. In Pointing S.B. and Hyde K.D. (Eds.), *Bio-exploitation of Fungi*. Fungal Diversity Press, Hong Kong.
- Hyde, K.D. (2001). Where are the missing fungi? Does Hong Kong have any answers? *Mycological Research* 105: 1514-1518.
- Hyde, K.D. and Alias, S.A. (1999). *Linocarpon angustatum* sp. nov., and *Neolinocarpon nypicola* sp. nov. from petioles of *Nypa fruticans*, and a list of fungi from aerial parts of this host. *Mycoscience* 40:145–150.
- Hyde, K.D. and Alias, S.A. (2000). Biodiversity and distribution of fungi associated with decomposing *Nypa fruticans*. *Biodiversity and Conservation* 9: 393-402.
- Hyde, K.D. and Fröhlich, J. (1997). Fungi from palms XXXVII. The genus *Astrosphaeriella*, including ten new species. *Sydowia* 50: 81-132.
- Hyde, K.D. and Jones, E.B.G. (2002). Introduction to fungal succession. *Fungal Diversity* 10: 1-4.
- Hyde, K.D. and Taylor, J. (1996). Fungi from palms. XXXI. The genus *Nipicola* (Ascomycetes, Xylariaceae), with one new species. *Nova Hedwigia* 63: 417-424.

- Hyde, K.D., Chalermpongse, A. and Boonthavikorn, T. (1990). Ecology of intertidal fungi at Ranong mangrove, Thailand. *Transactions of the Mycological Society of Japan* 31: 17-27.
- Hyde, K.D., Goh, T.K., Taylor, J.E. and Fröhlich, J. (1999b). *Byssosphaeria*, *Chaetosphaeria*, *Niesslia* and *Ornatispora* gen. nov. from palms. *Mycological Research* 103: 1409-1422.
- Hyde, K.D., Ho, W.H. and Tsui, C.K.M. (1999a). The genera *Aniptodera*, *Halosarpheia*, *Nais* and *Phaeonectriella* from freshwater habitats. *Mycoscience* 40: 165-183.
- Hyde, K.D., Ho, W.H., McKenzie, E.H.C. and Dalisay, T. (2001). Saproic fungi on bamboo culms. *Fungal Diversity* 7: 35-48.
- Hyde, K.D., Read, S.J., Gareth Jones, E.B. and Moss, S.T. (1997b). Tropical Australian freshwater fungi. XII *Rivulicola incrustata* gen. et sp. nov. and noted on *Ceratosphaeria lampadophora*. *Nova Hedwigia* 64: 185-196.
- Hyde, K.D., Taylor, J.E. and Fröhlich, J. (1999c). Two new species of *Pseudohalonectria* from palms. *Mycologia* 91: 520-524.
- Hyde, K.D., Taylor, J.E. and Fröhlich, J. (2000). *Genera of Ascomycetes from Palms*. Fungal Diversity Press, Hong Kong.
- Hyde, K.D., Wong, S.W., Lumyong, S. and Lumyong, P. (1997a). *Apilosordaria striatispora*, an endophyte of *Mesua ferrea* and *Prunus arborea* from Thailand. *Mycoscience* 38: 437-439.
- Hyde, K.D., Zhou, D.Q. and Dalisay, T.E. (2002a). Bambusicolous fungi: a review. *Fungal Diversity* 9: 1-14.
- Hyde, K.D., Zhou, D.Q., McKenzie, E.H.C., Ho, W.H. and Dalisay, T.E. (2002b). Vertical distribution of saprobic fungi on bamboo culms. *Fungal Diversity* 11: 109-118.
- Hywel-Jones, N.L. and Boonpratuang, T. (2001). *An updated preliminary checklist of fungi recorded from Thailand*. BIOTEC database.
- Ichikawa, K., Kitaoka, M., Taki, M., Takaishi, S., Iijima, Y., Boriboon, M. and Akiyama, T. (1977). Retrodihydrochalcones and homoisoflavones isolated from Thai medicinal plant *Dracaena loureiri* and their estrogen agonist activity. *Planta Medicine* 63: 540-543

- Inderbitzin, P. and Berbee, M.L. (2001). *Lollipopaia minuta* from Thailand, a new genus and species of the Diaporthales (Ascomycetes, Fungi) based on morphological and molecular data. *Canadian Journal of Botany* 79: 1099-1106.
- Inderbitzin, P., Landvik S., Abdel-Wahab, M.A. and Berbee, M.L. (2001). Aliquandostipitaceae, a new family for two new tropical ascomycetes with unusually wide hyphae and dimorphic ascocarps. *American Journal of Botany* 88: 52-61.
- Ingold, C.T and Hudson, H.J. (1993). *The Biology of Fungi*. 6<sup>th</sup> Ed., Chapman & Hall, London.
- Isaac, S. (1992). *Fungal-Plant Interactions*. Chapman & Hall, London.
- Jeewon, R., Liew, E.C.Y. and Hyde, K.D. (2002). Phylogenetic relationships of *Pestalotiopsis* and allied genera inferred from ribosomal DNA sequences and morphological characters. *Molecular Phylogenetic and Evolution* 25: 378-392.
- Jeewon, R., Liew, E.C.Y. and Hyde, K.D. (2004). Phylogenetic evaluation of species nomenclature of *Pestalotiopsis* in relation to host association. *Fungal Diversity* 17: 39-55.
- Jennings, D.H. and Lysek, G. (1996). *Fungal Biology: Understanding the Fungal Lifestyle*. BIOS Scientific Publishers, Oxford, UK.
- Jensen, J.D. (1985). The development of *Diaporthe phaseolorum* variety *sojae* in culture. *Mycologia* 75: 1074-1091.
- Jones, D.R. (2000). *Disease of Banana, ABACA and Enset*. Commonwealth Mycological Institute, Kew, UK. 300p.
- Jones, D.R., Pegg, K.G. and Thomas, J.E. (1993). Banana. In D. Persley (Ed.), *Diseases of Fruit Crops*, Department of Primary Industries, Queensland.
- Jones, E.B.G. (1995). Ultrastructure and taxonomy of the aquatic ascomycetous order Halosphaerales. *Canadian Journal of Botany* 73: S790-S801.
- Jones, E.B.G. (2000). Marine fungi: some factors influencing biodiversity. *Fungal Diversity* 4: 53-73.

- Jones, E.B.G. and Hyde, K.D. (2004). Introduction to Thai fungal diversity. In E.B.G. Jones, M. Tantichareon and K.D. Hyde (Eds.), *Thai Fungal Diversity* (pp. 7-35). BIOTEC, Bangkok, Thailand.
- Jong S.C. and Davis, E.E. (1976). Contribution to knowledge of *Stachybotrys* and *Memnoniella* in culture. *Mycotaxon* 3: 409-485.
- Kato, H., Yamamoto, M., Yamaguchi-Ozaki, T., Kodouchi, H., Iwamoto, Y., Nakayashiki, H., Tosa, Y., Mayama, S. and Mori, N. (2000). Pathogenicity mating ability and DNA restriction fragment length polymorphisms of Pyricularia populations isolated from Gramineae, Bambusideae and Zingiberaceae plants. *Journal of General Plant Pathology* 66: 30-47.
- Kendrick, W.B. and Burges, A. (1962). Biological aspects of decay of *Pinus sylvestris* leaf litter. *Nova Hedwigia* 4: 313-342.
- Kiffer, E. and Morelet, M. (2000). *The Deuteromycetes, Mitosporic Fungi Classification and Generic Keys*. Science Publishers Inc., U.S.A.
- Kirk, P.M., Cannon, P.F., David, J.C. and Stalpers, J.A. (2001). *Ainsworth and Bisby's Dictionary of the Fungi*, 9<sup>th</sup> ed. CABI Publishing.
- Kodsueb, R., Lumyong, S., Lumyong P., McKenzie, E.H.C., Ho, W.H. and Hyde, K.D. (2004). *Acantostigma* and *Tubeufia* species, including *T. claspisphaeria* sp. nov., from submerged wood in Hong Kong. *Mycologia* 96: 667-674.
- Kodsueb, R., Jeewon, R., Vijaykrishna, D., McKenzie, E.H.C., Lumyong P., Lumyong, S. and Hyde, K.D. (2006). Systematic revision of Tubeufiaceae based on morphological and molecular data. *Fungal Diversity* 21: 105-130.
- Kohlmeyer, J., Volkmann-Kohlmeyer, B. and Eriksson, O.E. (1997). Fungi on *Juncus roemerianus* 9. New obligate and facultative marine Ascomycotina. *Botanica Marina* 40: 291-300.
- Kong, R.Y.C., Chan, J.Y.C., Michell, J.I., Vrijmoed, L.L.P. and Jones, E.B.G. (2001). Relationships of *Halosarpheia*, *Lignicola* and *Nais* inferred from partial 18S rDNA. *Mycological Research* 104: 35-43.
- Krause, R.A. and Webster, R.K. (1972). Thermophiology, taxonomy, and sexuality of the rice stem fungus, *Magnaporthe salvinii* (*Leptosphaeria salvinii*). *Mycologia* 64: 103-114.

- Kuthubutheen, A.J. and Nawawi, A. (1991a). A key to *Dictyochaeta* and *Codinaea* species. *Mycological Research* 95: 1224-1229.
- Kuthubutheen, A.J. and Nawawi, A. (1991b). *Dictyochaeta macrospora* sp. nov.: a litter inhabiting hyphomycete from Malaysia. *Mycological Research* 95: 248-250.
- Kuthubutheen, A.J. and Nawawi, A. (1991c). Eight new species of *Dictyochaeta* (hyphomycetes) from Malaysia. *Mycological Research* 95: 1211-1219.
- Kuthubutheen, A.J. and Nawawi, A. (1991d). *Dictyochaeta guadalcanalensis* comb. nov. and several new records of the genus in Malaysia. *Mycological Research* 95: 1220-1223.
- Landschoot, P.J. and Jackson, N. (1989). *Magnaporthe poae* sp. nov., a hyphopodioid fungus with a *Phialophora* anamorph from grass roots in the United States. *Mycological Research* 93: 59-62.
- Lee, H.B., Kim K.M. and Jung H.S. (2005). *Paraphaeosphaeria recurvifoliae*, a new species causing leaf spots and necrosis on *Yucca recurvifolia*. *Fungal Diversity* 20: 71-81.
- Lee, S.W., Ho, W.H. and Hyde, K.D. (2004). Ultrastructure of the ascospores of *Torrentispora fibrosa*. *Fungal Diversity* 16: 87-91.
- Lenné, J.M. (1990). A world list of fungal diseases of tropical pasture species. *Phytopathology Papers* 31: 1-162.
- Liang, Z.Q., Han Y.F., Chu, H.L. and Liu, A.Y. (2005). Studies on the genus *Paecilomyces* in China. I. *Fungal Diversity* 20: 83-101.
- Lodge, D.J. (1997). Factors related to diversity of decomposer fungi in tropical forests. *Biodiversity and Conservation* 6: 681-688.
- Lodge, D.J. and Cantrell, S. (1995). Fungal communities in wet tropical forests: variation in time and space. *Canadian Journal of Botany* 73: S1391-1398.
- Lu, B. and Hyde, K.D. (2000). *A World Monograph of Anthostomella*. Fungal Diversity Research Series 4, Fungal Diversity Press, Hong Kong, 376 p.
- Luczkovich, J.J. and Knowles, D.B. (2000). Succession and restoration: how ecosystems respond to disturbance. <http://frjoe.biology.ecu.edu/ch09/ch09.htm>.

- Lumyong, S., Lumyong, P., Boontim, N. and Hyde, K.D. (1998). Distribution of Endophytic Fungi Among Indigenous Plant Species in Doi Suthep-Pui Area, *Research Report of Chiang Mai University*, Chiang Mai.
- Lumyong, S., Thongkantha, S., Lumyong, P. and Tomita, F. (2000). Endophytic fungi from 13 bamboo species in Thailand. *Biotechnology for Sustainable Utilization of Biological Resources in the Tropics* 14: 96-101.
- Luo, J., Yin, J.F., Cai, L., Zhang, K. and Hyde, K.D. (2004). Freshwater fungi in Lake Dianchi, a heavily polluted lake in Yunnan, China. *Fungal Diversity* 16: 93-112.
- Lutzoni, F., Wagner, P., Reeb, V. and Zoller, S. (2000). Integrating ambiguously aligned regions of DNA sequences in phylogenetic analyses without violating positional homology. *Systematic Biology* 49: 628-651.
- Majer, D., Mitchen, R., Liwis, B.G., Vos, P. and Oliver, R.P. (1996). The use of AFLP fingerprinting for the detection of genetic variation in fungi. *Mycological Research* 100, 1107-1111.
- Marvanov, L. and Hywel-Jones, N.L. (2000). *Sigmoidea contorta* sp. nov. and two rare species from waters in Thailand. *Cryptogramme Mykologie* 21: 13-26.
- Mason, E.W. and Ellis, M.B. (1953). British species of *Periconia*. *Mycological Papers* 56: 1-127.
- Mathiassen, G. (1993). Corticolous and lignicolous Pyrenomycetes s. lat. (Ascomycetes) on *Salix* in Troms, N. Norway. *Sommerfeltia* 20: 1-180.
- Matsushima, T. (1971). *Microfungi of the Solomon Islands and Papua-New-Guinea*. Published by the author, Kobe, Japan.
- Matsushima, T. (1975). *Icones Microfungorum a Matsushima Lectorum*. Nippon Printing Publishing Co., Osaka, 209 pages.
- Matsushima, T. (1980). *Saprophytic Microfungi from Taiwan, Matsushima Mycological Memoirs 1*. Published by the author, Kobe, Japan.
- Matsushima, T. (1993). *Matsushima Mycological Memoirs 7*. Published by the author, Kobe, Japan.
- Matsushima, T. (1995). *Matsushima Mycological Memoirs 8*. Matsushima, Kobe, Japan.

- Matsuyama, N., Kato, H. and Yamaguchi, T. (1977). Comparison of the isozyme patterns of extracellular enzymes in *Pyricularia* strains from gramineous and zingiberaceous plants. *Annals of the Phytopathological Society of Japan* 43: 419-425.
- McKenzie, E.H.C. (1991a). Dematiaceous Hyphomycetes on *Freycinetia* (Pandanaceae). 1. *Stachybotrys*. *Mycotaxon* 41: 179-188.
- McKenzie, E.H.C. (1991b). *Buergenerula zelandica* sp. nov. on Carex spp. in New Zealand. *Mycotaxon* 42: 351-353.
- McKenzie, E.H.C. (1995). Dematiaceous hyphomycetes on Pandanaceae 5. *Sporidesmium* sensu lato. *Mycotaxon* 56: 9-29.
- McKenzie, E.H.C., and Hyde, K.D. (1996). Index of fungi described from the Pandanaceae. *Mycotaxon* 57: 125-143.
- McKenzie, E.H.C., and Hyde, K.D. (1997). Microfungi on the Pandanaceae. In K.D. Hyde (Ed.), *Biodiversity of Tropical Microfungi* (pp. 157-177), Hong Kong University Press.
- McKenzie, E.H.C., Whitton, S.R. and Hyde, K.D. (2002). The Pandanaceae- Does it have a diverse and unique fungal biota. In Walting R., Frankland J.C., Ainsworth A.M., Isaac S. and Robinson C.H. (Eds.), *Tropical Mycology-Micromycetes 2* (pp. 51-61), CABI Publishing.
- McLaughlin, D.J., McLaughlin, E.G. and Lemke, P.A. (2001). *Systematics and Evolution, The Mycota VIIa*. Springer-Verlag, Berlin, Germany.
- Meksuriyen, D. and Cordell, G.A. (1988). Retrodihydrochalcones from *Dracaena loureiri*. *Journal Natural Product* 51: 1129-1135.
- Mercado Sierra, A., Holubová-Jechová, V. and Mena Portales, J. (1997). Hifomicetes demaciáceos de Cuba enteroblásticos. *Meseo Regionale di Scienze Naturali Monografie* 23: 1-388.
- Mercado, S.A. and Heredia, G. (1994). Hyphomycetes associated with plant litter from the State of Veracruz, Mexico. *Revista Mexicana de Micología* 10: 33-48.
- Meredith, D.S. (1962). Some fungi on decaying banana leaves in Jamaica. *Transactions of the British Mycological Society* 45: 724-728.

- Miadlikowska, J., McCune, B. and Lutzoni, F. (2002). *Pseudocyphellaria perpetua*, a new lichen from western North America. *Bryologist* 105: 1-10.
- Miller, A.N. and Huhndorf, S.M. (2005). Multi-gene phylogenies indicate ascomal wall morphology is a better predictor of phylogenetic relationships than ascospore morphology in the Sordariales (Ascomycota, Fungi). *Molecular Phylogenetics and Evolution* 35: 60-75.
- Millör, C.S. (1980). Infection processes on conifer needles. In J.P. Blakeman (Ed.), *Microbial Ecology of the Phylloplane* (pp. 185-209). Academic Press, London, U.K.
- Monod, M. (1983). Monographie taxonomique des Gnomoniaceae. *Sydowia Beih* 9: 1-315.
- Morgan-Jones, G. (1974). Fungi of Alabama VI. Dematiaceous hyphomycetes. *Journal of the Alabama Academy of Science* 48: 26-41.
- Morris, E.F. (1967). Studies on the synnematous fungi imperfecti II. *Mycopathologica et Mycologia Applicata* 33: 179–185.
- Morton, J. (1987). Rambutan. In F. Julia, J. Morton and F.L. Miami (Eds.), *Fruits of warm climates* (pp. 262–265).
- Nawawi, A. and Kuthubutheen, A.J. (1989). *Canalisporium*, a new genus of lignicolous Hyphomycetes from Malaysia. *Mycotaxon* 34: 475-487.
- Nicklin, J., Graeme-Cook, K. Paget, T. and Killington, R. (1999). Instant Notes in Microbiology. BIOS Scientific Publishers, UK.
- Nilsson, T. (1973). Studies on wood degradation and cellulolytic activity microfungi. *Studia Forestalia Suecica* 104: 1-40.
- Nilsson, T. (1974). The degradation of cellulose and the production of cellulase, xylanase, mannanase and amylase by wood-rotting microfungi. *Studia Forestalia Suecica* 114: 1-61.
- Nylander, J.A.A. (2004). *MrModeltest v2*. Program distributed by the author. Evolutionary Biology Centre, Uppsala University.
- Ono Y. and Kobayashi T., (2001). Notes on new and noteworthy plant-inhabiting fungi from Japan (1). *Mycoscience* 42: 439-446.

- Pang, K.L. (2002). Systematics of the Halosphaerales: which morphological characters are important? In K.D. Hyde (Ed.), *Fungi in Marine Environment* (pp. 35-57), Fungal Diversity Press.
- Pasqualetti, M., Mulas, B., Zucconi, L. and Rambelli, A. (1999). Succession of microfungi communities on *Myrtus communis* leaf litter in a Sardinian Mediterranean maquis ecosystem. *Mycological Research* 103: 724-728.
- Peregrine, W.T.H. and Ahmad, K.B. (1982). Brunei: A first annotated list of plant diseases and associated organisms, *Phytopathology Papers* 27: 1-87.
- Petrini, O. and Carroll, G.C. (1981). Endophytic fungi in foliage of some Cupressaceae in Oregon. *Canadian Journal of Botany* 59: 629-636.
- Photita, W. (2003). "Survey and Isolation of Endophytic and Saprobic Fungi of Wild Banana in Doi Suthep-Pui National Park", Ph.D.'s thesis, Chiang Mai University, Thailand.
- Photita, W., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. and Lumyong, S. (2003b). *Memnoniella* and *Stachybotrys* species from *Musa acuminata*. *Cryptogamie Mycologie* 24: 147-152.
- Photita, W., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. and Lumyong, S. (2003a). Saprobic fungi on dead wild banana. *Mycotaxon* 80: 345-356.
- Photita, W., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. and S., Lumyong. (2002). A new *Dictyosporium* species from *Musa acuminata* in Thailand. *Mycotaxon* 82: 415-419.
- Photita, W., Lumyong, S., Lumyong, P. and Hyde, K.D. (2001). Endophytic fungi of wild banana (*Musa acuminata*) at Doi Suthep Pui National Park, Thailand. *Mycological Research* 105: 1508-1513.
- Photita, W., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2004). Are some endophytes of *Musa acuminata* latent pathogens?. *Fungal Diversity* 16: 131-140.
- Pinnoi, A., Jones, E.B.G., McKenzie, E.H.C. and Hyde, K.D. (2003a). Aquatic fungi from peat swamp palms: *Unisetosphaeria pinguinoides* gen. et sp. nov. and three new *Dactylaria* species. *Mycoscience* 44: 377-382.

- Pinnoi, A., McKenzie, E.H.C., Jones, E.B.G. and Hyde, K.D. (2003b). Palm fungi from Thailand: *Custingophora undulatistipes* sp. nov. and *Vanakripa minutielipsoidea* sp. nov. *Nova Hedwigia* 77: 213-219.
- Pinnoi, A., Pinruan, U., Hyde, K.D., McKenzie, E.H.C. and Lumyong, S. (2004). *Submersisphaeria palmae* sp. nov. and with a key to species and notes on *Helicoubisia*. *Sydowia* 56: 72-78.
- Pinruan, U., Jones, E.B.G. and Hyde, K.D. (2002). Aquatic fungi from peat swamp palms: *Jahnula appendiculata* sp. nov. *Sydowia* 54: 242-247.
- Pinruan, U., Lumyong, S., McKenzie, E.H.C., Jones, E.B.G. and Hyde, K.D. (2004a). Three new species of *Craspedodidymum* from palm in Thailand. *Mycoscience* 45: 177-180.
- Pinruan, U., McKenzie, E.H.C., Jones, E.B.G. and Hyde, K.D. (2004b). Two new species of *Stachybotrys*, and a key to the genus. *Fungal Diversity* 17: 145-157.
- Pinruan, U., Sakayaroj, J., Jones, E.B.G. and Hyde, K.D. (2004c). Aquatic fungi from peat swamp palms: *Phruensis brunniespora* gen. et sp. nov. *Canadian Journal of Botany* 96: 1161-1181.
- Pongbunrod, S. (1979). *Mai-Tet-Muang-Thai: Medicinal characteristic of foreign and Thai traditional medicines*, 1<sup>st</sup> ed., Khrungthon Press, Bangkok, pp. 163-164. (in Thai).
- Poon M.O.K. and Hyde, K.D. (1998). Evidence for the vertical distribution of saprophytic fungi on senescent *Phragmites australis* culms at Mai Po Marshes, Hong Kong. *Botanica Marina* 41: 285-292.
- Poonyth, A.D., Hyde, K.D., Wong, S.W. and Peerally, A. 2000. Ultrastructure of ascospore appendages in *Linocarpon appendiculatum* and *L. nipae*. *Botanica Marina* 43:213–221.
- Promputtha, I., Hyde, K.D., Lumyong, P., McKenzie, E.H.C. and Lumyong, S. (2003). *Dokmaia monthadangii* gen. et sp. nov. a synnematous anamorphic fungus on *Manglietia garrettii*. *Sydowia* 55: 99-103.
- Promputtha, I., Hyde, K.D., Lumyong, P., McKenzie, E.H.C. and Lumyong, S. (2005a). Fungi on *Magnolia liliifera*: *Cheiromyces magnoliae* sp. nov. from dead branches. *Nova Hedwigia* 80: 527-532.

- Promputtha, I., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2002). Fungal succession on senescent leaves of *Manglietia garrettii* in Doi Suthep-Pui National Park, northern Thailand. *Fungal Diversity* 10: 89-100.
- Promputtha, I., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2004a). A new species of *Pseudohalonectria* from Thailand. *Cryptogamie Mycologie* 25: 43-47.
- Promputtha, I., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2004b). Fungal saprobes on dead leaves of *Magnolia liliifera* (Magnoliaceae) in Thailand. *Cryptogamie Mycologie* 25: 315-321.
- Promputtha, I., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyde, K.D. (2005b). A new species of *Anthostomella* on *Magnolia liliifera* from Northern Thailand. *Mycotaxon* 91: 413-418.
- Raabe, R.D., Conners, I.L. and Martinez, A.P. (1981). Checklist of plant diseases in Hawaii, Hawaii Institute of Tropical Agriculture and Human Resources, College of Tropical Agriculture and Human Resources, University of Hawaii, *Information Text Series* 22: 1-313
- Rambaut, A. (1996). *Se-Al: Sequence Alignment Editor*. Available at <http://evolve.zoo.ox.ac.uk/>.
- Reangrungsri, N. and Tantiwat, P. (1991). *Herbal plants* (in Thai). Bangkok: Odient Store.
- Réblová, M. and Barr, M.E. 2000. The genus *Acantostigma* (Tubeufiaceae, Pleosporales). *Sydowia* 52: 258-285.
- Réblová, M. and Seifert, K.A. (2004). *Cryptadelphia* (Trichosphaeriales), a new genus for holomorphs with *Brachysporium* anamorphs and clarification of the taxonomic status of *Wallrothiella*. *Mycologia* 96: 343-367.
- Risède, J.M. and Simoneau, P. (2001). Typing *Cylindrocladium* species by analysis of ribosomal DNA spacers polymorphism: Application to field isolates from the banana rhizosphere. *Mycologia* 93: 494-504.
- Rodrigues, K.F. (1994). The foliar fungal endophytes of the Amazon palm *Euterpe oleracea*. *Mycologia* 86: 376-385.
- Rodrigues, K.F. and Samuels, G.J. (1990). Preliminary study of endophytic fungi in tropical palm. *Mycological Research* 94: 827-830.

- Rossman, A.Y. (1983). The *Phragmosporous* species of *Nectria* and related genera. *Mycological Papers* 150: 1-164.
- Rossman, A.Y., Farr, D.F. and Castlebury, L.A. (2001a). Phylogenetic relationships among obscure microfungi; why does it matter? *Phytopathology* 91: S164. Publication no. P-2001-0119-MSA.
- Rossman, A.Y., McKemy, J.M., Pardo-Schultheiss, R.A. and Schroers, H.J. (2001b). Molecular studies of the Bionectriaceae using large subunit rDNA sequences. *Mycologia* 93: 100-110.
- Roux, J., Steenkamp, E.T., Marasas, W.F.O., Wingfield, M.J. and Wingfield, B.D. (2001). Characterization of *Fusarium graminearum* from *Acacia* and *Eucalyptus* using  $\beta$ -tubulin and histone gene sequences. *Mycologia* 93: 704-711.
- Sadaba, R.B., Vrijmoed, L.L.P., Jones, E.B.G. and Hodgkiss, I.J. (1995). Observations on vertical distribution of fungi associated with standing senescent *Acanthus ilicifolius* stems at Mai Po Mangrove, Hong Kong. *Hydrobiologia* 295: 119-126.
- Saito, T. (1956). Microbiological decomposition of beech litter. *Ecological Review, Sendai* 14: 141-147.
- Sakayaroj, J., Pang, K.L., Phongpaichit, S. and Jones, E.B.G. (2005). A phylogenetic study of the genus *Haligena* (Halosphaeriales, Ascomycota). *Mycologia* 97: 804-811.
- Samson, R.A. (1974). *Paecilomyces* and some allied hyphomycetes. *Studies in Mycology* 6: 1-119.
- Sandhu, D.K. and Sidhu, M.S. (1980). Fungal succession on decomposing sugarcane bagasse. *Transactions of the British Mycological Society* 75: 281-286.
- Sanmee, R., Dell, B., Lumyong, P., Izumori, K., and Lumyong S. (2003). *Amanita simensis*, a new species of *Amanita* from Thailand. *Mycotaxon* 88: 225-228.
- Sardsud, V., Sittigul, C., Sardsud, U., Chantrasri, P. and Promin, S. (1998). Endophytic fungi in longan. In L.M. Friut Coates, P.J. Hofman, G.I. Johnson (Eds.), *Disease Control and Storage Life Extension in Australian* (pp.147-152), Centre for International Agricultural Research Australia.

- Seephonkai, P., Isaka, M., Kittakoop, P., Trakulnaleamsai, S., Rattanajak, R., Tanticharoen, M. and Thebtaranonth, Y. (2001). A new tropolone from the insect pathogenic fungus *Cordyceps* sp. BCC 1681. *Journal Antibiotic* 54: 751-752.
- Seifert, K.A. 1985. A monograph of *Stilbella* and some allied Hyphomycetes. *Studies in Mycology* 27: 237 pages.
- Seifert, K.A. and Gams, W. (2001). The taxonomy of anamorphic fungi. In D.J. McLaughlin, E.G. McLaughlin and P.A. Lemke (eds.) *Systematics and Evolution, the Mycota VIIa*, pp. 307-347. Springer-Verlag, Berlin, Germany.
- Seifert, K.A., Louis-Seize, G. and Sampson, G. (2003). *Myrothecium acadiense*, a new hyphomycete isolated from the weed *Tussilago farfara*. *Mycotaxon* 87: 317-327.
- Shannon, C.E. and Weaver, W. (1949). *The Mathematical Theory of Communication*. University of Illinois Press, Urbana, USA.
- Shaw, C.G. (1973). Host fungus index for the Pacific Northwest – I. *Host, Washington State University Agriculture Experimental Station Bulletin* 765: 1-121.
- Shaw, D.E. (1984). Microorganisms in Papua New Guinea. *Department of Primary Industries, Research Bulletin* 33: 1-344.
- Shearer, C.A. (1986). The significance of teleomorph/anamorph connection in the classification of marine ascomycotina. In Moss S.T. (Ed.), *The Biology of Marine Fungi* (pp. 253-273), Cambridge University Press, Cambridge.
- Shearer, C.A. (1989). *Pseudohalonectria* (Lasiosphaeriaceae), an antagonistic genus from wood in freshwater. *Canadian Journal of Botany* 67: 1944-1955.
- Shearer, C.A., Crane, J.L and Chen, W. (1999). Freshwater Ascomycetes: *Ophioceras* species. *Mycologia* 91: 145-456.
- Shivas, R.G. and Hyde, K.D. (1997). Biodiversity of plant pathogenic fungi in the tropics. In: K.D. Hyde (Ed.), *Biodiversity of Tropical Microfungi*, (pp. 47-56), Hong Kong University Press, Hong Kong.
- Shoemaker, R.A. and Babcock, C.E. (1985). Canadian and some extralimital *Paraphaeosphaeria* species. *Canadian Journal of Botany*, 63: 1284-1291.

- Sinclair, J.B. and Cerkaukas, R.F. (1996). Latent infection vs. endophytic colonization by fungi. In S.C. Redlin and L.M. Carris (Eds.), *Endophytic Fungi in Grasses and Woody Plants: Systematics, Ecology and Evolution*. APS Press, St. Paul, Minnesota, USA, pp. 3-30.
- Sirisa-ard, P. and Tantipathananandh, P. (2005). Usage and satisfaction of herbal and traditional medicines available in Muang District Chiang Mai Province. <http://202.28.24.118/cmuabtract/2k/CMURA2K143.htm>.
- Sivanesan, A. (1984). Teleomorphs of *Clasterosporium anomalum* and *C. cyperi* sp. nov. *Trans British Mycology Society* 83: 710-718.
- Sivichai, S. and Hywel-Jones, N.L. (1999). *Biflagellospora* (aero-aquatic hyphomycetes) from submerged wood in Thailand. *Mycological Research* 103: 908-914.
- Sivichai, S., Goh, T.K., Hyde, K.D., and Hywel-Jones, N.L. (1998). The genus *Brachydesmiella* from submerged wood in the tropics, including a new species and a new combination. *Mycoscience* 39: 239-247.
- Sivichai, S., Jones, E.B.G. and Hywel-Jones, N.L. (2000). Fungal colonization of wood in a freshwater stream at Tad Ta Phu, Khao Yai National Park, Thailand. *Fungal Diversity* 10: 113-129.
- Sivichai, S., Jones, E.B.G. and Hywel-Jones, N.L. (2002). Fungal colonization of wood in a freshwater stream at Khao Yai National Park, Thailand. *Fungal Diversity* 5: 71-88.
- Smith, J.D., Jackson, N. and Woolhouse, A.R. (1989). *Fungal diseases of amenity turf grasses*. E & F.N. Spon, New York, USA.
- Somrithipol, S. & Jones, E.B.G. (2003a). *Berkleasmium typhae* sp. nov., a new hyphomycete on narrow-leaved cattail (*Typha angustifolia*) from Thailand. *Fungal Diversity* 12: 169-172.
- Somrithipol, S. and Jones, E.B.G. (2003b). *Digitoramispore lageniformis* sp. nov., a new graminicolous hyphomycete from Thailand. *Nova Hedwigia* 77: 1-6.
- Somrithipol, S. and Jones, E.B.G. (2003c). *Pseudoacrodicrys dimorphospora* sp. nov., a new graminicolous hyphomycete from Thailand. *Sydowia* 55: 365-371.
- Somrithipol, S., Jones, E.B.G. and Hywel-Jones, N.L. (2002). Fungal diversity and succession on pods of *Delonix regia* (Leguminosae) exposed in a tropical forest in Thailand. *Fungal Diversity* 10: 131-139.

- Sone,T., Fukuya,S., Kodama,M. and Tomita,F. (2000). Molecular structure of rDNA repeat unit in *Magnaporthe grisea*. *Bioscience Biotechnology Biochemistry* 64: 1733-1736
- Sontirat, P., Pitakprivan, P., Khamhangridtirong, T., Choobamroong, W. and Kueprakone, U. (1994). *Host Index of Plant Disease in Thailand*. Mycology Section, Plant Pathology and Microbiology Division, Department of Agriculture, Bangkok, Thailand.
- Sridhar, K.R. and Raviraja, N.S. (1995). Endophytes-A crucial issue. *Current Science* 69: 570-571.
- Stone, B.C. (1981). Pandanaceae. In Dassanayake M.D. and Fosberg F.R. (Eds.), *A Revised Handbook to The flora of Ceylon* (pp. 293-320), Amerind Publishing Co, New Delhi
- Stone, B.C. (1990). Pandanaceae. In Wagner, W.L., Herbst, D.R. and Sohmer, S.H. (Eds.), *Manual of the Flowering Plants of Hawaii* (pp. 1477-1481), University of Hawaii Press.
- Stone, J.K. (1987). Initiation and development of latent infections by *Rhabdocline pakerae* on Douglas fir. *Canadian Journal of Botany* 65: 2614-2621.
- Subramanian, C.V. (1992). A reassessment of *Sporidesmium* (Hyphomycetes) and some related taxa. *Proceedings of the Indian National Science Academy* B58, 4: 179-190.
- Subramanian, C.V. (1997). Hyphomycetes from South East Asia-Novelties from Singapore and Malaysia. *Kavaka* 22/23: 52-76.
- Sutton, (1973). Hyphomycetes from Manitoba and Saskatchewan, Canada. *Mycological Papers* 132: 1-143.
- Sutton, B. C. (1978). New and interesting Hyphomycetes from Tampa, Florida. *Mycologia* 70: 784-801.
- Sutton, B. C. (1980). *The Coelomycetes*. Commonwealth Mycological Institute, Kew.
- Swofford, D.L. (2002). PAUP\*. Phylogenetic analysis using parsimony (\* and others methods), version 4.0b10 edition. Sinauer Associates, Sunderland, Mass.
- Tabaki, K. (1975). Descriptive catalogue of IFO fungus collection IV., *IFO Research Community* 7: 113-142.

- Talbot, N. (2001). *Molecular and cellular biology of filamentous fungi*. Oxford University Press.
- Taylor, J. (1998). "Biodiversity and Ecological Studies of Fungi on Palms". Ph.D.'s thesis, The University of Hong Kong.
- Taylor, J.E., Hyde, K.D. and Jones, E.B.G. (1999). Endophytic fungi associated with the temperate palm *Trachycarpus fortunei* within and outside its natural geographic range. *New Phytologist* 142: 335-346.
- Taylor, J.E., Hyde, K.D. and Jones, E.B.G. (2000). The biogeographical distribution of microfungi associated with three palm species from tropical and temperate habitats. *Journal of Biogeography* 27: 297-310.
- Techa, W. (2001). "Isolation and Collection of Endophytic and Saproic Fungi from Two Species of Palms in Doi Suthep-Pui National Park", Mater's thesis, Chiang Mai University, Thailand.
- Teng, S.C. (1934). Fungi of China. In R.P., Korf (Ed.), *Mycotaxon* 1996 (pp. 151-153), New York: LTD Ithaca.
- Teodoro, N.G. (1937). An Enumeration of Phillipine Fungi. *Technical Bulletin, Department of Agriculture and Commerce, Philippine Islands, Manila* 4: 1-585.
- Thongkantha, S., Lumyong, S., Lumyong, P., Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (2003). Microfungi on the Pandanaceae: *Linocarpon lammiae* sp. nov., *L. siamensis* sp. nov. and *L. suthepensis* sp. nov., and a key to species from the Pandanaceae. *Mycologia* 95: 360-367.
- Tiwari, S.C., Tiwari, B.K. and Mishra, R.R. (1994). Succession of microfungi associated with the decomposing litters of pineapple (*Ananas comosus*). *Pedobiologia* 38: 185-192.
- Tode, H.F. (1790). Fungi *Mecklenbergensis selecti* 1: 25-28. Luneberg.
- Tokumasu, S. and Aoiki, T. (2002). A new approach to studying microfungal succession on decaying pine needles in an oceanic subtropical region in Japan. *Fungal Diversity* 10: 167-183.
- Tokumasu, S., Aoiki, T. and Oberwinkler, F. (1994). Fungal succession on pine needles in Germany. *Mycoscience* 35: 29-37.

- Tsui, C.K.M., Hyde, K.D. and Fukushima, K. (2003). Fungi on submerged wood in the Koito River, Japan. *Mycoscience* 44: 55-59.
- Tsui, C.K.M. and Hyde, K.D. (2004). Biodiversity of fungi on submerged wood in a stream and estuaries in the Tai Ho Bay, Hong Kong. *Fungal Diversity* 15: 205-220.
- Tsui, C.K.M., Leung, Y.M., Hyde, K.D. and Hodgkiss, I.J. (2001). Three new *Ophioceras* species (Ascomycetes) from tropics. *Mycoscience* 42: 321-326.
- Tsui, K.M., Fryar, S.C., Hodgkiss, I.J., Hyde, K.D. and Asha, D. (1998). The effect of human disturbance on fungal diversity in tropics. *Fungal Diversity* 1: 19-26.
- Tulloch, M. (1972). The genus *Myrothecium* Tode ex Fr. *Mycological Paper* 130: 1-42.
- Umali, T.E., Quimio, T.H. and Hyde, K.D. (1999). Endophytic fungi in leaves of *Bambusa tuldaoides*. *Fungal Science* 14: 11-18.
- Varghese, K.I.M. and Rao, V.G. (1977). *Solheimia kamatii* sp. nov. (hyphomycete) a new generic record to India. *Current Science* 46: 23-24.
- Vilgalys, R. and Hester, M. (1990). Rapid genetic identification and mapping enzymatically amplified ribosomal DNA from several *Cryptococcus* species. *Bacteriology* 172: 4238-4246.
- Von Arx, J. A. (1981). *The Genera of Fungi Sporulating in Pure Culture*, 3<sup>rd</sup> ed. Hirschberg, Strauss & Cramer GmbH.
- Von Arx, J.A. and Müller, E. (1975). A re-evaluation of the bitunicate ascomycetes with keys to families and genera. *Studies in Mycology* (Baarn) 9: 1-159.
- Walker, J. (1980). *Gaeumannomyces*, *Linocarpon*, *Ophiobolus* and several other genera of scolecospored ascomycetes and *Phialophora* conidial states, with a note on hyphopodia. *Mycotaxon* 11:1-129.
- Wandelei-Silva, D., Neto, E.R., Hanlin, R. (2003). Molecular systematics of the Phyllachorales (Ascomycota, Fungi) Based on 18S ribosomal DNA sequences. *Brazilian Archives of Biology and Technology* 46: 315-322.
- Wandelei-Silva, D., Neto, E.R. and Hanlin, R. (2003). Molecular systematics of the Phyllachorales (Ascomycota, Fungi) Based on 18S ribosomal DNA sequences. *Brazilian Archives of Biology and Technology* 46: 315-322.

- Ward, E. and Akrofi, A.Y. (1994). Identification of fungi in the *Gaeumannomyces-Phialophora* complex by RFLPs of PCR-amplified ribosomal DNAs. *Mycological Research* 98: 219-224.
- Watanabe, T. (2002). *Pictorial Atlas of Soil and Seed Fungi, Morphologies of Cultured Fungi and Key to Species* 2<sup>nd</sup> Ed. Boca London New York Washington, D.C: CRC Press.
- Watanabe, T., Watanabe Y. and Nakamura K. (2003). *Myrothecium dimorphum*, sp. nov., a soil fungus from beach sand in the Bonin (Ogasawara) Islands, Japan. *Mycoscience* 44: 283–286.
- Webster, J. (1956). Succession of fungi on decaying cocksfoot culms. Part I. *Journal of Ecology* 44: 517-544.
- Webster, J. (1957). Succession of fungi on decaying cocksfoot culms. Part II. *Journal of Ecology* 45: 1-30.
- Wehmeyer, L.E. (1975). The pyrenomycetous fungi. In R.T. Hanlin (Ed.), *Mycologia Memoir*, Lehre, J. Cramer Publisher.
- Welsh, J. and McClelland, M. (1990). Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research* 18, 7213-7218. In P.D. Bridge, D.K. Arora, C.A. Reddy and R.P. Elander, 1998, *Molecular Variability of Fungal Pathogen: PCR Amplifications in Fungal Phylogeny*, pp. 125-152.
- Weresub, L.K. and Pirozynski, K.A. (1979). On papulaspora and bulbilliforous basidiomycetes Burgoa and Minimedusa. In Seifert K.A., Gams W., Crous P.W. and Samuels G.J. (Eds.), *Studies in Mycology 45, Molecules, Morphology and Classification: Towards Monophyletic Genera in the Ascomycetes* (pp. 19-25), Baarn/Delft: Centraalbureau voor Schimmelcultures.
- White, T.J., Bruns, T., Lee, S. and Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In M.A. Innis, D.H. Gelfand, J.J. Sninsky, T.J. White (Eds.), *PCR Protocols: A Guide to methods and Applications* (pp. 315-322), San Diego Academic Press, San Diego.
- Whitton, S.R. (1999). “*Microfungi on the Pandanaceae*”, Ph.D.'s thesis, The University of Hong Kong.

- Whitton, S.R., Hyde, K.D. and McKenzie, E.H.C. (1999a). Microfungi on the Pandanaceae, a new species of *Stictis* (Ostropales). *Fungal Diversity* 2: 169-174.
- Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (1999b). Microfungi on the Pandanaceae: *Troposporopsis* gen. nov. *Fungal Diversity* 3: 173-177.
- Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (2000a). *Dictyochaeta* and *Dictyochaetopsis* species from the Pandanaceae. *Fungal Diversity* 4: 135-160.
- Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (2000b). Microfungi on the Pandanaceae: *Acrodictys*, with two new species. *Fungal Diversity* 4: 161-171.
- Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (2001). Microfungi on the Pandanaceae: *Stachybotrys*, with three new species. *New Zealand Journal of Botany* 39: 489-499.
- Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (2002). Microfungi on the Pandanaceae: Two new species of *Camposporium* and key to the genus. *Fungal Diversity* 11: 177-187.
- Whitton, S.R., McKenzie, E.H.C. and Hyde, K.D. (2003). Microfungi on the Pandanaceae: *Zygosporium*, a review of the genus and two new species. *Fungal Diversity* 12: 207-222.
- Wikipedia, the free encyclopedia. (2005). [http://en.wikipedia.org/wiki/Screwpine\\_tree](http://en.wikipedia.org/wiki/Screwpine_tree).
- Wong, M.K.M. (2000). "Diversity, Host Preference and Vertical Distribution of Saprobic Fungi on Grasses and Sedges in Hong Kong", Ph.D.'s thesis, The University of Hong Kong.
- Wong, M.K.M. and Hyde, K.D. (2001). Diversity of fungi on six species of Gramineae and one species of Cyperaceae in Hong Kong. *Mycological Research* 105: 1485-1491.
- Wong, M.K.M., Goh, T.K. and Hyde, K.D. (2000). *Paraphaeosphaeria schoenoplecti* sp. nov. from senescent culms of *Schoenoplectus litoralis* in Hong Kong. *Fungal Diversity* 4: 171-179.
- Yaegashi, H. (1977). On the Sexuality of Blast Fungi, *Pyricularia* spp. *Annual Phytopathology Society Japan* 43: 432-439.
- Yaegashi, H. and Hebert, T.T. (1976). Perithecial Development and Nuclear Behavior in *Pyricularia*. *Phytopathology* 66: 122-126.

- Yanna, Ho, W.H. and Hyde, K.D. (2001a). Occurrence of fungi on tissues of *Livistona chinensis*. *Fungal Diversity* 6: 167-179.
- Yanna, Ho, W.H. and Hyde, K.D. (2001b). Fungal communities on decaying palm fronds in Australia, Brunei, and Hong Kong. *Mycological Research* 105: 1458-1471.
- Yanna, Ho, W.H. and Hyde, K.D. (2002). Fungal succession on fronds of *Phoenix hanceana* in Hong Kong. *Fungal Diversity* 10: 185-211.
- Yanna. (2001). "Biodiversity, Ecology and Taxonomy of Saproic Fungi on Palm Fronds", Ph.D.'s thesis, The University of Hong Kong.
- Yen, D.E. (1995). The development of Sahul agriculture with Australia as bystander. *Antiquity* 69: 831-847.
- Zhang, N. and Blackwell, M. (2001). Molecular phylogeny of dogwood anthracnose fungus (*Disculular destructiva*) and the Diaporthales. *Mycologia* 93: 355-365.
- Zhang, Q.W., Luo, K., Zheng, Y.H. and Wang, Q.Q. (1998). Study on the physiological activities of the metabolites from *Paecilomyces arovirens*. *Acta Micologica* 38: 74-77.
- Zhou, D. (2000). "Biodiversity of saprobic microfungi associated with bamboo in Hong Kong and Kunming, China", Ph.D.'s thesis, The University of Hong Kong.
- Zhou, D. and Hyde, K.D. (2001). Host-specificity, host-exclusivity and host-recurrence in saprobic fungi. *Mycological Research* 105: 1449-1457.
- Zhou, D. and Hyde, K.D. (2002). Fungal succession on bamboo in Hong Kong. *Fungal Diversity* 10: 213-227.
- Zhou, S. and Stanoz, G.R. (2001). Relationships among *Botryosphaeria* species and associated anamorphic fungi inferred from the analyses of ITS and 5.8S rDNA sequences. *Mycologia* 93: 516-527.