

REFERENCES

- [1] Clark, S.J., Wangner, L., Schrock, M.D. and Piennaar, P.G. (1984) Methyl and ethyl soybean esters as renewable fuels for diesel engines. *J. Am. Oil Chem. Soc.* 61: 1632-1638.
- [2] Fukuda, H., Kondo, A. and Noda, H. (2001) Biodiesel fuel production by transesterification of oil. *J. Biosci. Bioeng.* 92: 405-416.
- [3] Iso, M., Chen, B., Eguchi, M., Kondo, T. and Shrestha, S. (2001) Production of biodiesel fuel from triglycerides and alcohol using immobilized lipase. *J. Mol. Catal. B: Enz.* 16: 53-58.
- [4] Freedman, B., Butterfield, R.O. and Pryde, E.H. (1986) Transesterification kinetics of soybean oil. *J. Am. Oil Chem. Soc.* 63: 1375-1380.
- [5] Ecker, E.W. (1956) Esterification and interesterification. *J. Am. Oil Chem. Soc.* 33: 575-579.
- [6] Dufek, E.J., Butterfield, R.O. and Frankel, E.N. (1972) Esterification and transesterification of 9(10)-carboxystearic acid and its methyl esters. Kinetic studies. *J. Am. Oil Chem. Soc.* 49: 302-309.
- [7] Freedman, B., Pryde, E.H. and Mounts, T.L. (1984) Variables affecting the yields of fatty esters from transesterified vegetable oils. *J. Am. Oil Chem. Soc.* 61: 1638-1643.
- [8] Mc Niel, G.P., Shimizu, S. and Yamane, T. (1990) Solid phase enzymatic glycerolysis of beef tallow resulting in a high yield of monoglyceride. *J. Am. Oil Chem. Soc.* 67: 779-783.
- [9] Nelson, L.A., Foglia, T.A. and Marmer, W.N. (1996) Lipase-catalyzed production of biodiesel. *J. Am. Oil Chem. Soc.* 73: 1191-1195.
- [10] Shimada, Y., Watanabe, Y., Sugihara, A. and Tominaga, Y. (2002) Enzymatic alcoholysis for biodiesel fuel production and application of the reaction to oil processing. *J. Mol. Catal. B: Enz.* 17: 133-142.
- [11] Kaieda, M., Samukawa, T., Matsumoto, T., Ban, K., Kondo, A., Shimada, Y., Noda, H., Nomoto, F., Ohtsuka, K., Izumoto, E. and Fukuda, H. (1999) Biodiesel fuel production from plant oil catalyzed by *Rhizopus oryzae* lipase in a water containing system without an organic solvent. *J. Biosci. Bioeng.* 88: 627-631.

- [12] Weber, N., Weitkamp, P. and Mukherjee, K.D. (2001) Steryl and stanyl esters of fatty acids by solvent-free esterification and transesterification in vacuo using lipases from *Rhizomucor miehei*, *Candida antarctica* and *Carica papaya*. *J. Agric. Food Chem.* 49: 5210-5216.
- [13] Steinke, G., Kirchhoff, R. and Mukherjee, K.D. (2000) Lipase-catalyzed alcoholysis of crambe oil and camelina oil for the preparation of long-chain esters. *J. Am. Oil Chem. Soc.* 69: 166-169.
- [14] Bartholomew, D. (1981) Vegetable oil fuel. *J. Am. Oil Chem. Soc.* 58: 286A-288A.
- [15] Pryde, E.H. (1983) Vegetable oil as diesel fuel: Overview. *J. Am. Oil Chem. Soc.* 60: 1557-1558.
- [16] Yamane, K., Ueda, A. and Shimamoto, Y. (2001) Influence of physical and chemical properties of biodiesel fuel on injection, combustion and exhaust emission characteristics in a DI-CI engine. *Proc. 5th Int. Symp. on Diagnostics and Modeling of Combustion in Internal Combustion Engines (COMODIA 2001)*. Nagoya, pp. 402-409.
- [17] Ma, F.R. and Hanna, M.A. (1999) Biodiesel production : A review. *Bioresour. Technol.* 70: 1-15.
- [18] Srivastava, A. and Prasad, R. (2000) Triglycerides-based diesel fuels. *Renew. Sust. Energ. Rev.* 4: 111-133.
- [19] Aksoy, H.A., Kahraman, I., Karaosmanoglu, F. and Civelekoglu, H. (1988) Evaluation of Turkish sulphur olive oil as an alternative diesel fuel. *J. Am. Oil Chem. Soc.* 65: 936-938.
- [20] Harrington, K.J. and D'Arey-Evans, C. (1985) A comparison of conventional and *in situ* methods of transesterification of seed oil from a series of sunflower cultivars. *J. Am. Oil Chem. Soc.* 62: 1009-1013.
- [21] Harrington, K.J. and D'Arey-Evans, C. (1985) Transesterification *in situ* of sunflower seed oil. *Ind. Eng. Chem. Prod. Res. Dev.* 24: 314-318.
- [22] Formo, M.W. (1954) Ester reactions of fatty materials. *J. Am. Oil Chem. Soc.* 31: 548-559.
- [23] Hartman, L. (1956) Methanolysis of triglycerides. *J. Am. Oil Chem. Soc.* 33: 129-132.

- [24] Nye, M.J., Williamson, T.W., Deshpande, S., Schrader, J.H., Snively, W.H., Yurkewich, T.P. and French, C.R. (1983) Conversion of used frying oil to diesel fuel by transesterification: Preliminary tests. *J. Am. Oil Chem. Soc.* 60: 1598-1601.
- [25] Wright, H.J., Segur, J.B., Clark, H.V., Coburn, S.K., Langdon, E.E. and Dupuis, R.N. (1944) A report on ester interchange. *Oil Soap.* 21: 145-148.
- [26] Ma, F., Clements, L.D. and Hanna, M.A. (1998) Biodiesel fuel from animal fat. Ancillary studies on transesterification of beef tallow. *Ind. Eng. Chem. Res.* 37: 3768-3771.
- [27] Feuge, R.O. and Grose, T. (1949) Modification of vegetable oils. VII. Alkali-catalyzed interesterification of peanut oil with ethanol. *J. Am. Oil Chem. Soc.* 26: 97-102.
- [28] Krisnangkura, K. and Simamaharnnop, R. (1992) Continuous transmethylation of palm oil in an organic solvent. *J. Am. Oil Chem. Soc.* 69: 166-169.
- [29] Fillieres, R., Benjelloun-Mlayah, B. and Delmas, M. (1995) Ethanolysis of rapeseed oil: Quantitation of ethyl esters, mono-, di-, and triglycerides and glycerol by high performance size-exclusion chromatography. *J. Am. Oil Chem. Soc.* 72: 427-432.
- [30] Wu, W-T. and Chen, J-W. (2002) Method of preparing lower alkyl fatty acids esters and in particular biodiesel. *US. Patent.* 6,398,707.
- [31] Linko, Y.Y., Lamsa, M., Wu, X., Uosukainen, W., Sappala, J. and Linko, P. (1998) Biodegradable products by lipase biocatalysis. *J. Biotechnol.* 66: 41-50.
- [32] De, B.K., Bhattacharyya, D.K. and Bandhu, C. (1999) Enzymatic synthesis of fatty alcohol esters by alcoholysis. *J. Am. Oil Chem. Soc.* 76: 451-453.
- [33] Selmi, B. and Thomas, D. (1998) Immobilized lipase-catalyzed ethanolysis of sunflower oil in solvent-free medium. *J. Am. Oil Chem. Soc.* 75: 691-695.
- [34] Breivik, H., Haraldsson, G.G. and Kristinsson, B. (1997) Preparation of highly purified concentrates of eicosapentaenoic acid and docosahexaenoic acid. *J. Am. Oil Chem. Soc.* 74: 1425-1429.

- [35] Wu, W.H., Foglia, T.A., Marmer, W.N. and Philips, J.G. (1999) Optimizing production of ethyl esters of grease using 95% ethanol by response surface methodology. *J. Am. Oil Chem. Soc.* 76: 517-521.
- [36] Mittelbach, M. (1990) Lipase catalyzed alcoholysis of sunflower oil. *J. Am. Oil Chem. Soc.* 67: 168-170.
- [37] Abigor, R., Uadia, P., Foglia, T., Haas, M., Jones, K., Okpefa, E., Obibuzor, J. and Bafor, M. (2000) Lipase-catalysed production of biodiesel fuel from some Nigerian lauric oils. *Biochem. Soc. Trans.* 28: 979-981.
- [38] Shimada, Y., Watanabe, Y., Samukawa, T., Sugihara, A., Noda, H., Fukuda, H. and Tominaga, Y. (1999) Conversion of vegetable oil to biodiesel using immobilized *Candida antarctica* lipase. *J. Am. Oil Chem. Soc.* 76: 789-793.
- [39] Watanabe, Y., Shimada, Y., Sugihara, A., Noda, H., Fukuda, H. and Tominaga, Y. (2000) Continuous production of biodiesel fuel from vegetable oil using immobilized *Candida antarctica* lipase. *J. Am. Oil Chem. Soc.* 77: 355-360.
- [40] Samukawa, T., Kaieda, M., Matsumoto, T., Ban, K., Kondo, A., Shimada, Y., Noda, H. and Fukuda, H. (2000) Pretreatment of immobilized *Candida antarctica* lipase for biodiesel fuel production from plant oil. *J. Biosci. Bioeng.* 90: 180-183.
- [41] Kaieda, M., Samukawa, T., Kondo, A. and Fukuda, H. (2001) Effect of methanol And water contents on production of biodiesel fuel from plant oil catalyzed by various lipases in a solvent-free system. *J. Biosci. Bioeng.* 91: 12-15.
- [42] Kondo, A., Liu, Y., Furuta, M., Fujita, Y., Matsumoto, T. and Fukuda, H. (2000) Preparation of high activity whole cell biocatalysts by permeabilization of recombinant flocculent yeast with alcohol. *Enzyme. Microb. Technol.* 27: 806-811.
- [43] Liu, Y., Hama, H., Fujita, Y., Kondo, A., Inoue, Y., Kimura, A. and Fukuda, H. (1999) Production of S-lactoylgluthathione by high activity whole cell biocatalysts prepared by permeabilization of recombinant *Saccharomyces cerevisiae* with alcohols. *Biotechnol. Bioeng.* 64: 54-60.

- [44] Liu, Y., Fujita, Y., Kondo, A. and Fukuda, H. (2000) Preparation of high-activity whole cell biocatalysts by permeabilization of recombinant yeasts with alcohol. *J. Biosci. Bioeng.* 89: 554-558.
- [45] Xing, X.H., Honda, H., Shiragami, N. and Unno, H. (1992) A model analysis of microbial retention process in porous support particles in a fluidized-bed wastewater treatment reactor. *J. Chem Eng. Jpn.* 25: 89-95.
- [46] Huysman, P., Meenen, P.V., Assche, P.V. and Verstraete, W. (1983) Factors affecting the colonization of non porous and porous packing materials in model upflow methane reactors. *Biotechnol. Lett.* 5: 643-648.
- [47] Fynn, G.H. and Rankin, S.W. (1987) Methanogenesis by methanogen species immobilised on reticulated foam biomass support particles. *Biotechnol. Lett.* 9: 67-70.
- [48] Fukuzaki, S., Nishio, N. and Nagai, S. (1990) The use of polyurethane foam for microbial retention in methanogenic fermentation of propionate. *Appl. Microbiol. Biotechnol.* 34: 408-413.
- [49] Fukuda, H., Turugida, Y., Nakajima, T., Nomura, E. and Kondo, A. (1996) Phospholipase production using immobilized cells of *Streptoverticillium cinnamomeum*. *Biotechnol. Lett.* 18: 951-956.
- [50] Kobayashi, T., Tachi, K., Nagamune, T. and Endo, I. (1990) Production of penicillin in a fluidized-bed bioreactor using urethane foam as carriers. *J. Chem. Eng. Jpn.* 23: 408-413.
- [51] Furuta, H., Arai, T., Hama, H., Shiomi, N., Kondo, A. and Fukuda, H. (1997) Production of glucoamylase by passively immobilized cells of a flocculent yeast, *Saccharomyces diastaticus*. *J. Ferment. Bioeng.* 84: 169-171.
- [52] Liu, Y., Kondo, A., Ohkawa, H., Shiota, N. and Fukuda, H. (1998) Bioconversion using immobilized recombinant flocculent yeast cells carrying a fused enzyme gene in an 'intelligent' bioreactor. *Biochem. Eng. J.* 2: 229-235.
- [53] Webb, C., Fukuda, H. and Atkinson, B. (1986) The production of cellulase in a spouted bed fermentor using cells immobilized in biomass support particles. *Biotechnol. Bioeng.* 28: 41-50.

- [54] Fukuda, H. and Morikawa, H. (1987) Enhancement of γ -linolenic acid production by *Mucor ambiguus* with nonionic surfactants. *Appl. Microbiol. Biotechnol.* 27: 15-20.
- [55] Anselmo, A.M. and Novais, J. M. (1992) Biological treatment of phenolic wastes: comparison between free and immobilized cell systems. *Biotechnol Lett.* 14: 239-244.
- [56] Vassileve, N., Kautola, H. and Linko, Y.Y. (1992) Immobilized *Aspergillus terreus* in itaconic acid production from glucose. *Biotechnol. Lett.* 14: 201-206.
- [57] Kautola, H., Rymowicz, W., Linko, Y.Y. and Linko, P. (1991) Itaconic acid production by immobilized *Aspergillus terreus* with varied metal additions. *Appl. Microbiol. Biotechnol.* 35: 154-158.
- [58] Ziomek, E., Kirkpatrick, N. and Reid, I.D. (1991) Effect of polydimethyl siloxane oxygen carriers on the biological bleaching of hardwood kraft pulp by *Trametes versicolor*. *Appl. Microbiol. Biotechnol.* 35: 669-673.
- [59] Kautola, H. and Linko, Y.Y. (1989) Fumaric acid production from xylose by immobilized *Rhizopus arrhizus* cells. *Appl. Microbiol. Biotechnol.* 31: 448-452.
- [60] Matsushita, T., Ijima, H., Koide, N. and Funatsu, K. (1992) High albumin production by multicellular spheroids of adult rat hepatocytes formed in the pores of polyurethane foam. *Appl. Microbiol. Biotechnol.* 36: 324-326.
- [61] Matsushita, T., Hidaka, H., Kamihata, K., Kawakubo, Y. and Funatsu, K. (1991) High density culture of anchorage-dependent animal cells by polyurethane foam packed-bed culture systems. *Appl. Microbiol. Biotechnol.* 35: 159-164.
- [62] Matsushita, T., Ketayama, M., Kamihata, K. and Funatsu, K. (1990) Anchorage-dependent mammalian cell culture using polyurethane foam as a new substratum for cell attachment. *Appl. Microbiol. Biotechnol.* 33: 287-290.
- [63] Miyoshi, H., Yanagi, K., Fukuda, H. and Ohshima, N. (1994) Long-term continuous culture of hepatocytes in a packed-bed reactor utilizing porous resin. *Biotechnol. Bioeng.* 43: 635-644.

- [64] Yamaji, H. and Fukuda, H. (1994) Growth kinetics of animal cells immobilized within porous support particles in a perfusion culture. *Appl. Microbiol. Biotechnol.* 42: 531-535.
- [65] Yamaji, H. and Fukuda, H. (1997) Continuous Ig G production by myeloma cells immobilized within porous support particles. *J. Ferment. Bioeng.* 83: 489-491.
- [66] Yamaji, H., Fukuda, H., Nojima, Y. and Webb, C. (1989) Immobilization of anchorage-independent animal cells using reticulated polyvinyl formol resin biomass support particles. *Appl. Microbiol. Biotechnol.* 30: 609-613.
- [67] Yamaji, H. and Fukuda, H. (1991) Long-term cultivation of anchorage-independent animal cells immobilized within reticulated biomass support particles in a circulating bed fermentor. *Appl. Microbiol. Biotechnol.* 34: 730-734.
- [68] Ogawa, T., Kamihira, M., Terashima, S., Yasuda, K., Iijima, S. and Kobayashi, T. (1992) High cell density cultivation of anchorage-dependent cells using a novel macroporous cellulosic support. *J. Ferment. Bioeng.* 74: 27-31.
- [69] Yamaji, H., Tagai, S., Sakai, K., Izumoto, E. and Fukuda, H. (2000) Production of recombinant protein by baculovirus-infected cells in immobilized culture using porous biomass support particles. *J. Biosci. Bioeng.* 89: 12-17.
- [70] Corchete, P. and Yeoman, M.M. (1989) Biotransformation of (-)-codeinone to (-)-codeine by *Papaver somniferum* cells immobilized in reticulate polyurethane foam. *Plant Cell Rep.* 8: 128-131.
- [71] Ishida, B.K. (1988) Improved diosgenin production in *Dioscorea deltoidea* cell cultures by immobilization in polyurethane foam. *Plant Cell Rep.* 7: 270-273.
- [72] Mavituna, F. and Park, J.M. (1985) Growth of immobilized plant cells in reticulate polyurethane foam matrices. *Biotechnol. Lett.* 7: 637-640.
- [73] Koge, K., Orihara, Y. and Furuya, T. (1992) Effects of pore size and shape on the immobilization of coffee (*Coffea arabica* L.) cells in porous matrices. *Appl. Microbiol. Biotechnol.* 36: 452-455.

- [74] Pak, Y.H., Seo, W.T. and Liu, J.R. (1990) Enhanced production of shikonin by *Lithospermum erythrorhizon* cells immobilized in polyurethane foam matrices. *J. Ferment. Bioeng.* 70: 317-321.
- [75] Rhodes, M.J.C., Smith, J.I. and Robins, R.J. (1987) Factors affecting the Immobilization of plant cells on reticulated polyurethane foam particles. *Appl. Microbiol. Biotechnol.* 26: 28-35.
- [76] Ban, K., Kaieda, M., Matsumoto, T., Kondo, A. and Fukuda, H. (2001) Whole cell biocatalysts for biodiesel fuel production utilizing *Rhizopus oryzae* cells immobilized within biomass support particles. *Biochem. Eng. J.* 8: 39-43.
- [77] Chen, W-T. and Wu, W-T. (2003) Regeneration of immobilized *Candida antarctica* lipase for transesterification. *J. Biosci. Bioeng.* 95: 466-469.
- [78] Carica papaya. *Carica papaya* L. [Online]. Available: <http://www.hort.purdue.edu/newcrop/duke>. [2006, March 6]
- [79] Moussaoui, A. El., Nijs, M., Paul, C., Wintjens, R., Vincentelli, J., Azarkan, M. and Looze, Y. (2001) Revisiting the enzymes stored in the laticifers of *Carica papaya* in the context of their possible participation in the plant defence mechanism. *Cell. Mol. Life Sci.* 58: 556-570.
- [80] Villeneuve, P., Skarbek, A., Pina, M., Graille, J. and Foglia, T.A. (1997) Catalytic behavior of *Carica papaya* latex in transesterification reactions. *Biotechnol. Tech.* 11: 637-639.
- [81] Villeneuve, P., Pina, M., Skarbek, A. Graille, J. and Foglia, T.A. (1997) Specificity of *Carica papaya* latex in lipase-catalyzed interesterification reactions. *Biotechnol. Tech.* 11: 91-94.
- [82] Fermented cereals a global perspective. Chapter 1. Introduction [Online]. Available: <http://www.fao.org/docrep/x2184e03.htm> [2006, March 10]
- [83] Eastmond, P.J. and Graham, I.A. (2001) Re-examining the role of the glyoxylate cycle in oilseeds. *Trends Plant Sci.* 6: 72-78.
- [84] Eastmond, P.J., Germain, V., Lange, P.R., Bryce, J.H., Smith, S.M. and Graham, I.A. (2000) Post-germinative growth and lipid catabolism in oilseeds lacking the glyoxylate cycle. *Proc. Natl. Acad. Sci. USA.* 97: 5669-5674.

- [85] Frey-Wyssling, A. (1935) *Die Stoffausscheidung der höheren Pflanzen*. Monographien aus dem Gesamtgebiet der Physiologie der Pflanzen und der Tiere. Band 32. Julius Springer, Berlin.
- [86] Giordani, R., Moulin, A. and Verger, R. (1991) Tributyrorylglycerol hydrolase activity in *Carica papaya* and other latices. *Phytochem.* 30: 1069-1072.
- [87] Theppakorn, T. (2003) Production, stability and behavior in non-conventional media of cysteine protease from papaya (*Carica papaya* L.) latex. *Ph.D. Thesis*, Chiang Mai University, Thailand, pp. 7-8.
- [88] Patron, A. (1952) Papain production, properties and utilization. *Fruit.* 7: 57-61.
- [89] Krishnamurthy, G.V., Bhatia, B.S., Lal, G. and Subramanian, V. (1960) Pilot plant studies on the preparation of crude papain from raw papaya. *J. Sci. Food Agric.* 11: 433-436.
- [90] Burdick, E.M. (1964) Method of cultivating papaya plants and for recovering proteolytic enzyme from papaya plant. *US. Patent.* 3,141,832.
- [91] Becker, S. (1958) The production of papain. *Econ. Bot.* 12: 62-79.
- [92] Mardigal, L., Ortiz, A., Cooke, R.D. and Fernandez, R. (1980) The dependence of crude papain yield on different collection (tapping) procedures for papaya latex. *J. Sci. Food Agric.* 31: 279-285.
- [93] Theppakorn, T. and Kanasawud, P. (2001) Papaya latex collector, *Thailand Petty-patent* 512.
- [94] Moore, D.J. (1980) A simple method of collecting and drying papaya (pawpaw) latex to produce crude papain. *Rural Technology Guide 8*, Tropical Product Institute, UK.
- [95] Caro, Y., Villeneuve, P., Pina, M., Reynes, M. and Graille, J. (2000) Investigation of crude latex from various *Carica papaya* varieties for lipid bioconversions. *J. Am. Oil Chem. Soc.* 77: 891-901.
- [96] Brockerhoff, H. and Jensen, R.G. (1974) Lipases, in : *Lipolytic Enzyme*. Academic Press, New York. pp. 32-34.
- [97] Mukherjee, K.D. and Kiewitt, I. (1996) Specificity of *Carica papaya* latex as biocatalysts in the esterification of fatty acids with 1-butanol. *J. Agric. Food Chem.* 44: 1948-1952.

- [98] Gandhi, N. N. and Mukherjee, K.D. (2000) Specificity of papaya lipase in esterification with respect to the chemical structure of substrates. *J. Agric. Food Chem.* 48: 566-570.
- [99] Villeneuve, P., Pina, M., Montet, D. and Graille, J. (1995) Determination of lipase specificity through the use of chiral triglycerides and their racemics. *Chem. Phys. Lipids.* 76: 109-113.
- [100] Foglia, T.A. and Villeneuve, P. (1997) *Carica papaya* latex-catalyzed synthesis of structured triacylglycerol. *J. Am. Oil Chem. Soc.* 74: 1447-1450.
- [101] Gandhi, N.N. and Mukherjee, K.D. (2001) Synthesis of designer lipids using papaya (*Carica papaya*) latex lipase. *J. Mol. Catal. B: Enz.* 11: 271-277.
- [102] Caro, Y., Villeneuve, P., Pina, M., Reynes, M. and Graille, J. (2000) Lipase activity and fatty acid typoselectivities of plant extracts in hydrolysis and interesterification. *J. Am. Oil Chem. Soc.* 77: 349-354.
- [103] Kwon, D.Y. and Rhee, J.S. (1986) A simple and rapid colorimetric method for determination of free fatty acids for lipase assay. *J. Am. Oil Chem. Soc.* 63: 89-92.
- [104] Ungkanurukpun, P. (1996) Purification and characterization of lipases from thermophile TLS 63. *M.Sc. Thesis*, Chiang Mai University, Thailand, pp. 55-67.
- [105] Theppakorn, T., Kanasawud, P. and Halling, P.J. (2003) Effect of solid-state buffers on the catalytic activity of papain in low water media. *Enzyme Microb. Technol.* 32: 828-836.
- [106] Boyer, R.F. (1993) Fatty acid content of triacylglycerols in natural oils, in: *Modern Experimental Biochemistry*, 2nd ed., Benjamin/Cummings, California. pp. 335-346.
- [107] Haper, N., Dolman, M., Moore, B.D. and Halling, P.J. (2000) Acid-base control for biocatalysis in organic media: new solid-state proton/cation buffers an indicator. *Chem Eur J.* 6: 1923-1929.
- [108] Palm oil. From wikipedia, the free encyclopedia [Online]. Available: http://www.en.wikipedia.org/wiki/United_States_Department_of_Agriculture [2006, June 15].

- [109] Heipieper, H.J., Weber, F.J., Sikkema, J., Keweloh, H. and de Bont JAM. (1994) Mechanisms of resistance of whole cells to toxic organic solvents. *Trends Biotechnol.* 12: 409-415.
- [110] Soumanou, M.M. and Bornscheuer, U.T. (2003) Improvement in lipase-catalyzed synthesis of fatty acid methyl esters from sunflower oil. *Enzyme Microb. Technol.* 33: 97-103.
- [111] Kose, O., Tuter, M. and Aksoy, H.A. (2002) Immobilized *Candida antarctica* lipase-catalyzed alcoholysis of cotton seed oil in a solvent-free medium. *Bioresour. Technol.* 83: 125-129.
- [112] Holcapek, M., Jandera, P., Zderadicka, P. and Hrubá, L. (2003) Characterization of triacylglycerol and diacylglycerol composition of plant oils using high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry. *J. Chromatogr. A* 1010: 195-215.