

REFERENCES

- Adams, A. M. 1954. Studies on the storage of yeast. II. Wine yeast starter stored as moist cakes. Rept. Ont. Hout. Expt. Sta. and Prod. Lab., 98.
- Allen, M. S., and Auld, P. W. 1988. Stuck Chardonnay Ferments; Experience in the Hunter and Mudgee regions. The Australian Grape grower and winemaker. April: pp. 9-11.
- Amerine, M. A., and Joslyn, M. A. 1970. "Table Wines, the Technology of Their Production," 2nd ed. University of California Press. Berkeley.
- Aristidou, A., Richard, P., Ruohonen, L., Toivari, M., Londesborough, J., and Penttila, M. 1999. Redox balance in fermenting yeast. *Monogr. Eur. Brewery Convent.* 28 : 161-169.
- Barre, P., and Vezinhet, F. 1984. Evolution towards fermentation with pure culture yeasts in wine making. *Microbiol. Sci.* 1 : 159-163.
- Bely, M., Sablayrolles, J. M., and Barre, P. 1990a. Automatic detection of assimilable nitrogen deficiencies during alcoholic fermentation in enological condition. *J. Ferment. Bioeng.* 70 : 246-252.
- Bely, M., Sablayrolles, J. M., and Barre, P. 1990b. Description of alcoholic fermentation kinetics: Its variability and significance. *Am. J. Enol. Vitic.* 41 : 319-324.
- Bely, M., Sablayrolles, J. M., and Barre, P. 1994. Assimilable nitrogen addition and hexose transport system activity during enological fermentations. *J. Inst. Brew.* 100 : 279-282.

Benda, I. 1982. Wine and Brandy. In: Prescott and Dunn's Industrial Microbiology, Reed, G (ed.) AVI Publishing Co., Westport. Conn.

Bidan, P. and Maugenet, J. 1981. Recent information on use of active dry wine yeast (France). *Bull de l'OIV*. 54(601) : 241-254.

Bisson, L. F. 1991. Influence of nitrogen on yeast and fermentation of grape. In J. Rantz (ed.), Proceedings of the international symposium on nitrogen in grapes and wines. The American Society for Enology and Viticulture, seattle, Washington. pp.172-184.

Bouix, M., Leveau, J. Y., and Cuineir,C. 1981. Applications de l'electrophorese des fractions exocellulaires de levures au controle de l'efficacite d'un leverage en vinification. In "Current Development in Yeast Reserch" (G.G. Stewart and I. Russel, eds.). Pergamon. New York. pp. 87-92.

Boles, E., Lehnert, W., and Zimmermann, F. K. 1993. The role of the NAD-dependent glutamate dehydrogenase in restoring growth on glucose of a *Saccharomyces cerevisiae* phosphoglucose isomerase mutant. *Eur. J. Biochem.* 217 : 469-477.

Boulton, R. B., Singleton, V. L., and Kunkee, R. E. 1996. Nitrogen metabolism during fermentation. In Principles and practices of winemaking. International Thomson Publishing. New York. N.W. pp.153-167.

Bruinenberg, P. M. Jonker, R., van Dijken, P., and Scheffers, W. A. 1985. Utilization of formate as an additional energy source by glucose-limited chemostat cultures of *Candida utilis* CBS621 and *Saccharomyces cerevisiae* CBS 8066. Evidence for the absence of transhydrogenase activity in yeasts. *Arch. Microbiol.* 142 : 302-306.

Cartwright, C. P., Rose, A. H., Calderbank, J., and Keenan, M. J. 1989. Solute transport. In "The Yeasts" (A. H. Rose and J. S. Harrison, eds.). 2nd ed. 3 vol. Academic Press. New York. pp. 5-56.

Chen, E. C. H. 1978. The relative contribution of Enrich and biosynthesis pathways to the formation of fusel alcohols. *J. Am. Soc. Brew. Chem.* 35 : 39-43.

Cooper, T. G. 1982. Nitrogen metabolism in *Saccharomyces cerevisiae*. In J. N. Stratern, E. W. Jones, and J. B. Broach (ed.). The molecular biology of the yeast *Saccharomyces*. Metabolism and gene expression. Cold Spring Harbor Laboratory. New York. N.W. pp.39-99.

Courchesne, W. E., Magasanik, B. 1983. Ammonia regulation of amino acid permase in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* 3 : 672-683.

de Deken, R. H. 1966. The crabtree: A regulatory system in yeast. *J. Gen. Microbiol.* 44 : 149-156.

Department of Food Science and Technology. 2001. "Environment and processing factors influencing viability and fermentation performance of wine yeast." [Online]. Avialable <http://www.vtwines.info> (8 September 2005).

Dubois, E., and Grenson, M. 1979. *Molecular and General Genetics*. 175 : 67-76.

Dubourdieu, D., Sokol, A., Zucca, J., Thalouarn, P., Datte, A., and Aigle, M. 1987. Identification des souches de levures isolees de vins par l'analyse de leur AND mitochondrial. *Connaiss. Vigne Vin.* 42 : 125-134.

Dukes, B. C., and Butzke, C. E. 1998. Rapid determination of primary amino acids in grape juice using an *o*-hthalodialdehyde/N-acetyl-L-cysteine spectrophotometric assay. *Am. J. Enol. Vitic.* 49 : 125-134.

Englinton, J., and Henschke, P. 1993. Can the addition of vitamins during fermentation be justified?. The Australian Grapegrower and Winemaker. Annual Technical Issue 47-52.

Ferreira, J. D. 1959. The growth and fermentation characteristics of six yeast strains at several temperatures. *AM. J. Enol. Vitic.* 10 : 1-7.

Fleet, B., and Butzke, C. 1998. Rapid determination of primary amino acids in grape juice using an *o*-phthaldialdehyde/*N*-acyetyl-l.cysteine spectrophotometric assay. *Am. J. Enol. Vitic.* 49 : 125-134.

Gancelos, C., and Serrano, R. 1989. Energy-yielding metabolism. In "The Yeasts" (A. H. Rose and J. S. Harrison, eds.). 2nd ed. 3 vol. Academic Press. London. pp. 205-259.

Gerald, R. and Henry, P. 1973. Yeast technology. *Wisconsin Universal Foods Corporation.* pp. 165-167.

Guymon, J. F., Ingraham, J. L., and Crowell, E. A. 1961. *Arch. Biochem. Biophys.* 95 : pp. 163-168.

Hallsworth, J. E. 1998. Ethanol induced water stress in yeasts. *J. Ferment. Bioeng.* 85 : 125-137.

Heard, G. M. and Fleet, G. H. 1985. Growth of natural yeast flora during the fermentation of inoculated wines. *Appl. Environ. Microbiol.* 50(3) : 727-728.

Henschke, P. A., and Jiranek, V. 1992. In Wine Microbiology and Biotechnology (ed. G. H. Fleet). Harwood Academic Plublishers, Chur, Swirzerland. pp.77-169.

Henschke, P. A., and Jiranek, V. 1993. Yeast-metabolism of nitrogen compounds. In G.H. Fleet (ed.). Wine microbiology and biotechnology. Harwood Academic Plublisher. Newark. N.J. pp. 77-164.

Hess, B., Boiteux, A., and Kruger, J. 1969. Cooperation of glycolytic enzymes. *Adv. Enzyme Regulation.* 7 : 149-167.

Hottiger, T., de Virigilio, C., Hall, M., Boller, T., and Wiemken, A. 1994. The role of trehalose synthesis for the acquisition of thermo-tolerance in yeast. II. Physiological concentration of trehalose increase the thermal stability of protein *in vitro*. *Eur. J. Biochem.* 210 : 4766-4744.

Ingledew, W. M., and Kunkee, R. 1985. Factors influencing sluggish fermentation of grape juice. *Am. J. Enol. Vitic.* 46 : 75-83.

Ingledew, W. M., Sosulski, F.W., and Magnus, C.A. 1986. An Assessment of Yeast Foods and Their Utility in Brewing and Enology. *ASBC Journal.* 44 : 166-170.

Iwahashi, H., Obuchi, K., Fujii, S., and Komatsu, Y. 1995. The correlative evidence suggesting that trehalose stabilize membrane structure in the yeast *Saccharomyces cerevisiae*. *Cell. Molec. Biol.* 41 : 763-769.

Kraus, J. K., Reed, G. and Villettaz, J. C. 1984. Active dry wine yeasts (France). *Conn. Vigne Vin.* 18(1) : 1-26.

Kraus, J. K., Scoop, R., and Chen, S. L. 1981. Effect of rehydration on dry wine yeast activity. *Am. J. Enol. Vitic.* 32 : 132-134.

Laffort, J. F., Romat, H., and Darriet, P. 1989. Les levures et l'expression aromatique des vins blancs. *Res. Oenologues.* 53 : 9-12.

Lagunas, R. 1986. Misconceptions about the energy metabolism of *Saccharomyces cerevisiae*. *Yeast*. 2 : 221-228.

Magasanik, B. 1992. Regulation of nitrogen utilization. In E.W.. Jones. . J. R. Pringle. And J. B. Broach (ed.). The molecular and cellular biology of the yeast *Saccharomyces*. 2 vol. Cold Spring Harbor Laboratory Press. Cold Spring Harbor. N.Y. pp. 283-317.

Martinez, J., Millan, C., and Ortega, J. M. 1989. Growth of natural flora during the fermentation of inoculated musts from ‘Pedro Ximenez’ Grapes. *S. Afr. J. Enol. Vitic.* 10 : 31-35.

Michnick, S., Roustan, J. L., Remize, F., Barre, P., and Dequin, S. 1997. Modulation of glycerol and ethanol yields during alcoholic fermentation in *Saccharomyces cerevisiae* strains overexpressed or disrupted for GPD1 encoding glycerol 3-phosphate dehydrogenase. *Yeast*. 13 : 783-793.

Munoz, E., and Ingledew, W. M. 1990. Yeast Hulls in Wine Fermentation. A Review. *Journal of Wine Reserch.* 1 : 197-209.

Nilgov, V. I., and Valuiko, G. G. 1958. Changes in nitrogen during fermentation. *Vinodel. Vinograd.* 18 : 4-7.

Nykanen, L. 1986. Formation and occurrence of flavor compounds in wine and distilled alcoholic beverages. *Am. J. Enol. Vitic.* 37 : 89-96.

Ough, C. S. 1996a. Fermentation rats of grape juice, II. Effects of initial °Brix, pH, and fermentation temperature. *Am. J. Enol. Vitic.* 17 : 20-26.

Ough, C. S. 1996b. Fermentation rats of grape juice, III. Effects of initial ethyl alcohol, pH, and fermentation temperature. *Am. J. Enol. Vitic.* 17 : 74-81.

Ough, C. S., Stevence, D., Sendovski, T., Huang, Z., and An, A. 1990. Factors contributing to urea formation in commercially fermented wines. *Am. J. Enol. Vitic.* 41 : 68-73.

Ough, C. S., Stevence, D., Huang, Z., and An, A. 1991. Amino acid uptake by four commercial yeast at two different temperature of growth and fermentation: Effects on urea excretion and reabsorption. *Am. J. Enol. Vitic.* 42 : 26-40.

Parsel, D. A., Kowal, A. S., Singer, M. A., and Lindquist, S. 1994. Protein disaggregation mediated by heat-shock protein HSP104. *Nature*. 372 : 475-478.

Petering, J. E., Henschke, P. A., and Langridge, P. 1991. The *Escherichia coli* β -glucuronidase gene as a marker for *Saccharomyces* yeast strain identification. *Am. J. Enol. Vitic.* 42 : 6-12.

Pines, O., Shemesh, S., Battat, E., and Goldberg, I. 1997. Overexpression of cytosolic malate dehydrogenase (MDH2) cause overproduction of specific organic acids in *Saccharomyces cerevisiae*. *Appl. Microbiol. Biotechnol.* 48 : 248-255.

Querol, A., Barrio, E., Huerta, T., and Ramon, D. 1992. Molecular monitoring of wine fermentations conducted by active dry yeast strains. *Appl. Microbiol. Biotechnol.* 58 : 2498-2503.

Rapp, A., and Guntert, M. 1986. Changes in aroma substances during the storage of white wines in bottle. In "The Shelf Life of Foods and Beverages" (G. Charalambous, ed.). Elsevier. Amsterdam. pp. 141-167.

Rapp, A., and Mandery, H. 1986. Wine aroma. *Experientia*. 42 : 873-880.

Rapp, A., and Reuther, K. H. 1971. Der Gehalt an freien Amino sauren in Trabenmosten von gesunden und edelfaulen Beeren verschiedener Rebsorten. *Vitis*. 10 : 51-58.

Ribereau-Gayon, J., Peynaud, E., Ribereau-Gayon, P., and Sudraud, P. 1975. *Sciences et Techniques du Vin*. 2 Vol. *Caractères des Vins, Maturation du raisin, Levures et bactéries*. Dunod, Paris.

Ribereau-Gayon, P. 1985. New developments in wine microbiology. *Am. J. Enol. Vitic.* 36 : 1-9.

Riou, C., Nicaud, J. M., Barre, P., and Gaillardin, C. 1997. Stationary-phase gene expression in *Saccharomyces cerevisiae* during wine fermentation. *Yeast*. 13 : 903-915.

Rossini, G., Bertoluccioli, M. and Pasquale, E. R. 1981. Vinification with commercial active dry wine yeast : Vintage 1979 (Italian). *Vini d'Italia*. 130 : 21-26.

Sablayrolles, J. M., Barre, P., and Greneir, P. 1996a. Design of laboratory automatic system for studying alcoholic fermentations in anisothermal. Oenological conditions. *Biotechnol. Tech.* 1(3) : 181-184.

Sablayrolles, J. M., Dubois, C., Manginot, C., Roustan, J L., and Barre, P. 1996b. Effectiveness of combined ammonical nitrogen and oxygen additions for completion of sluggish and stuck wine fermentations. *J. Ferment. Bioeng.* 82 : 377-381.

Schmitt, A., Curshmann, K. and Koehler, H. 1979. On fermentation and the flavor defects of wines (German). *Rebe Wine*. 32(9) : 364-367.

Schulze, U., Liden, G., Nielsen, J. and Villadsen, J. 1996. Physiological effects of nitrogen starvation in an anaerobic batch culture of *Saccharomyces cerevisiae*. 142 : 2299-2310.

Sponholz, W. R. 1988. Alcohol derived from sugars and other sources and fullbodiedness of wines. In "Wine Analysis" (H. F. Linskens and J. F. Jackson, eds.). Springer-Verlag, Berlin. pp. 147-172.

Tomenchok, D. M., and Brandriss, M. C. 1987. Gene-enzyme relationships in the praline biosynthetic pathway of *Saccharomyces cerevisiae*. *J. Bacteriol.* 169 : 5364-5372.

Viegas, C. A., Almeda, P. F., Cavaco, M., and Sa-Correia, I. 1998. The H⁺-ATPase in the plasma membrane of *Saccharomyces cerevisiae* is activated during growth latency in octanoic acid-supplemented medium accompanying the decrease in intracellular pH and cell viability. *Appl. Environ. Microbiol.* 64 : 779-783.

Watunyoo, T. 2003. Wine and brandy productions from dried longan. M.S. Thesis, Chiang Mai University.