

APPENDIX A

Data of percentage inhibition

Appendix table1 The percentage inhibition of inoculated shallot

Extract	Percentage inhibition (%)			
	control	<i>Penicillium</i> sp.1	<i>A. niger</i> 1	<i>Penicillium</i> sp.2
control	0	76.67	86.67	76.67
water	76.67	60.00	76.67	76.67
ethanol	100.00	96.67	100.00	100.00
methanol	100.00	93.33	96.67	100.00
aqueous fresh garlic extract	30.00	90.00	96.67	90.00
ethanolic dry galangal extract	60.00	93.33	100.00	100.00
methanolic dry galangal extract	100.00	93.33	83.34	96.67
methanolic dry ginger extract	100.00	80.00	96.67	100.00

APPENDIX B

Data of weight loss

Appendix table2 The percentage weight loss of inoculated shallot

Extract	Percentage weight loss (%)			
	control	<i>Penicillium</i> sp.1	<i>A. niger</i> 1	<i>Penicillium</i> sp.2
control	4.87	5.12	4.73	4.75
water	3.79	3.63	2.70	3.23
ethanol	4.38	4.78	4.09	4.19
methanol	4.31	4.35	4.37	4.20
aqueous fresh garlic extract	4.22	4.18	4.49	3.62
ethanolic dry galangal extract	4.53	3.72	3.87	3.75
methanolic dry galangal extract	4.53	5.01	4.14	4.14
methanolic dry ginger extract	4.85	4.44	4.05	4.04

CIRRICULUM VITAE

Name	Miss Niratsa Sae-tan
Date of birth	27 June 1980
Academic background	1999 High school, Rayongwittayakom school 2002 B.S. (Microbiology), Burapha University
Publication	Sae-tan, N. and Hanmongjai, P. “Control of Fungi on <i>Allium</i> by Various Plant Extracts”. Poster P-TSB-BIORESOURCE-24, The Annual Meeting of the Thai Society for Biotechnology “BioThailand 2005: Biotechnology Challenges in the 21 th Century”, The Queen Sirikit National Convention Center (QSNCC), Bangkok, Thailand, 2005.