

## REFERENCES

- Alam, S., Akhter, N., Begum, M.F., Banu, M.S. and Islam, M.R. (2002). Antifungal activities (*In vitro*) of some plant extracts and smoke on four fungal pathogens of different hosts. *Pakistan Journal of Biological Sciences*. **5(3)**: 307-309.
- Alexopoulos, C.J., Mims, C.W. and Blackwell, M. (1996). *Introductory Mycology*. 4<sup>th</sup> Edition. New York : John Wiley & Sons, Inc. pp. 306-319.
- “*Alpinia officinarum*.” (2004). [Online]. Available <http://www.crescentbloom.com/plants/Specimen/AI/Alpinia%20officinarum.htm> (11 July 2006).
- Alston, D.G. (1996). “General Concepts of Biological Control.” [Online]. Available <http://extension.usu.edu/files/gardpubs/ipm04.pdf> (1 August 2005).
- Amgrow Gardening. (2004) “Chemspray Zineb Fungicide.” [Online]. Available <http://www.amgrowdenking.com.au/products/dis cs zineb.htm> (4 January 2005).
- Ankri, S. and Mirelman, D. (1999). Antimicrobial properties of allicin from garlic. *Microbes and Infection*. **1(2)**: 125-129.
- Ates, D.A. and Erdogru, O.T. (2003). Antimicrobial activities of various medicinal and commercial plant extracts. *Turkey Journal of Biology*. **27**: 157-162.
- Babayi, H., Kolo, I., Okogun, J.I. and Ijah, U.J.J. (2004). The antimicrobial activities of methanolic extracts of *Eucalyptus camaldulensis* and *Terminalia catappa* against some pathogenic microorganisms. *Nigerian Society for Experimental Biology*. **16(2)**: 106-111.
- Bajwa, R., Khaild, A. and Cheema, T.S. (2003). Antifungal activity of Allelopathic plant extracts III: Growth response of some pathogenic fungi to aqueous extract of *Parthenium hysterophorus*. *Pakistan Journal of Plant Pathology*. **2(3)**: 145-156.
- Begum, J., Sohrab, H., Yusuf, Md., Chowdury, J.U., Husain, M.M., Begum, H.A. and Anwar, M.N. (2004). *In vitro* antifungal activity of azaron isolated from the rhizome extract of *Acorus calamus* L.. *Pakistan Journal of Biological Sciences*. **7(8)**:1376-1379.

- Belt, M. (2006). "Galangal." [Online]. Available  
<http://www.naturedirect2u.com/Essential%20oils/galangal.htm> (11 July 2006).
- Benkeblia, N. (2004). Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*). *Lebensmittel-Wissenschaft und Technologie-Food Science and Technology*. **37**: 263-268.
- Bianchi A., Zambonelli, A., D'Aulerio, A.Z. and Bellesia, F. (1997). Ultrastructural studies of the effects of *Allium sativum* on phytopathogenic fungi *in vitro*. *Plant Disease*. **81**: 1241-1246.
- Bonjar, G.H.S. and Nik, A.K. (2004). Antibacterial activity of some medicinal plants of Iran against *Pseudomonas aeruginosa* and *P. fluorescens*. *Asian Journal of Plant Science*. **3(1)**: 61-64.
- Brewster, J.L. (1994). *In: Onion and other Vegetable Allium*. Wallingford : Cab International. 236 pp.
- Carpinella, M.C., Herrero, G.G., Alonso, R.A. and Palacios, S.M. (1999). Antifungal activity of *Melia azedarach* fruit extract. *Fitoterapia*. **70**: 296-298.
- Castro, V.L., Tambasco, A.J., Paraiba, L.C. and Tambasco, D.D. (1999). Cytogenetic and teratological effects of mancozeb pre natal exposure on rats. *Brailian Archives of Biology and Technology*. **42**: 127-134.
- Chaiyamongkon, N. (No date). "Onions." [Online]. Available  
[http://www.agric-prod.mju.ac.th/vegetable/File\\_link/Onions.pdf](http://www.agric-prod.mju.ac.th/vegetable/File_link/Onions.pdf) (2 April 2006).
- Chandrasekaran, M. and Venkatesalu, V. (2004). Antibacterial and antifungal activity of *Syzygium jambolanum* seeds. *Journal of Ethnopharmacology*. **91**: 105-108.
- Commission working document. (2004). "European Commission Health & Consumer Protection Directorate-General." [Online]. Available  
[http://www.versailles.inra.fr/ssm/documents/doceval/eu/general/plant\\_extracts.pdf](http://www.versailles.inra.fr/ssm/documents/doceval/eu/general/plant_extracts.pdf)  
 (2 June 2006).
- Dabur, R., Singh, H., Chhillar, A.K., Ali, M. and Sharma, G.L. (2004). Antifungal potential of Indian medicinal plants. *Fitoterapia*. **75**: 389-391.
- Delahaut, K. And Stevenson, W. (2004). "Onion Disorder: Soft Rot." [Online]. Available  
<http://s142412519.onlinehome.us/uw/pdfs/A3797.PDF#search=%22bulb%2B onion%2BSoft%20Rot%22> (28 June 2006).

- Department of Agricultural Extentsion. (2005a). "Shallot." [Online]. Available <http://www.doae.go.th/data/rice/red.pdf> (8 August 2006).
- Department of Agricultural Extentsion. (2005b). "Onion." [Online]. Available <http://www.doae.go.th/data/rice/3.xls> (8 August 2006).
- Ejechi, B.O., Nwafor, O.E. and Okoko, F.J. (1999). Growth inhibition of tomato-rot fungi by phenolic acids and essential oil extracts of pepperfruit (*Dennetia tripetala*). *Food Research International*. **32**: 395-399.
- Eksteen, D., Pretorius, J.C., Nieuwoudt, T.D. and Zietsman, P.C. (2001). Mycelial growth inhibition of plant pathogenic fungi by extracts of South African plant species. *Annals of Applied Biology*. **139**: 243-249.
- El Astal, Z.Y., Ashour, A.E.R.A. and Kerrit, A.A.M. (2005). Antimicrobial activity of some medicinal plant extracts in Palestine. *Pakistan Journal of Medicinal Sciences*. **21(2)**: 187-193.
- Erturk, O., Kati, H., Yayli, N. and Demirbag, Z. (2003). Antimicrobial activity of *Viscum album* L. subsp. *abietis* (Wiesb). *Turkey Journal of Biology*. **27**: 255-258.
- Falandysz, J. (2000). Residues of hexachlorobenzene in Baltic fish and estimation of daily intake of this compound and pentachlorobenzene with fish and fishery products in Poland. *Polish Journal of Environmental Studies*. **9(5)**: 377-383.
- Ferreira, D.T., Andrei, C.C., Saridakis, H.O., Faria, T.D.J., Vinhato, E., Carvlho, K.E., Daniel, J.F.S., Machado, S.L., Saridakis, D.P. and Braz-Filho, R. (2004). Antimicrobial activity and chemical investigation of Brazilian *Drosera*. *Memorias do Instituto Oswaldo Cruz*. **99(7)**: 753-755.
- Ficker, C.E., Smith, M.L., Susiarti, S., Leaman, D.J., Irawati, C. and Arnason, J.T. (2003). Inhibition of human pathogenic fungi by members of Zingiberaceae used by the Kenyah (Indonesian Borneo). *Journal of Ethnopharmacology*. **85**: 289-293.
- Grierson, D.S. and Afolayan, A.J. (1999). Antibacterial activity of some indigenous plants used for the treatment of wounds in the Eastern Cape, South Africa. *Journal of Ethnopharmacology*. **66**: 103-106.

- Habsah, M., Amran, M., Mackeen, M.M., Lajis, N.H., Kikuzaki, H., Nakatani, N., Rahman, A.A., Ghafar and Ali, A.M. (2000). Screening of Zingiberaceae extracts for antioxidant activities. *Journal of Ethnopharmacology*. **72**: 403-410.
- Haraguchi, H., Kuwata, Y., Inada, K., Shingu, K., Miyahara, K., Nagao, M. and Yagi, A. (1996). Antifungal activity from *Alpinia galanga* and the competition for incorporation of unsaturated fatty acid in cell growth. *Planta Medica*. **62(4)**: 308-313.
- Hammer, K.A., Carson, C.F. and Riley, T.V. (2003). Antifungal activity of the components of *Melaleuca alternifolia* (tea tree) oil. *Journal of Applied Microbiology*. **95**: 852-860.
- Harris, J.C., Cottrell, S., Plummer, S. and Lloyd, D. (2001). Antimicrobial properties of *Allium sativum* (garlic). *Applied Microbiology and Biotechnology*. **57**: 282-286.
- “Herb facts.” (1995). [Online]. Available <http://atihealthnet.com/pages/herbusesfgh.html> (1 June 2006).
- Hopking, A. (2006). “Herbs and tinctures at godshaer herbalist clinic.” [Online]. Available <http://www.godshaer.co.uk/herbalfacts.php> (11 July 2006).
- Hsieh, P.-C., Mau, J.-L. and Huang, S.-H. (2001). Antimicrobial effect of various combinations of plant extracts. *Food Microbiology*. **18**: 35-43.
- Isabell, S. (2005). “Free herb information-Galangal.” [Online]. Available <http://www.hersarespecial.com.au/free-herb-information/galangal.html> (11 July 2006).
- Ismail, I.M.K., Salama, A.M., Ali, M.I.A. and Ouf, S.A. (1987). Effect of some phenolic compounds on spore germination and germ-tube length of *Aspergillus fumigatus* and *Fusarium oxysporium*. *Cryptogamie Mycologie*. **8**: 54-57.
- Ismail, M.K. (2004). “Onion-The Kitchen Herb.” [Online]. Available <http://www.bawarchi.com/health/onion.html> (1 June 2006).
- Jacobson, S. (1989). “Thai Kitchen.” [Online] Available <http://www.thaikitchen.com/ingredients.html> (17 January 2005).

- Janovska, D., Kubikova, K. and Kokska, L. (2003). Screening for antimicrobial activity of some medicinal plants species of traditional Chinese medicine. *Czech Journal of Food Science*. **21(3)**: 107-110.
- Jantan, I.B., Yassin, M.S.M., Chin, C.B., Chen, L.L. and Sim, N.L. (2003). Antifungal activity of the essential oils of nine Zingiberaceae species. *Pharmaceutical Biology*. **41(5)**: 392-397.
- Jirovetz, L., Buchbauer, G., Shafi, M.P. and Leela, N.K. (2003). Analysis of the essential oils of the leaves, stems, rhizomes and roots of the medicinal plant *Alpinia galanga* from Souther India. *Acta Pharmaceutica*. **53**: 73-81.
- Karuwanna, P., Surojanametakul, V. and Saiyudthong, S. (2003). Antimicrobial effects of extracts of Thai plants against microorganisms in winemaking. *Food*. **33(3)**: 204-210.
- Kast-Hutcheson, K., Rider, C.V. and Leblanc, G.A. (2001). The fungicide propiconazole interferes with embryonic development of the crustacean *Daphnia magna*. *Environmental Toxicology and Chemistry*. **20(3)**: 502-509.
- Kelley, W.T. and Granberry, D.M. (2000). "Dry Bulb Onions." [Online]. Available <http://pubs.caes.uga.edu/caespubs/pubcd/c801-w.html> (15 August 2005).
- Ke-Qiang, C.A.O. and Bruggen, A.H.C.V. (2001). "Inhibitory efficacy of several plant extracts and plant products on *Phytophthora infestans*." [Online]. Available [http://gilb.cgiar.org/downloads/1/0/caoqueqiang\(21\).pdf](http://gilb.cgiar.org/downloads/1/0/caoqueqiang(21).pdf) (4 July 2004).
- Khallil, A.-R.M. (2001). Phytofungitoxic properties in the aqueous extracts of some plants. *Pakistan Journal of Biological Sciences*. **4(4)**: 392-394.
- Kwon, J.-H., Lee, G.-D., Belanger, J.M.R. and Pare, J.R.J. (2003). Effect of ethanol concentration on the efficiency of extraction of ginseng saponins when using a microwavw-assisted process (MAP<sup>TM</sup>). *Internation Jpurnal of Food Science and Technology*. **38**: 615-622.
- Larone, D.H. (1993). *Medically Important Fungi*. 2<sup>nd</sup> Edition. Washington DC : ASM.
- Lawson, L.D. (1996). *The composition and chemistry of garlic cloves and processed garlic*. Baltimore : Williams and Wilkins. pp 37-108.
- "Lemon grass." (1997). [Online]. Available <http://www.hort.purdue.edu/newcrop/med-aro/factsheets/LEMONGRASS.html> (1 June 2006).

- Ling, W. (1991). Health risk evaluation of pesticide contamination in drinking water. *Gesunde Pflanzgen*. **43**: 21-25.
- Mahasneh, A.M. and El-Oqlah, A.A. (1999). Antimicrobial activity of extracts of herbal plants used in the traditional medicine of Jordan. *Journal of Ethnopharmacology*. **64**: 271-276.
- Mahmoud, A.-L.E. (1999). Inhibition of growth and aflatoxin biosynthesis of *Aspergillus flavus* by extracts of some Egyptian plants. *Letters in Applied Microbiology*. **29**: 334-336.
- Maoz, M. and Neeman, I. (1998). Antimicrobial effects of aqueous plant extracts on the fungi *Microsporium canis* and *Trichophyton rubrum* and on three bacterial species. *Letters in Applied Microbiology*. **26**: 61-63.
- Martins, H.M., Martins, M.L., Dias, M.I. and Bernardo, F. (2001). Evaluation of microbiological quality of medicinal plants used in natural infusions. *International Journal of Food Microbiology*. **68**: 149-153.
- Masika, P.J. and Afolayan, A.J. (2002). Antimicrobial activity of some plants used for the treatment of livestock disease in the Eastern Cape, South Africa. *Journal of Ethnopharmacology*. **83(1-2)**: 129-134.
- Matos, O.C., Baeta, J., Silva, M.J. and Ricardo, C.P.P. (1999). Sensitivity of *Fusarium* strains to *Chelidonium majus* L. extracts. *Journal of Ethnopharmacology*. **66**: 151-158.
- Miron, T., Shin, I., Feigenblat, G., Weiner, L., Mirelman, D., Wilchek, M. and Rabinkov, A. (2002). A spectrophotometric assay for allicin, alliin and alliinase (alliin lyase) with a chromogenic thiol: reaction of 4-mercaptopyridine with thiosulfinates. *Analytical Biochemistry*. **307**: 76-83.
- Moniharapon, E. and Hashinaga, F. (2004). Antimicrobial activity of atung (*Parinarium glaberrimum* Hassk) fruit extract. *Pakistan Journal of Biological Sciences*. **7(6)**: 1057-1061.
- Nair, R., Kalariya, T. and Chanda, S. (2005). Antibacterial activity of some selected Indian medicinal flora. *Turkey Journal of Biology*. **29**: 41-47.
- Nasar-Abbas, S.M. and Halman, A.K. (2004). Inhibition of some foodborne bacteria by alcohol extract of sumac (*Rhus coriaria* L.). *Journal of Food Safety*. **24**: 257-267.


- Nwachukwu, E.O. and Umechuruba, C.I. (2001). Antifungal activities of some leaf extracts on seed-borne fungi of African yam bean seeds, seed germination and seedling emergence. *Journal Applied Science Environment*. **5(1)**: 29-32.
- Obagwu, J. and Korsten, L. (2003). Control of citrus green and blue molds with garlic extracts. *European Journal of Plant Pathology*. **109**: 221-225.
- “Office of Agricultural Economics.” (2005). [Online]. Available [http://www.oae.go.th/oae\\_go\\_th/statlm\\_Ex.php](http://www.oae.go.th/oae_go_th/statlm_Ex.php) (15 August 2005).
- Office of Agricultural Economics. (2006a). “Shallot: quantity and value of exports.” [Online]. Available <http://www.oae.go.th/statistic/export/1301SH.xls> (1 April 2006).
- Office of Agricultural Economics. (2006b). “Onion: quantity and value of exports.” [Online]. Available <http://www.oae.go.th/statistic/export/1301ON.xls> (1 April 2006).
- Ojala, T., Remes, S., Haansuu, P., Vuorela, H., Hiltunen, R., Haahtela, K. and Vuorela, P. (2000). Antimicrobial activity of some coumarin containing herbal plants growing in Finland. *Journal of Ethnopharmacology*. **73**: 299-305.
- Okemo, P.O., Bais, H.P. and Vivanco, J.M. (2003). *In vitro* activities of *Maesa lanceolata* extracts against fungal plant pathogens. *Fitoterapia*. **74**: 312-316.
- Okigbo, R.N. and Nmeka, I.A. (2005). Control of yam tuber rot with leaf extracts of *Xylopia aethiopica* and *Zingiber officinale*. *African Journal of Biotechnology*. **4(8)**: 804-807.
- Onyeagba, R.A., Ugbogu, O.C., Okeke, C.U. and Iroakasi, O. (2004). Studies on the antimicrobial effects of garlic (*Allium sativum* Linn), ginger (*Zingiber officinale* Roscoe) and lime (*Citrus aurantifolia* Linn). *African Journal of Biotechnology*. **3(10)**: 552-554.
- Paterson, R.R.M. and Bridge, P.D. (1994). In: *Biochemical Techniques for Filamentous Fungi*. Wallingford : Cab International. p.7.
- PBI Gordon Corporation (2004). “Maneb Tomato & Vegetable Fungicide.” [Online]. Available <http://www.pbigordon.com/consumer/Lawn Garden Fungicides.htm#Maneb> (4 January 2005).
- Perombelon, M.C.M. and Kelman, A.(1980). Ecology of the soft rot *Erwinias*. *Annual Review of Phytopathology*. **18**: 361-387.

- Phongpaichit, S., Pujenjob, N., Rukachaisirikul, V. and Ongsakul, M. (2004). Antifungal activity from leaf extracts of *Cassia alata* L., *Cassia fistula* L. and *Cassia tora* L.. *Songklanakarinn Journal Science Technology*. **26(5)**: 741-748.
- Phongpaichit, S., Subhadhirasakul, S. and Wattanapiromsakul, C. (2005). Antifungal activities of extracts from Thai medicinal plants against opportunistic fungal pathogens associated with AIDS patients. *Mycoses*. **48**: 333-338.
- Poulev, A., O'Neal, J.M., Logendra, S., Pouleva, R.B., Timeva, V., Garvey, A.S., Gleba, D., Jenkins, I.S., Halpern, B.T., Kneer, R., Cragg, G.M. and Raskin, I. (2003). Elicitation, a new window into plant chemodiversity and phytochemical drug discovery. *Journal Medical Chemistry*. **46**: 2542-2547.
- Purseglove, J. W. (1972). *Tropical Crops: Monocotyledons 2*. London : Longman Group Limited, Essex. 607 pp.
- Quiroga, E.N., Sampietro, A.R. and Vattuone, M.A. (2001). Screening antifungal activities of selected medicinal plants. *Journal of Ethnopharmacology*. **74**: 89-96.
- Randle, W.M. (1997). Onion flavor chemistry and factors influencing flavor intensity. in S.J. Risch and C. Ho (eds.), *Spices: Flavor chemistry and antioxidant properties* (pp. 41-52), Washington D.C. : American Chemical Society.
- Rauha, J.-P., Remes, S., Heinonen, M., Hopia, A., Kahkonen, M., Kujala, T., Pihlaja, K., Vuorela, H. and Vuorela, P. (2000). Antimicrobial effects of Finnish plant extracts containing flavonoids and other phenolic compounds. *International Journal of Food Microbiology*. **56**: 3-12.
- Ravindran, P.N. and Balachandran, I. (2004). Under utilized medicinal spices. *Spice India*. **17(12)**: 1-48.
- Regsdale, N.N. and Sisler, H.D. (1994). Social and political implications of managing plant diseases with decreased availability of fungicides in the United State. *Annual Review of Phytopathology*. **32**: 545-557.
- Relf, D. and McDaniel, A. (1999). "Onions, Garlic and Shallots." [Online]. Available <http://www.ext.vt.edu/pubs/envirohort/426-411.pdf> (9 August 2005).
- Sato, J., Goto, K., Nanjo, F., Kawai, S. and Murata, K. (2000). Antifungal activity of plant extracts against *Arthrinium sacchari* and *Chaetomium funicola*. *Journal of Bioscience and Bioengineering*. **90(4)**: 442-446.

- Sattar, M.A., Abdullah, N.A., Khen, A.H. and Noor, A.M. (2004). Evaluation of anti-fungal and anti-bacterial activity of a local plant *Rhinacanthus nasutus* (L.). *Journal of Biological Sciences*. **4(4)**: 498-500.
- Selvi, A.T., Josept, G.S. and Jayaprakasha, G.K. (2003). Inhibition of growth and aflatoxin production in *Aspergillus flavus* by *Garcinia indica* extract and its antioxidant activity. *Food Microbiology*. **20**: 455-460.
- Shanmugasundaram, S. (2001). "Onion Cultivation and Seed Production." [Online]. Available <http://www.avrdc.org.tw/LC/onion/practices.html> (6 august 2005).
- Singh, P., Kant, L., Shah, B., Muthuswamy, V. and Saxena, N.C. (2003). Ginger: Its role in xenobiotic metabolism. *The Indian Council of Medical Research*. **33(6)**: 57-63.
- Smith-Palmer, A., Stewart, J. and Fyfe, L. (1998). Antimicrobial properties of plant essential oils and essences against five important food-borne pathogens. *Letters in Applied Microbiology*. **26**: 118-122.
- Somchit, M.N., Reezal, I., Nur, I.E. and Mutalib, A.R. (2003). *In vitro* antimicrobial activity of ethanol and water extracts of *Cassia alata*. *Journal of Ethnopharmacology*. **84**: 1-4.
- Somchit, M.N. and Shukriyah, M.H.N. (2003). Antiinflammatory property of ethanol and water extracts of *Zingiber zerumbet*. *Indian Journal of Pharmacology*. **35**: 181-182.
- Sorour, J. and Larink, O. (2001). Toxic effects of benomyl on the ultrastructure during spermatogenesis of the earthworms *Eisenia fetida*. *Ecotoxicology and Environmental Safety and Environmental Research*. **50**: 180-188.
- Souza, E.L.D., Stamford, T.L.M., Lima, E.D.O., Trajano, V.N. and Filho, J.M.B. (2005). Antimicrobial effectiveness of spices: an approach for use in food conservation systems. *Brazilian Archives of Biology and Technology*. **48(4)**: 549-558.
- Takeda, K.Y. and Sakuoka, R.T. (1997). "Onions-Bulb and Green Bunching." [Online]. Available <http://www.ctahr.hawaii.edu/oc/freepubs/pdf/HGV-16.pdf> (15 August 2005).

- Tan, B.K.H. and Vanitha, J. (2004). Immunomodulatory and antimicrobial effects of some traditional Chinese medicinal herbs: A review. *Current Medicinal Chemistry*. **11**: 1423-1430.
- Tattelman, E. (2005). Health effects of garlic. *American Family Physician*. **72(1)**: 103-106.
- “Thai Herbs and Spices.” (2003). [Online]. Available <http://www.yummytaste.com/ingredient/thaiherbs.htm> (1 June 2006).
- Thongsri, V. and Phuwiwut, V. (2002). Effect of *Aglaia odorata* Lour. leaf extracts for the control of *Colletotrichum gloeosporioides* causing Anthracnose of mango. **20(3)**: 47-56. (In Thai)
- Tripathi, P. and Dubey, N.K. (2004). Exploitation of natural products as an alternative strategy to control postharvest fungal rotting of fruit and vegetables. *Postharvest Biology and Technology*. **32**: 235-245.
- Thyagaraja, N. and Hosono, A. (1996). Effect of spice extract on fungal inhibition. *Lebensmittel-Wissenschaft und-Technologie-Food Science and Technology*. **29**: 286-288.
- Tyler, V.E. (1992). Phytochemicals: back to the future. *Journal of Natural Products*. **62**: 1587-1592.
- “University of Otago.” (2003). [Online]. Available <http://osms.otago.ac.nz/maun/bursary/biocontrol.html> (16 April 2004).
- Unnikrishnan, V. and Nath, B.S. (2002). Hazardous chemicals in foods. *Indian Journal of Dairy Biosciences*. **11**: 155-158.
- Valsaraj, R., Pushpangadan, P., Smith, U.W., Adsersen, A. and Nyman, U. (1997). Antimicrobial screening of selected medicinal plants from India. *Journal of Ethnopharmacology*. **58**: 75-83.
- Vanittanakom, N. (1999). *Medical Mycology*. 2<sup>nd</sup> Edition. Chiang Mai : The Faculty of Medicine, ChiangMai University. 425 pp.
- Vudhivanich, S. (2003). Potential of some Thai herbal extracts for inhibiting growth of *Ralstonia solanacearum*, the causal agent of bacterial wilt of tomato. *Kamphaengsaen Academic Journal*. **1(2)**: 70-76.

- Wilson, C.L., El-Ghaouth, A. and Wisniewski, M.E. (1999). Prospecting in nature's storehouse for biopesticides. *Conferencia Magistral Revista Mexicana de Fitopatologia*. **17**: 49-53.
- Wisniewski, M., Wilson, C., El-Ghaouth, A. and Droby, S. (2001). Non chemical approaches to postharvest disease control. *Acta Horticulturae*. **553**: 407-412.
- Yin, M.-C. and Tsao, S.-M. (1999). Inhibitory effect of seven *Allium* plants upon three *Aspergillus* species. *International Journal of Food Microbiology*. **49**: 49-56.
- Zafar, I., Mussarat, S., Farrakh, H. and Sheraz, B. (2002). Antifungal properties of some indigenous plants from Peshawar Valley. *Asian Journal of Plant Sciences*. **1(6)**: 708-709.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved