

REFERENCES

1. Kunst, F., Ogasawara, N., Moszer, I., Albertini, A., M. The complete genome sequence of the gram-positive bacterium *Bacillus subtilis*. *Nature*, 1997, 390, 249-256
2. Danson, M., Hough D., Lunt, G., *The Archaeobacteria Biotechnology*. Portland, London.
3. Stetter, K., Extremophilus and their adaptation to hot environments. *FEBS Lett.*, 1999, 452, 22-25.
4. Zeikus, J., Vielle C., Sarachenk, A., Thermozyne, biotechnology and structure function relation. *Extremophiles*, 1998, 2, 179-183.
5. Kumar, S., Nussinov R., How do thermophilic proteins deal with heat?. *Cell Mol. Life Sci.*, 2001, 58, 1216-1233.
6. Everly C., Alberto, J., Stressors, stress and survival: overview. *Front Bioscience*, 2000, 5, 780-786.
7. Lopez, G., DNA supercoiling and temperature adaptation a clue to early diversification of life. *J. Mol. Evol.*, 1999, 46, 439-453.
8. Rao, M., Tankasale, A., Ghatge, M., Desphanade, V., Molecular and biotechnological aspects of microbial protease. *Microbiol. Mol. Biol. Rev.*, 1998, 62, 597-634.
9. Cowan, D., Industrial enzyme technology. *Trends Biotechnol.*, 1996. 14, 177-178.
10. Fan, Z., Zhu, Q., Dai, J., Enzymatic treatment of wool. *J. Dong Hua University*, 2001, 18, 112-115.

11. Mozerky, S., Marmer W., Dale, A.O., Vigorous proteolysis Relining in the presence of an alkaline protease and bating (post-Liming) with an extremophile protease. *JALCA*, 2002, 97, 150-155.
12. Johnevelsy, B., Naik, G., Studies on production of thermostable alkaline protease from thermophilic and alkaliphilic *Bacillus* sp. JB-99 in a chemically defined medium. *Proc. Biochem*, 2001, 37, 139-144.
13. Salleh, A.B., Basri, M,m Razak, C., The effect of temperature on the protease form *Bacillus stearotherophilus* strain F1. *J. Biochem. Mol. Biol.*, 1977, 2, 37-41.
14. Razak, C., Samod, M., Basri M., Yunus, W., Ampon, K., Salleh, A., Thermostable extracellular protease by *B. stearotherophilus*. *World J. Microbiol Biotechnol.*, 1993, 10, 260-263.
15. Razak, C., Rahman,R., Salleh, A., yunus, W., Ampon K., Basri, M., 1995. Production of extracellular protease from a newly isolated *Bacillus* sp. (no.1) and the physical factors affecting its production, *Pertanika. J Sci. Technol.* 1997, 5, 169-177.
16. Rahman, R., Razak, C., Ampon, K., Basri, M., Yunus, W., Salleh, A., Purification and characterization of a heat stable protease from *Bacillus stearotherophilus* F1. *Appli. Microbiol. Biotechnol.*, 1994, 40, 822-827.
17. Gey, M., Lunger, K., Calculation of molecular masses of two newly synthesized thermostable enzymes isolated from thermophile microorganisms. *J. Chromatogr. B.*, 1995, 166, 188-193.

18. Johnevelsy, B., Naik, G. Studies on production of thermostable alkaline protease from thermophilic and alkaliphilic *Bacillus* sp. JB-99 in a chemical defined medium. *Proc. Biochem*, 2001, 37, 139-144.
19. Hanazawa, S., Hoaki, T., Jannasch, H., Maruyama, T. An extremely thermostable serine protease from hyperthermophilic archaeum *Desulfurococcus* strain SY isolated from a deep sea hydrothermal vent. *J. Mar. Biotechnol.*, 1996, 4, 121-126.
20. Zhang, J., Greasham, R., Chemically defined media for commercial fermentations. *Appl. Microbiol. Biotechnol.*, 1999, 51, 407-421.
21. Mao, W., Pan, R., Feedman, D., High production of alkaline protease by *Bacillus licheniformis* in fed-batch fermentation using synthetic medium. 1992. *J. Ind. Microbiol.*, 1992, 11, 1-6.
22. Ferrero, M., Castro, G., Abate, M., Basri, M., Sirerz, F. Thermostable alkaline protease of *Bacillus licheniformis* MIR 29; isolation, production and characterization. *Appl. Microbiol. Technol.*, 1996, 45, 327-332.
23. Demirijan, D., Moris-Varas, F., Cassidy, C. Enzyme from extremophiles. *Curr. Chem. Biol.*, 2001, 5, 144-151.
24. Linko, Y., Lamsa, M., Huhatala, A., Linko, P., Lipase catalyzed transesterification of rapeseed oil of 2-ethyl-1-hexanol. *JAOCS*, 1994, 71, 1411-1414.
25. Pandey, A., Benjamin, S., Soccol, C., Nigam, P., Krieger, N., Soccol, V., *The realm of microbial lipase in biotechnology*, 1999, 29, 119-131.

26. Shimada, Y., Watanabe, Y., Samukawa, T., Sugihra, A., Noda, H., Fukuda, H., Tominaga, Y. Conversion of vegetable oil to biodiesel using immobilized *Candida antarctica* lipase. *JAACS*, 1999, 76, 789-793.
27. Sharma, R., Soni, S., Vohra, R., Gupta, L., Gupta, J., Purification and characterization of thermostable alkaline lipase from a new thermophilic *Bacillus* sp. RSJ-1. *Proc. Biochem.*, 2002, 37, 1075-1084.
28. Dong-Woo, L., You-Seok, K., Ki Jun, K., Byung-Chan, K., Hak-Jong, C., Doo sik, K., Maggy, T., Yu-ryang, P. Isolation and characterization of thermophilic lipase from *Bacillus thermoleovorans* ID-1. *FEMS Microbiol. Lett.*, 1999, 179, 393-400.
29. Klaus, D., An enzyme process for the physical refining of seed oils. *Chem Eng. Technol.*, 1998, 21, 278-281.
30. Wu, X., Jaaskelainen, S., Linko, Y., An investigation of crude lipase for hydrolysis, esterification, and transesterification. *Enzyme Microb. Technol.*, 1996, 19, 226-231.
31. Kim. Y., Bae, J., Oh, B., Lee, W., Choi, J., Enhancement of proteolytic enzyme activity excreted from *Bacillus stearotherophilus* for a thermophilic aerobic digestion process. *Biores. Technol.*, 2002, 82, 57-164.
32. Tan, K., Gill, C. Effect of culture conditions on batch growth of *Pseudomonas fluorescens* on olive oil. *Appl. Microbiol. Biotechnol.*, 1985, 23, 27-32.
33. Imlay, J.A. Pathways of oxidative damage. *Annu. Rev. Microbiol.*, 2003, 57, 395-418.

34. Imlay, J.A., Firdovich, I., Isolation and generic analysis of a mutation that suppresses the auxotrophiles of superoxide dismutase-deficient *Escherichia coli* K12. *Mol. Gen. Genet.*, 1991, 228, 410-416.
35. Imlay, J.A., How oxygen damages microbes: Oxygen tolerance and obligate anaerobiosis. *Adv. Microb. Physiol.*, 2002, 46, 111-153.
36. Fernandes, A.P., Holmgren, A. Glutaredoxins: Glutathione-dependent redox enzymes with functions far beyond a simple thioredoxin backup system. *Antioxid. Redox Signal*, 2004, 6, 63-74.
37. Jacob, C., Holme, A.L., Fry F.H. The sulfinic acid switch in proteins. *Org. Biomol Chem.*, 2004, 2, 1953-1956.
38. Poole, L.B., Karplus, P.A., Claiborne, A., Protein sulfenic acids in redox signaling. *Annu Rev. Pharmacol. Toxicol.*, 2004, 44, 325-347.
39. Biteau, B., Labarre, J., Toledano, M.B. ATP-dependent reduction of cysteine-sulphinic acid by *S. cerevisiae* sulphiredoxin. *Nature*, 2003, 425, 980-984.
40. Budanov, AV, Sablina, A.A., Feinstein E., Koonin EV, Chumakov P.M., Regeneration of peroxiredoxins by p53-regulated sestrins, homologues of bacterial AphpD. *Science*, 2004, 304,596-600.
41. Zheng, M.m Aslund, F., Storz, G., Activation of the OxyR transcription factor by reversible disulfide bond formation. *Science*, 1998, 279, 1718-1721.
42. Aslund, F., Zheng, M., Beckwith, J., Storz, G., Regulation of the OxyR transcription factor by hydrogen peroxide and the cellular thiol-disulfide status. *Proc. Natl. Acad. Sci. U.S.A.*, 1999, 96, 6161-6165.
43. Hausladen, A., Privalle, C.T., Keng, T., DeAgelo, J., Stamler, J.S., Nitrosative stress: Activation of the transcription factor OxyR. *Cell*, 1996, 86, 719-729.

44. Kim, S.O., Merchant, K., Nudelman, R., Beyer, W.F., Jr. Keng T. et al OxyR: A molecular code for redox-related signaling. *Cell*, 2002, 383-396.
45. Mukhopadhyay P., Zheng, M., Bedzyk, L.A., LaRossa R.A., Storz, G., Prominent roles of the NorR and Fur regulators in the *Escherichia coli* transcriptional response to reactive nitrogen species. *Proc Natl Acad. Sci. U.S.A.*, 2004, 101, 745-750.
46. Jakob, U., Eser, M., Bardwell, J.C, Redox switch of hsp33 has novel zinc-binding motif. *J. Biol. Chem*, 2000, 275, 38302-38310.
47. Li, W., Bottrill, A.R., Bibb, M.J., Buttner, M.J., Paget, M.S., The role of zinc in the disulphide stress-regulated anti-sigma factor RsrA from *Streptomyces coelicolor*. *J. Mol. Biol.*, 2003, 333, 461-472.
48. Paget, M.S., Buttner, M.J., Thiol-based regulatory switches. *Annu Rev., Genet.*, 2003, 37, 91-121.
49. Bae, J.B., Park, J.H., Hahn, M.Y., Kim, M.S., Roe, J.H., Redox-dependent changes in RsrA, an anti-sigma factor in *Streptomyces coelicolor*: Zinc release and disulfide formation. *J.Mol. Biol.*, 2004, 335, 425-435.
50. Graf, P.C., Martinez-Yamout, M., VanHaerents, S., Lilie, H., Dyson, H.J., Activation of the redox-regulated chaperone Hsp33 by domain unfolding. *J. Biol. Chem.* 2004, 279, 20529-20538.
51. Panmanee, W., Vattanaviboon, P., Eiamphungpron, W., Whangsuk, W., Sallabhan, R., OhrR, a transcription repressor that senses and responds to changes in organic peroxide levels in *Xanthomonas campestris* pv. Phaseoli. *Mol. Microbiol.*, 2002, 45.1647-1654.

52. Fuangthong, M., Helmann, J.D, The OhrR repressor sense organic hydroperoxides by reversible formation of a cysteine-sulfenic acid derivative. *Proc. Natl. Acad. Sci, U.S.A.*, 2002, 99, 6690-6695.
53. Collet, J.F, D' Souza, J.C, Jakob, U., Bardwell, J.C., Thioredoxin 2, an oxidative stress-induced protein, contains a high affinity zinc binding site. *J. Biol. Chem.*, 2003, 278, 45325-45332.
54. Delaunay, A., Pflieger, D., Barrault, M.B., Vinh, J., Toeldano, M.B., A thiol peroxidase is an H₂O₂ receptor and redo-transducer in gene activation. *Cell*. 2002, 111, 471-481.
55. Wood, M.J. Storz G., Tjandra, N., Structural basis for redox regulation of Yap1 transcription factor localization. *Nature*, 2004, 430, 917-921.
56. Sinchaikul, S., Sookkheo, B., Phutrakul, S., Pan, F.M., Chne, S.T. Optimization of a thermostable lipase from *Bacillus stearothermophilus* P1 overexpression, purification and characterization. *Protein Exp. Purif.*, 2001, 22, 388-398.
57. Sookkheo, B., Sinchaikul, S., Phutrakul, S., Chen, S.T., Purification and characterization of the highly thermostable proteases from *Bacillus stearothermophilus* TLS33. *Protein Expr. Purifi.*, 2000, 20, 142-51.
58. Fleischmann, R.D. Adams M.S, White M.D., White, O., Clayton, R.A. Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd. *Science*. 1995, 269, 496-512.
59. Sonenshein, A. L., Hoch, J. A., Losick, R., (Eds.), *Bacillus subtilis* and its Closest Relatives. *From Genes to Cells*, ASM Press, Washington, DC 2002

60. Streips, U. N., Polio, F. W., Heat shock protein in *bacilli*. *J. Bacteriol.*, 1985, 162, 434-437.
61. Hirose, I., Sano, K., Shioda, I., Kumano, M., Nakamura, K. and Yamane, K., Proteome analysis of *Bacillus subtilis* extracellular proteins: a two dimensional protein electrophoretic study. *Microbiol.*, 2000, 146, 65-75.
62. O'Farrell, P.H., High resolution two-dimensional electrophoresis of proteins. *J. Biol. Chem.*, 1975, 250, 4007-4021.
63. Hecker, M., Schumann, W., and Volker, U., Heat shock and general stress response in *Bacillus subtilis*. *Mol. Microbiol.*, 1996, 19, 417-428.
64. Scheele, G. A., Two-dimensional gel analysis of soluble proteins characterization of guinea pig exocrine pancreatic protein. *J. Biol. Chem.*, 1975, 250, 5375-5385.
65. Hecker, M., A proteomic view of cell physiology of *Bacillus subtilis* bringing the genome sequence to life. *Adv. Biochem. Eng. Biotechnol.*, 2003, 83, 57-92.
66. Helmann, J.D., Wu, M. F. H. W., Gaballa, A., Kbel, P.A., Morshedi, M. M., Fawcett, P., and Paddon, C., The global transcriptional response of *Bacillus subtilis* to peroxide stress in coordinated by three transcription factors. *J. Bacteriol.*, 2003, 243-253.
67. VanBoogelen, R. A., Kelly, P. M., Neidhardt, F.C., Different induction of heat shock, SOS, and oxidation stress regulons and accumulation of nucleotides in *Escherichia coli*. *J. Bacteriol.*, 1987, 169, 26-32.
68. Link, A. J., Multidimensional peptide separations in proteomics. *Trends Biotechnol.*, 2002, 20, S8-13.

69. Gevaert, K., Van Damme, J., Goethals, M., Thomas, G. R., Chromatographic Isolation of Methionine-containing peptides for gel-free proteomic analysis: Identification of more than 800 in *Escherichia coli*. *Mol Cell Proteomics*, 2002, 1, 896-903.
70. Sinchaikul, S., Sookkheo, B., Topanurak, S., Juan, H. F., Phutrakul, S., Chen S. T., Bioinformatics, functional genomics and proteomics study of *Bacillus* sp. *J. Chromatogr. B.*, 2002, 771, 261-287.
71. VanBogelen, R., A., Sanker, P., Clark, R., L., Bogan, J.A., Neidhardt, F. C., Human cerebrospinal fluid protein database: Edition 1992. *Electrophoresis*, 1992, 13, 1014-1054.
72. Pasquali, C., Fruitiger, S., Wilkins, M. R., Hughes, G. J., Appel, R.D., Bariroch, A., D. et al. Two-dimensional gel electrophoresis of *Escherichia coli* homogenates: The *Escherichia coli* SWISS-2D PAGE database. *Electrophoresis*, 1996, 17, 547-55.
73. Volker, U., Englemann, S., Maul, B., Reithdoft, S., Volker, A., Schmid, R., Mach, H., Hecker M., Analysis of induction of general stress proteins of *Bacillus subtilis*. *Microbiol.*, 1994, 140, 741-752.
74. Butteber, K., Bernhardt, J., Scharf, C., Schmid, R., Mader, U., Eymann, C., Antelmann, H. et al., A comprehensive two dimension map of cytosolic proteins of *Bacillus subtilis*. *Electrophoresis*, 2001, 22, 2908-2935
75. Shevchenko, A., Jensen, O. N., Podtelejnikov, A., Sagliocco, F., Wilm, M., Vorm, O., Mortensen, P. et al., Linking genome and proteome by mass spectrometry: Large-Scale identification of yeast proteins form two dimensional gels. *Proc. Natl. Acad. Sci. USA.*, 1996, 93, 14440-14445.

76. Movahedi, S., Waites, W., Cold shock Response in sporulation *Bacillus subtilis* and its effect on spore heat resistant. *J. Bacteriol.*, 2002, 184, 5275-5281.
77. Rabiloud, T., Use thiourea to increase the solubility of membrane proteins in two-dimensional electrophoresis. *Electrophoresis*, 1998, 19, 758-760.
78. Berggren, K., Chernokalskaya, E., Steinberg, T.H., Kemper, C., Lopez, M. F., Diwu, Z., Haugland, R. P., Patton, W.F., Background free, high sensitivity staining of proteins in one-and two dimensional sodium dodecyl sulfate-polyacrylamide gels using a luminescent. *Electrophoresis*, 2000, 21, 2509-2521.
79. Dainese, P., Staudenmann, W., Ouadroni, M., Korostenky, C., Gonnet, G., Kertz, M., James, P., Probing protein functions using a combination of gene knockout and proteomic analysis by mass spectrometry. *Electrophoresis*, 1997, 18, 432-442.
80. Msadek, T., When the going gets tough: survival strategies and environment signaling networks in *Bacillus subtilis*. *Trends Microbiol.*, 1999, 7, 201-207.
81. Kroos, L., Zhang, B., Ichikawa, H., Yu, Y.T.N., Control of σ factor activity during *Bacillus subtilis* sporulation. *Mol. Microbiol.*, 1999, 31, 1285-1294.
82. Weber, M., H. W., Maraheil, M.A., Bacterial Cold Shock response. *Sci. Prog.*, 2003, 86, 9-75.
83. Grumann, P., Wnedrich, T. M., Weber, M. H. W., Svhröder, K., Miraheil, M. A., A family of cold-shock proteins in *Bacillus subtilis* is essential for cellular growth and for efficient protein synthesis at optimal and low temperature. *Mol. Microbiol.*, 1997, 25, 741-756.

84. Grumann, P., Schroder, K., Schmid, R., Marheil M.A., Cold shock stress-induce in *Bacillus subtilis*. *J. Bacteriol.*, 1996, 178, 4611-4619.
85. Jones, P.G., vanBogele, R.A., Neidhardt, F., Induction of proteins in response to low temperature in *Escherichia coli*. *J. Bacteriol.*, 1987, 169, 2092, 2095.
86. Haney, P. J., Badger, J. H., Buldak, G. L., Reich, C. I., Woese. C. R., Olsen, G. J., Sequences from mesophile and extremely thermophilic *Methanococcus* species. *Proc. Natl. Acad. Sci. USA*, 1999, 96, 3578-3538.
87. Kumar, S., Tsai, C., Nussinov, R., Factors enhancing Protein thermostability *Protein Eng.*, 2000, 13, 179-191.
88. Price, C. W., Fawcett, P., Ceremonie, H., Su, N., Murphy, C.K., Youngman, P., Evidence that F. Plasmid proteins TraV, TraK and TraB assemble into an envelope-spanning structure in *Escherichia coli*. *Mol. Microbiol.*, 2001, 41,757-774.
89. Benson, A. K., Hadelwang, W. G., Characterization of a regulatory network that controls sigma B expression in *Bacillus subtilis*. *J. Bacteriol.*, 1992, 174, 749-757.
90. Rhee, S.G., Cell signaling H₂O₂, a necessary evil for cell signaling. *Science*, 2006, 312, 1882-1883.
91. Oggioni, M.R., Trayspetti, C., Kadioglu, A., Cassone, A. A., Ianelli, F., Ricci S., Andrew, P.W., Pozzi, G. Switch from planktonic to sessile life: a major event in *Pneumococcal pathogenesis*. *Mol. Microbiol.*, 2006, 61, 1196-1210.
92. Hirata, K., Yoshitomi, S., Dwi, S., Iwabe, O., Mahakant, A. J., Polchai, J., Miyamoto, K. Generation of ractive oxygen species undergoing redox cycle of nostocine A: a cytotoxic violet pigment. *J. Biotechnol.*, 2004, 13, 29-35.

93. Hecker, M., Volker, U., Toward a comprehensive understanding of *Bacillus subtilis* cell physiological proteomics. *Proteomics*, 2004, 4, 3727-3750.
94. Tam, L.T., Antelmann, H., Eymann, C., Albrecht, D., Bernhardt, J., Hecker, M. Proteome signatures for stress and starvation in *Bacillus subtilis* as revealed by 2-D gel image color coding approach. *Proteomics*, 2006, 17, 4565-4585.
95. Garotoli, S., Falconi, M., Desideri, A., Thermophilicity of wild type and mutant cold shock proteins by molecular dynamics simulation. *J. Biomol. Struct. Dyn.*, 2004, 21, 771-780.
96. Horsburgh, M.J., Clements, M.O., Crossley, H., Ingham, E., Foster, S. J., PerR controls oxidative stress resistance and iron storage protein and is required for virulence in *Staphylococcus aureus*. *Infect Immun.*, 2001, 69, 3744-3754.
97. Fratelli, M., Demol., H., Puype, M., Casagrade, S., Villa, P., Eberini, I., Vadekerchhove, J., Gianazza, E., Ghezzi, P., Identification of proteins undergoing glutathionylation in oxidatively stress hepatocytes and hepatoma cells. *Proteomics*, 2003, 3, 1154-1161.
98. Kim, D. M., Swartz, J.R., Efficient production of a bioactive, multiple disulfide bonded protein using modified extract. *Biotech. Bioeng.*, 2004, 2, 123-129.
99. Perkins, D. N., Pappin, D.J., C., Crasy, D.M., Cttrell, J.S., Problility-based protein identified by searching sequence database using mass spectrometry data. *Electrophoresis*, 1999, 20, 3551-3567.
100. Yang, K. S., Kang, S.W., Woo H. A. Hwang, S. C., Chae, H. Z., Kim, Rhee, S. G., Inactive of Human peroxiredoxin I during catalysis as the result of the

oxidation of the catalytic site cysteine to cysteine-sulfinic acid. *J. Biol. Chem.*, 2002, 277, 38029-38036.

101. Sayed, A. A., William, D.L., Biochemical characterization of 2-Cys Peroxiredoxins from *Schistosoma mansoni*. *J. Biol. Chem.*, 2004, 279, 26159-26166.

102. Chae, H. Z., Robison, K., Poole, L.B., Church, G., Storz, G., Rhee, S. G., Epistatic Interaction and Functional compensation Between the two tissue-and-cell specific sucrose synthase genes in Maize. *Proc. Natl. Acad. Sci. USA*, 1994, 91, 7917-7021.

103. Wagner, E., Luche, S., Pena, L., Chevallet, M., Dorselase A. V., Leize-Wagner, L., Rabilloud, T., A method for detection of overoxidation of cysteines: peroxiredoxins are oxidized in vivo at active site cysteine during oxidative stress. *Biochem. J.*, 2002. 366, 777-785.

104. Lin, T.K., Hughes, G., Muratovska, A., Blaikies, F. H., Brookes, P.S., Darley-Usmar, V., Smith, R. A. J., Murphy, M. P., Specific Modification of Mitochondrial protein Thiols in Response to Oxidative stress. *J. Biol. Chem.*, 2002, 277, 17048-17056.

105. Rabilloud, T., Heller, M., Gasneir, F., Luche, S., Rey, C., Aebersold, R., Benahmed, M., Louisot, P., Lunardi, J., Proteomics Analysis of Cellular Response to Oxidative stress. Evidence For In vivo Overoxidation of Peroxiredoxins at their active site. *J. Biol. Chem.*, 2002, 277, 19396-19401.

106. Wood, Z.A., Poole, L.B., Karpuls, A., Peroxiredoxin Evolution and The Regulation of Hydrogen Signaling. *Science*, 2003, 300,650-653.

107. Lars, I. Leichert, Ursula J., Protein thiol Modifications Visualized *in Vivo*. *PLOS boil.*, 2004, 2, 1723-1727.
108. Cotgreave, I. A., Gerdes, R., Schuppe, Koistinen I. Lind C, S-glutathionylation of glyceraldehyde-3-phosphate dehydrogenase: Role of thiol oxidation and catalyst by glutaredoxin. *Methods Enzymol.*, 348, 175-182.
109. Mostertz, J. and Hecker, M, Patterns of protein carbonylation following oxidative stress in wild type and sigB *Bacillus subtilis* cells. *Mol. Genet. Genomics*, 269, 640-648.
110. Ferrer-Navarro, M., Gomez, A., Yanes, O., Planelli, R., Aviles, F.X., Pinol, J., Perez, Pons, J.A., Querol, E. Proteome of the bacterium *Mycoplasma penetrans*, *J. Proteome. Res.*, 2006, 5, 688-694.
111. Levine, A., Vanneir, F., Absolon, C., Kuhn, L.m Jackson, P., Scrivenr, E., Labas, V., Vinh, J., Coutney, P., Garin, J., Serors, S.J., Analysis of the dynamic *Bacillus subtilis* Ser/Thr/Tyr phosphoproteome implicated in a wide variety of cellular processes. *Proteomics*, 2006, 6, 2157-2173.
112. Vendrov, A.E., Madamanchi, N.R., Hakim, Z.S., Rojas, M., Runge, M.S., Thrombin and NAD(P)H oxidase-mediated regulation of CD44 and BMP4-Id pathway in VSMC, restenosis, and atherosclerosis. *Circ. Res.*, 2006, 26, 1254-1263.
113. Jaimes, E.A., Tian, R.X, Pearse, D., Raji, L. Up-regulation of glomerular COX-2 by angiotensin II: role of reactive oxygen species. *Science*, 2005, 68, 2143-2153.
114. Lee, Y. H, Brown, M.R., Effect of nutrient limitation on sporulation of *Bacillus stearothermophilus*. *J. Pharm Pharmacol.*, 1975, suppl-2-22 P.

115. Spano, G., Massa, S., Environmental stress response in wine lactic acid bacteria: beyond *Bacillus subtilis*. *Crit. Rev. Microbiol.*, 2006, 32, 77-86.
116. Bocompagni, E., Dupont, L., Mingnot, T., Osteras, M., Lambert, A., Poggi, M.C., Le Redulier, D., Characterization of a *Snorhizobium meliloti* ATP-binding cassette histidine transportater also involved in bacteria and praline uptake, 2000, *J. Bacteriol.*, 182, 3712-3725.
117. Nakaminami, K., Karlson, D. T., Imai, R., Functional conservation of cold shock domains in bacteria and higher plants. *Proc. Nalt. Acad. Sci. USA*, 2006, 27, 103, 10122-10127.
118. Turecek, F., Mass spectrometry in coupling with affinity capture-release and isotope-coded affinity tags for quantitative protein analysis. *J. mass spectrum*, 2002, 37, 1-14.
119. Hoper, D., Bernhardt, J., Hecker, M., Salt stress adaptation of *Bacillus subtilis*: A physiological proteomics approach. *Proteomics*, 2006, 6, 1550-1562.
120. Larochell, M., Drouin, S., Robert, F., Turcotte, B. Oxidative stress-activated zince cluster protein *stb5* dual activator/repressor functions required for pentose phosphate pathway regulation and NADPH production, 2006, *Mol. Cell Biol.*, 26, 6690-6707.
121. Findlay, V. J. Taipero H., Townsend, D.M., sulferedoxin: a potential therapeutic agent. *Nature*, 2005, 59, 374-379.
122. Wang, M., Xiao, G. G, Li, N., Xie, Y., Loo , J. A., Nel, A.E., Use of a fluorescent phosphoprotein dye to characterize oxidative stress induce signaling pathway componet in macrophage and epithelial cultures exposed to diesel exhaust particle chemicals. *Electrophoresis.*, 2005, 26, 2092-2108.

123. Woo, H.A., Chae, H. Z., Hwang, S.C., Yang, K. S., Kang, S., W., Kim. K., Rhee, S. G., Reversing the inactivation of peroxiredoxins Caused by Cysteine Sulfinic acid formation. *Science*, 2003, 300, 653-656.
124. Claiborne, A., Yeh, J. I., Mallett, T. C., Lube, J., Crane, E. J., Charrier, V., Parsonge, D., Protein-sulfenic Acids:Diverse Roles for an Unlikely Player in Enzyme Catalysis and Redox Regulation. *Biochemistry*, 1999, 38, 15407-15416.
125. Topanurak, S., Sinchaikul, S., Phutrakul, S., Sookkheo, B., Chen, S. T., Proteomics viewed on stress response of thermophilic bacterium *Bacillus stearothermophilus* TLS33. *Proteomics*, 2005, 5, 3722-3730.
126. O'toole R., Smeulder, M.J., Blockpael, M.C., Kay, E.J., Lougheed, K., Williams, H.D., A two-component regulator of universal stress protein expression and adaptation to oxygen starvation in *Mycobacterium smegmatis*. 2003, *J. Bacteriol.*, 5, 1543-1554.
127. Fitzpatrick, T.B., Amerherin N., Macheronx, D. Characterization of YgJM, an old Yello Enzyme homolog from *Bacillus subtilis* involved in the oxidative stress response. *J. Biol. Chem.*, 2003, 278, 19891-19897.