

REFERENCES

- Ambient Air Specific Methods. EPA 600/4 77 027a, U.S. Environmental Protection Agency, Research Triangle Park, NC 27711, *Quality Assurance Handbook for Air Pollution Measurement System 2*, 1977.
- BCH 5112., 2003 Environmental Analysis. General Air Analysis.
http://personal.cityu.edu.hk/~bhtan/Air_parameter.doc
- Brauer, M., Brook, J.R., 1995. Personal and fixed-site ozone measurement with a passive sampler. *Journal of the Air Waste Management Association* 45, 529-533.
- Brown, R. H., 2000. Monitoring the ambient environment with diffusive samplers: theory and practical considerations. *Journal of Environmental Monitoring* 2, 1-9.
- Bytnerowicz, A., Manning, W.J., Grosjean, D., Chmielewski, W., Muchowski, W., Grodzinska, K., Godzik, B., 1993. Detecting ozone and demonstrating its phytotoxicity in forested areas of Poland: a pilot study. *Environmental Pollution* 80, 301-305.
- Campbell, G.W., Stedman, J.R., Stevenson, K., 1994. A survey of nitrogen dioxide concentration in the United Kingdom using diffusion tubes, July-December 1991. *Atmospheric Environment* 28, 477-486.
- Carl P.T., Jo, D., 1993. *Guidelines for validation of analytical methods*, 4-24.
- Carmichael, G.R., Ferm, M., Adikary, S., Ahmad, J., Mohan, M., Hong, M.S., Chen, L., Fook, L., Liu, C.M., Soedomo, M., Tran, G., Suksomsank, K., Zhao, D.,

- Arndt, R., Chen, L.L., 1995. Observed regional distribution of sulfur dioxide in Asia. *Water, Air and Soil Pollution* 85, 2289-2294.
- Carolyn, K., Malcolm, F., John, W., 2000. Reliability of nitrogen dioxide passive diffusion tubes for ambient measurement: *in situ* properties of triethanolamine absorbent. *Journal of Environmental Monitoring* 2, 307-312.
- Cox, R.M., Malcolm, J.W., 1999. Passive ozone monitoring for forest health assessment. *Water, Air and Soil Pollution* 116, 334 -339.
- De Santis, F., Dogeroglu, T., Menichelli, S., Vazzana, C., Allegrini, I., 2001. The use of a new passive sampler for ozone and nitrogen oxides monitoring in ecological effects research. In: Proceedings of the International Symposium on Passive Sampling of Gaseous Air Pollutants in Ecological Effects Research. *The Scientific World* 1, 475-482.
- Douglas A.S., Janes, F.H., Timothy A.N., 1998. *Principle of Instrumental Analysis*, 5th edition, 752-755.
- Duikowski, S., 1986. Measuring air pollution in forests (technical monitoring). *Las-Polski* 4, 15 -17.
- Environment Canada, National Pollutant Release Inventory, 2004.
- Ferm, M., 1991. A Sensitive Diffusional Sampler. *IVL Report L91-172*. Swedish Environmental Research Institute, Goteborg, Sweden.
- Ferm, M., Rodhe, H., 1997. Measurements of air concentrations of SO₂, NO₂ and NH₂ at rural and remote sites in Asia. *Journal of Atmospheric Chemistry* 27, 17 -29.
- Ferm, M., Svanberg, P.A., 1998. Cost-efficient techniques for urban and background measurements of SO₂ and NO₂. *Atmospheric Environment* 32, 1377-1381.

- Gair, A.J., Penkett, S.A., Oyola., 1991. Development of a simple passive technique for the determination of nitrogen dioxide in remote continental locations. *Atmospheric Environment* 25A, 1927-1939.
- Gerosa, G., Mazzali, C., Ballarin-Denti, A., 2001. Techniques of ozone monitoring in a mountain forest region: passive and continuous sampling, vertical and canopy profiles. In: Proceedings of the International Symposium on Passive Sampling of Gaseous Air Pollutants in Ecological Effects Research. *The Scientific World* 1, 1612-2246.
- Goyal, S.K., 2001. Used of rosaniline hydrochloride dye of atmospheric SO₂ determination and method sensitivity analysis. *Journal of Environmental Monitoring* 3, 666-670.
- Grosjean, D., Williams, E.L., Grosjean, E., 1995. Monitoring ambient ozone with a network of passive samplers:a feasibility study. *Environmental Pollution* 88, 267-273.
- Hangartner, M., 1990. Ozone diffusive sampler for 8 hour exposure. Federal Institute of Technology, Zurich Switzerland.
- Hargreaves, K.J., 1989. PhD Thesis, University of Nottingham, Nottingham.
- Hauser, T.R., Bradley, D.W., 1966. Specific spectrophotometric determination of ozone in the atmosphere using 1,2-Di-(4-pyridyl)ethylene. *Analytical Chemistry* 38, 1529 -1532.
- Heal, M.R., Cape, J.N., 1997. A numerical evaluation of chemical interferences in the measurement of ambient nitrogen dioxide by passive diffusion samplers. *Atmospheric Environment* 31, 1911-1923.

- Kass, M., Ivaska, A., 2001. Spectrophotometric determination of sulphur dioxide and hydrogen sulphite in gas phase by sequential injection analysis technique. *Analytica Chimica Acta*, 449, 189-197.
- Koutrakis, P., Wolfson, J.M., Bunyaviroch, A., Froehlich, S.E., Hirano, K., Mulik, J.D., 1993. Measurement of ambient ozone using a nitrite-coated filter. *Analytical Chemistry* 65, 209-214.
- Kabindra, M. S., 2004. M.S. Thesis. Chiang Mai University. Thailand.
- Kasper-Giebl, A., Puxbau, H., 1999. Technical Note. Deposition of particulate matter in diffusion tube samplers for determination of NO₂ and SO₂. *Atmospheric Environment* 33, 1323-1326.
- Krochmal, D., Gorski, L., 1991. Determination of nitrogen dioxide in ambient air by use of a passive sampling technique and triethanol amine as absorbent. *Environmental Science and Technology* 25, 531-535.
- Krochmal, D., Kalina, A., 1997. A method of nitrogen dioxide and sulphur dioxide determination in ambient air use of passive samplers and ion chromatography. *Atmospheric Environment* 31(20), 3473-3479.
- Krupa, S.V., Legge, A.H., 2000. Passive sampling of ambient gaseous air pollutants: an assessment from ecological perspective. *Environmental Pollution* 107, 31-45.
- Macchi, G., Cescon, B.S., 1970. Spectrophotometric submicrodetermination of nitrite after double extraction of the azo compound produced. *Analytical Chemistry* 42, 1809-1810.
- Miller, J.C. and Miller, J.N., 1988. *Statistics for Analytical Chemistry*, 2nd edition., Ellis Howood Limited, Chichester, 115.

- Monn, C., Hangartner, M., 1989. Ozone Passive Sampling Tube for Ambient Monitoring, 82th Annual APCA Meeting, Anaheim CA, Paper 89-29.6.
- Mulik, J.D., Lewis, R.G., McCleany, W.A., 1989. Modification of a high-efficiency passive sampler to determine nitrogen dioxide or formaldehyde in air. *Analytical Chemistry* 61, 187-189.
- Murad I.H., Helaleh, S.H., Takashi K., Kazuhiko T., 2002. Development of passive sampler technique for ozone monitoring. Estimation of indoor and outdoor ozone concentration. *Talanta* 58, 649-659.
- Orr, D.B., Hipfner, J.C., Chan, W.C., Lusic, M.A., Hunt, J.E., 1987. The application of a passive permeation device for the measurement of ambient sulfur dioxide. *Atmospheric Environment* 21, 1473 -1475.
- Palmes, E.D., Gunnison, A.F., 1973. Personal monitoring device for gaseous contaminants. *American Industrial Hygiene Association Journal* 34, 78-81.
- Palmes, E.D., Gunnison, A.F., Dimatto, J., Tomezyk, C., 1976. Personal sampler for nitrogen dioxide. *American Industrial Hygiene Association Journal* 37, 570-577.
- Plasance, H., Sagnier, I., Saison, J.Y., Galloo, J.C., Guillermo, R., 2002. Performances and application of a passive samplin method for simultaneous determination of nitrogen dioxide and suphur dioxide in ambient air. *Environmental Monitoring and Assessment* 79, 301-315.
- Purnendu, K.D., Kymron, D., James C.U., 1980. Determination of Atmospheric Sulfur Dioxide without Tetrachloromercurate (II) and the Mechanism of the Schiff Reaction. *Analytical Chemistry* 52, 1912-1922.

- Ray, J.D., 2001. Spatial Distribution of tropospheric ozone in national parks of California: interpretation of passive-sampler data. In: Proceedings of the International Symposium on Passive Sampling of Gaseous Air pollutants in Ecological Effects Research. *The Scientific World 1*, 483-497.
- Reiszner, K.D., West, P.W., 1973. Collection and determination of sulfur dioxide incorporating permeation and the West-Gaeke procedure. *Environmental Science and Technology 7*, 526-532.
- Roger M. Cox., 2003. The use of passive sampling to monitor forest exposure to O₃, NO₂ and SO₂: a review and some case study. *Environmental Pollution 126*, 301-311.
- Sawicki, E., Stanley, T., Pfaff, J., D'Amico, A., 1963. Comparison of fifty-two spectrophotometric methods for the determination of nitrite. *Talanta 10*, 641-655.
- Solomons, G. T.W., 1997. *Fundamentals of Organic Chemistry, 5th edition*, 344.
- Tadeusz, G., Jacek, N., 2002. Passive sampling. Trends in analytical chemistry, 21(4), 276-291.
- Tang, H., Lau, T., 2000. A new all season passive sampling system for monitoring ozone in air. *Environmental Monitoring and Assessment 65*, 129-137.
- Tang, H., Lau, T., Brassard, B., Cool, W., 1999. A new all-season passive sampling system for monitoring NO₂ in air. *Field Analytical Chemistry Technology 3*, 338-345.
- Tate, P., 2002. Amonia sampling using Ogawa passive samplers. M.S. Thesis. University of Florida, USA.
- Taylor, J.K., 1987. *Quality Assurance of Chemical Measurement*, USA.

- Thomas R. Huaser., Daniel W.B., 1966. Specific Spectrophotometric Determination of Ozone in the Atmosphere Using 1,2-Di-(4-Pyridyl)Ethylene. *Analytical Chemistry*, 38 (11), 1529-1532.
- Van, R. H., Fischer, P.H., Harssema, H., Briggs, D.J., Small-bone, K. and Lebret, E., 1998. Field Comparison of Two NO₂ Samplers to Assess Spatial Variation. *Environmental Monitoring and Assessment* 50, 37–51.
- Vershney C.K. and Abhai, P.S., 2003. Passive Samplers for NO_x Monitoring: A Critical Review. *The Environmentalist* 23, 127-136.
- Werner, H., 1989. Die Ozonkerze ein Passiver Integrator Zurflachendeckenden Abschätzung der Ozonimmission. In: Proc.14th Int. Meeting for Specialists in Air Pollution Effects on Forest Ecosystems, IUFRO P2.05, Interlaken, Switzerland, 2-8 October 1988. *Birmersdorf*, 547-549.
- West, P.W. and Gaeke, G.C., 1956. *Analytical Chemistry* 28, 1817-1819.
- Willems, J.J.H., 1993. Low-cost Methods for Measuring Air Pollutants (a Training Program). *Report R-635*. Wageningen (NI) Agricultural University, Department of Air Quality, Wageningen, The Netherlands.